






269660  

---

7c





Digitized by the Internet Archive  
in 2007 with funding from  
Microsoft Corporation

C  
25974t

# A TABLE OF SPECIFIC GRAVITY

FOR

## SOLIDS AND LIQUIDS.

[CONSTANTS OF NATURE: PART I.]

NEW EDITION, REVISED AND ENLARGED.

BY

FRANK WIGGLESWORTH CLARKE,

*Chief Chemist, U. S. Geological Survey.*



---

PUBLISHED BY THE SMITHSONIAN INSTITUTION.

---

London

MACMILLAN AND CO.

AND NEW YORK.

1888.

ΕΠΙΣΤΗΜΟΝΟΝ ΚΑΙ ΤΕΧΝΟΛΟΓΙΚΟΝ ΠΑΝΕΠΙΣΤΗΜΙΟΝ ΚΡΗΤΗΣ

ΠΡΟΤΥΠΟ ΔΕΛΤΙΟ



25001  
30/9/92



# TABLE OF CONTENTS.

---

	Page.
INTRODUCTION .....	vii
EXPLANATORY NOTES .....	ix
I. Elements .....	1
II. Inorganic fluorides .....	16
III. Inorganic chlorides .....	19
1st. Simple chlorides .....	19
2d. Double chlorides .....	27
3d. Oxy- and sulpho-chlorides .....	29
IV. Inorganic bromides .....	31
1st. Simple bromides .....	31
2d. Double, oxy-, and sulpho-bromides .....	33
V. Inorganic iodides .....	34
1st. Simple iodides .....	34
2d. Double and oxy-iodides .....	36
VI. Chlorobromides, chloriodides, and bromiodides .....	37
VII. Ammonio-chlorides, ammonio-bromides, and ammonio-iodides .....	38
VIII. Inorganic oxides .....	39
1st. Simple oxides .....	39
2d. Double and triple oxides .....	55
IX. Inorganic sulphides .....	56
1st. Simple sulphides .....	56
2d. Sulpho-salts of arsenic, antimony, and bismuth .....	61
3d. Miscellaneous double and oxy-sulphides .....	64
X. Selenides .....	65
XI. Tellurides .....	66
XII. Phosphides .....	66
XIII. Arsenides .....	67
XIV. Antimonides .....	68
XV. Sulphides with arsenides or antimonides .....	69
XVI. Hydrides, borides, carbides, silicides, and nitrides .....	69
XVII. Hydroxides .....	70
XVIII. Chlorates and perchlorates .....	72
XIX. Bromates .....	73
XX. Iodates and periodates .....	74
XXI. Thiosulphates (hyposulphites), sulphites, and dithionates .....	74
XXII. Sulphates .....	75
1st. Simple sulphates .....	75
2d. Double and triple sulphates .....	88
3d. Basic and ammonio-sulphates .....	96
XXIII. Selenites and selenates .....	98
XXIV. Tellurates .....	102

	Page.
XXV. Chromates .....	102
XXVI. Manganites, manganates, and permanganates .....	105
XXVII. Molybdates .....	105
XXVIII. Tungstates .....	106
XXIX. Borates .....	107
XXX. Nitrates .....	108
1st. Simple nitrates .....	108
2d. Basic and ammonio-nitrates .....	112
XXXI. Hypophosphites and phosphites .....	113
XXXII. Hypophosphates .....	113
XXXIII. Phosphates .....	114
1st. Normal orthophosphates .....	114
2d. Basic orthophosphates .....	117
3d. Meta- and pyro-phosphates .....	118
XXXIV. Vanadates .....	120
XXXV. Arsenites and arsenates .....	121
1st. Normal orthoarsenates .....	121
2d. Basic orthoarsenates .....	122
3d. Pyroarsenates and arsenites .....	123
XXXVI. Phosphates, vanadates, and arsenates, combined with haloids .....	124
XXXVII. Antimonites and antimonates .....	125
XXXVIII. Columbates and tantalates .....	125
XXXIX. Carbonates .....	126
1st. Simple carbonates .....	126
2d. Double carbonates .....	129
3d. Basic carbonates .....	130
XL. Silicates .....	131
1st. Silicates containing but one metal .....	131
2d. Silicates containing more than one metal .....	134
3d. Boro-, fluo-, and other mixed silicates .....	140
XLI. Titanates and stannates .....	141
XLII. Cyanogen compounds .....	142
1st. General division .....	142
2d. Cyanides, cyanates, and sulphocyanates .....	143
XLIII. Miscellaneous inorganic compounds .....	144
XLIV. Alloys .....	145
XLV. Hydrocarbons .....	157
1st. Paraffins .....	157
2d. Olefines .....	164
3d. Acetylene series .....	167
4th. Benzene series .....	169
5th. Miscellaneous aromatic hydrocarbons .....	176
6th. Terpenes .....	179
7th. Unclassified .....	186
XLVI. Compounds containing C, H, and O .....	187
1st. Alcohols of the paraffin series .....	187
2d. Oxides of the paraffin series .....	196
3d. The fatty acids .....	199
4th. Anhydrides of the fatty acids .....	204

TABLE OF CONTENTS.

V

	Page.
5th. Ethers of the series $C_n H_{2n} O_2$ .....	205
6th. Aldehydes of the acetic series .....	216
7th. Ketones of the paraffin series .....	219
8th. Oxides, alcohols, and ethers of the olefines .....	222
9th. Ethers of carbonic acid .....	225
10th. Acids and ethers of the oxalic series .....	226
11th. Acids and ethers of the glycollic series .....	230
12th. Acids and ethers of the pyruvic series .....	232
13th. Acids and ethers of the acrylic series .....	234
14th. Derivatives of the acrylic series .....	235
15th. Acids and ethers, malic-tartaric group .....	236
16th. Acids and ethers, citric acid group .....	237
17th. Glycerin and its derivatives .....	239
18th. The allyl group .....	240
19th. Erythrite, mannite, and the carbohydrates .....	243
20th. Miscellaneous non-aromatic compounds .....	245
21st. Phenols .....	249
22d. Aromatic alcohols .....	251
23d. Aromatic oxides .....	252
24th. Aromatic acids and their paraffin ethers .....	256
25th. Ethers of aromatic radicles .....	260
26th. Aromatic aldehydes .....	261
27th. Aromatic ketones .....	262
28th. Camphors, essential oils, etc. ....	262
29th. Miscellaneous compounds .....	265
<b>XLVII.</b> Compounds containing C, H, and N .....	268
1st. Cyanides and carbamines of the paraffin series .....	268
2d. Amines of the paraffin series .....	269
3d. The aniline series .....	271
4th. The pyridine series .....	274
5th. Miscellaneous compounds .....	278
<b>XLVIII.</b> Compounds containing C, H, N, and O .....	281
1st. Nitrites and nitrates of the paraffin series .....	281
2d. Nitro-derivatives of the paraffin series .....	282
3d. Aromatic nitro-compounds .....	283
4th. Miscellaneous nitrates, nitrites, and nitro-compounds .....	286
5th. Miscellaneous amido-compounds .....	287
6th. Miscellaneous cyanogen compounds .....	289
7th. Miscellaneous compounds .....	290
<b>XLIX.</b> Chlorides, bromides, and iodides of carbon .....	291
<b>L.</b> Compounds containing C, Cl, and O .....	292
<b>LI.</b> Compounds containing C, H, and Cl .....	293
1st. Chlorides of the paraffin series .....	293
2d. Chlorides of the series $C_n H_{2n} Cl_2$ .....	296
3d. Miscellaneous non-aromatic chlorides .....	298
4th. Aromatic compounds .....	301
<b>LII.</b> Compounds containing C, H, O, and Cl .....	305
<b>LIII.</b> Compounds containing C, Cl, N, or C, H, Cl, N .....	314
<b>LIV.</b> Compounds containing C, Cl, N, O, or C, H, Cl, N, O .....	315

	Page.
LV. Compounds containing C, H, and Br.....	316
1st. Bromides of the paraffin series .....	316
2d. Bromides of the series $C_n H_{2n} Br_2$ .....	318
3d. Miscellaneous non-aromatic bromides.....	321
4th. Aromatic compounds.....	324
LVI. Compounds containing C, H, O, and Br.....	325
LVII. Bromine compounds containing nitrogen .....	328
LVIII. Compounds containing C, H, and I .....	329
1st. Iodides of the paraffin series .....	329
2d. Miscellaneous compounds.....	334
LIX. Compounds containing C, H, I, O, or C, H, I, N .....	335
LX. Compounds containing two or more halogens .....	336
LXI. Organic compounds of fluorine.....	339
LXII. Organic compounds of sulphur .....	339
1st. Compounds containing C, H, and S .....	339
2d. Compounds containing C, H, S, and O .....	342
3d. Sulphur compounds containing nitrogen .....	344
4th. Sulphur compounds containing halogens .....	346
LXIII. Organic compounds of boron .....	347
XLIV. Organic compounds of phosphorus .....	348
LXV. Organic compounds of vanadium, arsenic, antimony, and bismuth .....	350
LXVI. Organic compounds of silicon .....	351
LXVII. Organic compounds of tin .....	353
LXVIII. Organic compounds of aluminum .....	354
LXIX. Organic compounds of zinc, mercury, thallium, and lead .....	355
LXX. Metallic salts of organic acids.....	356
LXXI. Salts of organic bases with inorganic acids .....	365
LXXII. Miscellaneous organic compounds.....	366
APPENDIX. Note on the specific gravity of woods .....	367
INDEX .....	369

## INTRODUCTION.

---

Early in 1872 I submitted to the Secretary of the Smithsonian Institution, the late Joseph Henry, a manuscript entitled "A Table of Specific Gravities, Boiling Points, and Melting Points for Solids and Liquids." It was accepted for publication, and in February, 1874, the printed copies were ready for distribution. For years previously Professor Henry had had in mind the publication of a series of similar tables somewhat upon the plan long before suggested by Babbage, and accordingly my modest work was given the somewhat ambitious title of "The Constants of Nature" and made the first part of the proposed undertaking. Subsequently Parts II, III, and V were furnished by myself and Part IV by Professor G. F. Becker, and in 1876 I also published a supplement to Part I.

The following tables form, in effect, a new edition of Part I, completely revised, rearranged, and brought down as nearly as possible to the date of printing. They are, however, modified by the omission of boiling and melting points, except when such data seemed essential to the proper identification of a compound, on the ground that the magnificent tables of Professor Carnelley already supply that want. I have limited myself to specific gravity alone, following in the main the plan of arrangement adopted in my earlier work, with such changes as were made necessary by the later developements of chemical thought. Constitutional formulæ have been used, not according to any fixed rule, but according to convenience, and their adoption has been governed, to some extent, by the limitations of the octavo page. All other details have been subject to the same limitations, and it is hoped that their absence will be compensated for by the almost uniformly full references to literature. Some data could not be traced back to their original sources, at least not without unwarrantable labor, and most of these formed part of an early table prepared nearly twenty years ago for my own private use. A few determinations are accredited to standard works of reference, such as Watts' Dictionary, Dana's Mineralogy, and the like, and many have been drawn from the Jahresbericht. Absolute completeness cannot, of course, be claimed, and in some directions it has not

even been attempted. Among minerals, only those having approximately definite formulæ are given, and indefinite substances have been excluded altogether. The tables aim at reasonable completeness only as regards *artificial substances of definite constitution*, and all else is gratuitous. A good many determinations of specific gravity have been unearthed from doctoral dissertations, school programmes, and similar foes of the bibliographer, and doubtless other data so printed have escaped my notice altogether. There is a weakness of human nature which, masquerading as patriotism, sometimes leads men of science to bury valuable researches in obscure local publications, and a compiler may never flatter himself that no such paper has eluded his vigilance. I shall be glad to receive notice of all omissions, and will try to rectify such or other errors in future supplements or appendices.

A word in conclusion as to the extent of the table. They contain the specific gravities of 5,227 distinct substances and 14,465 separate determinations. The original edition gave only 2,263 substances, to which nearly 700 were added in the supplement. The increase is a noteworthy indication of existing chemical activity.

F. W. CLARKE.

WASHINGTON, *June 20, 1888.*

## EXPLANATORY NOTES.

---

In references to literature the following abbreviations have been used. In each case, as far as practicable, series, volume, and page are indicated, the page reference signifying, according to circumstances, either the first page of the paper cited, or else the actual page upon which the determination is given. The former rule applies to pages containing many data; the latter to cases in which the specific gravity datum is merely incidental.

---

- A. C. J.—American Chemical Journal.  
A. C. P.—Annalen der Chemie und Pharmacie.  
A. J. S.—American Journal of Science.  
Am. Chem.—American Chemist.  
Am. J. P.—American Journal of Pharmacy.  
Am. Phil. Soc.—American Philosophical Society.  
Ann.—Annales de Chimie et de Physique.  
Ann. Phil.—Annals of Philosophy.  
Arch. Pharm.—Archiv für Pharmacie.
- B. D. Z.—Die Beziehungen zwischen Dichte und Zusammensetzung bei festen und liquiden Stoffen. Leipzig, 1860.  
Bei.—Beiblätter zu den Annalen der Physik und Chemie.  
Ber.—Berichte der Deutschen Chemischen Gesellschaft.  
B. H. Ztg.—Berg-und hüttenmännische Zeitung.  
B. J.—Berzelius' Jahresbericht.  
Böttger.—Tabellarische Uebersicht der specifischen Gewichte der Körper. Frankfurt, 1837.  
B. S. C.—Bulletin de la Société Chimique.  
B. S. M.—Bulletin de la Société Française de Mineralogie.  
Bull. Acad. Belg.—Bulletins, Academie Royale de Belgique.  
Bull. Geol.—Bulletin de la Société Géologique.  
Bull. Heb.—Bulletin Hebdomadaire de l'Association Scientifique de France.  
Bull. U. S. G. S.—Bulletin of the U. S. Geological Survey.
- C. C.—Chemisches Centralblatt.  
C. G.—Chemical Gazette.  
C. N.—Chemical News.  
C. R.—Comptes Rendus.
- D. J.—Dingler's Polytechnisches Journal.  
Dm.—Schröder's "Dichtigkeitsmessungen." Heidelberg, 1873.
- Erd. J.—Erdmann's Journal.

- F. W. C.—This abbreviation indicates the work of students under the direction of F. W. Clarke.
- G. C. I.—Gazzetta Chimica Italiana.  
 Geol. Mag.—Geological Magazine.  
 G. F. F.—Geologiska Föreningar Förhandlingar.  
 Gilb. Ann.—Gilbert's Annalen.  
 Gm. H.—Gmelin's Handbook of Chemistry. Cavendish Society edition.
- In. Diss. or Inaug. Diss.—Inaugural or Doctoral Dissertation: Always prefixed by the name of the university from which the dissertation was published.
- J.—Jahresbericht über die Fortschritte der Chemie.  
 J. A. C.—Journal of Analytical Chemistry.  
 J. C. S.—Journal of the Chemical Society.  
 J. P. C.—Journal für Praktische Chemie.  
 J. Ph.-Ch.—Journal de Pharmacie et de Chimie.  
 J. R. C.—Jahresbericht über die Fortschritte \* \* \* der reinen Chemie.
- M. C.—Monatshefte für Chemie.  
 M. C. S.—Memoirs of the Chemical Society.  
 Mem. Acad. Belg.—Mémoires, Academie Royale de Belgique.  
 Min. Mag.—Mineralogical Magazine.  
 M. P. M.—Mineralogische Petrographische Mittheilungen.  
 M. St. P. Sav. Et.—Mémoires de Savants Etrangers, St. Petersburg Academy.
- N. J.—Neues Jahrbuch für Mineralogie, etc.  
 Nich. J.—Nicholson's Journal.
- Öf. Ak. St.—Öfversigt af K. Vet. Akad. Förhandlingar, Stockholm.
- P. A.—Poggendorff's Annalen. For convenience, the second series under Wiedemann is covered by the same abbreviation.
- P. des C.—Pesanteur Spécifique des Corps. Brisson, Paris, 1787. A German edition by Blumhof appeared at Leipzig in 1795.
- P. M.—Philosophical Magazine. London, Edinburgh, and Dublin.  
 Proc. Amer. Acad.—Proceedings of the American Academy, Boston.  
 Proc. Amer. Asso.—Proceedings of the American Association for the Advancement of Science.
- P. R. S.—Proceedings of the Royal Society. London.  
 P. R. S. E.—Proceedings of the Royal Society. Edinburgh.  
 P. R. S. G.—Proceedings of the Royal Society. Glasgow.  
 P. T.—Philosophical Transactions.
- Q. J. S.—Quarterly Journal of Science.
- R. T. C.—Recueil des Travaux Chimiques.
- Schw. J.—Schweigger's Journal.



- S. W. A.—Sitzungsberichte der K. K. Akademie der Wissenschaften. Wien.
- Thurston's Report.—Report of the Board on Testing Iron, Steel, and other Metals.  
Washington, 1881.
- U. N. A.—Upsala, Nova Acta.
- V. H. V.—Verhandlungen des naturhistorisches Vereines. Bonn.
- Watts' Dict.—Watts' Dictionary of Chemistry.
- Z. A. C.—Zeitschrift für analytische Chemie.
- Z. C.—Zeitschrift für Chemie.
- Z. G. S.—Zeitschrift der Deutschen Geologischen Gesellschaft.
- Z. K. M.—Zeitschrift für Krystallographie und Mineralogie.



# A TABLE OF SPECIFIC GRAVITIES

FOR

## SOLIDS AND LIQUIDS.

### I. THE ELEMENTS.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Hydrogen. Liquefied	.025 } 0° -----	Cailletet and Hautefeuille. C. R. 92, 1086.
" " "	.026 } -----	
" " "	.032 } -----	
" " "	.033 } -23° -----	
" (Occluded by palladium.)	.620 to .623 -----	Dewar. P. M. (4), 47, 334.
Lithium	.578 } -----	Bunsen. J. 8, 324.
"	.589 } -----	
Sodium	.9348 -----	Davy. P. T. 1808, 21.
"	.97223, 15° -----	Gay Lussac and Thénard. See Böttger.
"	.985 -----	Schröder. J. 12, 12.
"	.97 -----	Troost and Hautefeuille. C. R. 78, 970.
"	.9743, 10° } -----	Baumhauer. Ber. 6, 655.
"	.9735, 13°.5 } -----	
"	.972 -----	Quincke. P. A. 135, 642.
"	.7414, at boiling point. -----	Ramsay. Ber. 13, 2145.
"	.9725, 0° } -----	Hagen. P. A. (2), 19, 436.
"	.9686, 16°.9, m. of 3 } -----	
"	.9287, 97°.6, fused } -----	
Potassium	.865, 15° -----	Gay Lussac and Thénard. Ann. 66, 205.
"	.874 -----	Sementini. See Böttger.
"	.8427, fused -----	Playfair and Joule. M. C. S. 3, 76.
"	.8750, 13° } -----	Baumhauer. Ber. 6, 655.
"	.8766, 18° } -----	
"	.8642, 0° } -----	Hagen. P. A. (2), 19, 436.
"	.8298, 62°.1, fused } -----	
Rubidium	1.52 -----	Bunsen. J. 16, 185.
Cæsium	1.872 -----	
"	1.884 } 15° -----	Setterberg. A. C. P. 211, 215.
"	1.886 } -----	
Glucium	2.1 -----	Debray. J. 7, 336. [384.
"	1.64 (Cor. for impurities). -----	Nilson and Petterson. Ber. 11,
"	1.85, 20° -----	Humpidge. P. R. S. 39, 1.
Magnesium	2.24, m. of 2 -----	Playfair and Joule. M. C. S. 3, 73.
"	1.7430, 5° -----	Bunsen. J. 5, 363.
"	1.69 } -----	Kopp.
"	1.71 } 17° -----	
"	1.75 -----	Deville and Caron. J. 10, 148.
"	1.77, 0° -----	H. Wurtz. Am. Chem., Mar. 1876.

## TABLE OF SPECIFIC GRAVITIES

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Zinc	6.861	Brisson. P. des C.
"	6.862	Berzelius. Sec Böttger.
"	6.9154	Karsten. Schw. J. 65, 394.
"	6.989, m. of 3	Playfair and Joule. M. C. S. 3, 67.
"	7.03 to 7.20	Bolley. J. 8, 387.
"	6.966 } 12°	Schiff. A. C. P. 107, 59.
"	6.975 }	
"	7.21	Daniell.
"	7.146	Wertheim.
"	6.895	Mallet. D. J. 85, 378. [817.
"	7.2	Roberts and Wrightson. Bei. 5,
"	7.1812 } 0°	Kalischer. Ber. 14, 2750.
Ordinary	7.1841 }	
Crystalline	6.512, m. of 3	Playfair and Joule. M. C. S. 3, 76.
Fused	6.48 } Two methods	Roberts and Wrightson. Ann. (5),
"	6.55 }	30, 181.
"	6.900	Quincke. P. A. 135, 642.
"	7.119, 0° }	
Solid	7.142, 16° }	
Not pressed	7.153, 16° }	Spring. Ber. 16, 2724.
Once "	7.150, 16° }	
Twice "	8.6040 }	
Cadmium. Cast	8.6944 }	Stromeyer. Schw. J. 22, 365.
" Hammered	8.670	Children. See Böttger.
"	8.650	Herapath. P. M. 64 (1824), 321.
"	8.6355	Karsten. Schw. J. 65, 394.
"	8.6689	Baudrimont. J. P. C. 7, 278.
" Wire	8.540	
" Pure	8.566	
" "	8.667	Schröder. P. A. 107, 113.
" Commercial	8.648	
"	8.655, 11°	Matthiessen. J. 13, 112.
"	8.627, 0°	Quincke. P. A. 135, 642.
" Fused	8.394	
" Not pressed	8.642, 17° }	
" Once "	8.667, 16° }	Spring. Ber. 16, 2724.
" Twice "	8.667, 16° }	
"	8.6681, 0°	
"	8.3665, 318°, solid }	Vicentini and Omodei. Bei. 11,
"	7.989, 318°, molten }	769.
Mercury. Solid	14.391	Schulze.
"	14.333, -40° }	Hällström. Gilb. Ann. 20, 403.
"	15.745 }	
"	14.485, -60°	Biddle. P. M. 30, 153.
"	14.0, about	Kupffer and Cavallo.
"	15.19	Joule. J. 16, 283.
"	14.1932	Mallet. J. C. S. 34, 275.
"	13.5681	Brisson. P. des C.
" Liquid	13.575	Fahrenheit. See Böttger.
"	13.550	Muschenbroek. " "
"	13.568, 15°.5	Crichton. P. M. 16, 48.
"	13.613, 10°	Biddle. P. M. 30, 152.
"	13.6078, 0°	
"	12.810, boiling }	Hällström. Gilb. Ann. 20, 397.
"	13.586	Scholz. See Böttger.
"	13.567	Kummer. " "
"	13.5886, 4° }	Kupffer. Ann. (2), 40, 285.
"	13.535, 26° }	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Mercury. Liquid -----	13.588597 -----	Biot and Arago. Biot's "Traité de Physique."
" " -----	13.5592 -----	Karsten. Schw. J. 65, 394.
" " -----	13.582, 5°-10° -----	Regnault. P. A. 62, 50.
" " -----	13.570, 10°-15° -----	
" " -----	13.558, 15°-20° -----	
" " -----	13.59599 -----	
" " -----	13.59602 } 0° -----	Regnault. Ann. (3), 14, 236.
" " -----	13.59578 } -----	
" " -----	13.595, 0° -----	Kopp. J. 1, 445.
" " -----	13.573, 15° -----	Holzmann. J. 13, 112.
" " -----	13.603, 12° -----	Schiff.
" " -----	13.584, 16°.6 -----	Stewart. P. T. 1863, 430.
" " -----	13.5953, 0° -----	Volkman. Ber. 14, 1708.
Calcium -----	1.566 -----	Matthiessen. J. 8, 324.
" -----	1.584 -----	
" -----	1.584 -----	
" -----	1.55 -----	
" -----	1.6 to 1.8 -----	Liés-Bodart and Jobin. J. 11, [126.
Strontium -----	2.504 -----	Caron. J. 13, 119.
" -----	2.580 -----	Matthiessen. J. 8, 324.
" -----	2.4 -----	Franz. J. P. C. 107, 253.
Barium -----	4.00, about -----	Clarke. Gilb. Ann. 55, 28.
" -----	3.75 -----	Kern. C. N. 31, 243. [52, 63.
Boron.* Cryst. -----	2.68 -----	Wöhler and Deville. Ann. (3),
" Al B <sub>12</sub> -----	2.5345, 17°.2, m. of 2 } -----	Hampe. A. C. P. 183, 85 and 96.
" C <sub>2</sub> Al <sub>3</sub> B <sub>43</sub> -----	2.618, 13° -----	
" " -----	2.611, 20° -----	
Aluminum. Cast -----	2.50 -----	Wöhler. J. 7, 327.
" Hammered -----	2.67 -----	
" -----	2.583, 4° -----	
" -----	2.688 -----	
" Com'l wire -----	2.8067 -----	
" " foil -----	2.8075 -----	
Gallium -----	5.935, 23° -----	Mallet. P. T. 1880, 1025.
" -----	5.956, 24°.45 } -----	
Indium. In grains -----	7.110 -----	Barlow. J. C. S. April, 1833.
" " -----	7.147 } 20°.4 -----	
" Laminae -----	7.277 -----	
" -----	7.362, 15° -----	
" -----	7.421, 16°.8 -----	A. P. Corbit. } Communicated
Lanthanum -----	6.049 -----	W. Bishop. } by R. B. Warder.
" -----	6.163 -----	Boisbaudran. C. R. 83, 611.
Cerium -----	6.628 -----	Reich and Richter. J. 17, 241.
" After fusion -----	6.728 -----	
Didymium -----	6.544 -----	Winkler. J. 18, 233.
Thallium -----	11.862 -----	" J. 20, 262.
" Wire -----	11.808 -----	Hillebrand and Norton. P. A. 156, 473.
" Cast -----	11.853 } 11° -----	
" -----	11.777 -----	Hillebrand and Norton. P. A. 156, 471.
" -----	11.900 -----	
" Cast -----	11.81 -----	Hillebrand and Norton. P. A. 156, 474.
" Pressed -----	11.88 -----	Lamy. J. 15, 180.
" Wire -----	11.91 -----	De la Rive. J. 16, 248.
		Werther. J. 17, 247.
		Crookes. J. C. S. 1864, 112.

\* According to Hampe, the so-called "crystallized boron" is never pure. Its composition is shown in the formulæ given above.

NAME.		SPECIFIC GRAVITY.	AUTHORITY.
Carbon.	Diamond	3.550	Brisson. P. des C.
"	"	3.492	Grailich. Bull. Geol. (2), 13, 542.
"	"	3.520	Mohs. Min. 2, 306.
"	"	2.334	Shepard.
"	"	3.5	Berzelius. A. C. P. 49, 247.
"	"	3.55	Pelouze. Watts' Dict.
"	"	3.5295	Thomson. Min. 1, 46.
"	"	3.53	Schafarik. P. A. 139, 188.
"	"	3.51432, 18°.1	Schrötter. J. 24, 257.
"	"	3.5143	Schrauf. J. 24, 257.
"	"	3.529, 15°	Dufrenoy. J. 24, 258.
"	"	3.51835, m. of 5	Baumhauer. J. C. S. 32, 849.
"	Graphite	2.144	Breithaupt. See Böttger.
"	"	2.229	Kennigott. S. W. A. 13, 469.
"	"	2.273	Regnault. Gm. H.
"	"	2.14	Fuchs. J. P. C. 7, 353.
"	"	2.5	Berzelius. A. C. P. 49, 247.
"	"	2.3285	Karsten. Schw. J. 65, 394.
"	"	2.3162	Poggendorff. P. A. Erganz. Bd. 1848, 363.
"	"	2.25	} Purified
"	"	2.26	
"	"	2.105	} Mené.* J. 20, 972.
"	"	2.585	
"	"	1.802	} 20°, purified
"	"	1.844	
"	Gas carbon	2.35	Graham.
"	"	2.08	Baudrimont.
"	"	1.885	Mené. J. 20, 972.
"	"	1.723, 1.821, 1.982	} From different parts of the retort.
"	"	2.056, 2556, 18°	
"	Sugar charcoal	1.81	} Monier. Bull. Heb. 14, 13.
"	"	1.85	
"	Charcoal	1.76	Colquhoun.
"	"	2.10 from alcohol	Scholz. See Böttger.
"	"	1.84	Griffith. " " [4, 241.
"	"	1.80	Playfair. Proc. Roy. Soc. Edin.
"	Lamp-black	1.78	Baudrimont.
"	"	1.723 from kerosene	} Hallock. Bull. 42, U. S. G. S.
"	"	1.780 from coal-tar naphtha	
"	"	1.752 from natural gas	
"	"	1.773 from dead oil	
Silicon.	Graphitoidal	2.49, 10°	Wöhler. J. 9, 347.
"	"	2.493	Harmening. P. A. 97, 487.
"	"	2.004	} Winkler. J. 17, 208, 209.
"	"	2.194	
"	"	2.197	
"	"	2.337	Miller. Proc. Roy. Soc. Edin. 4, 241.
"	Adamantine	2.48, m. of 6	Playfair. Proc. Roy. Soc. Edin. 4, 241.
Germanium		5.469, 20°.4	Winkler. J. P. C. (2), 34, 201.
Zirconium		4.15	Troost. J. 18, 183.
Tin		7.291	Brisson. P. des C.
"		7.295	Muschenbroek. See Böttger.

\*The extremes of 29 determinations made on specimens from different localities.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Tin	7.2914	Guyton. Nich. J. (1), 1, 110.
"	7.278, 15°.5	Crichton. P. M. 16, 48.
"	7.2911, 17°	Kupffer. Ann. (2), 40, 285.
"	7.285	Herapath. P. M. 64, 321.
"	7.600	
"	7.5565	
"	7.2905	Karsten. Schw. J. 65, 394.
" Wire	7.3395	Baudrimont. J. P. C. 7, 278.
"	7.306, m. of 4	Playfair and Joule. M. C. S. 3, 68.
" Crystallized	7.178	W. H. Miller. P. M. (3), 22, 263.
" Cast	7.293	
"	7.3043	Kopp. A. C. P. 93, 129.
" Cooled slowly	7.373	St. Claire Deville. P. M. (4), 11, 144.
" " quickly	7.239	
"	7.294, 13°	Matthiessen. J. 13, 112.
"	7.291	Mallet. D. J. 85, 378.
" Reduced by H. from Sn Cl <sub>2</sub>	{ 7.143 7.166 }	Rammelsberg. Ber. 3, 725.
" Precipitated	7.195	
" Remelted	7.310	[817.
"	7.5	Roberts and Wrightson. Bei. 5,
"	7.267, 0°	Quincke. P. A. 135, 642.
"	7.25	E. Wiedemann. P. A. (2), 20, 232.
" Allotropic	{ 5.809, 5.781, 19° 5.802, 19.5 }	Two lots. Schertel. J. P. C. (2), 19, 322.
" Allotropic converted by heating.	{ 7.280, 15° 7.304, 19° }	
" Allotropic	{ 6.020, 6.002, 19° 5.980, 12°.5 }	
" Allotropic after re-conversion.	7.24 — 7.27	
" Rhombic cryst.	6.52	
" " "	6.56	Trechmann. Z. K. M. 5, 625.
" Ordinary	7.387	Richards. Tr. Amer. Inst. Min. Eng. 11, 235.
" Allotropic	6.175	
" Not pressed	7.286, 10°	Spring. Ber. 16, 2724.
" Once " "	7.292, 10°.25	
" Twice " "	7.296, 11°	
"	7.3006, 0°	Vicentini and Omodei. Bei. 11, 769.
"	7.1835, 226°, solid	
"	6.988, 226°, molten	
" Fused	6.934, m. of 3.	Playfair and Joule. M. C. S. 3, 75.
" " "	7.025	Roberts and Wrightson. Ann. (5), 30, 181.
" " "	6.974	
" " "	7.144	
"	7.144	Quincke. P. A. 135, 642.
Lead	11.445	Muschenbroek. See Böttger.
"	11.352	Brisson. P. des C.
"	11.207	Böckmann. See Böttger.
"	11.1603	Guyton. Ann. 21, 3.
"	11.3303	Kupffer. Ann. (2), 40, 292.
"	11.346, 15°.5	Crichton. P. M. 16, 48.
" Wire	11.3775	Baudrimont. J. P. C. 7, 278.
"	11.352	Herapath. P. M. 64, 321.
"	11.3888	Karsten. Schw. J. 65, 394.
"	11.231, m. of 4	Playfair and Joule. M. C. S. 3, 68.
"	11.370, 0°	Reich. J. P. C. 78, 328.
"	11.3525, 18°	
"	11.395, 4°	Streng. J. 13, 187.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Lead	11.361, 70°	Mallet. A. J. S. (3), 8, 212.
“ Cooled slowly from fusion.	11.254	St. Claire Deville. P. M. (4), 11, 144.
“ Cooled quickly from fusion.	11.363	
“ Electrolytic	11.542	
“ Electrolytic, fused and cooled quickly.	11.225	Holzmann. J. 13, 112.
“	11.376, 14°	
“	11.344, 4°	Extremes Schweitzer. Am. Chem. 7, 174.
“	11.377, 4°	
“	11.335, 0°	
“	11.4	Quincke. P. A. 97, 396. [817.
“ Not pressed	11.350, 14°	Roberts and Wrightson. Bei. 5, Spring. Ber. 16, 2724.
“ Once “	11.501, 14°	
“ Twice “	11.492, 16°	
“	11.359, 0°	Vicentini and Omodei. Bei. 11, 769.
“	11.005, 325°, solid	
“	10.645, 325°, molten	
“ Molten	10.509, m. of 3	Playfair and Joule. M. C. S. 3, 74.
“	11.07	Mallet. A. J. S. (3), 8, 212.
“	10.37	Roberts and Wrightson. Ann. (5), 30, 181.
“	10.65	
“	10.952	Quincke. P. A. 135, 642.
Thorium*	7.657	Chydenius. J. 16, 194.
“	7.795	
“ Crystallized	11.230	Nilson. Ber. 16, 160. Compare earlier paper, Ber. 15, 2544.
“ Non-crystallized	10.968	
Nitrogen. Liquefied	.41 to .44, -23°	Cailletet and Hautefeuille. C. R. 92, 1086.
“	.37 to .38, 0°	
“	.4552, -146°.6	Wroblevsky. C. R. 102, 1010.
“	.5842, -153°.7	
“	.83, -193°	
“	.866, -202°	
“	.859	Olszewski. P. A. (2), 31, 73.
“	.886 } -194°.4, boiling point.	
“	.891 }	
“	.905 }	
Phosphorus. Common	1.77	Berzelius. See Böttger.
“	2.09	Böttger. Watts' Dict.
“	1.800	Playfair and Joule. M. C. S. 3, 69.
“	1.826	Schrötter. J. 1, 336.
“	1.840	
“	1.8262	Kopp. A. C. P. 93, 129.
“	1.8265	
“	1.823, 35°	Gladstone and Dale. J. 12, 73.
“	1.83676, 0°	
“	1.82321, 20°	
“	1.80681, 44°	Pisati and De Franchis. Ber. 8, 70
“ Red	1.964, 10°	Schrötter. J. 1, 336.
“	2.089	Schrötter. J. 3, 262.
“	2.106	
“ Cryst.	2.14	Two preparations. Brodie. J. 5, [330.
“	2.23	
“	2.34, 15°.5	
“		Hittorf. J. 18, 130.

\* Nilson's determinations are the only ones having any present value. Chydenius' work has merely historical interest.



NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Phosphorus. Red. Cryst.	2.34, 0°	Troost and Hautefeuille. Ber. 7, 482.
" " -----	2.148, 0°, prep. at 265°	
" " -----	2.19, 0° " 360°	
" " -----	2.293, 0° " 500°	
" Molten -----	1.744	
" " -----	1.88, 45°	
" " -----	1.763	
" " -----	1.74924, 40°	
" " -----	1.6949, 100°	
" " -----	1.6027, 200°	
" " -----	1.52867, 280°	Boils at 278° 3. Pisati and De Franchis. Ber. 8, 70.
" " -----	1.4850, at boiling point.	
" " -----	1.833	Ramsay and Masson. Ber. 13, 2147.
Vanadium -----	5.5, 15°	Quinke. P. A. 135, 642.
" -----	5.866	Roscoe. P. T. 1869, 679.
" -----	5.875	Setterberg. Of. Ak. St. 1882, 10, 13.
" -----	5.7623	
Arsenic -----	5.766	Brisson. P. des C.
" -----	5.7633	Mohs. See Böttger.
" -----	5.7633	Stromeyer. " "
" -----	5.884	Turner.
" -----	5.700	Guibourt. B. J. 7, 128.
" -----	5.959	
" -----	5.672	Herapath. P. M. 64, 321.
" -----	5.6281	Karsten. Schw. J. 65, 394.
" Native -----	5.736	Breithaupt. J. P. C. 16, 475.
" " -----	5.722	Breithaupt. J. P. C. 11, 151.
" " -----	5.734	
" -----	5.230	Playfair and Joule. M. C. S. 3, 72.
" -----	5.395, 12°.5	Ludwig. J. 12, 183.
" -----	5.726	Bettendorff. J. 20, 253.
" -----	5.728	
" After fusion -----	5.709, 19°	Mallet. B. S. C. 18, 438.
" Allotropic -----	4.710	Bettendorff. J. 20, 253.
" " -----	4.716	
" " -----	4.6 to 4.7	Engel. C. R. 96, 498.
" Compressed -----	4.91	Spring. Ber. 16, 326.
" Allotropic -----	3.7002 to 3.7100, 15°	Rückoldt. A. C. P. 240, 215.
Antimony -----	6.702	Brisson. P. des C.
" -----	6.712	Hatchett. See Böttger.
" -----	6.733	Böckmann. " "
" -----	6.852	Muschenbroek. " "
" -----	6.860	Bergmann. " "
" -----	6.646	Mohs. " "
" -----	6.6101	Breithaupt. " "
" -----	6.7006	Karsten. Schw. J. 65, 394.
" -----	6.715	Marchand and Scheerer. J. P. C.
" -----	6.705, 3°.75, m. of 3	[27, 193.]
" -----	6.6987	Dexter. P. A. 100, 567.
" -----	6.7102	
" -----	6.713, 14°	Matthiessen. J. 13, 112.
" -----	6.697	
" -----	6.7022, m. of 6	Schröder. P. A. 107, 113.
" -----	6.6957	Cooke. Proc. Amer. Acad. 1877
" -----	6.7070	
" -----	6.620, 0°	Quinke. P. A. 135, 642.
" Not pressed -----	6.675, 15°.5	Spring. Ber. 16, 2724.
" Once " -----	6.753, 15°	
" Twice " -----	6.740, 16°	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Antimony. Amorphous	5.74 } -----	Gore. J. 13, 172.
“ “	5.83 } -----	
“ Molten	6.646 } -----	Playfair and Joule. M. C. S. 3, 77.
“ “	6.529 } -----	
“ “	6.528 } -----	Quinke. P. A. 135, 642.
Bismuth	9.67 -----	
“	9.822 -----	Muschenbroek. See Böttger.
“	9.800 -----	Brisson. P. des C.
“	9.8827 -----	Leonhard. See Böttger.
“	9.8827 -----	Thénard. “ “
“	9.831 -----	Berzelius.
“	9.6542 -----	Herapath. P. M. 64, 321.
“ Pure	9.799, 19° } -----	Karsten. Schw. J. 65, 394.
“ Commercial	9.783 } -----	
“ Compressed	9.556 } -----	Marchand and Scheerer. J. P. C. 27, 193.
“ Crystallized	9.935 } -----	
“ Quickly cooled from fusion.	9.677 } -----	C. St. Claire Deville. J. 8, 15.
“	9.823, 12° -----	
“	9.713, m. of 3 -----	Holzmann. J. 13, 112.
“	9.82 -----	Schröder. P. A. 107, 113.
“	9.819, 0° -----	Roberts and Wrightson. Bei. 5, 817.
“ Not pressed	9.804, 13° 5 } -----	Quinke. P. A. 135, 642.
“ Once “	9.856, 15° } -----	
“ Twice “	9.863, 15° } -----	Spring. Ber. 16, 2724.
“	9.787, 0° -----	
“	9.673, 270°.9 s. } -----	Vicentini and Omodei. Bei. 11, 769.
“	10.004, 270°.9 l. } -----	
“ Molten	9.798 -----	Playfair and Joule. M. C. S. 3, 75.
“ “	10.039 } -----	Roberts and Wrightson. By two methods. Nature, 22, 448.
“ “	10.055 } -----	
“ “	9.709 -----	Quinke. P. A. 135, 642.
Columbium. (Niobium)	6.0 to 7.37* -----	Marignac. J. 21, 214.
“	7.06, 15°.5 -----	Roscoe. C. N. 37, 26.
Tantalum	10.08 to 10.78 -----	Rose. J. 9, 366.
Oxygen. Liquefied	.9787 -----	By two methods. Pictet. Ann. (5), 13, 193.
“ “	.9883, m. of 4 } -----	
“ “	.8402 -----	Pictet, recalculated by Offret. Ann. (5), 19, 271.
“ “	.8655 -----	
“ “	.58, .65, .70, 0° -----	Cailletet and Hautefeuille. C. R. 92, 1086.
“ “	.84, .88, .89, —23° -----	
“ “	.895 -----	Wroblevsky. C. R. 97, 166.
“ “	.899 —130°, m. of 12 -----	Wroblevsky. P. A. (2), 20, 867.
“ “	.7555 —129°.57 } -----	Olszewski. Ber. 17, ref. 198.
“ “	.806 —134°.43 } -----	
“ “	.877 —139°.3 } -----	Olszewski. P. A. (2), 31, 73.
“ “	1.110 } -----	
“ “	1.137 } -----	
“ “	.6, —118° } -----	Wroblevsky. C. R. 102, 1010.
“ “	1.24 —200° } -----	
Sulphur. Roll	1.9907 -----	Brisson. P. des C.

\* Probably the hydride, Cb H.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Sulphur. Roll	1.868	Böckmann.
" Flowers	2.086	Gehler.
" Cryst.	1.898	Fontenelle.
" From solution	1.927	Bischof.
" Cryst.	1.989	Breithaupt.
" Roll	1.9777	} Quoted by Marchand and Scheerer. J. P. C. 24, 129.
" "	2.0000	
" Prismatic	2.072	Thomson.
" Native	2.086	Mohs.
" Soft	2.027	Dumas and Roget.
" Native	2.05001	Osann.
" From fusion	1.9889	} Karsten. Schw. J. 65, 394.
" Prismatic	1.982	
" Native	2.066	} Marchand and Scheerer. J. P. C. 24, 129.
" From solution	2.0518	
" Soft	1.957	} Kopp. A. C. P. 93, 129.
" Native	2.069	
" Soft	1.919	} C. St. Claire Deville. J. 1, 365.
" " "	1.928	
" Prismatic	1.958	} Playfair and Joule. M. C. S. 3, 79.
" Native	2.070	
" From solution	2.063	} Brame. C. R. 35, 748.
" Crystallized	2.010	
" Flowers	1.913	} Müller. J. 19, 118.
" Waxy	1.921	
" Native, cryst.	2.0757	} Pisati. Ber. 7, 361.
" Soft	1.87 to 1.9319	
" Amorphous.	1.87	} Spring. Bei. 5, 853.
" Yellow.	1.91—1.93	
" Amorphous.	1.91—1.93	} Spring. Bei. 5, 854. From Bulletin de l'Acad. Roy. de Belg. (3), 2, 83—110, 1881.
" Brown.	2.0748, 0°	
" Crystallized	1.9556, 0°	} Maquenne. Ber. 17, ref. 199.
" Insoluble	1.9496, 20°	
" " "	1.9041, 40°	} Schrauf. Z. K. M. 12, 325.
" " "	1.9438, 60°	
" " "	1.9559, 80°	} Playfair and Joule. M. C. S. 3, 76.
" " "	1.9643, 100°	
" Cryst. from CS <sub>2</sub>	2.0477, 0°	} At the boiling point, 446°. Ram- say. J. C. S. 35, 471.
" " "	2.0370, 20°	
" " "	2.0283, 40°	} Berzelius. See Böttger.
" " "	2.0182, 60°	
" " "	2.0014, 80°	} Extremes of 5 } determinat'ns }
" " "	1.9756, 100°	
" From Sicily	2.0788, 0°	} Extremes } }
" " "	2.0688, 20°	
" " "	2.0583, 40°	} At the boiling point, 446°. Ram- say. J. C. S. 35, 471.
" " "	2.0479, 60°	
" " "	2.0373, 80°	} Extremes } }
" " "	2.0220, 100°	
" Lamellæ	2.041—2.049	} Maquenne. Ber. 17, ref. 199.
" Sicilian	2.06665, 16°.75	
" Molten	1.801	} Schrauf. Z. K. M. 12, 325.
" " "	1.815	
" " "	1.4794. m. of 5	} Playfair and Joule. M. C. S. 3, 76.
" " "	1.4578	
" " "	1.5130	} At the boiling point, 446°. Ram- say. J. C. S. 35, 471.
" " "	1.5130	
Selenium	4.3 to 4.32	Berzelius. See Böttger.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Selenium	4.310	Boullay. See Böttger.
"	4.808, 15°	Hittorf. J. 4, 319.
" Cryst. fr. fusion	4.805	Schaffgotsch. J. 6, 329.
" " "	4.796	
" Amorphous	4.276	
" " "	4.286	
" Precip. Red	4.245	
" " "	4.275	Schaffgotsch. J. 6, 329.
" Precip. after heat'g to 50°.	4.250	
" Crystallized	4.297	
" " "	4.460	Mitscherlich. J. 8, 314.
" " "	4.509	
" " " from solution.	4.700	
" " " "	4.760	
" " "	4.788	Neumann. P. A. 126, 138.
" Crystallized	4.406, 21°	
" Black	4.80	Rathke. J. P. C. 108, 235.
" " "	4.81	
" Precip. Red	4.26	
" " "	4.28	
" Gray	4.495	Rammelsberg. P. A. 152, 154.
" " Granular	4.514	
" Laminated, from alkaline selenides.	4.77	Spring. Bei. 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" " " "	4.79	
" " " "	4.86	
" Cryst. from CS <sub>2</sub> .	4.418	
" " " "	4.54	
" " " "	4.59	
" Amorphous	4.27	
" " "	4.34	
" Melted	4.29	
" " "	4.36	
" Compressed	4.7994, 0°	
" " "	4.7869, 20°	
" " "	4.7699, 40°	
" " "	4.7526, 60°	
" " "	4.7351, 80°	
" " "	4.7167, 100°	
" Uncompressed	4.7312, 0°	
" " "	4.7176, 20°	
" " "	4.7010, 40°	
" " "	4.6826, 60°	
" " "	4.6623, 80°	
" " "	4.6396, 100°	
" Fused	4.2	Quincke. P. A. 135, 642.
Tellurium	6.115	Klaproth. Ann. 25, 273.
"	6.1379	Magnus. See Böttger.
"	6.2445, m. of 5	Berzelius. P. A. 28, 392.
"	6.180	Löwe. J. P. C. 60, 163.
"	6.343	Reichenstein. See Böttger.
" Compressed	6.2549, 0°	Spring. Bei. 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" " "	6.2419, 20°	
" " "	6.2294, 40°	
" " "	6.2170, 60°	
" " "	6.2030, 80°	
" " "	6.1891, 100°	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Tellurium. Uncompressed.	6.2322, 0°	} ----- Spring. Bei. 5, 854. From Bull. de l'Acad. Roy. de Belg. (3), 2, 88-110, 1881.
" "	6.2194, 20°	
" "	6.2052, 40°	
" "	6.1500, 60°	
" "	6.1366, 80°	
" "	6.1640, 100°	
"	6.204	} ----- Klein and Morel. Ann. (6), 5, 61.
"	6.215	
Chromium	7.3	Bunsen. Watts' Dict.
" Crystallized	6.81, 25°	Wöhler. J. 12, 169.
" Red. by K Cy	6.20	Loughlin. J. 21, 220.
Molybdenum	8.490	} ----- Buchholz. Nich. J. 20, 121.
"	8.615	
"	8.636	
"	8.60	Debray. J. 11, 157.
" Red. by K Cy	8.56	Loughlin. J. 21, 220.
Tungsten	17.60	D'Elhuyart. See Böttger.
"	17.22	Allan and Aiken. " "
"	17.4	Buchholz. Schw. J. 3, 1.
"	16.54	} ----- Uslar. J. 8, 372.
"	17.50	
"	18.26	
"	17.1 to 17.3	
" Reduced by H	17.9 to 18.12	} ----- Bernoulli. J. 13, 152.
" " C	16.6	
"	17.2	} ----- Prepared by three methods. Zett- now. J. 20, 218.
"	18.447, 17°	
"	19.261, 12°	
"	18.25	Roscoe. C. N. 25, 61.
"	18.77	} ----- Waddell. A. C. J. 8, 287.
"	18.40	
Uranium	18.83	Peligo. J. 9, 380.
"	18.83	Peligo. A. C. P. 149, 128.
"	18.685, 4°, m. of 3	Zimmermann. Ber. 15, 851.
Chlorine. Liquefied	1.33, 15°.5	Faraday. P. T. 1823, 164.
Bromine	2.966	Balard. Ann. (2), 32, 337.
"	2.98	} 15° ----- Löwig. See Böttger.
"	2.99	
"	3.18718, 0°	Pierre. Ann. (3), 20, 5.
"	3.18828, 0°	} ----- Thorpe. J. C. S. 37, 172.
"	2.98218, 59°.27	
"	2.9483, m. of 4	
"	2.9471	
"	2.9503	} ----- Taken at the boiling point. Ram- say. Ber. 13, 2146.
"	3.1875, 0°	
"	3.1875, 0°	Van der Plaats. J. C. S. 50, 849.
Iodine	4.948	Gay Lussac. Ann. 91, 5.
" Solid	4.9173, 40°.3	} ----- Billet. J. 8, 46.
" "	4.886, 60°	
" "	4.857, 79°.6	
" "	4.841, 89°.8	
" "	4.825, 107°	
" Molten	4.004, 107°	
" "	3.988, 111°.7	
" "	3.944, 124°.3	
" "	3.918, 133°.5	
" "	3.866, 151°	
" "	3.796, 170°	
" Solid	5.030	Playfair. Proc. Roy. Soc. Edin. [4, 241.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Manganese	6.861	Bergmann.
"	7.10	
"	8.03	
"	8.013	
"	7.138	
"	7.206	Brunner. J. 10, 202.
Iron	7.788	Brisson. P. des C.
" Wrought	7.790	Karsten. Schw. J. 65, 394.
" Wire in several different conditions.	7.6305 7.6000 7.7169 7.7312	Baudrimont. J. P. C. 7, 268.
" Hammered	7.7433	
" Bar	7.4839	Bröling. See Percy's Metallurgy.
"	7.8707	Berzelius. " " "
"	7.865	
" Reduced by zinc vapor.	7.50 7.84	Poumarédc. J. 2, 281.
" Reduced by C.	7.130	Playfair and Joule. M. C. S. 3, 72.
" Electrolytic	8.1398, 15°.5	Smith. See Percy's Metallurgy.
" Fused in H., not forged.	7.880, 16°	
" Fused in H., forged.	7.868, 16°	Caron. C. R. 70, 1263.
" Fused in H., wire	7.847, 16°	
" Fused in crucible.	7.833, 16°	
" Good commercial.	7.852, 16°	
" Reduced by H.	7.998	Schiff.
"	8.007	
"	6.08	Stahlschmidt. J. 18, 255.
" Molten	6.88	Roberts and Wrightson. Bei. 5, 817. [6, 145.]
" Molten steel	8.05	Petruschewsky and Alexejeff. Bei.
Nickel	7.807	Brisson. P. des C.
"	8.279, cast	Richter. Ann. 53, 164.
"	8.666, forged	
" Cast	8.380	Tupputi. Ann. 78, 133.
" Forged	8.820	
"	8.932, 12°.5	Tourte. Ann. 71, 103.
"	8.477	Baumgartner. See Böttger.
"	8.713	
"	8.637	Brunner. " "
"	9.000	Bergmann. " "
" Reduced by H.	7.861	Playfair and Joule. M. C. S. 3, 71.
"	7.803	
" Wire	8.88, 4°	Arndtsen.
" Reduced by H.	8.975	Rammelsberg. J. 2, 282.
"	9.261	
"	8.900	Schröder. P. A. 107, 113.
Cobalt	8.710	Lampadius. Erd. J. (1), 5, 390.
"	8.485	Brunner. See Böttger.
"	9.152	Gehler. " "
"	8.500	Mitscherlich. " "
"	8.5131	Berzelius. " "
"	8.5384	Haüy and Tassaert. See Böttger.
"	8.558	T. H. Henry. M. C. S. 3, 59.
" Reduced by H.	7.718	Playfair and Joule. M. C. S. 3, 71.
"	8.260	
"	8.957, m. of 5	Rammelsberg. J. 2, 282.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Copper	8.895	Hatchett. P. T. 1803, 88.
" Rolled	8.878	Brisson. P. des C.
" Cast	8.788	
" "	8.83	Berzelius. See Böttger.
" Drawn	8.9463	
" Hammered	8.9587	
"	8.78	Kupffer. Ann. (2), 25, 356.
"	8.900	Herapath. P. M. 64, 321.
"	8.721	Karsten. Schw. J. 65. 394.
" Wire in several different conditions.	8.6225	Baudrimont. J. P. C. 7, 287.
"	8.3912	
"	8.7059	
"	8.8737	
" Hammered	8.8893	
" Cast, slowly cooled	8.4525	Marchand and Scheerer. J. P. C. [27, 193.
" Crystallized	8.940	
" Cast	8.921	Marchand and Scheerer. J. P. C.
" Various sorts of wire.	8.939	
"	8.949	
" Sheet	8.952	Mallet. D. J. 85, 378.
" Pressed	8.931	
" Electrolytic	8.914	
"	8.667	Playfair and Joule. M. C. S. 3, 57.
" Finely divided	8.428	
" "	8.483	
" "	8.360	
" Electrolytic	8.884	
" "	8.941	Playfair and Joule. J. C. S. 1, 121.
" "	8.934	
" Finely divided	8.367	
" "	8.41613	4°
" Hammered	8.855	O'Neill. Memoirs Manchester Philosophical Society, (3), 1, 243.
" "	8.878	
" Rolled	8.879	
" "	8.893	Schiff.
" Annealed	8.884	
" "	8.896	Whitney. J. 12, 769.
"	8.902, 12°	
" Native	8.838	Schröder. P. A. 107, 113.
"	8.952	
"	8.953	
" Electrolytic, cast	8.916	Dick. P. M. (4), 11, 409.
" "	8.953	
" " wire	8.853	
" "	8.733	Quincke. P. A. 97, 396.
" Plate	8.902, 0°	
"	8.945, 0° (in vacuo)	
"	8.955, 17°	Hampe. C. C. 6, 379. [817.
"	8.8	
" Allotropic	8.0 to 8.2	Roberts and Wrightson. Bei. 5, Schutzenberger. J. Ph. Ch. (4), 28, 366.
" Molten	7.272	Playfair and Joule. M. C. S. 3, 77.
" "	8.217	Roberts and Wrightson. Bei. 5, 817.
Silver	10.472	Brisson. P. des C.
"	10.362, 10°	Biddle. P. M. 30, 152.

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Silver	10.43	Lengsdorf.
"	10.47	
"	10.4282	Karsten. Schw. J. 65, 394.
" Cast, slowly cooled	10.1053	Baudrimont. J. P. C. 7, 287.
" Same mass, rolled	10.5513	
" Hammered	10.4476	
" Brittle	9.8463	
" Granulated	9.6323	
" Cryst. in laminæ	9.5538	
" Wire	10.4913	
"	10.434	
"	10.482	
"	10.522	
"	10.537	Playfair and Joule. M. C. S. 3, 66.
" Cast	10.505	G. Rose. P. A. 73, 1.
" Pressed	10.5665	
" Precip. powdery	10.5532	
" " "	10.6191	
"	10.5287, m. of 13	
"	10.5237, m. of 4	Holzmann. J. 13, 112.
"	10.5283, m. of 8	
"	10.468, 13°	
"	10.575	Christomanos. J. 21, 272.
" After heating in vacuo.	10.512	Dumas. C. N. 37, 82.
"	10.412, 4°	Zimmermann. Ber. 15, 850.
"	10.57	Roberts. C. N. 31, 143.
"	10.621, 0°	Quincke. P. A. 135, 642.
" Molten	9.131	Playfair and Joule. M. C. S. 3, 78.
"	9.281	
"	9.4612	
"	9.51	
"	9.40	
"	10.002	Roberts. C. N. 31, 143.
"	19.258	Roberts and Wrightson. Ann. (5), 30, 181.
"	19.207	Quincke. P. A. 135, 642.
Gold	19.258	Brisson. P. des C.
" Hammered	19.207	Elliot. Quoted by Rose.
"	19.3 to 19.4	Lewis. " " "
" Pressed	19.3336, 17° 5	G. Rose. P. A. 73, 1.
" Ppt. by oxalic acid	19.2981, 17° 5	
" Cast and pressed, 16 samples differently prepared.	19.2881, 17° 5, m. of 37	
"	19.2689, 17° 5	
"	19.3296, 17° 5	
" Ppt. by oxalic acid	19.4941	G. Rose. P. A. 75, 403.
"	19.265, 13°	Holzmann. J. 13, 112.
" Before rolling	19.2945	Roberts and Rigg. J. C. S. (2), 12, 203.
" Once rolled	19.2982	
" Molten	17.099	Quincke. P. A. 135, 642.
Ruthenium	11.0	Deville and Debray. J. 12, 234.
"	11.4	
"	12.261, 0°	Deville and Debray. C. R. 83, 928.
Rhodium	11.0+	Wollaston. P. T. 1804, 426.
"	11.2	Cloud. Schw. J. 43, 316.
"	11.0	Hare. A. J. S. (2), 2, 365.
"	12.1	Deville and Debray. J. 12, 240.
Palladium	11.3	Wollaston. See Böttger.
"	11.8	
"	12.148	
"	11.852	
"	11.852	Lowry. " "
"	11.852	Lampadius. Watts' Dict.



NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Palladium	11.8	Vauquelin. Ann. 88, 167.
"	11.041, 18°	Cloud. Schw. J. 1, 362.
"	10.923	Breithaupt. See Böttger.
"	11.628	Benneke and Reinecker. See Böttger.
"	11.80	Cock. M. C. S. 1, 161.
" Hammered	11.80	
"	11.752	Breithaupt. J. P. C. 11, 151.
"	11.4, 22° .5	Deville and Debray. J. 12, 237.
"	12.0	Troost and Hautefeuille. C. R. 78, 970.
"	12.104	Lisenko. Ber. 5, 29.
" Molten	10.8	Quincke. P. A. 185, 642.
Osmium	21.40	Deville and Debray. J. 12, 282.
"	22.477	Deville and Debray. C. R. 82, 1076.
Iridium. Porous globule.	18.680	Children. See Böttger.
"	21.78	Eckfeldt and Boyé, for Hare. A. J. S. (2), 365.
"	21.83	
" Black	18.6088	G. Rose. P. A. 75, 403.
"	21.15	Deville and Debray. J. 12, 242.
"	22.421, 17° .5	Deville and Debray. P. M. (4), 50, 561.
"	22.38	Matthey. C. N. 40, 240.
Platinum	20.85	Borda. Quoted by Marchand. J. P. C. 33, 385.
"	20.98	
"	21.06	
" Cast	19.5	Brisson. P. des C.
" Hammered	20.3	
" Wire	21.0	
"	21.7	Klaproth. Quoted by Marchand.
"	21.061	
"	21.45	
"	21.47	Berthier. " " "
"	21.53	
" Cast	17.7	Prechtl. " " "
"	21.3	Faraday. " " "
" Hammered	20.9	E. D. Clarke. " " "
" Spongy	21.47	Thomson. " " "
"	21.843	Scholz. See Böttger.
"	21.359	Meissner. " " "
" Wire	21.16	Wollaston. P. A. 16, 158.
"	21.40	
"	21.53	
" Hammered	21.25	Liebig. P. A. 17, 101.
" Spongy	17.572	
"	15.780	
"	16.319	Scholz. See Böttger.
" Black	17.894	
"	21.2668	
"	21.3092	Marchand. J. P. C. 33, 385.
" Hammered	21.31	
"	21.16	Hare. A. J. S. (2), 2, 365.
"	21.23	
" Spongy	15.634	
" Precip. black	20.9815	Rose. P. A. 75, 403.
"	20.7732	
"	22.8926	

NAME.	SPECIFIC GRAVITY.	AUTHORITY.
Platinum. Precip. black	22.0345	Rose. P. A. 75, 403.
“ Black	26.1418, 15° 7 ? } ----	
“ “	17.766 } ----	Playfair and Joule. M. C. S. 3, 57.
“ Spongy	21.169 } ----	
“ “	21.243 } ----	Deville and Caron. J. 10, 259.
“	21.15 ----	
“	21.15 ----	Deville and Debray. J. 12, 240.
“ Very pure	21.504, 17° 6 ----	Deville and Debray. P. M. (4), 50, 560.
“ Molten	18.915 ----	Quincke. P. A. 135, 642.

## II. INORGANIC FLUORIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen fluoride or hydrofluoric acid, liquid.	H F	1.0609	Davy. P. T. 1813, 263.
“ “	“	.9922, 11°	Gore. P. T. 1869, 173.
“ “	“	.9879, 12° 7	
“ “	“	.9885, 13° 6	
“ “	“	1.036, 15° 5	
Lithium fluoride	Li F	2.582	Schröder. Dm. 1873.
“ “	“	2.608 } ----	
“ “	“	2.612 } ----	
“ “	“	2.295, 21° 5	Clarke. A. J. S. (3), 13, 292.
Sodium fluoride	Na F	2.713, m. of 7	Schröder. Dm. 1873.
“ “	“	2.601 } Ex-	
“ “	“	2.772 } tremes	
“ “	“	2.558, 14° 5	
Potassium fluoride	K F	2.454, 12°	Bödeker. B. D. Z.
“ “	“	2.459	Schröder. Dm. 1873.
“ “	“	2.476 } ----	
“ “	“	2.507 } ----	
“ “	“	2.096, 21° 5	
“ “	“	2.350, m. of 3	Clarke. A. J. S. (3), 13, 292.
Rubidium fluoride	Rb F	3.202, 16° 5	Schröder. Ber. 11, 2018.
Ammonium hydrogen fluoride.	Am H F <sub>2</sub>	1.211, 12°	Clarke. A. J. S. (3), 13, 293.
Silver fluoride	Ag F	5.852, 15° 5	Bödeker. B. D. Z.
Magnesium fluoride	Mg F <sub>2</sub>	2.472	Gore. C. N. 21, 28.
“ “ Sellaite.	“	2.856, 12°	Schröder. Dm. 1873.
“ “	“	2.972	Cossa. Ber. 10, 295.
Zinc fluoride	Zn F <sub>2</sub>	4.612, 12°	Strüver. Dana's Min., 2d App.
“ “	“	4.556, 17°	Clarke. A. J. S. (3), 13, 291.
“ “	Zn F <sub>2</sub> 4 H <sub>2</sub> O	2.567, 10°	
“ “	“ “	2.535, 12°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadmium fluoride	$\text{Cd F}_2$	5.994, 22°, m. of 7.	Kebler. A. C. J. 5, 241.
Calcium fluoride	$\text{Ca F}_2$	3.183, m. of 60	Kenngott. J. 6, 853.
" "	"	3.150	Smith. J. 8, 976.
" "	"	3.138	Schiff. A. C. P. 108, 21.
" "	"	3.162	Luca. J. 13, 98.
" " Precip.	"	3.086	Schröder. Dm. 1873.
" " Ignited	"	3.150	
Strontium fluoride	$\text{Sr F}_2$	4.202	
" "	"	4.236	" "
" "	"	4.210	Schröder. P. A. 6 Erganz. Bd. 622.
Barium fluoride	$\text{Ba F}_2$	4.58, 13°	Bödeker. B. D. Z.
" "	"	4.824	Schröder. Dm. 1873.
" "	"	4.833	
Lead fluoride	$\text{Pb F}_2$	8.241	
Nickel fluoride	$\text{Ni F}_2$	2.855, 14°	Clarke. A. J. S. (3), 13, 291.
" "	$\text{Ni F}_2 \cdot 3 \text{H}_2\text{O}$	2.014, 19°	
Aluminum fluoride	$\text{Al F}_3$	3.065	Bödeker. B. D. Z.
" "	"	3.13	
Arsenic trifluoride, l	$\text{As F}_3$	2.73	
" "	"	2.66	Unverdorben. P. A. 7, 316.
" "	"	2.6659, 0°	MacIvor. C. N. 30, 169.
" "	"	2.4497, 60°.4	Thorpe. J. C. S. 37, 372. [874.]
" "	"	2.734	Moissan. C. R. 99, Gott and Muir. J. C. S. 53, 137.
Bismuth fluoride	$\text{Bi F}_3$	5.32, 20°	Dana's Mineralogy. Durnew. J. 4, 820.
" oxyfluoride	$\text{Bi O F}$	7.5, 20°	
Cryolite. Greenland	$\text{Na}_3 \text{Al F}_6$	2.9—3.077	Hillebrand and Cross. A. J. S. (3), 26, 271.
" Siberia	"	2.95	Hillebrand and Cross. A. J. S. (3), 26, 271.
" Colorado	"	2.972, 24°	
Chiolite	$\text{Na}_5 \text{Al}_3 \text{F}_{14}$	2.72	Hermann. J. P. C. 37, 188.
"	"	2.90	Kokscharow. J. 4, 820.
"	"	2.842—2.898	Rammelsberg. P. A. 74, 314.
Chodneffite	$\text{Na}_2 \text{Al F}_5$	3.003	Rammelsberg. P. A. 74, 314.
"	"	3.077	
"	"	2.62—2.77	
Pachnolite.* Colorado	$\text{Na Ca Al F}_6 \cdot \text{H}_2\text{O}$	2.965, 17°, m. of 4.	Hillebrand and Cross. A. J. S. (3), 26, 271.
" " "	"	2.962, 22°	
Prosopite. Altenberg	$\text{Ca Al}_2 (\text{F} \cdot \text{O H})_8$	2.890	Scheerer. Dana's Mineralogy. Hillebrand and Cross. A. J. S. (3), 26, 271.
" " "	"	2.898	
" Colorado	"	2.880, 23°	
Ralstonite	$\text{Na Mg Al}_4 \text{F}_{15} \cdot 3 \text{H}_2\text{O}$	2.4	Brush. A. J. S. (3), 2, 30.

\*According to Brandl, pachnolite and thomsenolite are distinct species, but Hillebrand and Cross show them to be identical.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ralstonite -----	NaMgAl <sub>4</sub> F <sub>15</sub> . 3H <sub>2</sub> O.	2.62 -----	Nordenskiöld. Dana's Min., 3d App.
" -----	(MgNa <sub>2</sub> )Al <sub>3</sub> (F.OH) <sub>11</sub> 2 H <sub>2</sub> O.	2.560 -----	Penfield and Harper. A. J. S. (3), 32, 381.
Fluocerite -----	Ce F <sub>3</sub> , ?	4.7 -----	Berzelius. Dana's Mineralogy.
Tysonite -----	4 Ce F <sub>3</sub> . 3 La F <sub>3</sub>	6.13, in mean	Allen and Comstock. A. J. S. (3), 19, 391.
Ytrocrite -----	?	3.447 -----	Berzelius. Dana's Mineralogy.
Potassium borofluoride ---	K B F <sub>4</sub>	2.5 } -----	Stolba. B. S. C. 18, 309.
" " -----	"	2.6 } -----	
Lithium silicofluoride ---	Li <sub>2</sub> Si F <sub>6</sub> . 2 H <sub>2</sub> O	2.33 -----	Stolba. J. 17, 213.
" " -----	"	2.244 -----	Topsoë. C. C. 4, 76.
Sodium silicofluoride ---	Na <sub>2</sub> Si F <sub>6</sub>	2.7547, 17°.5	Stolba. J. P. C. 97, 503.
" " -----	"	2.680, m. of 4	Schröder. Dm. 1873.
" " -----	"	2.671 } Ex-	
" " -----	"	2.691 } tremes	
Potassium silicofluoride ---	K <sub>2</sub> Si F <sub>6</sub>	2.6655 -----	{ Stolba. J. P. C. 97, 503.
" " -----	"	2.6649 -----	
" " -----	"	2.655 -----	Schröder. Dm. 1873.
" " -----	"	2.698 -----	
" " -----	"	2.704 -----	
Rubidium silicofluoride ---	Rb <sub>2</sub> Si F <sub>6</sub>	3.3383, 20°	Stolba. J. 20, 186.
Cæsium silicofluoride ---	Cs <sub>2</sub> Si F <sub>6</sub>	3.3756, 17°	Preis. J. 21, 195.
Ammonium silicofluoride ---	Am <sub>2</sub> Si F <sub>6</sub>	1.970 -----	Topsoë. C. C. 4, 76.
" " -----	"	2.056, m. of 5	Schröder. Dm. 1873.
" " -----	"	2.035 } Ex-	
" " -----	"	2.071 } tremes	
Calcium silicofluoride ---	Ca Si F <sub>6</sub> . ?	2.649 -----	Stolba. J. 33, 239.
" " -----	"	2.675 -----	
" " -----	Ca Si F <sub>6</sub> . 2 H <sub>2</sub> O	2.254 -----	Topsoë. C. C. 4, 76.
Strontium silicofluoride ---	Sr Si F <sub>6</sub> . 2 H <sub>2</sub> O	2.988 -----	Stolba. J. 34, 285.
" " -----	"	2.999 -----	
Barium silicofluoride ---	Ba Si F <sub>6</sub>	4.2794, 21°	Stolba. J. 18, 170.
" " -----	"	4.2380, 22°	Schweitzer. Univ. of Missouri, special pub. 1876.
Magnesium silicofluoride ---	Mg Si F <sub>6</sub> . 6 H <sub>2</sub> O	1.761 -----	Topsoë. C. C. 4, 76.
Zinc silicofluoride ---	Zn Si F <sub>6</sub> . 6 H <sub>2</sub> O	2.104 -----	
" " -----	"	2.121 -----	{ Stolba. J. R. C. 5, 72.
" " -----	"	2.1448 -----	
Manganese silicofluoride ---	Mn Si F <sub>6</sub> . 6 H <sub>2</sub> O	1.858 -----	Topsoë. C. C. 4, 76.
Iron silicofluoride* -----	Fe Si F <sub>6</sub> . 6 H <sub>2</sub> O	1.96115, 17°.5	Stolba. B. S. C. 26, 155.
Nickel silicofluoride ---	Ni Si F <sub>6</sub> . 6 H <sub>2</sub> O	2.109 -----	Topsoë. C. C. 4, 76.
Cobalt silicofluoride * ---	Co Si F <sub>6</sub> . 6 H <sub>2</sub> O	2.067 -----	
" " -----	"	2.1211 -----	{ Stolba. B. S. C. 26, 155.
" " -----	"	2.1135 -----	
Copper silicofluoride* ---	Cu Si F <sub>6</sub> . 4 H <sub>2</sub> O	2.535 -----	Topsoë. C. C. 4, 76.
" " -----	Cu Si F <sub>6</sub> . 6 H <sub>2</sub> O	2.1576, 19°	Stolba. J. 20, 299.
" " -----	"	2.207 -----	Topsoë. C. C. 4, 76.
" " -----	"	2.182 -----	Topsoë and Christiansen.

\*According to Stolba, these salts contain 6½ molecules of water.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium titanofluoride	$K_2 Ti F_6$	2.0797, 12°	Bödeker. B. D. Z.
" "	$K_2 Ti F_6 \cdot H_2 O$	2.992	Topsoë. C. C. 4, 76.
Copper titanofluoride	$Cu Ti F_6 \cdot 4 H_2 O$	2.529	" "
Potassium zirconofluoride	$K_2 Zr F_6$	3.582	" "
Zinc zirconofluoride	$Zn Zr F_6 \cdot 6 H_2 O$	2.255	" "
Nickel zirconofluoride	$Ni Zr F_6 \cdot 6 H_2 O$	2.227	" "
Potassium stannifluoride	$K_2 Sn F_6 \cdot H_2 O$	3.053	" "
Ammonium stannifluoride	$Am_2 Sn F_6$	2.887	" "
Manganese stannifluoride	$Mn Sn F_6 \cdot 6 H_2 O$	2.307	" "
Cobalt stannifluoride	$Co Sn F_6 \cdot 6 H_2 O$	2.604	" "
Potassium columboxyfluoride.	$K_2 Cb O F_6 \cdot H_2 O$	2.813	" "
Copper columboxyfluoride	$Cu Cb O F_6 \cdot 4 H_2 O$	2.750	" "
Potassium tantalofluoride.	$K_2 Ta F_7$	4.056	" "
Potassium uranoxyfluoride	$3 K F \cdot U O_2 F_2$	4.263, 20°	Baker. J. C. S. 35, 760.
" "	$5 K F \cdot 2 U O_2 F_2$	4.379, 20°	" "
" "	$3 K F \cdot 2 U O_2 F_2 \cdot 2 H_2 O$	4.108, 20°	" "
Ammonium uranoxyfluoride.	$3 Am F \cdot U O_2 F_2$	3.186, 20°	" "

## III. INORGANIC CHLORIDES.

## 1st. Simple Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen chloride or hydrochloric acid, liquef'd	$H Cl$	.908, 0°	Ansdell. C. N. 41, 76. Critical temperature, 51°.25.
" "	"	.873, 7°.5	
" "	"	.854, 11°.7	
" "	"	.835, 15°.8	
" "	"	.808, 22°.7	
" "	"	.748, 33°	
" "	"	.678, 41°.6	
" "	"	.619, 47°.8	
Lithium chloride	$Li Cl$	1.998	Kremers. J. 10, 67.
" "	"	2.074	Schröder. P. A. 107, 113.
" " Fused	"	1.515	Quincke. P. A. 128, 141.
Sodium chloride	$Na Cl$	2.2001	Hassenfratz. Ann. 28, 3.
" "	"	2.15	Leslie. See Böttger.
" "	"	2.26	Mohs.
" "	"	2.078	Karsten. Schw. J. 65, 394.
" "	"	2.030	Unger. See Böttger.
" "	"	2.150	Kopp. A. C. P. 36, 1.
" "	"	2.011, m. of 3	Playfair and Joule.
" "	"	2.24	M. C. S. 2, 401. Filhol. Ann. (3), 21, 415.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium chloride	Na Cl	2.155, 15°.5	Holker. P. M. (3), 27, 213.
" " Cryst.	"	2.195	Deville. J. 8, 15.
" " After fusion.	"	2.204	
" " "	"	2.142	Grassi. J. 1, 39.
" " "	"	2.207	
" " Halite	"	2.135	Hunt. J. 8, 976.
" " "	"	2.148	Schiff. A. C. P. 108, 21.
" " "	"	2.153	Schröder. P. A. 106, 226.
" " "	"	2.161	
" " "	"	2.145	Buignet. J. 15, 14.
" " "	"	2.1629, 15°	Stolba. J. P. C. 97, 503.
" " "	"	2.1543	Haagen. P. A. 131, 117.
" " "	"	2.06—2.08	Page and Keightley. J. C. S. (2), 10, 566.
" " Natural	"	2.145	Stas.
" " "	"	2.137	Rüdorff. Ber. 12, 251.
" " "	"	2.1641, 15°	Bedson and Wil- liams. Ber. 14, 2552.
" " Cryst. at 20°.	"	2.16171	Nicol. P. M. (5), 15, 94.
" " Cryst. at 108°.	"	2.15494	
" " "	"	1.612, at the melting point.	Braun. J. C. S. (2), 13, 31.
" " "	"	2.23	Brügelmann. Ber. [17, 2359.
" " "	"	2.1653, 10°	Andreae. J. P. C. (2), 30, 315.
" " "	"	2.1615, 20°	
" " "	"	2.1594, 30°	
" " "	"	2.15665, 40°	
" " "	"	2.15435, 50°	
" " "	"	2.1881	Zehnder. P. A. (2), 29, 259.
" " "	"	2.1887	
" " "	"	2.092, 0°	Quincke. P. A. 135, 642.
" " Fused	"	2.04	
Potassium chloride	K Cl	1.9367	Hassenfratz. Ann. 28, 3.
" " "	"	1.836	Kirwan. See Bött- ger.
" " "	"	1.9153	Karsten. Schw. J. 65, 394.
" " "	"	1.945	Kopp. A. C. P. 36, 1.
" " "	"	1.900	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.97756, 4°	Playfair and Joule. J. C. S. 1, 137.
" " "	"	1.994	Filhol. Ann. (3), 21, 415.
" " "	"	1.995	Schiff. A. C. P. 108, 21.
" " "	"	1.918, 15°.5	Holker. P. M. (3), 27, 213.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chloride	K Cl	1.995	Schröder. P. A. 106, 226.
"	"	1.986	Buignet. J. 14, 15.
"	"	1.94526, 15°	Stolba. J. P. C. 97, 503.
"	"	1.90—1.91	Page and Keightley. J. C. S. (2), 10, 566.
"	"	1.612, at the melting p't.	Braun. J. C. S. (2), 13, 31.
"	" Not pressed.	1.980, 22°	} Spring. Ber. 16, 2724.
"	" Once pressed.	2.071, 20°	
"	" Twice pressed.	2.068, 21°	
"	"	1.93	Brügelmann. Ber. 17, 2359.
"	"	1.932, 0°	} Quinke. P. A. 135, 642.
"	" Fused	1.870	
Rubidium chloride	Rb Cl	2.807	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium chloride	Cs Cl	3.992	" "
Ammonium chloride	Am Cl	1.450	Wattson. See Böttger.
"	"	1.54425	Hassenfratz. Ann. 28, 3.
"	"	1.528	Mohs. See Böttger.
"	"	1.578, m. of 8.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.5333, 4°	Playfair and Joule. J. C. S. 1, 137.
"	"	1.52, 15°.5	Holker. P. M. (3), 27, 214.
"	"	1.500	Kopp. A. C. P. 86, 1.
"	"	1.522	Schiff. A. C. P. 108, 21.
"	"	1.550	Buignet. J. 14, 15.
"	"	1.5033	} 15° Stolba. J. P. C. 97, 503.
"	"	1.5191	
"	"	1.5209	
"	"	1.456	
Silver chloride	Ag Cl	5.4548	Proust.
"	" Unfused	5.501	} Karsten. Schw. J. 65, 394.
"	" Black'd	5.5671	
"	" After fusion.	5.4582	
"	"	5.129	Herapath. P. M. 64, 321.
"	"	5.548	Boullay. Ann. (2), 48, 266.
"	"	5.55	Gmelin.
"	" Native	5.31	} Domeyko. Dana's Min.
"	"	5.43	
"	"	5.517	Schiff. A. C. P. 108, 21.
"	"	5.5943	[226. Schröder. P. A. 106,

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver chloride	Ag Cl	5.505, 0°	Rodwell. P. T. 1882, 1125.
" " Molten	"	4.919, 451°	
" " "	"	5.5	
" " "	"	5.3	Quinke. P. A. 135, 642.
" " "	"	5.3	Quinke. P. A. 158, 141.
Thallium chloride	Tl Cl	7.00	Willm.
" " "	"	7.02	Lamy. J. 15, 184.
Thallium trichloride	Tl <sub>3</sub> Cl <sub>3</sub>	5.9	" "
Magnesium chloride	Mg Cl <sub>2</sub>	2.177, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
" " "	Mg Cl <sub>2</sub> . 6 H <sub>2</sub> O	1.562, m. of 4.	" " "
" " "	"	1.558	Filhol. Ann. (3), 21, 415.
" " Bischofite.	"	1.65	Ochsenius. B. S. M. 1, 128.
Zinc chloride	Zn Cl <sub>2</sub>	2.753, 13°	Bödeker. B. D. Z.
Cadmium chloride	Cd Cl <sub>2</sub>	3.6254, 12°	" "
" " "	"	3.655, 16° 9'	P. Knight. F.W.C.
" " "	Cd Cl <sub>2</sub> . 2 H <sub>2</sub> O	3.324, m. of 3.	W. Knight. F.W.C.
Mercurous chloride	Hg Cl	7.1758	Hassenfratz. Ann. 28, 3.
" " "	"	7.14	Boullay. Ann. (2), 43, 266.
" " "	"	6.9925	Karsten. Schw. J. 65, 394.
" " "	"	6.7107	Herupath. P. M. 64, 321.
" " Native.	"	6.482	Haidinger. Dana's Min.
" " "	"	7.178	Playfair and Joule. M. C. S. 2, 401.
" " "	"	6.56	Schiff. A. C. P. 108, 21.
Mercuric chloride	Hg Cl <sub>2</sub>	5.1398	Hassenfratz. Ann. 28, 3.
" " "	"	5.14	Gmelin.
" " "	"	5.42	Boullay. Ann. (2), 43, 266.
" " "	"	5.4032	Karsten. Schw. J. 65, 394.
" " "	"	6.223	Playfair and Joule. M. C. S. 2, 401.
" " "	"	5.448, m. of 3.	Schröder. P. A. 107, 113.
Calcium chloride	Ca Cl <sub>2</sub>	2.214	Boullay. Ann. (2), 43, 266.
" " "	"	2.269	
" " "	"	2.0401	
" " "	"	2.480	Karsten. Schw. J. 65, 394.
" " "	"	2.480	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.240	Filhol. Ann. (3), 21, 415.
" " "	"	2.205	[21. Schiff. A. C. P. 108, Favre and Valson. C. R. 77, 579.
" " "	"	2.160, 27°	Quinke. P. A. 135, 642.
" " Fused	"	2.219, 0°	Quinke. P. A. 135, 642.
" " "	"	2.15	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium chloride. Fused	Ca Cl <sub>2</sub> -----	2.120 -----	Quincke. P. A. 138, 141.
" "	Ca Cl <sub>2</sub> . 6 H <sub>2</sub> O-----	1.680, m. of 2-----	Playfair and Joule. M. C. S. 2, 401.
" "	"-----	1.635 -----	Filhol. Ann. (3), 21, 415.
" "	"-----	1.612, 10°-----	Kopp. J. 8, 44.
" "	"-----	1.701, 17°.1-----	Favre and Valson. C. R. 77, 579.
" "	"-----	1.654, m. of 4-----	Schröder. Dm. 1873.
" "	"-----	1.642 } Ex-	
" "	"-----	1.671 } tremes }	
Strontium chloride	Sr Cl <sub>2</sub> -----	2.8033 -----	Karsten. Schw. J. 65, 394.
" "	"-----	2.960 -----	Filhol. Ann. (3), 21, 415.
" "	"-----	3.035, 17°.2-----	Favre and Valson. C. R. 77, 579.
" "	"-----	3.054 -----	Schröder. A. C. P. 174, 249.
" "	"-----	2.770, at the meltingpoint.	Braun. J. C. S. (2), 13, 31.
" " Fused	"-----	2.770 -----	Quincke. P. A. 138, 141.
" "	Sr Cl <sub>2</sub> . 6 H <sub>2</sub> O-----	2.015, m. of 2-----	Playfair and Joule. M. C. S. 2, 401.
" "	"-----	1.603 -----	Filhol. Ann. (3), 21, 415.
" "	"-----	1.921 -----	Buignet. J. 14, 15.
" "	"-----	1.932, 17°.2-----	Favre and Valson. C. R. 77, 579.
" "	"-----	1.954 -----	Schröder. Dm. 1873.
" "	"-----	1.964, 16°.7-----	Mühlberg. F. W. C.
Barium chloride	Ba Cl <sub>2</sub> -----	3.860 -----	Boullay. Ann. (2), 43, 266.
" "	"-----	4.156 -----	
" "	"-----	3.8 -----	Richter. Watts' Dict.
" "	"-----	3.7037 -----	Karsten. Schw. J. 65, 394.
" "	"-----	3.750 -----	Filhol. Ann. (3), 21, 415.
" "	"-----	3.820 -----	Schiff. A. C. P. 108, 21.
" "	"-----	3.872 -----	Schröder. P. A. 107, 113.
" "	"-----	3.886 -----	
" "	"-----	3.7, 17°.5-----	Kremers. P. A. 85, 42.
" "	"-----	3.844, 16°.8-----	Favre and Valson. C. R. 77, 579.
" "	"-----	3.92 -----	Brügelmann. Ber. 17, 2359.
" " Molten	"-----	3.700 -----	Quincke. P. A. 138, 141.
" "	Ba Cl <sub>2</sub> . 2 H <sub>2</sub> O-----	3.144, m. of 2-----	Playfair and Joule. M. C. S. 2, 401.
" "	"-----	2.664 -----	Filhol. Ann. (3), 21, 415.
" "	"-----	3.05435, 4°-----	Playfair and Joule. J. C. S. 1, 137.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium chloride	Ba Cl <sub>2</sub> . 2 H <sub>2</sub> O	3.052	Schiff. A. C. P. 108, 21.
" "	"	3.081	Buignet. J. 14, 15.
" "	"	3.054, 15°.5	Favre and Valson. C. R. 77, 579.
" "	"	3.045	Schröder. Dm. 1873.
Lead chloride	Pb Cl <sub>2</sub>	5.29	Monro.
" " Native	"	5.238	Dana's Min.
" " Unfused	"	5.8022	Karsten. Schw. J. 65, 394.
" " After fusion	"	5.6824	
" " Cryst.	"	5.802	Schabus. J. 3, 322.
" "	"	5.78	Schiff. J. 11, 11.
" "	"	5.80534, 15°	Stolba. J. P. C. 97, 503.
" "	"	5.88	Brügelmann. Ber. 17, 2359.
Chromous chloride	Cr Cl <sub>3</sub>	2.751, 14°	Grabfield. F. W. C.
Chromic chloride	Cr <sub>2</sub> Cl <sub>6</sub>	3.03, 17°	Schafarik. J. P. C. 90, 12.
" "	"	2.757, 15°, m. of 13.	Grabfield. F. W. C.
Manganous chloride	Mn Cl <sub>2</sub>	2.478	Schröder. A. C. P. 174, 249.
" " "	Mn Cl <sub>2</sub> . 4 H <sub>2</sub> O	1.898	Schröder. Dm. 1873.
" " "	"	1.913	
" " "	"	1.928	
" " "	"	2.01, 10°	
Ferrous chloride	Fe Cl <sub>2</sub>	2.528	Bödeker. B. D. Z. Filhol. Ann. (3), 21, 415.
" " "	"	2.988, 17°.9	Grabfield. F. W. C.
" " "	Fe Cl <sub>2</sub> . 4 H <sub>2</sub> O	1.926	Filhol. Ann. (3), 21, 415.
" " "	"	1.937	Schabus. J. 3, 327.
Ferric chloride	Fe <sub>2</sub> Cl <sub>6</sub>	2.804, 10°.8	Grabfield. F. W. C.
Nickel chloride	Ni Cl <sub>2</sub>	2.56	Schiff. A. C. P. 108, 21.
Cobalt chloride	Co Cl <sub>2</sub>	2.937, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" " "	Co Cl <sub>2</sub> . 6 H <sub>2</sub> O	1.84, 13°	Bödeker and Ehlers. B. D. Z.
Cuprous chloride	Cu Cl	3.6777	Karsten. Schw. J. 65, 394.
" " "	"	3.376	Playfair and Joule. M. C. S. 2, 401.
" " Nantoquite	"	3.930	Breithaupt. J. 25, 1145.
Cupric chloride	Cu Cl <sub>2</sub>	3.054	Playfair and Joule. M. C. S. 2, 401.
" " "	Cu Cl <sub>2</sub> . 2 H <sub>2</sub> O	2.535, m. of 2.	" "
" " "	"	2.47, 18°	Bödeker. B. D. Z.
Boron trichloride, l.	B Cl <sub>3</sub>	1.35	Wöhler and Deville. J. 10, 931.
Gallium chloride. Molten.	Ga Cl <sub>3</sub>	2.36, 80°	Boisbaudran. C. N. 44, 166.
Cerium chloride	Ce Cl <sub>3</sub>	3.88, 15°.5	Robinson. C. N. 50, 251.
Didymium chloride	Di Cl <sub>3</sub> . 6 H <sub>2</sub> O	2.286	15°.8 Cleve. U. N. A. 1885.
" " "	"	2.287	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Samarium chloride	$\text{Sm Cl}_2 \cdot 6 \text{H}_2\text{O}$	2.375	Cleve. U. N. A. 1885.
"	"	2.392	
Carbon chloride.*			
Silicon tetrachloride	$\text{Si Cl}_4$	1.52371, 0°	Pierre. Ann. (3), 20, 26.
"	"	1.5083, 5°-10°	Regnault. P. A. 62, 50.
"	"	1.4983, 10°-15°	
"	"	1.4884, 15°-20°	
"	"	1.4878, 20°	
"	"	1.49276	Haagen. P. A. 131, 117.
"	"	1.522, 0°	Mendelejeff. C. R. 51, 97.
"	"	1.522, 0°	Friedel and Crafts. A. J. S. (2), 43, 162.
"	"	1.52408, 0°	Thorpe. J. C. S. 37, 372.
"	"	1.40294, 57°.57	
Silicon hexchloride	$\text{Si}_2 \text{Cl}_6$	1.58, 0°	Troost and Haute-feuille. Z. C. 14, 331.
Titanium tetrachloride	$\text{Ti Cl}_4$	1.76088, 0°	Pierre. Ann. (3), 20, 21.
"	"	1.7487, 5°-10°	Regnault. P. A. 62, 50.
"	"	1.7403, 10°-15°	
"	"	1.7322, 15°-20°	
"	"	1.76041, 0°	
"	"	1.52223, 186°.41	Thorpe. J. C. S. 37, 371.
Germanium tetrachloride	$\text{Ge Cl}_4$	1.887, 18°	Winkler. Ber. 19, ref. 655.
Tin dichloride	$\text{Sn Cl}_2 \cdot 2 \text{H}_2\text{O}$	2.759	Playfair and Joule. M. C. S. 2, 401.
"	"	2.71, 15°.5, s.	Penny. J. C. S. 4, 239.
"	"	2.5876, 37°.7, 1	
"	"	2.634, 24°	Bishop. F. W. C.
Tin tetrachloride	$\text{Sn Cl}_4$	2.26712, 0°	Pierre. Ann. (3), 20, 19.
"	"	2.2618, 5°-10°	Regnault. P. A. 62, 50.
"	"	2.2492, 10°-15°	
"	"	2.2368, 15°-20°	
"	"	2.234, 15°	
"	"	2.2328, 20°	Gerlach. J. 18, 237.
"	"	2.27875, 0°	Haagen. P. A. 131, 117.
"	"	2.27813, 113°.89	
"	"	1.653	Thorpe. J. C. S. 37, 372.
Nitrogen trichloride	$\text{N Cl}_3$ ?	1.653	Watts' Dictionary.
Phosphorus trichloride	$\text{P Cl}_3$	1.45	Davy. Watts' Dict.
"	"	1.61616, 0°	Pierre. Ann. (3), 20, 9.
"	"	1.6091, 5°-10°	Regnault. P. A. 62, 50.
"	"	1.6001, 10°-15°	
"	"	1.5911, 15°-20°	
"	"	1.6119, 0°, m.	
"	"	of 2.	Buff. A. C. P. 4 Supp. Bd. 129.
"	"	1.59708, 10°	
"	"	1.47124, 76°	Boiling point, 76°.

\* The chlorides, bromides, and iodides of carbon are assigned to a special division among organic compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Phosphorus trichloride	P Cl <sub>3</sub>	1.5774, 20°	Haagen. P. A. 131, 117.	
" "	"	1.61275, 0°	} Thorpe. J. C. S. 37, 372.	
" "	"	1.46845, 75°.95		
Vanadium dichloride	V Cl <sub>2</sub>	3.23, 18°, s	Roscoe. P. T. 1869, 679.	
Vanadium trichloride	V Cl <sub>3</sub>	3.00, 18°, s	" "	
Vanadium tetrachloride	V Cl <sub>4</sub>	1.8584, 0°	} " "	
" "	"	1.8363, 8°		
" "	"	1.8159, 32°		
Arsenic trichloride	As Cl <sub>3</sub>	2.20495, 0°	[15. Pierre. Ann. (3), 20, Penny and Wallace. J. 5, 382.	
" "	"	2.1766		
" "	"	2.1668, 20°	Haagen. P. A. 131, 117.	
" "	"	2.20500, 0°	} Thorpe. J. C. S. 37, 372.	
" "	"	1.91813, 130°.21		
Antimony trichloride	Sb Cl <sub>3</sub>	3.064, 26°, s	Cooke. Proc. Amer. Acad. 1877.	
" "	"	2.6766	} liquid ) Kopp. A. C. P. 95, 348.	
" "	"	2.6758		at
" "	"	2.6750		73°.2
Antimony pentachloride	Sb Cl <sub>5</sub>	2.3461, 20°	Haagen. P. A. 131, 117.	
Bismuth trichloride	Bi Cl <sub>3</sub>	4.56, 11°	Bödeker. B. D. Z.	
Sulphur chloride	S <sub>2</sub> Cl <sub>2</sub>	1.687	Dumas. Ann. (2), 49, 204.	
" "	"	1.686	Marchand. J. P. C. 22, 507.	
" "	"	1.6970, 5°-10°	} Regnault. P. A. 62, 50.	
" "	"	1.6882, 10°-15°		
" "	"	1.6793, 15°-20°	} Kopp. A. C. P. 95, 355.	
" "	"	1.7055, 0°		
" "	"	1.6802, 16°.7	} Haagen. P. A. 131, 117.	
" "	"	1.6828, 20°		
" "	"	1.4848, 138°	Ramsay. J. C. S. 35, 463.	
" "	"	1.70941, 0°	} Thorpe. J. C. S. 37, 356.	
" "	"	1.49201, 138°.12		
Selenium chloride	Se <sub>2</sub> Cl <sub>2</sub>	2.906, 17°.5	Divers and Shimose. Ber. 17, 866.	
Iodine monochloride	I Cl	3.263, 0°	} Hannay. J. C. S. (2), 11, 818. Melts at 24°.7. Boils at 100°.5 to 101°.5.	
" "	"	3.222, 16°.5		
" "	"	3.206, 18°.2		
" "	"	3.180, 30°		
" "	"	3.176, 32°		
" "	"	3.182, 45°		
" "	"	3.127, 48°		
" "	"	3.084, 60°		
" "	"	3.032, 72°		
" "	"	3.036, 75°		
" "	"	2.988, 86°		
" "	"	2.984, 90°		
" "	"	2.964, 95°		
" "	"	2.958, 98°		
" "	"	3.18223, 0°		} Thorpe. J. C. S. 37, 371.
" "	"	2.88196, 101°.3		

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iodine trichloride-----	$I Cl_3$ -----	3.1107 -----	Christomanos. Ber. 10, 789.
Platinum dichloride -----	$Pt Cl_2$ -----	5.8696, 11° ---	Bödeker. B. D. Z.
Platinum tetrachloride----	$Pt Cl_4 \cdot 8 H_2 O$ ----	2.431, 15° ----	" "

## 2d. Double Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium magnesium chloride.	$Am_2 Mg Cl_4 \cdot 6 H_2 O$	1.456, 10° ---	Bödeker. B. D. Z.
Potassium zinc chloride----	$K_2 Zn Cl_4$ -----	2.297 -----	Schiff. A. C. P. 112, 88.
Ammonium zinc chloride----	$Am_2 Zn Cl_4$ -----	1.879 -----	" "
" " "-----	"-----	1.72 } 10° ---	Bödeker and Ehlers. B. D. Z.
" " "-----	"-----	1.77 } ---	
" " "-----	"-----	1.77 } ---	
Barium zinc chloride ----	$Ba_2 Zn Cl_6 \cdot 4 H_2 O$ ----	2.845 -----	Romanis. C. N. 49, 273.
Barium zinc chloride ----	$Ba_2 Zn Cl_6 \cdot 4 H_2 O$ ----	2.845 -----	Warner. C. N. 27, 271.
Potassium cadmium chloride.	$K_2 Cd Cl_4$ -----	2.500 -----	Schröder. Dm. 1873.
Strontium cadmium chloride.	$Sr Cd_2 Cl_6 \cdot 7 H_2 O$ ----	2.708, 24°, m. of 3.	W. Knight. F. W. C.
Barium cadmium chloride	$Ba Cd Cl_4 \cdot 4 H_2 O$ ----	2.968 -----	Topsøe. C. C. 4, 76.
" " "-----	"-----	2.952, 24°.5 } ---	W. Knight. F. W. C.
" " "-----	"-----	2.966, 25°.2 } ---	
Sodium mercury chloride.	$Na Hg Cl_3 \cdot 2 H_2 O$ ----	3.011 -----	Playfair and Joule. M. C. S. 2, 401.
Potassium mercury chloride.	$K Hg Cl_3 \cdot H_2 O$ ----	3.735, m. of 3.	" "
Ammonium mercury chloride.	$Am_2 Hg_2 Cl_6 \cdot H_2 O$ ----	3.822 -----	" "
" " "-----	$Am_2 Hg Cl_4 \cdot H_2 O$ ----	2.938 -----	" "
Potassium iron chloride----	$K_2 Fe Cl_4 \cdot 2 H_2 O$ ----	2.162 -----	Schabus. J. 3, 327.
Potassium copper chloride	$K_2 Cu Cl_4 \cdot 2 H_2 O$ ----	2.426 -----	Playfair and Joule. M. C. S. 2, 401.
" " "-----	"-----	2.400 -----	Schiff. A. C. P. 112, 88.
" " "-----	"-----	2.359 -----	Kopp. J. 11, 10.
" " "-----	"-----	2.410 -----	Tschermak. S. W. A. 45, 603.
" " "-----	"-----	2.358 -----	Schröder. Dm. 1873.
" " "-----	"-----	2.392 -----	
" " "-----	"-----	2.425 -----	
" " "-----	"-----	2.425 -----	
Rubidium copper chloride	$Rb_2 Cu Cl_4 \cdot 2 H_2 O$ ----	2.895 -----	Wyrouboff. B. S. M. 10, 127.
Ammonium copper chloride.	$Am_2 Cu Cl_4 \cdot 2 H_2 O$ ----	2.018 -----	Playfair and Joule. M. C. S. 2, 401.
" " "-----	"-----	1.963 -----	Schiff. A. C. P. 112, 88.
" " "-----	"-----	1.977 -----	Kopp. J. 11, 10.
" " "-----	"-----	2.066 -----	Tschermak. S. W. A. 45, 603.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium copper chloride.	$\text{Am}_2 \text{Cu Cl}_4 \cdot 2 \text{H}_2 \text{O}$	1.984, 24°	Evans. F. W. C.
Potassium palladiochloride.	$\text{K}_2 \text{Pd Cl}_6$	2.806	Topsoë. C. C. 4, 76.
Ammonium palladiochloride.	$\text{Am}_2 \text{Pd Cl}_6$	2.418	" "
Magnesium palladiochloride.	$\text{Mg Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.124	" "
Zinc palladiochloride	$\text{Zn Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.359	" "
Nickel palladiochloride	$\text{Ni Pd Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.353	" "
Potassium iridichloride	$\text{K}_2 \text{Ir Cl}_6$	3.546, 15°	Bödeker. B. D. Z.
Ammonium iridichloride.	$\text{Am}_2 \text{Ir Cl}_6$	2.856, 15°	" "
Potassium platinochloride	$\text{K}_2 \text{Pt Cl}_4$	3.3056, 20°.3 } 3.2909, 21° }	Clarke. A. J. S. (3), 16, 206.
Ammonium platinochloride.	$\text{Am}_2 \text{Pt Cl}_4$	2.84	Romanis. C. N. 49, 273.
Sodium platinchloride.	$\text{Na}_2 \text{Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.500	Topsoë. C. C. 4, 76.
Potassium platinchloride.	$\text{K}_2 \text{Pt Cl}_2$	3.586, 15°	Bödeker. B. D. Z.
" "	"	3.694	Tschermak. S. W. A. 45, 603.
" "	"	3.3, 17°	Pettersson. U. N. A. 1874.
" "	"	3.32, 17°.2	Schröder. Dm. 1873.
" "	"	3.344	Pettersson. U. N. A. 1874.
Rubidium platinchloride.	$\text{Rb}_2 \text{Pt Cl}_6$	3.96, 17°.4	Pettersson. U. N. A. 1874.
" "	"	3.94, 17°.5	"
Ammonium platinchloride.	$\text{Am}_2 \text{Pt Cl}_6$	2.955 } 3.009 } 15°	Bödeker. B. D. Z.
" "	"	2.960	Tschermak. S. W. A. 45, 603.
" "	"	3.0, 17°.2	Pettersson. U. N. A. 1874.
" "	"	2.936	Schröder. Dm. 1873.
" "	"	3.065	Topsoë. C. C. 4, 76.
Thallium platinchloride.	$\text{Tl}_2 \text{Pt Cl}_6$	5.76, 17°	Pettersson. U. N. A. 1874.
Magnesium platinchloride.	$\text{Mg Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.487	Topsoë. C. C. 4, 76.
" "	$\text{Mg Pt Cl}_6 \cdot 12 \text{H}_2 \text{O}$	2.060	" "
Cadmium platinchloride.	$\text{Cd Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.882	" "
Barium platinchloride.	$\text{Ba Pt Cl}_6 \cdot 4 \text{H}_2 \text{O}$	2.868	" "
Lead platinchloride.	$\text{Pb Pt Cl}_6 \cdot 3 \text{H}_2 \text{O}$	3.681	" "
Manganese platinchloride	$\text{Mn Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.692	" "
" "	$\text{Mn Pt Cl}_6 \cdot 12 \text{H}_2 \text{O}$	2.112	" "
Iron platinchloride	$\text{Fe Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.714	" "
Copper platinchloride.	$\text{Cu Pt Cl}_6 \cdot 6 \text{H}_2 \text{O}$	2.734	" "
Didymium platinchloride	$\text{Di Pt Cl}_7 \cdot 10\frac{1}{2} \text{H}_2 \text{O}$	2.683 } 2.696 }	21°.2 Cleve. U. N. A. 1885.
Samarium platinchloride.	$\text{Sm Pt Cl}_7 \cdot 10\frac{1}{2} \text{H}_2 \text{O}$	2.709 } 2.714 }	21°.8 " "
Didymium aurichloride	$\text{Di Au Cl}_6 \cdot 10 \text{H}_2 \text{O}$	2.662 } 2.664 }	18° " "
Samarium aurichloride.	$\text{Sm Au Cl}_6 \cdot 10 \text{H}_2 \text{O}$	2.739 } 2.744 }	16°.5 " "
Potassium stannochloride	$\text{K}_2 \text{Sn Cl}_4 \cdot 3 \text{H}_2 \text{O}$	2.514	Playfair and Joule. M. C. S. 2, 401.
Ammonium stannochloride.	$\text{Am}_2 \text{Sn Cl}_4 \cdot 3 \text{H}_2 \text{O}$	2.104	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium stannichloride	$K_2 Sn Cl_6$	2.686	Schröder. Dm. 1873.
"	"	2.688	
"	"	2.700	
"	"	2.948	
Cæsium stannichloride	$Cs_2 Sn Cl_6$	3.3308, 20°.5	Stolba. D. J. 198, 225.
Ammonium stannichloride.	$Am_2 Sn Cl_6$	2.387, m. of 4	Schröder. Dm. 1873.
"	"	2.381	
"	"	2.396	
"	"	2.511	
Magnesium stannichloride.	$Mg Sn Cl_6 \cdot 6 H_2 O$	2.080	Topsoë and Christiansen.
Potassium antimony chloride.	$K_3 Sb Cl_6 \cdot 2 H_2 O$	2.42	Romanis. C. N. 49, 273.

## 3d. Oxy- and Sulpho-Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Matlockite	$Pb_2 O Cl_2$	7.21	Greg. J. 4, 821.
Mendipite	$Pb_3 O_7 Cl_2$	7.0—7.1	Dana's Mineralogy.
Atacamite	$Cu_2 Cl (OH)_3$	3.898	Zepharovich. J. 24, 1186.
"	"	3.757	Tschermak. J. 26, 1201.
"	"	3.7688	Zepharovich. J. 26, 1201.
Botallackite	$Cu_4 Cl_2 (OH)_6 \cdot 3 H_2 O$	3.6	Church. J. C. S. 18, 213.
Tallingite	$Cu_5 Cl_2 (OH)_8$	3.5	Church. J. C. S. 18, 78.
Mercuric oxychloride	$Hg_3 O_2 Cl_2$	8.63	Blaas. Z. K. M. 5, 283.
Didymium oxychloride	$Di O Cl$	5.725	Cleve. U. N. A. 1885.
"	"	5.735	
"	"	5.793, 21°.5	
Samarium oxychloride	$Sm O Cl$	6.987	" "
"	"	7.047	
Nitroxyl chloride	$N O_2 Cl$	1.3677, 8°	Baudrimont. J. P. C. 31, 478.
"	"	1.32, 14°	Müller. A. C. P. 122, 1.
Phosphorus oxychloride	$P O Cl_3$	1.673, 14°	Cahours. J. P. C. 45, 129.
"	"	1.70, 12°	Wurtz. J. 1, 365.
"	"	1.662, 19°.5	Mendelejeff. J. 13, 7.
"	"	1.69371, 10°	Buff. A. C. P. 4 Supp. Bd., 129.
"	"	1.69106, 14°	
"	"	1.68626, 15°	
"	"	1.64945, 51°	
"	"	1.509116, 110°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phosphorus oxychloride	$P O Cl_3$	1.66	Wichelhaus. J. 20, 149.
"	"	1.71163, 0°	} Thorpe. J. C. S. 37, 337.
"	"	1.50967, 107° 23	
"	"	1.5142, 106° 7	
Pyrophosphoric chloride	$P_2 O_3 Cl_4$	1.58, 7°	Schall. Ber. 17, 2204. Geuther and Michaelis. B. S. C. 16, 231.
Vanadyl dichloride	$V O Cl_2$	2.88, 13°, s	Roscoe. P. T. 1868, 1.
Vanadyl trichloride	$V O Cl_3$	1.764, 20	Schafarik. J. P. C. 76, 142.
"	"	1.841, 14° 5	} Roscoe. P. T. 1868, 1.
"	"	1.836, 17° 5	
"	"	1.828, 24°	
"	"	1.86534, 0°	
"	"	1.63073, 127° 19	
"	"	1.854, 18°	} Thorpe. J. C. S. 37, 348. L'Hôte. C. R. 101, 1151.
Antimony oxychloride	$Sb_4 O_5 Cl_2$	5.014, s	Cooke. Proc. Am. Acad. 1877.
Bismuth oxychloride	$Bi O Cl$	7.2, 20°, s	Muir, Hoffmeister, and Robbs. J. C. S. 39, 37. [922.
Daubreite	$Bi_5 O_6 Cl_3$	6.4—6.5	Domeyko. C. R. 82.
Sulphur oxychloride	$S_2 O Cl_4$	1.656, 0°	Ogier. Ber. 15, 922.
Thionyl chloride	$S O Cl_2$	1.675, 0°	Wurtz. J. P. C. 99, 255.
"	"	1.67673, 0°	} Thorpe. J. C. S. 37, 354.
"	"	1.52143, 78° 8	
"	"	1.6554, 10° 4	
Sulphuryl chloride	$S O_2 Cl_2$	1.661, 21°	Nasini. Bei. 9, 324.
"	"	1.70814, 0°	Behrends. J. 30, 210.
"	"	1.56025, 69° 95	} Thorpe. J. C. S. 37, 359.
Disulphuryl chloride	$S_2 O_5 Cl_2$	1.818, 16°	H. Rose. P. A. 44, 291. [121.
"	"	1.762	Rosenstiehl. J. 14,
"	"	1.819, 18°	Michaelis.
"	"	1.85846, 0°	} Thorpe. J. C. S. 37, 360.
"	"	1.60610, 139° 59	
Chlorosulphonic acid	$S O_2 O H. Cl$	1.78474, 0°	} Thorpe. J. C. S. 37, 358.
"	"	1.54874, 155° 3	
"	"	1.7633, 14°	Nasini. Bei. 9, 324.
Selenyl chloride	$Se O Cl_2$	2.44	Weber. J. 12, 91.
"	"	2.443, 13°	Michaelis. Z. C. 13, 460.
Chromyl dichloride	$Cr O_2 Cl_2$	1.9134, 10°	Thomson. P. T. 1827, 159.
"	"	1.71, 21°	Walter. Ann. (2), 66, 387.
"	"	1.92, 25°	Thorpe. J. 21, 226.
"	"	1.7538, 117°	Ramsay. J. C. S. 35, 463.
"	"	1.96101, 0°	} Thorpe. J. C. S. 37, 372. [115.
"	"	1.75780, 115° 9	
Phosphorus sulphochloride	$P S Cl_3$	1.631, 22°	Baudrimont. J. 14,
"	"	1.66820, 0°	} Thorpe. J. C. S. 37, 341.
"	"	1.45599, 125° 12	



## IV. INORGANIC BROMIDES.

## 1st. Simple Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium bromide	Li Br	3.102, 17°	Clarke. A. J. S. (3), 13, 293.
Sodium bromide	Na Br	2.952	Schiff. A. C. P. 108, 21.
" "	"	3.079, 17°·5	Kremers. J. 10, 67.
" "	"	3.011	Tschermak. S. W. A. 45, 603.
" "	"	3.198, 17°·3	Favre and Valson. C. R. 77, 579.
" " Fused	"	2.448	Quincke. P. A. 138, 141.
" "	Na Br. 4 H <sub>2</sub> O	2.34	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.165, 16°·8	Favre and Valson. C. R. 77, 579.
Potassium bromide	K Br	2.415	Karsten. Schw. J. 65, 394.
" "	"	2.672	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.690, m. of 6	Schröder. P. A. 106, 226.
" "	"	2.712, 12°·7	Beamer. F. W. C.
" " Fused	"	2.199	Quincke. P. A. 138, 141.
" " Not pressed	"	2.505	} 18° --- Spring. Ber. 16, 2724.
" " Once "	"	2.704	
" " Twice "	"	2.700	
Rubidium bromide	Rb Br	3.358	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium bromide	Cs Br	4.463	" "
Ammonium bromide	Am Br	2.379	Schröder. P. A. 106, 226.
" "	"	2.266, 10°	Bödeker. B. D. Z.
" " Cryst.	"	2.327	} --- Eder. Ber. 14, 511.
" " Sublimed	"	2.3394	
" "	"	2.456	Stas. Mem. Acad. Belg. 43, 1.
Silver bromide	Ag Br	6.3584	Karsten. Schw. J. 65, 394.
" "	"	6.425, m. of 7	Schröder. P. A. 106, 226.
" "	"	6.215, 17°	Clarke. A. J. S. (3), 13, 294.
" "	"	6.245, 0°	} Rodwell. P. T. 1882, 1125.
" " Molten	"	5.595, 427°	
" " "	"	6.2	Quincke. P. A. 138, 141.
Thallium bromide. Precip.	Tl Br	7.540, 21°·7	} Keck. F. W. C.
" " " After fusion.	"	7.557, 17°·3	
Zinc bromide	Zn Br <sub>2</sub>	3.643, 10°	Bödeker. B. D. Z.
Cadmium bromide	Cd Br <sub>2</sub>	4.712	} 14° { Bödeker and Gie- secke. B. D. Z.
" "	"	4.910	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadmium bromide	Cd Br <sub>2</sub>	4.794, 19°.9	Knight. F. W. C.
Mercurous bromide	Hg Br	7.307	Karsten. Schw. J. 65, 394.
Mercuric bromide	Hg Br <sub>2</sub>	5.9202	" "
" "	"	5.7298, 16°	Beamer. F. W. C.
" "	"	5.7461, 18°	
Calcium bromide	Ca Br <sub>2</sub>	3.32, 11°	Bödeker. B. D. Z.
Strontium bromide	Sr Br <sub>2</sub>	3.962, 12°	" "
" "	"	3.985, 20°.5	Favre and Valson. C. R. 77, 579.
" "	Sr Br <sub>2</sub> . 6 H <sub>2</sub> O	2.358, 18°	" "
Barium bromide	Ba Br <sub>2</sub>	4.23	Schiff. A. C. P. 108, 21.
" "	Ba Br <sub>2</sub> . 2 H <sub>2</sub> O	3.690	" "
" " Cryst.	"	3.710	Schröder. Dm. 1873.
" " Pulv.	"	3.588	
" "	"	3.679, 24°.3	
Lead bromide	Pb Br <sub>2</sub>	6.6302	Harper. F. W. C. Karsten. Schw. J. 65, 394.
" "	"	6.611, 17°.5	Kremers. J. 5, 397.
" " Ppt.	"	6.572, 19°.2	Keck. F. W. C.
Cuprous bromide	Cu Br	4.72, 12°	Bödeker. B. D. Z.
Boron tribromide	B Br <sub>3</sub>	2.69, 1	Wöhler and Deville. J. 10, 94.
Aluminum bromide	Al Br <sub>3</sub>	2.54	Deville and Troost. J. 12, 26.
Didymium bromide	Di Br <sub>3</sub> . 6 H <sub>2</sub> O	2.803	Cleve. U. N. A. 1885.
" "	"	2.817	
Samarium bromide	Sm Br <sub>3</sub> . 6 H <sub>2</sub> O	2.969	" "
" "	"	2.973	
Silicon tetrabromide	Si Br <sub>4</sub>	2.8128, 0°	Pierre. Ann. (3), 20, 28.
Titanium tetrabromide	Ti Br <sub>4</sub>	2.6	Duppa. J. 9, 365.
Tin dibromide	Sn Br <sub>2</sub>	5.117, 17°	Raymann and Preis. A. C. P. 223, 323.
Tin tetrabromide	Sn Br <sub>4</sub>	3.322, 39°, 1	Bödeker. B. D. Z.
" "	"	3.349, 35°	Raymann and Preis. A. C. P. 223, 323.
Phosphorus tribromide	P Br <sub>3</sub>	2.92489, 0°	Pierre. Ann. (3), 20, 11.
" "	"	2.92311, 0°	Thorpe. J. C. S. 37, 335.
" "	"	2.49541, 172°.9	
Arsenic tribromide	As Br <sub>3</sub>	3.66, 15°	Bödeker. B. D. Z.
Antimony tribromide	Sb Br <sub>3</sub>	3.641, 90°, 1	Kopp. A. C. P. 95, 352.
" "	"	3.473, 96°, 1	Mac Ivor. C. N. 29, 179.
" "	"	4.148, 23°, s	Cooke. Proc. Am. Acad. 1877.
Bismuth tribromide	Bi Br <sub>3</sub>	5.6041	Bödeker. B. D. Z.
" "	"	5.4, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 37.
Sulphur bromide	S <sub>2</sub> Br <sub>2</sub>	2.628, 4°	Hannav. J. C. S. 33, 288.
Selenium bromide	Se <sub>2</sub> Br <sub>2</sub>	3.604, 15°	Schneider. P. A. 128, 327.

## 2d. Double, Oxy-, and Sulpho-Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium zinc bromide	$\text{Am}_2\text{Zn Br}_4$	2.625, 13°	Bödeker. B. D. Z.
Barium cadmium bromide	$\text{Ba Cd Br}_4 \cdot 4 \text{H}_2\text{O}$	3.687	Topsoë. C. C. 4, 76.
Hydrogen mercury bromide.	$\text{H Hg Br}_3 \cdot 4 \text{H}_2\text{O}$	3.665, 24°	Harper. F. W. C.
Potassium mercury bromide.	$\text{K Hg Br}_3$	3.17, fused	Thomsen. J. P. C. (2), 11, 283.
Potassium mercury bromide.	$\text{K Hg Br}_3 \cdot \text{H}_2\text{O}$	4.410, m. of 8.	Beamer. F. W. C.
Potassium stannibromide.	$\text{K}_2\text{Sn Br}_6$	3.865, 22°	" "
Ammonium stannibromide.	$\text{Am}_2\text{Sn Br}_6$	3.783	Topsoë. C. C. 4, 76.
Sodium platinbromide	$\text{Na}_2\text{Pt Br}_6 \cdot 6 \text{H}_2\text{O}$	3.505	" "
Potassium platinbromide.	$\text{K}_2\text{Pt Br}_6$	3.323	" "
" " "	"	4.68, 14°	Bödeker. B. D. Z.
" " "	"	4.541	Topsoë. C. C. 4, 76.
Ammonium platinbromide	$\text{Am}_2\text{Pt Br}_6$	4.200	" "
Magnesium platinbromide	$\text{Mg Pt Br}_6 \cdot 12 \text{H}_2\text{O}$	2.802	" "
Zinc platinbromide	$\text{Zn Pt Br}_6 \cdot 12 \text{H}_2\text{O}$	2.877	" "
Strontium platinbromide.	$\text{Sr Pt Br}_6 \cdot 9 \text{H}_2\text{O}$	2.923	" "
Barium platinbromide	$\text{Ba Pt Br}_6 \cdot 10 \text{H}_2\text{O}$	3.713	" "
Lead platinbromide.	$\text{Pb Pt Br}_6$	6.025	" "
Manganese platinbromide	$\text{Mn Pt Br}_6 \cdot 12 \text{H}_2\text{O}$	2.759	" "
Nickel platinbromide	$\text{Ni Pt Br}_6 \cdot 6 \text{H}_2\text{O}$	3.715	" "
Cobalt platinbromide	$\text{Co Pt Br}_6 \cdot 12 \text{H}_2\text{O}$	2.762	Two samples. Topsoë. C. C. 4, 76
" " "	"	2.634	
Didymium auribromide	$\text{Di Au Br}_6 \cdot 10 \text{H}_2\text{O}$	3.297	} 21°·2
" " "	"	3.311	
Samarium auribromide.	$\text{Sm Au Br}_6 \cdot 10 \text{H}_2\text{O}$	3.383	} 21°·2
" " "	"	3.398	
Nitrosyl tribromide.	$\text{N O Br}_3$	2.628, 22°·6	Landolt. J. 13, 104.
Phosphoryl tribromide.	$\text{P O Br}_3$	2.822	Ritter. J. 8, 301.
Vanadyl tribromide.	$\text{V O Br}_3$	2.9673, 0°	Roscoe. A. C. P. 8
" " "	"	2.9325, 14°·5	Supp. Bd. 95.
Bismuth oxybromide.	$\text{Bi O Br}_3$	6.70, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 37.
Phosphorus sulphobromide.	$\text{P S Br}_3$	2.85, 17°	Michaelis. A. C. P. 164, 9.
" " "	"	2.87	Mac Ivor. C. N. 29, 116.
" " "	$\text{P S Br}_3 \cdot \text{H}_2\text{O}$	2.7937, 18°	Michaelis. A. C. P. 164, 9.
" " "	$\text{P}_2\text{S}_3\text{Br}_4$	2.2621, 17°	" "
Arsenic sulphobromide.	$\text{As S}_2\text{Br}_3$	2.789	Hannay. J. C. S. 33, 291.

## V. INORGANIC IODIDES.

## 1st. Simple Iodides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium iodide	Li I	3.485, 23°	Clarke. A. J. S. (3), 13, 293.
Sodium iodide	Na I	3.450	Filhol. Ann. (3), 21, 415.
“ “	“	3.654, 18°.2	Favre and Valson. C. R. 77, 579.
“ “	Na I. 4 H <sub>2</sub> O	2.448, 20°.8	“ “
Potassium iodide	K I	3.078	Boullay. Ann. (2), 43, 266.
“ “	“	3.104	} Karsten. Schw. J. 65, 394.
“ “	“	2.9084	
“ “	“	3.059	Playfair and Joule. M. C. S. 2, 401.
“ “	“	3.056	Filhol. Ann. (3), 21, 415.
“ “	“	2.850	Schiff. A. C. P. 108, 21.
“ “	“	2.970	Buignet. J. 14, 15.
“ “	“	3.081	} Schröder. P. A. 106, 226.
“ “	“	3.077	
“ “	“	2.497 at the melting p't.	Braun. J. C. S. (2), 13, 31.
“ “ Fused	“	2.497	Quincke. P. A. 138, 141.
“ “ Not press'd	“	3.012, 20°	} Spring. Ber. 16, 2724.
“ “ Once “	“	3.110, 22°	
“ “ Twice “	“	3.112, 20°	
Potassium triiodide	K I <sub>3</sub>	3.498	Johnson. C. N. 34, 256.
Rubidium iodide	Rb I	3.567	Setterberg. Of. Ak. St. 1882, 6, 23.
Cæsium iodide	Cs I	4.537	“ “
Ammonium iodide	Am I	2.498 11°	Bödeker. B. D. Z.
“ “	“	2.443	Schröder. Dm. 1873.
Ammonium triiodide	Am I <sub>3</sub>	3.749	Johnson. C. N. 37, 246.
Iodammonium iodide	N H <sub>3</sub> I <sub>2</sub>	2.46, 15°	Seamon. C. N. 44, 189.
Silver iodide	Ag I	5.614	Boullay. Ann. (2), 43, 266.
“ “	“	5.0262	Karsten. Schw. J. 65, 394.
“ “	“	5.500	Filhol. Ann. (3), 21, 415.
“ “	“	5.35	Schiff. A. C. P. 108, 21.
“ “	“	5.650	} Schröder. P. A. 106, 226.
“ “	“	5.718	
“ “ Cryst.	“	5.669, 14°	Damour. Quoted, C. R. 64, 314.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver iodide. Cryst. -----	Ag I -----	5.470 -----	H. St. Claire Deville. P. A. 132, 307. C. R. 64, 325. Fizeau.
" " " -----	" -----	5.544 -----	
" " After fusion -----	" -----	5.687 -----	
" " Precipitated -----	" -----	5.807, 0° -----	
" " Ppt compressed. -----	" -----	5.569 -----	
" " After rep. fusion. -----	" -----	5.675, 0° -----	
" " After one fusion. -----	" -----	5.660, 0° -----	
" " From Ag in H I. -----	" -----	5.812, 0° -----	
" " Ppt. after fusion. -----	" -----	5.681, 0° -----	
" " At max. density. -----	" -----	5.771, 163° -----	
" " At min. density. -----	" -----	5.673, -----	Rodwell. P. T. 1882, 1125.
" " Molten -----	" -----	5.522, 527° -----	Breithaupt. Dana's Min.
" " Iodyrite -----	" -----	5.64—5.67 -----	
" " " -----	" -----	5.504 -----	Domeyko. Dana's Min.
" " " -----	" -----	5.707 -----	Damour. J. 7, 870.
" " " -----	" -----	5.366 -----	J. L. Smith. J. 7, 870.
" " " -----	" -----	5.677, 14° -----	Damour. Quoted, C. R. 64, 314.
Thallium iodide. Precip. -----	Tl I -----	7.072, 15° 5' -----	Twitchell. F. W. C.
" " Cast -----	" -----	7.0975, 14° 7' -----	
Zinc iodide -----	Zn I <sub>2</sub> -----	4.696, 10° -----	Bödeker and Giesecke. B. D. Z.
" " -----	" -----	4.666, 14° 2' -----	Kebler. F. W. C.
Cadmium iodide. $\alpha$ variety. -----	Cd I <sub>2</sub> -----	5.543, m. of 8 -----	Kebler. A. C. J. 5, 235. Six samples, prepared by different methods. Temperatures of weigh- ing, 10° 5' to 20° 4'. Twitchell. A. C. J. 5, 235.
" " " -----	" -----	5.622, m. of 8 -----	
" " " -----	" -----	5.660, m. of 7 -----	
" " " -----	" -----	5.729, m. of 6 -----	
" " " -----	" -----	5.610, m. of 3 -----	
" " " -----	" -----	5.675, m. of 4 -----	
" " " -----	" -----	5.701, m. of 4 -----	
" " $\beta$ variety. -----	" -----	4.576, 10° -----	Bödeker. B. D. Z.
" " " -----	" -----	4.612, m. of 7 -----	{ Kebler. A. C. J. 5, 235. Two lots, 14° to 15° 4'.
" " " -----	" -----	4.596, m. of 7 -----	
" " " -----	" -----	4.688, m. of 5 -----	Twitchell. A. C. J. 5, 235.
Mercurous iodide -----	Hg I -----	7.75 -----	Boullay. Ann. (2), 43, 266.
" " -----	" -----	7.6445 -----	Karsten. Schw. J. 65, 394.
Mercuric iodide -----	Hg I <sub>2</sub> -----	6.32 -----	Boullay. Ann. (2), 43, 266.
" " -----	" -----	6.2009 -----	Karsten. Schw. J. 65, 394.
" " -----	" -----	6.250 -----	Filhol. Ann. (3), 21, 415.
" " -----	" -----	5.91 -----	Schiff. A. C. P. 108, 21.
" " -----	" -----	6.27 -----	Tschermak. S. W. A. 45, 603.
" " Red -----	" -----	6.231, m. of 7 -----	Owens. F. W. C. Rodwell and Elder. P. T. 1882, 1143.
" " " -----	" -----	6.2941 -----	
" " " -----	" -----	6.3004 -----	
" " " -----	" -----	6.276, 126° -----	
" " Yellow -----	" -----	6.225, 126° -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Mercuric iodide. Solid	Hg I <sub>2</sub>	6.179, 200°	Rodwell and Elder. P. T. 1882, 1143.
" " Molten	"	5.286, 200°	
Strontium iodide	Sr I <sub>2</sub>	4.415, 10°	Bödeker. B. D. Z.
Barium iodide	Ba I <sub>2</sub>	4.917	Filhol. Ann. (3), 21, 415.
" " -----	Ba I <sub>2</sub> . 7 H <sub>2</sub> O	2.673, 20°.3	Leonard. F. W. C.
Lead iodide	Pb I <sub>2</sub>	6.11	Boullay. Ann. (2), 43, 266.
" " -----	"	6.0212	Karsten. Schw. J. 65, 394.
" " -----	"	6.384	Filhol. Ann. (3), 21, 415.
" " -----	"	6.07	Schiff. A. C. P. 108, 21.
" " -----	"	6.207	Schröder. P. A. 107, 113.
" " -----	"	6.12	Rodwell. P. T. 1882,
" " Molten	"	5.6247, 383°	1144.
Iron iodide	Fe I <sub>2</sub> . 4 H <sub>2</sub> O	2.873, 12°	Bödeker. B. D. Z.
Cuprous iodide	Cu I	4.410	Schiff. A. C. P. 108, 21.
" " -----	"	5.6936	Rodwell. P. T. 1882, 1153.
Aluminum iodide	Al I <sub>3</sub>	2.63	Deville and Troost. J. 12, 26.
Tin tetriodide	Sn I <sub>4</sub>	4.696, 11°	Bödeker. B. D. Z.
Arsenic triiodide	As I <sub>3</sub>	4.39, 13°	" "
" " -----	"	4.374	Schröder. Dm. 1873.
Arsenic pentiodide	As I <sub>5</sub>	3.93, approx.	Sloan. C. N. 46, 194.
Antimony triiodide	Sb I <sub>3</sub>	5.01, 10°	Bödeker. B. D. Z.
" " -----	"	4.676	Schröder. Dm. 1873.
" " Hexagonal	"	4.848, 24°, m. of 5.	Cooke. Proc. Am. Acad. 1877.
" " Monoclinic	"	4.768, 22°, m. of 2.	
Bismuth triiodide	Bi I <sub>3</sub>	5.652, 10°	Bödeker. B. D. Z.
" " -----	"	5.544, 18°.4	Kebler. A. C. J. 5, 235.
" " -----	"	5.64	Gott and Muir. J. C. S. 53, 137.
" " -----	"	5.65	

## 2d. Double and Oxy-Iodides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium cadmium iodide	K <sub>2</sub> Cd I <sub>4</sub> . 2 H <sub>2</sub> O	3.359, m. of 4.	Leonard. F. W. C.
Potassium mercury iodide	K <sub>2</sub> Hg <sub>2</sub> I <sub>6</sub> . 3 H <sub>2</sub> O	4.254, 22°	Owens. F. W. C.
" " "	"	4.289, 23°.5	
Silver mercury iodide	2 Ag I. Hg I <sub>2</sub>	5.9984, 0°	Bellati and Roman- ese. Bei. 5, 179.
" " "	3 Ag I. Hg I <sub>2</sub>	5.9302, 0°	" "
Copper mercury iodide	2 Cu I. Hg I <sub>2</sub>	6.0956, 0°	" "
" " "	2 Cu I. 2 Hg I <sub>2</sub>	6.1507, 14°	Heighway. F. W. C.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver copper iodide	2 Cu I. Ag I	5.7302	Rodwell. P. T. 1882, 1160.
" " "	2 Cu I. 2 Ag I	5.7225	" "
" " "	2 Cu I. 3 Ag I	5.7160	" "
" " "	2 Cu I. 4 Ag I	5.7064	" "
" " "	2 Cu I. 12 Ag I	5.6950	" "
Silver lead iodide	Pb I. Ag I	5.923, 0°	" "
Sodium platiniodide	Na <sub>2</sub> Pt I <sub>6</sub> . 6 H <sub>2</sub> O	3.707	Topsoë. C. C. 4, 76.
Potassium platiniodide	K <sub>2</sub> Pt I <sub>6</sub>	5.154 } 12°	Bödeker. B. D. Z.
" " "	" "	5.198 }	" "
" " "	" "	5.031	Topsoë. C. C. 4, 76.
Ammonium platiniodide	Am <sub>2</sub> Pt I <sub>6</sub>	4.610	" "
Magnesium platiniodide	Mg Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.458	" "
Zinc platiniodide	Zn Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.689	" "
Manganese platiniodide	Mn Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.604	" "
Iron platiniodide	Fe Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.455	" "
Nickel platiniodide	Ni Pt I <sub>6</sub> . 6 H <sub>2</sub> O	3.976	" "
" " "	Ni Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.549	" "
Cobalt platiniodide	Co Pt I <sub>6</sub> . 9 H <sub>2</sub> O	3.618	" "
" " "	Co Pt I <sub>6</sub> . 12 H <sub>2</sub> O	3.048	" "
Schwartzembergite	Pb <sub>3</sub> I <sub>2</sub> O <sub>2</sub>	6.3	Liebe. J. 20, 1008.
" " "	" "	5.7	Schwartzemberg. Dana's Min.
Lead oxyiodide	Pb <sub>11</sub> I <sub>4</sub> O <sub>10</sub>	7.81	Cross and Sugiura. J. C. S. 33, 406.

## VI. CHLOROBROMIDES, CHLORIODIDES, AND BROMIODIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Embolite	Ag (Cl Br)	5.31—5.43	Domeyko. Dana's Min.
"	"	5.806	Breithaupt. J. 2, 781.
" (Cl <sub>3</sub> Br <sub>2</sub> )	"	5.53	Yorke. J. C. S. 4, 150.
Lead chlorobromide	Pb Cl Br	5.741	Iles. A. C. J. 3, 52.
Silicon chlorobromide	Si Cl Br <sub>3</sub>	2.432	Reynolds. C. N. 55, 223.
Tin chlorobromide	Sn Cl Br <sub>2</sub>	3.349, 35°	Reis and Raymann. J. C. S. 44, 424.
Phosphorus oxychlorobromide.	P O Cl <sub>2</sub> Br	2.059, 0°	Menschutkin. J. P. C. 98, 485.
" " "	"	2.12065, 0°	Thorpe. J. C. S.
" " "	"	1.83844, 137°.6	37, 372.
Silver chlorobromiodide*	Ag I. 2 Ag Br. 2 Ag Cl	6.152, 0°	Rodwell. P. T. 1882, 1140.
" " "	"	5.5118, 383°	"
" " (Iodobromite)	"	5.713, 18°	Lasaulx. J. C. S. 36, 366.
" " "	Ag I. Ag Br. Ag Cl	6.1197, 0°	Rodwell. P. T. 1882, 1140.
" " "	"	5.5673, 331°	"

\* Rodwell's chlorobromiodides may be regarded as alloys. For each of these the higher temperature is the melting point.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver chlorobromiodide..	2 Ag I. Ag Br. Ag Cl	6.503, 0° --- }	Rodwell. P. T. 1882,
" " ----	" " " " " "	5.6971, 32 $\theta$ - }	1140.
" " ----	3 Ag I. Ag Br. Ag Cl	5.9717, 0° --- }	" "
" " ----	" " " " " "	5.6430, 354° --- }	" "
" " ----	4 Ag I. Ag Br. Ag Cl	5.907, 0° --- }	" "
" " ----	" " " " " "	5.680, 380° - }	" "

### VII. AMMONIO-CHLORIDES, AMMONIO-BROMIDES, AMMONIO-IODIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cadmammonium chloride	N <sub>2</sub> H <sub>6</sub> Cd. Cl <sub>2</sub> ----	2.632 ----	Topsoë. C. C. 4, 76.
Cadmammonium bromide	N <sub>2</sub> H <sub>6</sub> Cd. Br <sub>2</sub> ----	3.366 ----	" " "
Dimercurorammonium chloride.	N H <sub>2</sub> Hg' <sub>2</sub> . Cl ----	6.858, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
Dimercurorammonium chloride.	N <sub>2</sub> H <sub>4</sub> Hg'' <sub>2</sub> . Cl <sub>2</sub> ----	5.700 ----	" " "
Tetramercurammonium chloride.	N <sub>2</sub> Hg'' <sub>4</sub> Cl <sub>2</sub> . 2 H <sub>2</sub> O	7.176, m. of 2.	" " "
Cuprammonium chloride.	N <sub>2</sub> H <sub>6</sub> Cu. Cl <sub>2</sub> ----	2.194 ----	" " "
Copper ammonio-chloride	Cu Cl <sub>2</sub> . 4 N H <sub>3</sub> . H <sub>2</sub> O	1.672 ----	" " "
Nickel ammonio-bromide	Ni Br <sub>2</sub> . 6 N H <sub>3</sub> ----	1.837 ----	Topsoë. C. C. 4, 76.
Nickel ammonio-iodide	Ni I <sub>2</sub> . 6 N H <sub>3</sub> ----	2.101 ----	" " "
Purpureo-cobalt hexchloride.	Co <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>6</sub> ----	1.802, 23° ----	Gibbs and Genth. A. J. S. (2), 23, 234.
" " " " " "	" " " " " "	1.802 } 15° {	Jørgensen. J. P. C. (2), 19, 49.
" " " " " "	" " " " " "	1.808 } 15° {	" " "
Purpureo-cobalt hexbromide.	Co <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Br <sub>6</sub> ----	2.483, 17° 8' ----	" " "
Purpureo-cobalt chlorobromide.	Co <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>4</sub> Br <sub>2</sub>	2.095, 16° 8' ----	" " "
Purpureo-cobalt bromochloride. " " " "	Co <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>2</sub> Br <sub>4</sub>	2.161 } 17° ----	" " "
" " " " " "	" " " " " "	2.165 } 17° ----	" " "
Luteo-cobalt hexchloride.	Co <sub>2</sub> (N H <sub>3</sub> ) <sub>12</sub> . Cl <sub>6</sub> ----	1.7016, 20° ----	Gibbs and Genth. A. J. S. (2), 23, 319.
Purpureo-chromium hexchloride.	Cr <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>6</sub> ----	1.687, 15° 5' ----	Jørgensen. J. P. C. (2), 20, 105.
Purpureo-chromium chlorobromide.	Cr <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>2</sub> Br <sub>4</sub> ----	2.075, 13° 8' ----	" " "
Purpureo-rhodium hexchloride. " " " "	Rh <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Cl <sub>6</sub> ----	2.072, 18° 4' } 17° 5' {	Jørgensen. J. P. C. (2), 27, 442.
" " " " " "	" " " " " "	2.079, 18° } 17° 5' {	" " "
Purpureo-rhodium hexbromide. " " " "	Rh <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . Br <sub>6</sub> ----	2.643 } 17° 5' {	Jørgensen. J. P. C. (2), 27, 464.
" " " " " "	" " " " " "	2.650 } 17° 5' {	" " "
Purpureo-rhodium hexiodide. " " " "	Rh <sub>2</sub> (N H <sub>3</sub> ) <sub>10</sub> . I <sub>6</sub> ----	3.110, 14° 8' } 16° 2' {	Jørgensen. J. P. C. (2), 27, 471.
" " " " " "	" " " " " "	3.120, 16° 2' } 16° 2' {	" " "



## VIII. INORGANIC OXIDES.

## 1st. Simple Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Water*-----	H <sub>2</sub> O -----	1.0000, 4°.07--	Standard of comparison.
"-----	"-----	.999889, 0°-----	} H <sub>2</sub> O at 3°.78=1.0. Muncke. Mém. Acad. St. Petersburg, 1831.
"-----	"-----	.988433, 50°-----	
"-----	"-----	.958737, 100°-----	
"-----	"-----	.999887, 0°-----	} Stampfer. H <sub>2</sub> O at 3°.75=1.0°. P. A. 21, 75.
"-----	"-----	.992247, 40°-----	
"-----	"-----	.999862, 0°-----	Despretz. Ann. (2), 70, 5.
"-----	"-----	.99988, 0°-----	} Mendelejeff. A. C. P. 119, 1.
"-----	"-----	.95903, 95°.8-----	
"-----	"-----	.93078, 130°.8-----	
"-----	"-----	.93123, 131°-----	
"-----	"-----	.93035, 131°.1-----	
"-----	"-----	.90783-----	
"-----	"-----	.90811-----	
"-----	"-----	.90715, 157°-----	
"-----	"-----	.95892, 100°-----	
"-----	"-----	.999866, 0°-----	
"-----	"-----	1.000000, 4°.07-----	
"-----	"-----	.99975, 10°-----	} Rossetti. Ann. (4), 10, 471. Sp. Gr. given for every degree from 0° to 50°.
"-----	"-----	.99826. 20°-----	
"-----	"-----	.99575, 30°-----	
"-----	"-----	.99238, 40°-----	
"-----	"-----	.98835, 50°-----	
"-----	"-----	.99831, 20°-----	
"-----	"-----	.9543, 100°.1-----	Bedson and Wil- liams. Ber. 14, 2550.
"-----	"-----	.9585-----	} Schiff. Ber. 14, 2763.
"-----	"-----	.9587-----	
"-----	"-----	.91812, -- 1°-----	} Brunner. H <sub>2</sub> O at 0°=1.0. P. A. 64, 113.
"-----	"-----	.91912, --10°-----	
"-----	"-----	.92025, --20°-----	
"-----	"-----	.9184, m. of 2-----	Playfair and Joule. † M. C. S. 2, 401.
"-----	"-----	.9175-----	Dufour. P. M. (4), 5, 20.
"-----	"-----	.918-----	} Duvernoy. P. A. 117, 454.
"-----	"-----	.922-----	
"-----	"-----	.91674-----	Bunsen. Ann. (4), 23, 65.

\* For water and ice the table makes no pretense at completeness. Only a few important values are given out of a vast number.

† See Playfair and Joule for older values.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ice	H <sub>2</sub> O	.91686, 0°	Petterson. "Properties of water and ice."
Hydrogen dioxide	H <sub>2</sub> O <sub>2</sub>	1.452	Thénard. Watts' Dict.
Lithium oxide	Li <sub>2</sub> O	2.102, 15°	Brauner and Watts. P. M. (5), 11, 60.
Sodium oxide	Na <sub>2</sub> O	2.805	Karsten. Schw. J. 65, 394.
Potassium oxide	K <sub>2</sub> O	2.656	" "
Silver monoxide	Ag <sub>2</sub> O	7.143, 16°.6	Herapath. P. M. 64, 321.
" "	"	7.250	Boullay. Ann. (2), 43, 266.
" "	"	8.2558	Karsten. Schw. J. 65, 394.
" "	"	7.147	Playfair and Joule. M. C. S. 3, 84.
" "	"	7.521, m. of 2.	Schröder. Ber. 9, 1888.
Silver dioxide	Ag <sub>2</sub> O <sub>2</sub>	5.474 (impure)	Mahla. J. 5, 424.
Glucinum oxide	GlO	2.967	Ekeberg. P. M. (1), 14, 346.
" "	"	3.02	} Ebلمen. J. 4, 15.
" "	"	3.06	
" "	"	3.083, powder	} H. Rose. P. A. 74, 433.
" "	"	3.09	
" "	"	3.096, 12°, ppt.	}
" "	"	3.027, 10°, ignited.	
" "	"	3.021, 9°, cryst.	} Nilson and Pettersson. C. R. 91, 232.
" "	"	3.016	
" "	"	3.18, 14°, cryst.	Grandeau. Ann. (6), 8, 193.
Magnesium oxide	MgO	3.674, periclase	Damour. J. 2, 732.
" "	"	3.750	Scacchi. J. P. C. 28, 486.
" "	"	3.642, 12°	Cossa. Ber. 10, 1747.
" "	"	3.200	Karsten. Schw. J. 65, 394.
" "	"	3.644	} H. Rose. P. A. 74, 437.
" "	"	3.650	
" "	"	3.636, cryst.	} Ebلمen. J. 4, 15,
" "	"	3.42, amorphous.	
" "	"	3.1932, 0°, calcined at 350°	} Brügelmann. Ber. 13, 1741.
" "	"	3.2014, 0°, calcined at 440°	
" "	"	3.2482, 0°, calcined at low redness.	} Ditte. J. C. S. (2), 9, 870.
" "	"	3.5699, 0°, cal. at bright redness.	
" "	"	2.74	} From three different sources. Beckurts. Ber. 14, 2063.
" "	"	3.056	
" "	"	3.69	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc oxide	Zn O	5.432	Mohs. See Böttger.
" "	"	5.600	Boullay. Ann. (2), 43, 266.
" "	"	5.7344	Karsten. Schw. J. 65, 394.
" "	"	5.6067	} Brooks. P. A. 74, 439.
" "	"	5.6570	
" "	"	5.5298, cryst.	
" "	"	5.612	W. and T. J. Hera- path. J. C. S. 1, 42.
" "	"	5.612	Filhol. Ann. (3), 21, 415.
" "	"	5.782, 15°, cryst	Brügelmann. P. A. (2), 4, 286.
" "	"	5.47, amor- phous.	Brügelmann. Ber. 13, 1741.
" " Zincite	"	5.684	Blake. J. 13, 752.
" " Artif. cryst.	"	5.5—5.6	Gorgeu. B. S. C. 47, 146.
Cadmium oxide	Cd O	8.183, 16°.5	Hera. path. P. M. 64, 321.
" "	"	6.9502	Karsten. Schw. J. 65, 394.
" " Cryst.	"	8.1108	Werther. J. 5, 390.
Mercurous oxide	Hg <sub>2</sub> O	10.69, 16°.5	Hera. path. P. M. 64, 321.
" "	"	8.9503	Karsten. Schw. J. 65, 394.
Mercuric oxide	Hg O	11.074, 17°.5	} Hera. path. P. M. 64, 321.
" "	"	11.085, 18°.3	
" "	"	11.0	Boullay. Ann. (2), 43, 266.
" "	"	11.1909	Karsten. Schw. J. 65, 394.
" "	"	11.29	Leroyer and Dumas. See Böttger.
" "	"	11.344	Playfair and Joule. M. C. S. 3, 84.
" "	"	11.136	Playfair and Joule. J. C. S. 1, 137.
Calcium oxide. Lime	Ca O	3.179	Boullay. Ann. (2), 43, 266.
" " "	"	3.16105	Karsten. Schw. J. 65, 394.
" " "	"	3.180	Filhol. Ann. (3), 21, 415.
" " "	"	3.251, cryst.	Brügelmann. P. A. (2), 4, 282.
" " "	"	3.32	Levallois and Meu- nier. C. R. 90, 1566.
Strontium oxide	Sr O	3.9321	Karsten. Schw. J. 65, 394.
" "	"	4.611	Filhol. Ann. (3), 21, 415.
" "	"	4.750, cryst.	Brügelmann. P. A. (2), 4, 282.
" "	"	4.51, amor- phous.	Brügelmann. Ber. 13, 1741.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium oxide	Ba O	4.0	Fourcroy. See Böttger.
" "	"	4.2583	Tünnermann. See Böttger.
" "	"	4.7322	Karsten. Schw. J. 65, 394.
" "	"	4.829	Playfair and Joule. M. C. S. 3, 84.
" "	"	4.986	
" "	"	5.456	Filhol. Ann. (3), 21, 415.
" "	"	5.722, cryst.	Brügelmann. P. A. (2), 4, 282.
" "	"	5.32	Brügelmann. Ber. 13, 1741.
Barium dioxide	Ba O <sub>2</sub>	4.958	Playfair and Joule. M. C. S. 3, 84.
Boron trioxide	B <sub>2</sub> O <sub>3</sub>	1.803	Davy. See Böttger.
" "	"	1.83	Berzelius. "
" "	"	1.75	Breithaupt. "
" "	"	1.825, 21° 6	Favre and Valson. C. R. 77, 579.
" "	"	1.8766, 0°	Ditte. C. N. 36, 287.
" "	"	1.8476, 12°	
" "	"	1.6988, 80°	
" "	"	1.848, 14° 4	
" "	"	1.853, 15° 8	{ Bedson and Williams. Ber. 14, 2554.
" "	Fused	1.75	Quincke. P. A. 135, 642.
Aluminum trioxide	Al <sub>2</sub> O <sub>3</sub>	4.152, 4°	Royer and Dumas. Quoted by Rose. P. A. 47, 429.
" "	"	3.944	{ Mohs and Breithaupt. Quoted by Rose.
" "	"	4.004	
" "	"	4.154	Filhol. Ann. (3), 21, 415.
" "	"	3.928, cryst.	Ebelmen. J. 414.
" "	"	3.870	Artificial.
" "	"	3.899	
" "	"	3.750	{ Heated in wind furn'ce
" "	"	3.725	
" "	"	3.999, ignited in porcelain furnace.	H. Rose. P. A. 74, 429.
" "	"	4.0067, 14°, powdered.	
" "	"	3.989	{ Schaffgotsch P. A. 74, 429.
" "	"	4.008	
" "	"	3.990	ignit'n
" "	"	3.990	
" "	Artificial cryst.	3.98, 14°	Nilson and Pettersson. C. R. 91, 232.
" "	"	"	Grandeau. Ann. (6), 8, 193.
" "	Ruby	Al <sub>2</sub> O <sub>3</sub>	Brisson. P. des C.
" "	"	"	Schaffgotsch. P. A. 74, 429.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Aluminum trioxide. Ruby	$Al_2O_3$	3.95, natural	Williams. C. N. 28, 101.
" " " "	"	3.7, artificial	
" " " Sapphire	"	3.562	Muschenbroek. See Böttger.
" " " "	"	3.9998	Schaffgotsch. P. A. 74, 429.
" " " "	"	4.0001	
" " " "	"	3.98	Williams. C. N. 28, 101.
" " " "	"	3.990	Nilson and Pettersson. C. R. 91, 232.
" " " Corundum	"	3.899, 15° 5'	Schaffgotsch. P. A. 74, 429.
" " " "	"	3.929	
" " " "	"	3.974	
" " " "	"	4.022	
" " " "	"	3.992, after ignition.	Deville. J. 8, 15.
" " " "	"	3.979	
" " " "	"	4.03	Church. Geol. Mag. (2), 2, 320.
" " " "	"	15° 5'	
Scandium trioxide	$Sc_2O_3$	3.8	Cleve. C. R. 89, 420.
" " " "	"	3.864	Nilson. C. R. 91, 118.
Yttrium trioxide	$Yt_2O_3$	4.842	Ekeberg. P. M. 14, 346.
" " " "	"	5.028, 22°	Cleve and Hoeglund. 1873.
" " " "	"	5.046	Nilson and Pettersson. C. R. 91, 232.
Indium trioxide	$In_2O_3$	7.179	" "
Lanthanum trioxide	$La_2O_3$	5.94	Hermann. J. 14, 192.
" " " "	"	5.296, 16°	Nordenskiöld. J. 14, 197.
" " " "	"	6.53, 17°	Cleve. B. S. C. 21, 196.
" " " "	"	6.480	Nilson and Pettersson. C. R. 91, 232.
Didymium trioxide	$Di_2O_3$	6.64	Hermann. J. 14, 195.
" " " "	"	5.825, 14°	Nordenskiöld. J. 14, 197.
" " " "	"	6.852	Cleve. J. C. S. (2), 13, 340.
" " " "	"	6.950	Nilson and Pettersson. C. R. 91, 232.
" " " "	"	7.177	Cleve. U. N. A. 1885.
" " " "	"	7.182	
Didymium pentoxide	$Di_2O_5$	5.968, 15°	Brauner. Ber. 15, 113.
Samarium trioxide	$Sm_2O_3$	8.311, 13°	Cleve. U. N. A. 1885.
" " " "	"	8.383, 15°	
Erbium trioxide	$Er_2O_3$	8.8	Cleve and Hoeglund. B. S. C. 18, 195.
" " " "	"	8.9	
" " " "	"	8.640	Nilson and Pettersson. C. R. 91, 232.
Ytterbium trioxide	$Yb_2O_3$	9.175	" "
Carbon dioxide. L.	$CO_2$	.9, -20°	Thilorier. Ann. (2), 60, 427.
" " " "	"	.83, 0°	
" " " "	"	.6, +30°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbon dioxide. L.	C O <sub>2</sub>	.93, 0°	Mitchell. B. J. 22, 77.
" " " "	"	.8825, 6°.4	
" " " "	"	.853, 10°.6	
" " " "	"	.7885, 20°.3	
" " " "	"	.9952, -10°	
" " " "	"	.9710, -5°	
" " " "	"	.9471, 0°	
" " " "	"	.9222, +5°	
" " " "	"	.8948, 10°	
" " " "	"	.8635, 15°	
" " " "	"	.8267, 20°	
" " " "	"	.7831, 25°	
" " " "	"	1.057, -34°	
" " " "	"	1.016, -25°	
" " " "	"	.966, -11°.5	
" " " "	"	.910, -1°.6	
" " " "	"	.907, +1°.3	Cailletet and Mathias. C. R. 102, 1202.
" " " "	"	.858, 6°.8	
" " " "	"	.840, 11°	
" " " "	"	.788, 15°.9	
" " " "	"	.726, 22°.2	
" " Solid	"	1.188	Landolt. Ber 17, 311.
" " " "	"	1.199	
" " " "	"	1.58-1.6	Dewar. Readat Am. Assoc. in 1884.
Silicon monoxide	Si O	2.893, 4°	Mabery. A. C. J. 9, 15.
Silicon dioxide. Artif.	Si O <sub>2</sub>	2.20, 12°.5, m. of 9.	Schaffgotsch. P. A. 68, 147.
" " " "	"	2.322	Ullik. Ber. 11, 2125. From gelatinous silica, ignited.
" " " "	"	2.324	
" " Quartz	"	2.653, cryst.	Scheerer.
" " " "	"	2.659, ameth'st	
" " " "	"	2.744 " "	
" " " "	"	2.651, smoky	
" " " "	"	2.658 " "	
" " " "	"	2.651, rose	
" " " "	"	2.653 " "	
" " " "	"	2.658 " "	
" " " "	"	2.618, milky	
" " " "	"	2.6354	
" " " "	"	2.6541	
" " " "	"	2.61	Neumann. P. A. 23, 1.
" " " "	"	2.653, 13°, m. of 5.	Schaffgotsch.* P. A. 68, 147.
" " " "	"	2.656, cryst.	Deville. J. 8, 14.
" " " "	"	2.22, after fusion.	
" " " "	"	2.65259, 18°	Miller. P. M. (4), 3, 194.

\*See the same paper for many determinations of the specific gravity of opaline minerals.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon dioxide. Quartz	Si O <sub>2</sub>	2.6507, 0°	Dibbits. (Rock crystal.) Bei. 5, 81. Calculated from sp. g. determinations by Steinheil, data for expansion of water by Regnault and Kopp, and the expansion of quartz as determined by Pfaff and Fizeau.
" " "	"	2.6502, 5°	
" " "	"	2.6498, 10°	
" " "	"	2.6498, 15°	
" " "	"	2.6488, 20°	
" " "	"	2.6484, 25°	
" " "	"	2.6479, 30°	
" " "	"	2.6460, 50°	
" " "	"	2.6409, 100°	
" " Tridymite	Si O <sub>2</sub>	2.295	Vom Rath. J. 21, 1001. G. Rose. Ber. 2, 388. Hautefeuille. P. M. (5), 6, 78. v. Rath. A. J. S. (3), 7, 149.
" " "	"	2.326 } 15°-16°	
" " "	"	2.282, 18° 5'	
" " "	"	2.311	
" " "	"	2.317 } Artif.	
" " "	"	2.373 } Artif.	
" " Asmannite	"	2.247	
Titanium dioxide	Ti O <sub>2</sub>	4.18	Klaproth. Karsten. Schw. J. 65, 394.
" " "	"	3.9311, artif.	
" " "	"	4.253, powder	} Rose.
" " "	"	4.255, ignited	
" " Rutile	"	4.249	Mohs. See Böttger. Scheerer. P. A. 65, 296.
" " "	"	4.244—4.245	
" " "	"	4.250	Breithaupt.
" " "	"	4.291	
" " "	"	4.420, 0°	Kopp.
" " "	"	4.56	Müller. J. 5, 847.
" " "	"	4.26, artificial.	} Ebelmen. J. 4, 15, and J. 12, 14.
" " "	"	4.283	
" " "	"	4.3	Hautefeuille. J. 16, 212.
" " "	"	4.173—4.278	Lasaulx. J. 36, 1840.
" " Brookite	"	4.128	H. Rose.
" " "	"	4.131	
" " "	"	4.165	
" " "	"	4.166	
" " "	"	3.952, arkansite.	Breithaupt. J. 2, 730.
" " "	"	3.892	} Rammelsberg. J. 2, 730.
" " "	"	3.949	
" " "	"	4.03, arkansite	} Damour. J. 2, 731.
" " "	"	4.083	
" " "	"	4.085	Whitney. J. 2, 731.
" " "	"	4.22	Frödmann. J. 3, 704.
" " "	"	4.20	Beck. J. 3, 704.
" " "	"	4.1, artificial.	Hautefeuille. J. 17, 214.
" " Anatase	"	3.857	Vauquelin.
" " "	"	3.826	Mohs. See Böttger.
" " "	"	3.75	Breithaupt.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Titanium dioxide. Anatase	Ti O <sub>2</sub>	3.82	Kobell.
" " "	"	3.890	} H. Rose.
" " "	"	3.912	
" " "	"	4.06	Damour. J. 10, 661.
" " "	"	3.7, artificial	} Hautefeuille. J. 17, 215.
" " "	"	3.9	
Germanium dioxide	Ge O <sub>2</sub>	4.703, 18°	Winkler. Ber. 19, ref. 654.
Zirconium dioxide	Zr O <sub>2</sub>	4.30	Klaproth. See Böttger.
" " "	"	5.5	Sjögrén. J. 6, 349.
" " "	"	4.9	Berlin. J. 6, 350.
" " "	"	5.49	Hermann. J. 19, 191.
" " "	"	5.742	} Nordenskiöld. P. A. 114, 626.
" " "	"	5.710	
" " "	"	5.624	
" " "	"	5.42, cryst.	Knop. A. C. P. 159, 52.
" " "	"	5.52, noria	Knop. A. C. P. 159, 53.
" " "	"	5.850	Nilson and Petersson. C. R. 91, 232.
Tin monoxide	Sn O	6.666, 16° 5'	Herapath. P. M. 64, 321.
" " "	"	5.9797, 0°, olive	} Ditte. Ann. (5), 27, 169. All crystalline. Prepared by different methods.
" " "	"	6.1083, 0°, dark green.	
" " "	"	6.600, 0°, black	
" " "	"	6.3254, 0°, dark violet.	
" " "	"	6.4465, 0°, ditto heated to 300°.	
Tin dioxide	Sn O <sub>2</sub>	6.96	Mohs. See Böttger.
" " "	"	6.639, 16° 5'	Herapath. P. M. 64, 321.
" " "	"	6.90	Boullay. Ann. (2), 43, 266.
" " "	"	6.892	} Breithaupt.
" " "	"	7.180	
" " "	"	6.952	Neumann. P. A. 23, 1.
" " "	"	6.831, 0°	Kopp.
" " Artif. cryst.	"	6.72	Daubrée. J. 12, 11.
" " "	"	6.849	} H. Rose.
" " "	"	6.978	
" " "	"	6.7122, 4°	Playfair and Joule. J. C. S. 1, 137.
" " "	"	6.753	Mallet. J. 3, 705.
" " "	"	6.862	Bergemann. J. 10, 661.
" " "	"	6.8432	} Cassiterite from Bolivia. Forbes. P. M. (4), 30, 139.
" " "	"	6.8439	
" " "	"	6.704, 15° 5', yellow.	}
" " "	"	6.7021, 15° 5', black.	
" " Artif. cryst.	"	6.019	Leeds.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tin dioxide. Artif. cryst.	Sn O <sub>2</sub>	6.70	Levy and Bourgeois. Bei. 6, 531.
Lead hemioxide	Pb <sub>2</sub> O	9.772	Playfair and Joule. M. C. S. 3, 83.
Lead monoxide	Pb O	9.277, 17° 5.	Herapath. P. M. 64, 321.
" "	"	9.500	Boullay. See Böttger.
" "	"	9.2092	Karsten. Schw. J. 65, 394.
" "	"	9.250	Playfair and Joule. M. C. S. 3, 84.
" "	"	9.361	Filhol. Ann. (3), 21, 415.
" "	"	9.3634, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	8.02, cryst.	Grailich. J. 11, 186.
" "	"	9.1699, greenish yellow.	Ditte. C. R. 94, 1310. Samples differently prepared by boiling Pb (O H) <sub>2</sub> with KO H.
" "	"	9.2089, yellow.	
" "	"	9.8835, brownish yellow.	
" "	"	9.5605, greenish gray.	
" "	"	9.4223, dark green.	
" "	"	9.3757	
" "	"	9.29, 15°, yellow cryst.	
" "	"	9.126, 15°, red cryst.	
" "	"	9.125, 14°, red cryst.	
" "	"	9.09, 15°, red pulv.	
" "	"	8.74, 14°, red, very pure.	Geuther. A. C. P. 219, 60-61.
Lead dioxide	Pb O <sub>2</sub>	8.902, 16° 5.	Herapath. P. M. 64, 321.
" "	"	8.933	Karsten. Schw. J. 65, 394.
" "	"	8.756	Playfair and Joule. M. C. S. 3, 84.
" "	"	8.897	
" "	"	9.045	
Minium	Pb <sub>3</sub> O <sub>4</sub>	8.94	Muschenbroek. Watts' Dict.
"	"	9.096, 15°	Herapath. P. M. 64, 321.
"	"	9.190	Boullay. Ann. (2), 43, 266.
"	"	8.62	Karsten. Schw. J. 65, 394.
Cerium dioxide	Ce O <sub>2</sub>	5.6059	" "
" "	"	6.00	Hermann. J. P. C. 92, 113.
" "	"	6.93	Nordenskiöld. J. 14, 184.
" "	"	6.94	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cerium dioxide	Ce O <sub>2</sub>	7.09, 14° 5, } cryst.	Nordenskiöld. J. 14, 184.
" "	"	6.789	Nilson and Peters- son. C. R. 91, 232.
Thorium dioxide*	Th O <sub>2</sub>	9.402	Berzelius. P. A. 16, 385.
" "	"	9.21	Nordenskiöld and Chydenius. J. 13, 184.
" "	"	9.077	Chydenius. J. 16, 194.
" "	"	9.200	Nilson and Petters- son. C. R. 91, 232.
" "	"	9.861	
" "	"	10.2199	Nilson. Ber. 15, 2586.
" "	"	10.2206	
" "	"	9.876, 15°	Troost and Ouvrard. C. R. 102, 1422.
Nitrogen monoxide. L.	N <sub>2</sub> O	.9756, -5°	D'Andréff. Ann. (3), 56, 317.  Will. C. N. 28, 170. Wroblevsky. C. R. 97, 166.
" "	"	.9870, 0°	
" "	"	.9177, +5°	
" "	"	.8964, 10°	
" "	"	.8704, 15°	
" "	"	.8365, 20°	
" "	"	.9004, 0°	
" "	"	.9434	
" "	"	1.002, -20° 6	
" "	"	.952, -11° 6	
" "	"	.930, -5° 5	Cailletet and Ma- thias. C. R. 102, 1202.
" "	"	.912, -2° 2	
" "	"	.849, +6° 6	
" "	"	.810, 11° 7	
" "	"	.758, 19° 8	
" "	"	.698, 23° 7	
Nitrogen tetroxide. L.	N <sub>2</sub> O <sub>4</sub>	1.451	Dulong. Schw. J. 18, 177.
" "	"	1.42	Mitscherlich. Schw. J. 63, 109.
" "	"	1.4903, 0°	Thorpe. J. C. S. 37, 224.
" "	"	1.43958, 21° 64	
Phosphorus pentoxide	P <sub>2</sub> O <sub>5</sub>	2.387	Brisson. P. des C. 76, 142.
Vanadium dioxide	V <sub>2</sub> O <sub>2</sub>	3.64, 20°	Schafarik. J. P. C. 76, 142.
Vanadium trioxide	V <sub>2</sub> O <sub>3</sub>	4.72, 16°, m. of 3.	Schafarik. J. P. C. 90, 12.
Vanadium pentoxide	V <sub>2</sub> O <sub>5</sub>	3.472	Schafarik. J. P. C. 76, 142.
" "	"	3.510	
" "	"	3.35	
Arsenic trioxide	As <sub>2</sub> O <sub>3</sub>	3.698	J. J. Watts. Roscoe and Schorlem- mer's Treatise.
" "	"	3.690	LeRoyer and Dumas. Gm. H. 1, 69.
" "	"	3.710	Leonhard.

\* For this substance Nilson's determination is the only one of value.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Arsenic trioxide	As <sub>2</sub> O <sub>3</sub>	3.695, octahedral.	} Guibourt. B. J. 7, 128.
" "	"	3.7385, amorphous.	
" "	"	3.729, 17° 2	Herapath. P. M. 64, 321.
" "	"	3.7026	} Karsten. Schw. J. 65, 394.
" "	"	3.7202	
" "	"	3.798	Taylor. Gm. H.
" "	"	3.884	Filhol. Ann. (3), 21, 415.
" "	"	3.85, native	Claudet. J. 21, 230.
Arsenic pentoxide	As <sub>2</sub> O <sub>5</sub>	3.7342	Karsten. Schw. J. 65, 394.
" "	"	3.985	} Playfair and Joule. M. C. S. 3, 83.
" "	"	4.023	
" "	"	4.250	Filhol. Ann. (3), 21, 415.
Antimony trioxide	Sb <sub>2</sub> O <sub>3</sub>	5.566	Mohs. See Böttger.
" "	"	5.778	Boullay. Ann. (2), 43, 266.
" "	"	6.6952	Karsten. Schw. J. 65, 394.
" "	"	5.251	Playfair and Joule. M. C. S. 3, 83.
" "	"	5.11, octahedral.	} Terreil. J. P. C. 98, 154.
" "	"	3.72, prismatic.	
Valentinite	"	5.566	Dana's Mineralogy.
Senarmontite	"	5.22—5.30	" "
Antimony tetroxide	Sb <sub>2</sub> O <sub>4</sub>	4.074	Playfair and Joule. M. C. S. 3, 83.
Cervantite	"	4.084	Dana's Mineralogy.
Antimony pentoxide	Sb <sub>2</sub> O <sub>5</sub>	6.525	Boullay. Ann. (2), 43, 266.
" "	"	3.779	Playfair and Joule. M. C. S. 3, 83.
Bismuth trioxide	Bi <sub>2</sub> O <sub>3</sub>	8.211, 18° 3	Herapath. P. M. 64, 321.
" "	"	8.449	Le Royer and Dumas. See Böttger.
" "	"	8.1735	Karsten. Schw. J. 65, 394.
" "	"	8.079	Playfair and Joule. M. C. S. 3, 82.
" "	"	8.855	} Schröder. Dm. 1873.
" "	"	8.868	
Bismuth tetroxide	Bi <sub>2</sub> O <sub>4</sub>	5.6, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 32.
Bismuth pentoxide	Bi <sub>2</sub> O <sub>5</sub>	5.917	} 15° { Brauner and Watts. P. M. (5), 11, 60.
" "	"	5.919	
" "	"	5.1, 20°	
Columbium pentoxide	Cb <sub>2</sub> O <sub>5</sub>	4.56	} Extremes of several determinations. { H. Rose. J. 1, 405.
" "	"	5.26	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Columbium pentoxide	$Cb_2O_5$	6.140	H. Rose. J. 12, 158. For full details as to modes of prepa- ration, charac- ter of samples, etc., see the orig- inal paper.
"	"	6.146	
"	"	6.48, ditto, ig- nited.	
"	"	5.83, more strongly ig- nited.	
"	"	5.90	
"	"	5.98	
"	"	5.706	
"	"	6.239	
"	"	6.725, ditto, ig- nited.	
"	"	5.79, more strongly ig- nited.	
"	"	5.51	
"	"	5.52	
"	"	4.56	
"	"	6.54	
"	"	5.20	
"	"	5.48	
"	"	4.37	Nordenskiöld. J. 14, 209.
"	"	4.46	
"	"	4.51	
"	"	4.53	
"	"	5.00	Marignac. J. 18, 198.
"	"	4.31	
"	"	5.00	Hermann. J. 18, 209. Knop. A. C. P. 159, 36.
"	"	4.31	
Tantalum pentoxide	$Ta_2O_5$	7.03	H. Rose. J. 1, 404.
"	"	8.26	
"	"	7.055	
"	"	7.065	
"	"	7.986, ditto, ig- nited.	
"	"	7.028	
"	"	7.280	
"	"	7.284, ditto, crystalline.	
"	"	7.994, ditto, ignited.	
"	"	7.652, ditto, more strong- ly.	
"	"	8.257, ditto, in porcelain fur- nace.	
"	"	7.00	
"	"	7.35, from Ta $Cl_5$ , ignited.	
"	"	8.01, from $NH_4$ salt.	
"	"	8.01, from $NH_4$ salt.	
"	"	7.35, from Ta $Cl_5$ , ignited.	
"	"	8.01, from $NH_4$ salt.	Marignac. J. P. C. 99, 33.
"	"	8.01, from $NH_4$ salt.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tantalum pentoxide	Ta <sub>2</sub> O <sub>5</sub>	7.60	From K salt. { Marignac. J. P. C. 99, 33. Oesten. P. A. 100, 342.
"	"	7.64	
"	"	7.284	
"	"	7.253	
Sulphur dioxide. L.	S.O <sub>2</sub>	1.42	Faraday. P. T. 1823, 189.
"	"	1.45	Bussy. P. A. 1, 237.  D'Andréeff. Ann. (3), 56, 317.
"	"	1.4911, -20°.5	
"	"	1.4609, -9°.9	
"	"	1.4384, -2°.08	
"	"	1.4318, -0°.25	
"	"	1.4252, +2°.8	
"	"	1.4205, 4°.51	
"	"	1.4102, 8°.27	
"	"	1.4017, 11°.5	
"	"	1.3887, 16°.43	
"	"	1.3769, 20°.63	
"	"	1.3673, 23°.91	
"	"	1.3587, 26°.9	
"	"	1.3513, 29°.57	
"	"	1.3415, 32°.96	
"	"	1.3350, 35°.29	
"	"	1.3258, 38°.65	
"	"	1.4338, 0°	
"	"	1.3757, 21°.7	
"	"	1.3374, 35°.2	
"	"	1.2872, 52°	
"	"	1.2523, 62°	
"	"	1.1845, 82°.4	
"	"	1.1041, 102°.4	
"	"	1.0166, 120°.45	Cailletet and Mathias. C. R. 104, 1563. 156° is the critical temperature.
"	"	.9560, 130°.3	
"	"	.8690, 140°.8	
"	"	.8065, 146°.6	
"	"	.7317, 151°.75	
"	"	.6706, 154°.3	
"	"	.6370, 155°.05	
"	"	.52, 156°	
Sulphur trioxide. S.	S O <sub>3</sub>	1.9546, 13°	Morveau. Watts' Dict.
"	"	1.975	Baumgartner.
"	L.	1.97, 20°	Bussy. Ann. (2), 26, 411.
"	S.	1.92118	} Buff. A. C. P. 4th Supp., 129.
"	"	1.90915	
"	"	1.90814	
"	L.	1.81958	
"	"	1.8105	
"	"	1.8101	
"	S.	1.940, 16°	Weber. P. A. 159, 318.
"	"	1.9365, 20°	Nasini. Ber. 15, 2885.
Selenium dioxide	Se O <sub>2</sub>	3.9538	Clausnizer. A. C. P. 196, 265.
Tellurium dioxide	Te O <sub>2</sub>	5.93, 20°	Schafarik. J. P. C. 90, 12.
"	"	5.7559, 12°.5	F. W. Clarke. A. J. S. (3), 14, 285.
"	"	5.7841, 14°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tellurium dioxide. Octahedral.	Te O <sub>2</sub>	5.65	Klein and Morel. C. R. 100, 1140.
" " " "	"	5.67 } 0°	
" " " "	"	5.68	
" " Orthorhombic.	"	5.88	
" " " "	"	5.90 } 0°	
" " " "	"	5.91	
" " Calcined	"	5.68, 0°	
Tellurium trioxide	Te O <sub>3</sub>	5.0704, 14° 5	F. W. Clarke. A. J. S. (3), 14, 286.
" " " "	"	5.0794, 11°	
" " " "	"	5.1118, 11°	
Chromic oxide	Cr <sub>2</sub> O <sub>3</sub>	5.21, cryst.	Wöhler. See Böttger.
" " " "	"	4.909	Playfair and Joule. M. C. S. 3, 82.
" " " "	"	6.2, cryst.	Schiff. J. 11, 161.
" " " "	"	5.010	Schröder. P. A. 106, 226.
Chromic chromate	Cr <sub>5</sub> O <sub>9</sub>	4.0, 10°	Geuther. J. 14, 242.
Chromium trioxide	Cr O <sub>3</sub>	2.676, m. of 2.	Playfair and Joule. M. C. S. 2, 448.
" " " "	"	2.737, 14° cryst.	Ehlers. B. D. Z.
" " " "	"	2.629, 14° after fusion.	
" " " "	"	2.819, 20°	Schafarik. J. P. C. 90, 12.
" " " "	"	2.775	Zettnow. P. A. 143, 474.
" " " "	"	2.804 } Ex. tremes	
Molybdenum dioxide	Mo O <sub>2</sub>	5.67	Bucholz. N. J. 20, 121.
" " " "	"	6.44, 16°	Mauro and Panebianco. Ber. 15, 527.
Molybdenum trioxide	Mo O <sub>3</sub>	3.460	Thomson. See Böttger.
" " " "	"	3.49	Berzelius. " "
" " " "	"	4.49	{ Weisbach. Dana's Min.
" " " "	"	4.50 } native.	
" " " "	"	4.39, 21° cryst.	Schafarik. J. P. C. 90, 12.
Tungsten dioxide	W O <sub>2</sub>	12.1109	Karsten. Schw. J. 65, 394.
Tungsten trioxide	W O <sub>3</sub>	6.12	D'Elhuyart. Gm. H. Herapath. P. M. 64, 321.
" " " "	"	5.274, 16° 5	
" " " "	"	7.1396	Karsten. Schw. J. 65, 394.
" " " "	"	6.302	{ Nordenskiöld. J. 14, 214.
" " " "	"	6.384 } cryst.	
" " " "	"	7.16, amorphous.	Zettnow. J. 20, 216.
" " " "	"	7.232, 17° cryst.	
Uranous oxide	U O <sub>2</sub>	10.15	Ebelmen. J. P. C. 27, 385.
Uranoso-uranic oxide	U <sub>3</sub> O <sub>8</sub>	7.1932	Karsten. Schw. J. 65, 394.
" " " "	"	7.31	Ebelmen. J. P. C. 27, 385.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Uranic oxide	$UO_3$	5.02	} two { Brauner and Watts. P. M. (5), 11, 60.
" "	"	5.26	
Chlorine trioxide. L	$Cl_2O_3$	1.3298	} 0° { Brandau. Z. C. 13, 47.
" " "	"	1.387	
Iodine pentoxide	$I_2O_5$	4.250	Filhol. Ann. (3), 21, 415.
" "	"	4.7987, 9°	Kammerer. P. A. 138, 401.
" "	"	4.487, 0°	Ditte. Z. C. 13, 303.
" "	"	5.037, 0°	Ditte. Ann. (4), 21, 10.
" "	"	5.020, 51°	
Manganous oxide	$MnO$	4.7264, 17°	Herapath. P. M. 64, 321.
" "	"	5.38	Playfair and Joule. M. C. S. 3, 80.
" "	"	5.091	Rammelsberg. J. 18, 878.
" " Manganosite.	"	5.18	Blomstrand. J. 28, 1209.
" "	"	5.010, 4°	Veley. J. C. S. 1882, 65.
Mangano-manganic oxide.	$Mn_3O_4$	4.746	} Playfair and Joule. M. C. S. 3, 80.
" " "	"	4.653	
" " "	"	4.325	Playfair and Joule. J. C. S. 1, 137.
" " "	"	4.718, artif.	Rammelsberg. J. 18, 878.
" " "	"	4.856, native	
" " "	"	4.80, artificial	Gorceu. C. R. 96, 1145.
Manganic oxide	$Mn_2O_3$	4.82, braunite	Haidinger. Gm. H.
" "	"	4.568	} artif. { Playfair and Joule. M. C. S. 3, 80.
" "	"	4.619	
" "	"	4.325, artif.	Rammelsberg. J. 18, 878.
" "	"	4.752, braunite.	
Manganese dioxide	$MnO_2$	4.819, pyrolusite	Turner. See Böttger.
" "	"	5.026	Rammelsberg. J. 18, 878.
" "	"	4.838	} " { Breithaupt. Dana's Min.
" "	"	4.880	
" "	"	4.826	Pisani. Dana's Min. Dana and Penfield.
" "	"	4.965	} poli- { A. J. S. (3), 35, 246.
" "	"	5.040	
Ferroso-ferric oxide	$Fe_3O_4$	5.094	Mohs. See Böttger.
" " "	"	4.960	Gerolt. " "
" " "	"	4.900	Leonhard. See Böttger.
" " "	"	5.200	
" " "	"	5.300, 16°.5	Herapath. P. M. 64, 321.
" " "	"	5.400	} Boullay. Ann. (2), 43, 266.
" " "	"	5.480	
" " "	"	5.168	} Kenngott. Dana's Min.
" " "	"	5.180	
" " "	"	5.453	Playfair and Joule. M. C. S. 3, 81.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ferroso-ferric oxide	$Fe_3 O_4$	5.12, 0°, magnetite.	Kopp.
" " "	"	5.106	Rammelsberg.
" " "	"	5.148	
" " "	"	5.185	
" " "	"	4.86 two al-	
" " "	"	5.00 } lotropic	
" " "	"	5.09 } varieties	
" " "	"	5.21 } artif.	Gorgeu. C. R. 104, 1176.
" " "	"	5.25 } cryst.	
Ferric oxide	$Fe_2 O_3$	5.251	Mohs. See Böttger.
" " "	"	5.261	Breithaupt.
" " "	"	5.959, 16° 5, ppt.	Herapath. P. M. 64, 321.
" " "	"	5.225	Boullay. Ann. (2), 43, 266.
" " "	"	5.079, native	Neumann. P. A. 23, 1.
" " "	"	5.121, 12° 5	Kopp.
" " "	"	4.679	Playfair and Joule. M. C. S. 3, 80.
" " "	"	5.135, ignit'd	
" " "	"	5.241	Rammelsberg.
" " "	"	5.283 } native.	
" " "	"	5.191	G. Rose.
" " "	"	5.214	
" " "	"	5.230	
" " "	"	5.169, ppt.	
" " "	"	5.037, ignited	H. Rose. P. A. 74, 440.
" " "	"	3.95, yellow	Tommasi. Les Mondes, 1879.
Nickelous oxide	$Ni O$	5.597	Playfair and Joule. M. C. S. 3, 81.
" " "	"	5.745, furnace product.	Genth. J. 1, 444.
" " "	"	6.605, cryst.	
" " "	"	6.398	Bergemann. J. 11, 683.
" " "	"	6.661	Rammelsberg. J. 2, 282.
" " "	"	6.8, cryst.	Ebelmen. J. 4, 16.
Nickelic oxide	$Ni_2 O_3$	4.846, 16° 5	Herapath. P. M. 64, 321.
" " "	"	4.814	Playfair and Joule. M. C. S. 3, 81.
Cobaltous oxide	$Co O$	5.597	" "
" " "	"	5.750, ignited	
Cobaltoso-cobaltic oxide	$Co_3 O_4$	5.833	Rammelsberg. J. 2, 282.
" " "	"	6.296	
Cobaltic oxide	$Co_2 O_3$	5.322, 16° 5	Herapath. P. M. 64, 321.
" " "	"	5.600	Boullay. Gm. H. 1, 69.
" " "	"	4.814	Playfair and Joule. M. C. S. 3, 81.
Cuprous oxide	$Cu_2 O$	6.052	Herapath. P. M. 64, 321.
" " "	"	6.093	
" " "	"	5.751	
			Karsten. Schw. J. 65, 394.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cuprous oxide	$\text{Cu}_2\text{O}$	5.75	Leroyer and Dumas. See Böttger.
" "	"	5.746	Playfair and Joule. M. C. S. 3, 82.
" "	"	5.300	Persoz. J. P. C. 47, 84.
" "	"	5.342	
" "	"	5.375	
Cupric oxide	$\text{CuO}$	6.401, 16° 5'	Herapath. P. M. 64, 321.
" "	"	6.130	Boullay. Ann. (2), 43, 266.
" "	"	6.4304	Karsten. Schw. J. 65, 394.
" "	"	5.90	Playfair and Joule. M. C. S. 3, 82.
" "	"	6.414, ignit'd	
" "	"	6.322	Filhol. Ann. (3), 21, 415.
" "	"	6.130	Persoz. J. P. C. 47, 84.
" "	"	6.225	
" "	"	6.400	
" "	"	6.451, furnace product.	Jenzsch. J. 12, 214.
" "	"	6.400	Hampe. Z. C. 13, 363.
" "	"	6.25, melaco- nite.	Whitney. J. 2, 728.
" "	"	5.952	Rammelsberg. P. A. 80, 287.
Ruthenium dioxide	$\text{RuO}_2$	7.2	Deville and Debray. J. 12, 236.

## 2d. Double and Triple Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium uranium oxide	$\text{Na}_2\text{U}_3\text{O}_{10}$	6.912	Drenkmann. J. 14, 257.
Delafossite	$\text{Cu}'_2\text{Fe}''_2\text{O}_3$	5.07, 25°	Friedel. C. R. 77, 211.
Spinel	$\text{MgAl}_2\text{O}_4$	3.452, artif.	Ebelmen. J. 4, 12. Breithaupt.
"	"	3.48, natural	
"	"	3.52	Haidinger. Dana's Min.
"	"	3.523	
"	"	3.631 } 15° 5',	{ Church. Geol. Mag. (2), 2, 320.
"	"	3.715 } nat.	
"	"	3.77	Jeremejew. J. 37, 1918.
Gahnite	$\text{ZnAl}_2\text{O}_4$	4.580, artif.	Ebelmen. J. 4, 13.
"	"	4.317	G. Rose.
"	"	4.589	
"	"	4.89	Brush. A. J. S. (3), 1, 28.
"	"	4.91	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Gahnite	$Zn Al_2 O_4$	4.576	Genth and Keller. J. 36, 1843.
“ Furnace product.	“	4.49—4.52	Schulze and Stelzner. Z. K. M. 7, 603.
Hercynite	$Fe'' Al_2 O_4$	3.91 } 3.95 } 3.759, artif.	Zippe. Dana's Min.
Chrysoberyl	$Gl Al_2 O_4$	3.597	
“	“	3.689	Ebelmen. J. 4, 13. Rose. Dana's Min.
“	“	3.734	
“	“	3.835	From three localities.
“ Alexandrite	“	3.644	
“	“	3.734	Kokscharof. J. 14, 976, and J. 15, 715.
“	“	3.700	Nilson and Pettersson. C. R. 91, 232.
“	“	3.860	
Calcium iron oxide	$Ca Fe''_2 O_4$	4.698	15°.5 { Church. Geol. Mag. (2), 2, 320.
Magnesioferrite	$Mg Fe'''_2 O_4$	4.568	Percy. P. M. (4), 45, 455.
“	“	4.611	
“	“	4.638	
Hetaerolite	$Zn Mn_2 O_4$	4.933	Rammelsberg. J. 12, 776.
Zinc iron oxide	$Zn Fe''_2 O_4$	5.132	Moore. J. C. S. 36, 17.
“ “ “	“	5.33	cryst. Ebelmen. J. 4, 13.
Zinc chromium oxide	$Zn Cr_2 O_4$	5.309	Gorgeu. B. S. C. 47, 372.
Manganese chromium oxide.	$Mn Cr_2 O_4$	4.87	Ebelmen. J. 4, 13.
Chromite	$Fe'' Cr_2 O_4$	4.321	“ “
“	“	4.498	Thomson. Dana's Min.
“	“	4.568	Dana's Mineralogy.
Jacobsite	$Mg Fe'''_3 O_4 \cdot 2 Mn Fe'''_2 O_4$	4.75, 16°	
Chrompicotite	$2 Fe'' Al_2 O_4 \cdot 3 Mg Cr_2 O_4$	4.115, 20°	Damour. C. R. 69, 168.
			Petersen. J. P. C. 106, 137.

## IX. INORGANIC SULPHIDES.

## 1st. Simple Sulphides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen monosulphide	$H_2 S$	a .9, 1	Faraday. Gm. H. 2, 197.
“ “	“	.91, 18°.5	Bleekrode. P. R. S. 37, 355.
Hydrogen persulphide	$H_2 S_2$ or $H_2 S_3$ ?	1.7342	Ramsay. J. C. S. 27, 860.
Sodium sulphide	$Na_2 S$	2.471	Filhol. Ann. (3), 21, 415.
Potassium sulphide	$K_2 S$	2.130	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver sulphide	Ag <sub>2</sub> S	6.8501, artif.	Karsten. Schw. J. 65, 394.
" " Argentite	"	7.269	Dauber. J. 13, 748.
" " " "	"	7.317	
" " Acanthite	"	7.31	Kenggott. J. 8, 908.
" " " "	"	7.36	
" " " "	"	7.164	Dauber. J. 13, 748.
" " " "	"	7.326 } ex-	
" " Dalmenzite	"	7.02 } tremes.	Breithaupt. J. 15, 709.
Thallium sulphide	Tl <sub>2</sub> S	8.00	Lamy. J. 15, 185.
Oldhamite	Ca S. (Impure)	2.58	Maskelyne. P. T. 1870, 196.
Zinc sulphide	Zn S	3.9235	Karsten. Schw. J. 65, 394.
" " Blende	"	4.060	Neumann. P. A. 23, 1.
" " " "	"	4.063	Henry. J. 4, 756.
" " " "	"	4.07	Kuhlmann. J. 9, 832.
" " " "	"	4.05	Tschermak. S. W. A. 45, 603.
" " " "	"	4.033	Genth. Am. Phil. Soc. 1882.
Cadmium sulphide	Cd S	4.5, artificial	Schüler. J. 6, 367.
" " " "	"	4.5	Söchting. Dana's Min.
" " Greenockite	"	4.605	Karsten. Schw. J. 65, 394.
" " " "	"	4.908	Breithaupt. Watts' Dict.
" " " "	"	4.80	Brooke. P. A. 51, 274.
Mercuric sulphide	Hg S	8.124	Boullay. Ann. (2), 43, 266.
" " " "	"	8.0602	Karsten. Schw. J. 65, 394.
" " " "	"	8.090, cinnabar.	Moore. J. P. C. (2), 2, 319.
" " " "	"	7.701 } natural,	
" " " "	"	7.748 } amor-	
" " " "	"	phous.	
" " " "	"	7.552, artif.	Penfield. A. J. S. (3), 29, 453.
" " " "	"	7.81, metacinnabar.	
Carbon monosulphide	C S	1.66, s.	Sidot. C. R. 81, 33.
Carbon disulphide	C S <sub>2</sub>	1.272	Berzelius and Marcet. Schw. J. 9, 284.
" " " "	"	1.263	Cluzel. Gm. H.
" " " "	"	1.2693, 15°.	Gay Lussac.
" " " "	"	1.265	Couërbe. Ann. (2), 61, 232.
" " " "	"	1.2823, 5°-10°	Regnault. P. A. 62, 50.
" " " "	"	1.2750, 10°-15°	
" " " "	"	1.2676, 15°-20°	
" " " "	"	1.29312, 0°	
			Pierre. C. R. 27, 213.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbon disulphide	C S <sub>2</sub>	1.29858, 0°	} H. L. Buff. A. C. P. 4th Supp., 129. Haagen. P. A. 131, 117. Winkelmann. P. A. 150, 592. Ramsay. J. C. S. 35, 463. Thorpe. J. C. S. 37, 363. Schiff. Ber. 14, 2767. Nasini. Ber. 15, 2883. Friedburg. C. N. 47, 52. } Also values for other t <sup>s</sup> . Dreck- er. P. A. (2), 20, 870. Schiff. Ber. 19, 560. Karsten. Schw. J. 65, 394.
" "	"	1.27904, 10°	
" "	"	1.26652, 17°	
" "	"	1.227431, 46°	
" "	"	1.2661, 20°	
" "	"	1.2665, 16°.06	
" "	"	1.2176, 43°	
" "	"	1.29215, 0°	
" "	"	1.22242, 46°.04	
" "	"	1.2233 } 47°	
" "	"	1.2234 } 47°	
" "	"	1.2634, 20°	
" "	"	1.266, 15°.2	
" "	"	1.26569, 17°.86	
" "	"	1.26446, 18°.58	
" "	"	1.25031, 28°.21	
" "	"	1.23863, 35°.96	
" "	"	1.2233, 46°.5	
Tin monosulphide	Sn S	4.8523	Schiff. Ber. 19, 560.
" "	"	5.267	Karsten. Schw. J. 65, 394.
" "	"	4.973	Boullay. Ann. (2), 43, 266.
" "	"	5.0802, 0°	Schneider. J. 8, 396. Ditte. C. R. 96, 1791.
Tin disulphide	Sn S <sub>2</sub>	4.415	Boullay. Ann. (2), 43, 266.
" "	"	4.600	Karsten. Schw. J. 65, 394.
Lead sulphide	Pb S	7.5052, artif.	" "
" " Galena	"	7.539	Breithaupt. J. P. C. 11, 151.
" "	"	6.9238, 4°, pulv	Playfair and Joule. J. C. S. 1, 137.
" " Galena	"	7.568	Neumann. P. A. 23, 1.
" " "	"	7.51	Tschermak. S. W. A. 45, 603.
" " "	"	6.77, artificial	Schneider. J. P. C. (2), 2, 91.
Lead sesquisulphide	Pb <sub>2</sub> S <sub>3</sub>	6.335	Playfair and Joule. M. C. S. 3, 89.
Cerium sulphide	Ce <sub>2</sub> S <sub>3</sub>	5.1	Didier. C. R. 100, 1461.
Thorium sulphide	Th S <sub>2</sub>	8.29	Chydenius. J. 16, 195.
Nitrogen sulphide	N S	2.22, 15°	Berthelot and Vi- eille. Ber. 14, 1558.
" "	"	2.1166, 15°	Michaelis. Z. C. 13, 460.
Phosphorus monosulphide	P S	1.8	Dupré. J. P. C. 21, 253.
Phosphorus hexsulphide	P S <sub>6</sub>	2.02	" "
Tetraphosphorus trisulphide.	P <sub>4</sub> S <sub>3</sub>	2.00, 11°	Isambert. C. R. 96, 1501.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Vanadium disulphide	$V_2 S_2$	4.2, scaly	Kay. J. C. S. 37, 728.
" "	"	4.4, powder	
Vanadium trisulphide	$V_2 S_3$	3.7, scaly	" "
" "	"	4.0, powder	
Vanadium tetrasulphide	$V_2 S_4$	4.70, 21°	Schafarik. J. P. C. 90, 12.
Vanadium pentasulphide	$V_2 S_5$	3.0	Kay. J. C. S. 37, 728.
Arsenic disulphide	$As_2 S_2$	3.5444	Karsten. Schw. J. 65, 394.
" "	"	3.240, realgar	Neumann. P. A. 23, 1.
" "	"	3.556	Mohs. See Böttger.
Arsenic trisulphide	$As_2 S_3$	3.459	Karsten. Schw. J. 65, 394.
" "	"	3.48	Haidinger. Dana's Min.
" "	"	3.44—3.45	Guibourt. See Böttger.
" " Dimorphite	"	3.58	Scacchi. J. 5, 842.
Antimony trisulphide	$Sb_2 S_3$	4.7520	Karsten. Schw. J. 65, 394.
" "	"	4.15, amorphous.	Fuchs. Watts' Dict.
" "	"	4.614, black	} H. Rose. J. 6, 361.
" "	"	4.641, 16° "	
" "	"	4.280, red	} Cooke. Proc. Am. Acad. 1877.
" "	"	4.421, ppt.	
" "	"	4.226, 26° 7, red	
" "	"	4.223, 23°, ppt.	
" "	"	4.228, 28°, gray	
" "	"	4.289, 27 "	} Ditte. C. R. 102, 212.
" "	"	4.892	
" " Stibnite.	"	5.012	Neumann. P. A. 23, 1.
" "	"	4.603	
" "	"	4.516	Haüy. Dana's Min.
" "	"	4.62	Mohs. " "
Bismuth disulphide	$Bi_2 S_2$	7.29, m. of 5	Werther. J. P. C. 27, 65.
Bismuth trisulphide	$Bi_2 S_3$	7.591, 14° 5	Herapath. P. A. 64, 321.
" "	"	7.0001	Karsten. Schw. J. 65, 394.
" "	"	7.16, native	Forbes. P. M. (4), 29, 4.
Selenium sulphide	$Se S$	3.056, 0°	} Ditte. Z. C. 14, 386.
" "	"	3.035, 52°	
Molybdenite	$Mo S_2$	4.591	Mohs. See Böttger.
" "	"	4.444	Seibert. " "
Tungsten disulphide	$W_2 S_2$	6.26, 20°	Schafarik. J. P. C. 90, 12.
Chromic sulphide	$Cr_2 S_3$	4.092	Playfair and Joule. M. C. S. 3, 89.
" "	"	2.79, 10°	} Schafarik. J. P. C. 90, 12.
" "	"	3.77, 19°	
" "	"	preparations.	
Manganese monosulphide.	$Mn S$	3.95—4.01	Leonhard. See Böttger.
Alabandite.			

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Manganese monosulphide. Alabandite.	Mn S	4.036	Bergemann. N. J. 1857, 394.
Hauerite	Mn S <sub>2</sub>	3.463	Von Hauer. J. 1, 1157.
Iron hemisulphide	Fe <sub>2</sub> S	5.80	Playfair and Joule. M. C. S. 3, 88.
Iron monosulphide. Artif.	Fe S	5.035, m. of 2	"
" " " "	"	4.79	Rammelsberg. J. 15, 263.
" " Troilite	"	4.787	Rammelsberg. J. 1, 1306.
" " " "	"	4.817	Rammelsberg. J. 17, 904.
" " " "	"	4.75	Smith. J. 8, 1025.
Iron disulphide. Pyrite	Fe S <sub>2</sub>	5.000	} Kenngott. J. 6, 780.
" " " "	"	5.028	
" " " "	"	5.185	
" " " "	"	5.042	Zepharovich. S. W. A. 12, 289.
" " Marcasite	"	4.882	Neumann. P. A. 23, 1.
" " " "	"	4.678	"
" " " "	"	4.847	Dana's Mineralogy,
Ferric sulphide	Fe <sub>2</sub> S <sub>3</sub>	4.246	Playfair and Joule. M. C. S. 3, 88.
" " " "	"	4.41	Rammelsberg. J. 15, 262.
Complex sulphide of iron.	Fe <sub>8</sub> S <sub>9</sub>	4.494	Rammelsberg. J. 15, 195.
Pyrrhotite	Fe <sub>7</sub> S <sub>8</sub>	4.584	Kenngott. S. W. A. 9, 575.
" " " "	"	4.564	} Rammelsberg. Da- na's Mineralogy.
" " " "	"	4.580	
" " " "	"	4.640	
Nickel hemisulphide	Ni <sub>2</sub> S	6.05	Playfair and Joule. M. C. S. 3, 88.
Millerite	Ni S	4.601	Kenngott. S. W. A. 9, 575.
" " " "	"	5.65	Rammelsberg. Da- na's Mineralogy.
Polydymite	Ni <sub>4</sub> S <sub>5</sub>	4.808	} 18° 7 { Laspeyres. J. P. C. (2), 14, 397.
" " " "	"	4.816	
Beyrichite	Ni <sub>5</sub> S <sub>7</sub>	4.7	Liebe. N. J. 1871, 840.
Cobalt disulphide	Co S <sub>2</sub>	4.269	Playfair and Joule. M. C. S. 3, 88.
Cobaltic sulphide	Co <sub>2</sub> S <sub>3</sub>	4.8	Hoffmann's Tables.
Copper hemisulphide	Cu <sub>2</sub> S	5.792, 17.7	Herapath. P. M. 64, 321.
" " " "	"	5.9775	Karsten. Schw. J. 65, 394.
" " " "	"	5.71	Kopp. J. 16, 5.
" " " "	"	5.7022	Thomson. Dana's Min.
" " " "	"	5.521—5.795	Scheerer. P. A. 65, 292.
" " Artif. cryst.	"	5.79	} Doelter. Z. K. M. 11, 29.
" " two methods	"	5.809	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Copper monosulphide	$\text{Cu S}$	4.1634	Karsten. Schw. J. 65, 394.
“ “ Covellite.	“	4.636	Zepharovich. J. 7, 810.
Palladium hemisulphide	$\text{Pd}_2 \text{S}$	7.808, 15°	Schneider. P. A. 141, 532.
Platinum monosulphide	$\text{Pt S}$	8.847, 16°.25	Böttger. J. P. C. 3, 267.
Platinum disulphide	$\text{Pt S}_2$	7.224, 18°.75	“ “
“ “	“	5.27	Schneider. P. A. 138, 604.
Platinum sesquisulphide	$\text{Pt}_2 \text{S}_3$	5.52	“ “

## 2d. Sulpho-Salts of Arsenic, Antimony, and Bismuth.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Proustite	$\text{Ag}_3 \text{As S}_3$	5.524	Mohs.
“	“	5.53—5.59	Breithaupt. See Böttger.
“	“	5.552, 13°	G. Rose. P. A. 15, 472.
Xanthoconite	$\text{Ag}_9 \text{As}_2 \text{S}_{10}$	4.112—4.159	Breithaupt. J. P. C. 20, 67.
Guitermannite	$\text{Pb}_3 \text{As}_2 \text{S}_6$	5.94	Hillebrand. Bull. No. 20., U. S. G. S., 106.
Sartorite	$\text{Pb As}_2 \text{S}_4$	5.405	Waltershausen. J. 8, 914.
“	“	5.393	
“	“	5.409	
Dufrenoy'site	$\text{Pb}_2 \text{As}_2 \text{S}_5$	5.5616	Landolt. P. A. 122, 373.
“	“	5.549	Damour. Ann. (3), 14, 379.
“	“	5.561	v. Rath. J. 17, 827.
Enargite	$\text{Cu}'_3 \text{As S}_4$	4.362	Kenngott. Dana's Min.
“	“	4.430	Breithaupt. J. 3, 702.
“	“	4.445	
“	“	4.37	Kobell. J. 18, 872.
“	“	4.34	Root. J. 21, 998.
“	“	4.43	Burton. J. 21, 998.
“ Guayacanite	“	4.39	Field. J. 12, 771.
“ Clarite	“	4.46	Sandberger. N. J. 1875, 382.
“ Luzonite	“	4.42	Weisbach. M. P. M. 1874, 257.
Julianite	$\text{Cu}_4 \text{As S}_4$	5.12	Websky. Z. G. S. 1871, 486.
Binnite	$\text{Cu}_6 \text{As}_4 \text{S}_9$	4.477	Dana's Mineralogy.
Tennantite	$\text{Cu}'_8 \text{As}_2 \text{S}_7$	4.375	Phillips. See Böttger.
“	“	4.530	Scheerer. P. A. 65, 298.
“	“	4.622	Harrington. J. 37, 1911.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphantimonate.	$\text{Na}_3\text{SbS}_4 \cdot 9\text{H}_2\text{O}$	1.804	Schröder. Dm. 1873.
"	"	1.807	
Pyrgaryrite	$\text{Ag}_3\text{SbS}_3$	5.831	Mohs.
"	"	5.73—5.84	Breithaupt. See Böttger.
Miargyrite	$\text{AgSbS}_2$	5.214	Weisbach. J. 18, 869.
"	"	5.242	
"	"	5.0725	
"	"	5.0823	
" Artificial	"	5.28	20° { Rumpf. Z. K. M. 7, 513.
Stephanite	$\text{Ag}_5\text{SbS}_4$	6.269	Doelter. Z. K. M. 11, 29.
"	"	6.275, 21°	Mohs. P. A. 15, 474.
"	"	6.28, 18°	H. Rose.
Polybasite	$\text{Ag}_9\text{SbS}_6$	6.214	Frenzel. J. 27, 1239.
"	"	6.009	Dana's Mineralogy. Genth. Am. Phil. Soc., 1885.
Polyargyrite	$\text{Ag}_{24}\text{Sb}_2\text{S}_{15}$	6.933	18° 2' { Petersen. J. 22, 1197.
"	"	7.014	
Livingstonite	$\text{HgSb}_2\text{S}_4$	4.81	Barcena. A. J. S. (3), 8, 146.
" Artificial	"	4.928, 32°	Baker. C. N. 42, 196.
Jamesonite	$\text{Pb}_2\text{Sb}_2\text{S}_5$	5.616, 19°	Schaffgotsch. P. A. 38, 403.
"	"	5.601	Löwe. Dana's Min.
" Massive	"	5.6788	Rammelsberg. P. A. 77, 240.
" Artificial	"	5.5	Doelter. Z. K. M. 11, 29.
Zinkenite	$\text{PbSb}_2\text{S}_4$	5.308	12° 5' { G. Rose. P. A. 7, 91.
"	"	5.310	
"	"	5.21, 18°	
Boulangerite	$\text{Pb}_3\text{Sb}_2\text{S}_6$	5.688—5.941	Hillebrand. Bull. 20, U. S. G. S.
" Massive	"	5.809—5.877	Hausmann. P. A. 46, 282.
" Fibrous	"	5.69—6.086	Zepharovich. S. W. A. 56, (1), 30.
Meneghinite	$\text{Pb}_4\text{Sb}_2\text{S}_7$	6.339	v. Rath. J. 20, 974.
"	"	6.445	
"	"	6.33	
Harrington. J. 37, 1911.			
Geocronite	$\text{Pb}_5\text{Sb}_2\text{S}_8$	6.407	Apjohn. Dana's Min.
"	"	6.43, 15°	Sauvage. Ann. des Mines, (3), 17, 525.
"	"	6.45—6.47, 15°	Kerndt. P. A. 65, 302.
Plagionite	$\text{Pb}_4\text{Sb}_6\text{S}_{13}$	5.40	Rammelsberg. P. A. 47, 495.
Epiboulangerite	$\text{Pb}_6\text{Sb}_4\text{S}_{15}$	6.309	Websky. J. 22, 1198.
Semseyite	$\text{Pb}_7\text{Sb}_6\text{S}_{16}$	5.9518	Sipőcz. Ber. 19, 95.
Freieslebenite	$\text{Pb}_2\text{Ag}_3\text{Sb}_3\text{S}_8$	6.194	Hausmann. Dana's Min.
"	"	6.230	v. Payr. J. 13, 746.
"	"	6.35	Vrba. S. W. A. 63, 143.
" Diaphorite	"	5.902	Zepharovich. S. W. A. 63, 143.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brongniardite	Pb Ag <sub>2</sub> Sb <sub>2</sub> S <sub>5</sub>	5.950, 18°	Damour. Ann. d. Mines, (4), 16, 227.
Chalcostibite	Cu Sb S <sub>2</sub>	4.748	H. Rose. Dana's Min.
"	"	5.015	Breithaupt. Dana's Min.
Famatinite	Cu <sub>3</sub> Sb S <sub>4</sub>	4.57	Stelzner. M. P. M. 1873, 242.
Guejarite	Cu <sub>2</sub> Sb <sub>4</sub> S <sub>7</sub>	5.03	Cumenge. B. S. M. 2, 201.
Tetrahedrite	Cu <sub>8</sub> Sb <sub>2</sub> S <sub>7</sub>	4.730	Wittstein. J. 8, 912.
"	"	4.58	Sandmann. A. C. P. 89, 368.
"	"	4.90	Kuhlemann. J. 9, 834.
"	"	4.885	Genth. Am. Phil. Soc. 1885.
Bournonite	Cu' Pb Sb S <sub>3</sub>	5.703—5.796	Zincken. J. 2, 724.
"	"	5.726—5.855	Bromeis. J. 2, 724.
"	"	5.726—5.863	Rammelsberg. J. 2, 724.
"	"	5.80	Field. J. 14, 374.
"	"	5.826	Wait. J. 26, 1147.
"	"	5.737—5.86	Hidegh. J. 37, 1911.
"	"	5.7659	Sipöcz. Ber. 19, 95.
" Artificial	"	5.719	Doelter. Z. K. M. 11, 29.
Berthierite	Fe Sb <sub>2</sub> S <sub>4</sub>	4.043	Pettko. J. 1, 1159.
Silver bismuth glance*	Ag Bi S <sub>2</sub>	6.92	Rammelsberg. Z. K. M. 3, 101.
Galenobismutite	Pb Bi <sub>2</sub> S <sub>4</sub>	6.88	Sjögren. G. F. F. 4, 109.
Cosalite	Pb <sub>2</sub> Bi <sub>2</sub> S <sub>5</sub>	6.22—6.33	Frenzel. J. 27, 1238.
Beegerite	Pb <sub>6</sub> Bi <sub>2</sub> S <sub>9</sub>	7.273	König. J. 34, 1355.
Rezbanyite	Pb <sub>4</sub> Bi <sub>10</sub> S <sub>19</sub>	6.09	Frenzel. J. 36, 1835.
"	"	6.38	
Chiviatite	Pb <sub>2</sub> Bi <sub>6</sub> S <sub>11</sub>	6.920	Rammelsberg. P. A. 88, 320.
Emplectite	Cu Bi S <sub>2</sub>	5.18, 5°	Weisbach. J. 19, 916.
Wittichenite	Cu <sub>3</sub> Bi S <sub>3</sub>	4.3	Hilger. J. 18, 870.
Klaprotholite	Cu <sub>6</sub> Bi <sub>4</sub> S <sub>9</sub>	4.6	Petersen. N. J. 1868, 415.
Aikinite	Cu' Pb Bi S <sub>3</sub>	6.757	Frick. P. A. 31, 530.
"	"	6.1	Chapman. J. 1, 1158.
Kobellite	Pb <sub>3</sub> Bi Sb S <sub>6</sub>	6.29	Satterberg. P. A. 55, 635.
"	"	6.32	
"	"	6.145	Rammelsberg. J. P. C. 86, 340.

\* Alaskaité, a lead silver salt similar to this, has a sp. gr. 6.373. Koenig, Z. K. M. 6, 42.

## 3d. Miscellaneous Double and Oxy-Sulphides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thallium potassium sulphide.	$K Tl S_2$	4.263	Schneider. P. A. 139, 661.
Iron potassium sulphide.	$K Fe'' S_2$	2.563	Preis. J.P.C.107,10.
Sodium platinum sulphide	$Na Pt_2 S_3$	6.27, 15°	Schneider. P. A. 138, 604.
Potassium platinum sulphide.	$K Pt_2 S_3$	6.44, 15°	" "
Stromeyerite	$Ag Cu' S$	6.26	Kopp. J. 16, 5.
"	"	6.255	Stromeyer. Schw. J. 19, 325.
Jalpaite	$Ag_3 Cu' S_4$	6.877	Breithaupt. J. 11, 682.
"	"	6.890	
Sternbergite	$Ag Fe_2 S_3$	4.215	Dana's Mineralogy.
Silver gold sulphide	$Ag_{10} Au_4 S_{11}$	8.159	Muir. B.S.C.18,222.
Argyrodite	$Ag_8 Ge S_5$	6.085, 15°	Richter. Quoted by Winkler.
"	"	6.093	Winkler. J. P. C. (2), 34, 187.
"	"	6.111	
Christophite	$Zn_2 Fe S_3$	3.911—3.931	Breithaupt. B. H. Ztg. 22, 27.
Guadalcazarite	$Zn Hg_6 S_7$	7.15	Petersen. J. 25,1093
Bornite	$Fe Cu_3 S_2$	5.030	Rammelsberg. Z. G. S. 18, 19.
"	"	4.432	Forbes. J. 4, 758.
"	"	4.91	Katzer. M. P. M. 9, 404.
Iron coppersulphide. Artif.	$Fe_4 Cu_9 S_{10}$	4.85	Doelter. Z. K. M. 11, 29.
Barnhardtite	$Fe_2 Cu_4 S_5$	4.521	Genth. J. 8, 910.
Chalcopyrite	$Fe Cu S_4$	4.185	Forbes. J. 4, 759.
"	"	4.1—4.3	Dana's Mineralogy.
" Artificial	"	4.196	Doelter. Z. K. M. 11, 29.
Iron coppersulphide. Artif. Furnace product. Cryst.	$Fe_4 Cu_4 S_7$	4.999	" "
	$Fe_5 Cu_4 S_9$	3.97	Brögger. Z. K. M. 3, 495.
Cubanite	$Fe_2 Cu S_4$	4.026	Breithaupt. P. A. 59, 325.
"	"	4.042	
"	"	4.18	Smith. J. 7, 810.
Chalcopyrrhotite	$Fe_4 Cu S_6$	4.28	Blomstrand. Dana's Min., 2d Append.
Carrollite	$Co Cu S_2$	4.58	Faber. J. 5, 840.
"	"	4.85	Smith and Brush. J. 6, 782.
Pentlandite	$Fe Ni_2 S_3$	4.6	Scheerer. P. A. 58, 316.
Horbachite	$Fe_8 Ni_2 S_{15}$	4.43	Knop. N. J. 1873, 523.
Daubreelite	$Fe Cr_2 S_4$	5.01	Smith. J.C.S.36,33.
Bismuth nickel sulphide	$Bi_{24} Ni_5 S_2$	9.15	Werther. J. 5, 389.
Voltzite	$4 Zn S. Zn O$	3.5—3.8	Vogl. J. 6, 786.
Kermesite	$2 Sb_2 S_3. Sb_2 O_3$	4.5—4.6	Dana's Mineralogy.

Castillite, Grünauite, and Stannite are omitted as having too indefinite composition

## X. SELENIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Naumannite	Ag <sub>2</sub> Se	8.0	G. Rose. P. A. 14, 471.
Zinc selenide	Zn Se	5.40, 15°	Margottet. J. C. S. 32, 570.
Cadmium selenide	Cd Se	8.789	Little. J. 12, 94.
" "	"	5.80	Margottet. J. C. S. 32, 570.
Mercurous selenide	Hg <sub>2</sub> Se	8.877	Little. J. 12, 95.
Tiemannite	Hg Se	7.274	Dana's Mineralogy.
"	"	7.1—7.37	Kerl. J. 5, 837.
"	"	8.187	} Penfield. A. J. S. (3), 29, 449.
"	"	8.188	
Lead selenide. Artificial	Pb Se	8.154	Little. J. 12, 95.
" " Clausthalite	"	6.8	Zinken. P. A. 3, 274.
Ferric selenide	Fe <sub>2</sub> Se <sub>3</sub>	6.38	Little. J. 12, 94.
Nickel selenide	Ni Se	8.462	" "
Cobalt selenide	Co Se	7.647	" "
Berzelianite	Cu <sub>2</sub> Se	6.71	Nordenskiöld. J. 20, 977.
Copper selenide	Cu Se	6.655	Little. J. 12, 95.
Arsenic triselenide	As <sub>2</sub> Se <sub>3</sub>	4.752	" "
Bismuth triselenide	Bi <sub>2</sub> Se <sub>3</sub>	6.82	Schneider. J. 8, 386.
" "	"	7.406	Little. J. 12, 95.
" " Frenzelite	"	6.25, 21°	Frenzel. N. J. 1874, 679.
" " Guanajuatite.	"	6.62	Fernandez. Dana's Min., 3d App.
Tin monoselenide	Sn Se	5.24, 15°	Schneider. J. P. C. 98, 236.
" "	"	6.179, 0°	Ditte. C. R. 96, 1792.
Tin diselenide	Sn Se <sub>2</sub>	5.133	Little. J. 12, 95.
" "	"	4.85	Schneider. J. P. C. 98, 236.
Eucairite	Cu' Ag Se	7.48—7.51	Nordenskiöld. J. 20, 977.
Crookesite	(Cu Ag Tl) <sub>2</sub> Se	6.90	" "
Lehrbachite	(Pb Hg) Se	7.804—7.876	Dana's Mineralogy.
Zorgite	(Pb Cu) Se	6.38	Pisani. J. 32, 1183.
"	(Pb Cu) <sub>3</sub> Se <sub>2</sub>	6.26	" "

## XI. TELLURIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hessite -----	Ag <sub>2</sub> Te -----	8.412 -----	G. Rose. P. A. 18, 64. Genth. J. 27, 1233. Becke. Z. K. M. 6, 205. Margottet. J. C. S. 32, 570. " "
" -----	" -----	8.565 -----	
" -----	" -----	8.178 -----	
" -----	" -----	8.318 -----	
Zinc telluride -----	Zn Te -----	6.34, 15° -----	
Cadmium telluride -----	Cd Te -----	6.20, 15° -----	
Coloradoite -----	Hg Te -----	8.627 -----	Genth. Z. K. M. 2, 4.
Tin telluride -----	Sn Te -----	6.478, 0° -----	Ditte. C. R. 96, 1793.
Altaite -----	Pb Te -----	8.159 -----	G. Rose. P. A. 18, 64.
" -----	" -----	8.060 -----	Genth. J. 27, 1233.
Antimony telluride -----	Sb <sub>2</sub> Te <sub>3</sub> -----	6.47 -----	Bödeker and Gie- secke. B. D. Z.
" " -----	" " -----	6.51 -----	
Joseite -----	Bi <sub>3</sub> Te -----	7.924—7.936 -----	Dana's Mineralogy.
Wehrlite -----	Bi <sub>3</sub> Te <sub>2</sub> -----	8.44 -----	Wehrle. Dana's Min.
Tetradymite -----	Bi <sub>2</sub> Te <sub>3</sub> -----	7.237 -----	Genth. J. 5, 833.
" -----	" -----	7.868 -----	Jackson. J. 12, 770.
" -----	" -----	7.941 -----	Genth. J. 13, 744.
" -----	" -----	7.642, 18° -----	Balch. J. 16, 794.
Calaverite -----	Au Te <sub>4</sub> -----	9.043 -----	Genth. Z. K. M. 2, 6.
Sylvanite -----	Au Ag Te <sub>3</sub> -----	7.943 -----	Genth. J. 27, 1233.
Petzite -----	Au Ag <sub>3</sub> Te <sub>2</sub> -----	9.010 -----	" "
" -----	" -----	9.020 -----	
Tapalpite -----	Ag <sub>2</sub> Bi <sub>2</sub> S Te <sub>2</sub> -----	7.803 -----	Rammelsberg. Z. G. S. 21, 81.

## XII. PHOSPHIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver phosphide -----	Ag <sub>2</sub> P <sub>3</sub> -----	4.63 -----	Schrötter. S. W. A. 1849, 301.
Zinc phosphide -----	Zn <sub>3</sub> P <sub>2</sub> -----	4.76 -----	" "
" " -----	" -----	4.72 -----	Hayer. J. C. S. 32, 113.
Tin monophosphide -----	Sn P -----	6.56 -----	Schrötter. S. W. A. 1849, 301.
" " -----	" -----	6.793 -----	Natanson and Vort- mann. Ber. 10, 1460.
Tin diphosphide -----	Sn P <sub>2</sub> -----	4.91, 12° -----	Emmerling. Ber. 12, 155.
Chromium phosphide -----	Cr P -----	4.68 -----	Martius. J. 11, 160.
Manganese phosphide -----	Mn <sub>5</sub> P <sub>2</sub> -----	5.951 -----	Wöhler. J. 6, 859.
" " -----	Mn <sub>3</sub> P -----	4.94 -----	Schrötter. S. W. A. 1849, 301.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iron phosphide	$\text{Fe}_3 \text{P}$	6.28	Hvoslef. J. 9, 285.
" "	$\text{Fe}_3 \text{P}_4$	5.04	Freese. J. 20, 284.
Nickel phosphide	$\text{Ni}_5 \text{P}$	7.283	Jannetaz. J. C. S. 44, 651.
" "	$\text{Ni}_3 \text{P}_2$	5.99	Schrötter. S. W. A. 1849, 301.
Cobalt phosphide	$\text{Co}_3 \text{P}_2$	5.62	" "
Tricopper phosphide	$\text{Cu}_3 \text{P}$	6.75	" "
" "	"	6.59	Hvoslef. J. 9, 285.
" "	"	6.850	Sidot. J. R. C. 5, 75.
Copper monophosphide	$\text{Cu P}$	5.14	Emmerling. Ber. 12, 153.
Molybdenum monophosphide.	$\text{Mo P}$	6.167	Rautenberg. J. 12, 163.
Tungsten hemiphosphido.	$\text{W}_2 \text{P}$	5.207	Wöhler. J. 4, 347.
Palladium diphosphide	$\text{Pd P}_2$	8.25	Schrötter. S. W. A. 1849, 301.
Platinum diphosphide	$\text{Pt P}_2$	8.77	" "
Iridium hemiphosphide *	$\text{Ir}_2 \text{P}$	13.768	Clarke. A. C. J. 5, 231.
Gold phosphide	$\text{Au}_2 \text{P}_3$	6.67	Schrötter. S. W. A. 1849, 301.

## XIII. ARSENIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver arsenide	$\text{Ag As}$	8.51	Descamps. J. Ph. C. (4), 27, 424.
Trisilver diarsenide	$\text{Ag}_3 \text{As}_2$	9.01	" "
Trisilver arsenide	$\text{Ag}_3 \text{As}$	9.51	" "
" " Huntillite	"	7.47	Wurtz. Dana's Min., 3d App.
Tricopper diarsenide	$\text{Cu}_3 \text{As}_2$	6.94	Descamps. J. Ph. C. (4), 27, 424.
Dicopper arsenide	$\text{Cu}_2 \text{As}$	7.76	" "
Tricopper arsenide	$\text{Cu}_3 \text{As}$	7.81	" "
" " Domeykite	"	7.75	Genth. J. 15, 708.
Algodonite	$\text{Cu}_6 \text{As}$	7.603	Genth. A. J. S. (2), 33, 192.
"	"	6.902	Field. J. 10, 655.
Whitneyite	$\text{Cu}_9 \text{As}$	8.408	Genth. J. 12, 771.
"	"	8.246	} 21° Genth. J. 15, 708.
"	"	8.471	
Tricadmium arsenide	$\text{Cd}_3 \text{As}$	6.26	Descamps. J. Ph. C. (4), 27, 424.
Tin hemiarsenide	$\text{Sn}_2 \text{As}$	7.001, 18°	Bödeker. B. D. Z.
Tin diarsenide	$\text{Sn As}_2$	6.56	Descamps. J. Ph. C. (4), 27, 424.
Lead arsenide	$\text{Pb As}$	9.55	" "
Trilead tetrarsenide	$\text{Pb}_3 \text{As}_4$	9.65	" "

\* Commercial "cast iridium." Contains several per cent. of the phosphides of rhodium and ruthenium, with possibly a little phosphide of osmium.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trilead diarsenide	$Pb_3 As_2$	9.76	Descamps. J. Ph. C. (4), 27, 424.
Kaneite	$Mn As$	5.55	Kane. Dana's Min.
Leucopyrite	$Fe_2 As_3$	6.659	Breithaupt. P. A. 9, 115.
"	"	6.848	
Lölingite	$Fe As_2$	6.246, in mass.	Behncke. J. 9, 831.
"	"	6.321, pulv.	
"	"	7.400	
Trinickel arsenide	$Ni_3 As$	7.71	Hillebrand. A. J. S. (3), 27, 353.
Niccolite	$Ni As$	7.663	Descamps. J. Ph. C. (4), 27, 424.
"	"	7.39, 16°	Scheerer. P. A. 65, 292.
"	"	7.314	Ebelmen. Ann. d. Mines (4), 11, 55.
Rammelsbergite	$Ni As_2$	7.099—7.188	Genth. J. 36, 1829.
"	"	6.9	Breithaupt. Dana's Min.
Smaltite	$Co As_2$	6.84	McCay. J. 37, 1905.
Skutterudite	$Co As_3$	6.78	Rose. J. 5, 836.
Antimony hemiarsenide	$Sb_2 As$	6.46	Scheerer. P. A. 42, 553.
Allemontite	$Sb As_3$	6.13	Descamps. J. Ph. C. (4), 27, 424.
"	"	6.203	Thomson. Dana's Min.
Bismuth arsenide	$Bi_3 As_4$	8.45	Rammelsberg. Dana's Min.
Gold arsenide	$Au_4 As_3$	16.20	Descamps. J. Ph. C. (4), 27, 424.
O'Rileyite	$Cu'_2 Fe_3 As_5$	7.343—7.428	" "
			Waldie. J. 24, 1133.

## XIV. ANTIMONIDES.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dyscrasite. Stibiotriargentite.	$Ag_3 Sb_2$	9.611	Petersen. P. A. 137, 377.
" " " "	"	9.77	
Dyscrasite. Stibiohexargentite.	$Ag_6 Sb_2$	10.027	" "
Zinc antimonide	$Zn Sb$	6.383	Cooke. P. M. (4), 19, 413.
" " " "	"	6.384	
Trizinc diantimonide	$Zn_3 Sb_2$	6.327	" "
Breithauptite	$Ni Sb$	7.541	Breithaupt. Dana's Min.
Tin antimonide*	$Sn_2 Sb$	7.07, 19°	Bödeker. B. D. Z.

\* Compare also the table of alloys.

## XV. SULPHIDES WITH ARSENIDES OR ANTIMONIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Arsenopyrite	Fe S As	6.269	Kenngott. S. W. A. 9, 584.
"	"	6.21	Vogel. J. 8, 907.
"	"	6.095, in mass.	} Potyka. J. 12, 772.
"	"	6.004, pulv.	
"	"	6.255	Forbes. J. 18, 871.
"	"	6.16	Zepharovich. S. W. A. 56 (1), 42.
"	"	6.05—6.07	McCay. J. 37, 1905.
Pacite	Fe <sub>5</sub> S <sub>2</sub> As <sub>8</sub>	6.297	} Breithaupt and Weisbach. B. H. Ztz. 25, 167.
"	"	6.303	
Glaucopyrite	Fe <sub>13</sub> S <sub>2</sub> As <sub>24</sub>	7.181	Sandberger. J. P. C. (2), 1, 230.
Glaucodot	(Co Fe) S As	5.975—6.003	Breithaupt. P. A. 67, 127.
"	"	5.905—6.011	Schrauf and Dana. S. W. A. 69, 153.
Cobaltite	Co S As	6.0—6.3	Dana's Mineralogy.
Gersdorffite	Ni S As	5.49	} Forbes. J. 21, 997.
"	"	5.65	
"	"	6.1977	Sipőcz. Ber. 19, 95.
Ullmannite	Ni S Sb	6.506, 20°	Rammelsberg. P. A. 64, 189.
"	"	6.803	} Jannasch. J. 36, 1832.
"	"	6.883	
Corynite	Ni S (As Sb)	5.994	Zepharovich. J. 18, 872.
Wolfachite	"	6.372	Sandberger. J. 22, 1193.
Alloclasite	Co <sub>3</sub> S <sub>4</sub> Bi <sub>4</sub> As <sub>8</sub>	6.6	Tschermak. J. 19, 919.
"	"	6.23—6.5	Frenzel. J. 36, 1831.

## XVI. HYDRIDES, BORIDES, CARBIDES, SILICIDES, NITRIDES, ETC.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydride	Nr <sub>2</sub> H	0.959	Troost and Hautefeuille. C. R. 78, 970.
Palladium hydride	Pd <sub>3</sub> H <sub>2</sub>	10.8033	Dewar. P. M. (4), 47, 334.
"	Pd <sub>2</sub> H	11.06	Troost and Hautefeuille. C. R. 78, 970.
Columbium hydride	Cb H	6.0 to 6.6	} Marignac. J. 21, 214. Supposed to be metal.
"	"	6.15 to 7.37	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Platinum boride.....	Pt B.....	17.32 .....	Martius. J. 11, 210.
Iron silico-carbide.....	Fe <sub>3</sub> Si <sub>2</sub> C.....	6.6 .....	Colson. J. C. S. 42, 933.
Titanium carbide.....	Ti C, impure.....	5.10 .....	Shimer. J. A. C. 1, 4.
Iron silicide.....	Fe <sub>2</sub> Si.....	6.611 .....	Hahn. J. 17, 264.
Platinum silicide.....	Pt <sub>2</sub> Si <sub>2</sub> .....	14.1 .....	Colson. Ber. 15, 724.
“ “.....	Pt <sub>9</sub> Si.....	18.97 .....	Memminger. A. C. J. 7, 172.
Aluminum titanide.....	Al <sub>4</sub> Ti.....	3.11, 16°.....	Levy. C. R. 106, 66.
Aluminum zirconide (?).....	Al <sub>3</sub> Zr, or Al <sub>6</sub> Zr <sub>2</sub> Si.....	3.629 .....	Melliss. Göttingen Doct. Diss., 1870.
Ammonia. Liquefied.....	N H <sub>3</sub> .....	.731, 15°.5.....	Faraday. P. T. 1845, 155.
“ “.....	“.....	.6284, 0°.....	Jolly. J. 14, 165.
“ “.....	“.....	.6492, -10°.....	D'Andréff. Ann. (3), 56, 317
“ “.....	“.....	.6429, -5°.....	
“ “.....	“.....	.6364, 0°.....	
“ “.....	“.....	.6298, 5°.....	
“ “.....	“.....	.6230, 10°.....	
“ “.....	“.....	.6160, 15°.....	
“ “.....	“.....	.6089, 20°.....	Friedel and Guérin. C. R. 82, 974.
Titanium nitride.....	Ti <sub>2</sub> N <sub>2</sub> .....	5.28, 18°.....	
Iron nitride. Impure.....	Fe <sub>5</sub> N <sub>2</sub> .....	3.147 .....	Silvestri. Ber. 8, 1356.

## XVII. HYDROXIDES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydroxide.....	Na O H.....	2.130 .....	Filhol. Ann. (3), 21, 415.
“ “.....	“.....	1.723 .....	W. C. Smith. Am. J. P. 53, 145.
“ “.....	2 Na O H. 7 H <sub>2</sub> O.....	1.405 .....	Hermes. J. 16, 178.
Potassium hydroxide.....	K O H.....	2.100 .....	Dalton.
“ “.....	“.....	2.044 .....	Filhol. Ann. (3), 21, 415.
“ “.....	“.....	1.958 .....	W. C. Smith. Am. J. P. 53, 145.
Brucite.....	Mg (O H) <sub>2</sub> .....	2.36 .....	Hermann. J. 14, 979.
“.....	“.....	2.376 .....	Beck. J. 15, 718.
“ Artif. cryst.....	“.....	2.36, 15°.....	Schulten. C. R. 101, 72.
Zinc hydroxide.....	Zn (O H) <sub>2</sub> .....	2.677 .....	Nicklès. J. 1, 435.
“ “.....	“.....	3.053 .....	Filhol. Ann. (3), 21, 415.
Cadmium hydroxide. Cryst.....	Cd (O H) <sub>2</sub> .....	4.79, 15°.....	Schulten. C. R. 101, 72.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium hydroxide	$\text{Ca (OH)}_2$	2.078	Filhol. Ann. (3), 21, 415.
Strontium hydroxide	$\text{Sr (OH)}_2$	3.625	" "
"	$\text{Sr (OH)}_2 \cdot 8 \text{H}_2\text{O}$	1.396	" "
"	"	1.911, 16°	Filhol. J. P. C. 36, 37.
Barium hydroxide	$\text{Ba (OH)}_2$	4.495	Filhol. Ann. (3), 21, 415.
"	$\text{Ba (OH)}_2 \cdot 8 \text{H}_2\text{O}$	1.656	" "
"	"	2.188, 16°	Filhol. J. P. C. 36, 37.
Lead hydroxide	$\text{Pb (OH)}_2 \cdot 2 \text{Pb O}$	7.592, 0°	Ditte. J. C. S. 42, 928.
Lead oxyhydroxide	$\text{Pb (OH)}_2 \text{O}$	6.267	Wernicke. J. P. C. (2), 2, 419.
Manganese hydroxide.	$\text{Mn (OH)}_2$	3.258, 15°	Schulten. C. R. 105, 1266.
Cryst.	"	"	"
Manganese oxyhydroxide.	$\text{Mn (OH)}_2 \text{O}$	2.564	Wernicke. J. P. C. (2), 2, 419.
"	"	2.596	"
Manganite	$\text{Mn}_2 (\text{OH})_2 \text{O}_2$	4.335	Rammelsberg. J. 18, 878.
Manganese hydroxide	$\text{Mn}_{12} \text{H}_2 \text{O}_{24}$	4.750	} 4° { Veley. J. C. S. 41, 65.
"	"	4.800	
"	$\text{Mn}_{24} \text{H}_{16} \text{O}_{63}$	4.671	} 4° { " "
"	"	4.681	
Turgite	$\text{Fe}_4 (\text{OH})_2 \text{O}_5$	3.56—3.74	Hermann. Dana's Min.
"	"	4.681	Bergemann. J. 12, 771.
"	"	4.14	Brush. A. J. S. (2), 44, 219.
Ferric oxyhydroxide	$\text{Fe}_2 (\text{OH})_2 \text{O}_2$	2.91	} Brunck and Graebe. Ber. 13, 725.
"	"	2.92	
"	Göthite	4.11	} Yorke. P. M. (3), 27, 265—267.
"	"	4.19	
"	"	4.24	
Limonite	$\text{Fe}_4 (\text{OH})_6 \text{O}_3$	3.6—4.0	Dana's Mineralogy.
"	"	3.908	Bergemann. Dana's Min.
Ferric hydroxide	$\text{Fe}_2 (\text{OH})_6$	3.77, precip.	Yorke. P. M. (3), 27, 269.
"	Limnite	2.69	Church. J. 18, 879.
Nickelic oxyhydroxide	$\text{Ni}_2 (\text{OH})_4 \text{O}$	2.741	Wernicke. J. P. C. (2), 2, 419.
Cobaltic oxyhydroxide	$\text{Co}_2 (\text{OH})_4 \text{O}$	2.483	" "
Heterogenite	$\text{Co}_5 \text{O}_7 \cdot 6 \text{H}_2\text{O}$	3.44	Frenzel. J. P. C. (2), 5, 404.
Copper hydroxide	$\text{Cu (OH)}_2$	3.368	Schröder. Dm. 1873.
Diaspore	$\text{Al (OH) O}$	3.39	Jackson. A. J. S. (2), 42, 108.
"	"	3.343	Shepard. A. J. S. (2), 50, 96.
Gibbsite	$\text{Al (OH)}_3$	2.387	Hermann. J. 1, 1164.
"	"	2.389	Silliman, Jr. J. 2, 389.
Stibiconite	$\text{Sb}_2 (\text{OH})_2 \text{O}_3$	5.28	Blum and Delffs. J. P. C. 40, 318.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Antimonic hydroxide	$\text{Sb (O H)}_5$	6.6	Boullay. Dana's Min.
Bismuth oxyhydroxide	$\text{Bi (O H)}_2 \text{O}$	5.571	Wernicke. J. P. C. (2), 2, 419.
" "	"	5.8, 20°	Muir, Hoffmeister, and Robbs. J. C. S. 39, 32.
Metabismuthic hydroxide	$\text{Bi (O H)} \text{O}_2$	5.75, 20°	" "
Uranyl hydroxide	$\text{U (O H)}_2 \text{O}_2$	5.926, 15°	Malaguti. J. P. C. 29, 233.
Eliasite	$\text{U (O H)}_4 \text{O}$	4.087—4.237	Zepharovich. Dana's Min.
Gummite	$\text{U (O H)}_6$	3.9—4.20	Breithaupt. Dana's Min.
Chalcophanite	$\text{Zn Mn}_2 \text{O}_5 \cdot 2 \text{H}_2 \text{O}$	3.907	Moore. J. C. S. 36, 17.
Namaqualite	$\text{Cu}_2 \text{Al (OH)}_4 \cdot 2 \text{H}_2 \text{O}$	2.49	Churh. J. C. S. 23, 1.
Hydrotalcite	$\text{Al Mg}_3 \text{(OH)}_9 \cdot 3 \text{H}_2 \text{O}$	2.04	Hermann. J. 1, 1168.

## XVIII. CHLORATES AND PERCHLORATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen chlorate, or chloric acid.	$\text{H Cl O}_3 \cdot 7 \text{H}_2 \text{O}$	1.282, 14°.2	Kammerer.* P. A. 138, 390.
Sodium chlorate	$\text{Na Cl O}_3$	2.467	Berthelot.
" "	"	2.289	Bödeker. B. D. Z. Playfair and Joule. J. C. S. 1, 137.
Potassium chlorate	$\text{K Cl O}_3$	2.32643, 4°	
" "	"	2.350, 17°.5	Kremers. J. 10, 67.
" "	"	2.325	Buignet. J. 14, 15.
" "	"	2.323	Holker. P. M. (3), 27, 213.
" "	"	2.325, m. of 5 }	
" "	"	2.246 } Ex-	Schröder. Dm. 1873.
" "	"	2.364 } tremes }	
" "	"	2.167	W. C. Smith. Am. J. P. 53, 145.
Silver chlorate	$\text{Ag Cl O}_3$	4.430	Schröder. J. 12, 12.
" "	"	4.439	Topsoë. B. S. C. 19, 246.
Thallium chlorate	$\text{Tl Cl O}_3$	5.5047, 9°	Muir. C. N. 33, 156
Strontium chlorate	$\text{Sr Cl}_2 \text{O}_6$	3.150	
" "	"	3.154	Schröder. Dm. 1872
Barium chlorate	$\text{Ba Cl}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$	2.988, 15°	Bödeker. B. D. Z.
" "	"	3.214	
" "	"	3.188	Schröder. Dm. 1873.
Lead chlorate	$\text{Pb Cl}_2 \text{O}_6 \cdot \text{H}_2 \text{O}$	4.018	
" "	"	4.030	" "
" "	"	4.063	

\*Kammerer also gives figures for other hydrates of chloric acid.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lead chlorate -----	$Pb Cl_2 O_6 \cdot H_2 O$ -----	3.989 -----	Topsoë. B. S. C. 19, 246.
Mercurous chlorate -----	$Hg Cl O_3$ -----	6.409 -----	Schröder. Dm. 1873.
Mercuric chlorate -----	$Hg Cl_2 O_6$ -----	4.998 -----	" "
Basic mercuric chlorate -----	$Hg_2 Cl_2 O_7 \cdot H_2 O$ -----	5.151 -----	Topsoë. B. S. C. 19, 246.
Hydrogen perchlorate, or perchloric acid.	$H Cl O_4$ -----	1.782, 15°.5 -----	Roscoe. J. 14, 146.
" " -----	$H Cl O_4 \cdot H_2 O$ -----	1.811, 50° -----	" "
Lithium perchlorate -----	$Li Cl O_4$ -----	1.841 -----	Wyrouboff. B. S. M. 6, 53.
Potassium perchlorate -----	$K Cl O_4$ -----	2.528 -----	Kopp. J. 16, 4.
" " -----	" -----	2.550 -----	
" " -----	" -----	2.520, m. of 6 } -----	
" " -----	" -----	2.510 } Ex. } -----	
" " -----	" -----	2.537 } tremes } -----	Schröder. Dm. 1873.
Ammonium perchlorate -----	$Am Cl O_4$ -----	1.885, 25° -----	Stephan. F. W. C.
Thallium perchlorate -----	$Tl Cl O_4$ -----	4.844, 15°.5 -----	Roscoe. C. N. 14, 217.

## XIX. BROMATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium bromate -----	$Na Br O_3$ -----	3.339, 17°.5 -----	Kremers. J. 10, 67.
Potassium bromate -----	$K Br O_3$ -----	3.271, 17°.5 -----	" "
" " -----	" -----	3.218 -----	Topsoë. B. S. C. 19, 246.
" " -----	" -----	3.323, 19° -----	Storer. F. W. C.
Silver bromate -----	$Ag Br O_3$ -----	5.1983, 16° } -----	" "
" " -----	" -----	5.2153, 18° } -----	
Magnesium bromate -----	$Mg Br_2 O_6 \cdot 6 H_2 O$ -----	2.289 -----	Topsoë. B. S. C. 19, 246.
Zinc bromate -----	$Zn Br_2 O_6 \cdot 6 H_2 O$ -----	2.566 -----	Topsoë. C. C. 4, 76.
Cadmium bromate -----	$Cd Br_2 O_6 \cdot 2 H_2 O$ -----	3.758 -----	Topsoë. B. S. C. 19, 246.
Basic mercuric bromate -----	$Hg_2 Br_2 O_7 \cdot H_2 O$ -----	5.815 -----	Topsoë. C. C. 4, 76.
Calcium bromate -----	$Ca Br_2 O_6 \cdot H_2 O$ -----	3.329 -----	" "
Strontium bromate -----	$Sr Br_2 O_6 \cdot H_2 O$ -----	3.773 -----	" "
Barium bromate -----	$Ba Br_2 O_6$ -----	4.0395, 17° } -----	Storer. F. W. C.
" " -----	" -----	3.9918, 18° } -----	
" " -----	$Ba Br_2 O_6 \cdot H_2 O$ -----	3.820 -----	Topsoë. C. C. 4, 76.
Lead bromate -----	$Pb Br_2 O_6 \cdot H_2 O$ -----	4.950 -----	" "
Nickel bromate -----	$Ni Br_2 O_6 \cdot 6 H_2 O$ -----	2.575 -----	" "
Copper bromate -----	$Cu Br_2 O_6 \cdot 6 H_2 O$ -----	2.583 -----	" "

## XX. IODATES AND PERIODATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen iodate,* or iodic acid.	H I O <sub>3</sub>	4.869, 0°	Ditte. Ann. (4), 21, 22.
" " " "	" "	4.816, 50° 8'	
Sodium iodate	Na I O <sub>3</sub>	4.277, 17° 5'	Kremers. J. 10, 67.
Potassium iodate	K I O <sub>3</sub>	3.979, 17° 5'	" " "
" " " "	" "	2.601	Ditte. Ann. (4), 21, 48.
" " " "	" "	3.802, 18°	Clarke.
Ammonium iodate	Am I O <sub>3</sub>	3.3372, 12° 5'	Fullerton. F. W. C.
" " " "	" "	3.3085, 21°	
Silver iodate. Precip.	Ag I O <sub>3</sub>	5.4023, 16° 5'	" "
" " Cryst. from ammonia.	" "	5.6475, 14° 5'	
Magnesium iodate	Mg I <sub>2</sub> O <sub>6</sub> . 4 H <sub>2</sub> O	3.283, 13° 5'	Bishop. F. W. C.
Barium iodate	Ba I <sub>2</sub> O <sub>6</sub>	5.2299, 18°	Fullerton. F. W. C.
Lead iodate	Pb I <sub>2</sub> O <sub>6</sub>	6.209	Schröder. Dm. 1873.
" " " "	" "	6.248	
" " " "	" "	6.257	
" " " "	" "	6.155, 20°	Fullerton. F. W. C.
Nickel iodate	Ni I <sub>2</sub> O <sub>6</sub> . 6 H <sub>2</sub> O	3.6954, 22°	" "
Cobalt iodate	Co I <sub>2</sub> O <sub>6</sub> . H <sub>2</sub> O	5.008, 18°	" "
" " " "	Co I <sub>2</sub> O <sub>6</sub> . 6 H <sub>2</sub> O	3.6659, 18° 5'	" "
Didymium periodate	Di I O <sub>5</sub> . 4 H <sub>2</sub> O	3.755	Cleve. U. N. A. 1885.
" " " "	" "	3.761 } 21° 2'	
Samarium periodate	Sm I O <sub>5</sub> . 4 H <sub>2</sub> O	3.793, 21° 2'	" "

## XXI. THIOSULPHATES,† SULPHITES, DITHIONATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium thiosulphate	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> . 5 H <sub>2</sub> O	1.672	Buignet. J. 14, 15.
" " " "	" "	1.736, 10°	Kopp. J. 8, 45.
" " " "	" "	1.734	Schiff. J. 12, 41.
" " " "	" "	1.723	W. C. Smith. Am. J. P. 53, 148.
Potassium thiosulphate	K <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	2.590	Buignet. J. 14, 15.
Magnesium thiosulphate	Mg S <sub>2</sub> O <sub>3</sub> . 6 H <sub>2</sub> O	1.818, 24°	Oliver. F. W. C.
Calcium thiosulphate	Ca S <sub>2</sub> O <sub>3</sub> . 6 H <sub>2</sub> O	1.8715, 13° 5'	Richardson. F. W. C.
" " " "	" "	1.8728, 16°	
Strontium thiosulphate	Sr S <sub>2</sub> O <sub>3</sub> . 6 H <sub>2</sub> O	2.1778, 17°	" "
Barium thiosulphate	Ba S <sub>2</sub> O <sub>3</sub> . H <sub>2</sub> O	3.4461, 16°	" "
" " " "	" "	3.4486, 18°	
Cobalt thiosulphate	Co S <sub>2</sub> O <sub>3</sub> . 6 H <sub>2</sub> O	1.935, 25°	Oliver. F. W. C.
Hydrogen sulphite or sulphurous acid.	H <sub>2</sub> S O <sub>3</sub> . 6 H <sub>2</sub> O	1.147, 15°, cryst.	Geuther. A. C. P. 224, 218.

\* For various hydrates of iodic acid see Kaemmerer, P. A. 133, 390.

† Commonly called hyposulphites.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphite.....	$\text{Na}_2\text{S O}_3 \cdot 10\text{H}_2\text{O}$ ..	1.561 .....	Buignet. J. 14, 15.
Cuprous sulphite. Red	$\text{Cu}_2\text{S O}_3 \cdot \text{H}_2\text{O}$ .....	4.46 .....	Etard. Ber. 15, 2233.
“ “ White.	“ .....	3.83, 15° .....	“ “
Hydrogen dithionate, or dithionic acid.	$\text{H}_2\text{S}_2\text{O}_6 + \text{aq.}$ .....	1.347 .....	Gay Lussac. Gm. H. 2, 175.
Lithium dithionate.....	$\text{Li}_2\text{S}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ .....	2.158 .....	Topsoë. C. C. 4, 76.
Sodium dithionate.....	$\text{Na}_2\text{S}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ .....	2.189 .....	Topsoë. B. S. C. 19, 246.
“ “ .....	“ .....	2.175, 11° .....	Baker. C. N. 36, 203.
Potassium dithionate .....	$\text{K}_2\text{S}_2\text{O}_6$ .....	2.277 .....	Topsoë. B. S. C. 19, 246.
Ammonium dithionate.....	$\text{Am}_2\text{S}_2\text{O}_6$ .....	1.704 .....	Topsoë. C. C. 4, 76.
Silver dithionate .....	$\text{Ag}_2\text{S}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ .....	3.605 .....	“ “
Magnesium dithionate .....	$\text{Mg S}_2\text{O}_6 \cdot 6\text{H}_2\text{O}$ .....	1.666 .....	Topsoë. B. S. C. 19, 246.
Zinc dithionate.....	$\text{Zn S}_2\text{O}_6 \cdot 6\text{H}_2\text{O}$ .....	1.915 .....	Topsoë. C. C. 4, 76.
Cadmium dithionate.....	$\text{Cd S}_2\text{O}_6 \cdot 6\text{H}_2\text{O}$ .....	2.272 .....	“ “
Calcium dithionate .....	$\text{Ca S}_2\text{O}_6 \cdot 4\text{H}_2\text{O}$ .....	2.180 .....	Topsoë. B. S. C. 19, 246.
“ “ .....	“ .....	2.176, 11° .....	Baker. C. N. 36, 203.
Strontium dithionate .....	$\text{Sr S}_2\text{O}_6 \cdot 4\text{H}_2\text{O}$ .....	2.373 .....	Topsoë. C. C. 4, 76.
Barium dithionate.....	$\text{Ba S}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ .....	4.536, 13° 5' .....	Baker. C. N. 36, 203.
“ “ .....	$\text{Ba S}_2\text{O}_6 \cdot 4\text{H}_2\text{O}$ .....	3.142 .....	Topsoë. C. C. 4, 76.
“ “ .....	“ .....	3.055, 24° 5' .....	Stephan. F. W. C.
Lead dithionate .....	$\text{Pb S}_2\text{O}_6 \cdot 4\text{H}_2\text{O}$ .....	3.245 .....	Topsoë. C. C. 4, 76.
“ “ .....	“ .....	3.259, 11° .....	Baker. C. N. 36, 203.
Manganese dithionate.....	$\text{Mn S}_2\text{O}_6 \cdot 6\text{H}_2\text{O}$ .....	1.757 .....	Topsoë. C. C. 4, 76.
Iron dithionate.....	$\text{Fe S}_2\text{O}_6 \cdot 7\text{H}_2\text{O}$ .....	1.875 .....	“ “
Nickel dithionate.....	$\text{Ni S}_2\text{O}_6 \cdot 6\text{H}_2\text{O}$ .....	1.908 .....	“ “
Cobalt dithionate.....	$\text{Co S}_2\text{O}_6 \cdot 8\text{H}_2\text{O}$ .....	1.815 .....	“ “

## XXII. SULPHATES.

## 1st. Simple Sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sulphate, or sulphuric acid.	$\text{H}_2\text{S O}_4$ .....	1.857 .....	Bineau. Ann. (3), 24, 337.
“ “ .....	“ .....	1.8485 .....	Ure. Schw. J. 35, 444.
“ “ .....	“ .....	1.854, 0° .....	} Marignac. J. 6, 325.
“ “ .....	“ .....	1.842, 12° .....	
“ “ .....	“ .....	1.834, 24° .....	
“ “ .....	“ .....	1.857, 0° .....	Kolb. Z. A. C. 12, 333.
“ “ .....	“ .....	1.85289, 0° .....	Marignac. Ann. (4), 22, 420.
“ “ .....	“ .....	1.8354, 18° .....	Kohlrausch. P. A. 159, 243.
“ “ .....	“ .....	1.82730, 23° .....	Nasini. Ber. 15, 2885.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sulphate, or sulphuric acid.	$H_2S O_4$ -----	1.854, 0° ----	Schertel. Ber. 15, 2734.
“ “	“ -----	1.8384, 15° ----	Lunge and Naef. Ber. 16, 953.
“ “	“ -----	1.83295, 19°.02	Mendelejeff. Ber. 17, ref. 304.
“ “	“ -----	1.8528, 0° ----	Mendelejeff. Ber. 19, 380.
“ “	“ -----	1.83904, 15° } -----	Perkin. J. C. S. 49, 777.
“ “	“ -----	1.83562, 20° } -----	
“ “	“ -----	1.83265, 25° } -----	
“ “	$H_2S O_4 \cdot H_2O$ -----	1.784, 8° ----	
“ “	“ -----	1.7943, 0° ----	Mendelejeff. Ber. 19, 380.
“ “	“ -----	1.77806, 15° } -----	Perkin. J. C. S. 49, 777.
“ “	“ -----	1.77423, 20° } -----	
“ “	“ -----	1.77071, 25° } -----	
“ “	$H_2S O_4 \cdot 2 H_2O$ -----	1.62 -----	Watts' Dictionary.
“ “	“ -----	1.6655, 0° ----	Mendelejeff. Ber. 19, 380.
“ “	“ -----	1.65084, 15° } -----	Perkin. J. C. S. 49, 777.
“ “	“ -----	1.64754, 20° } -----	
“ “	“ -----	1.64467, 25° } -----	
“ “	$H_2S O_4 \cdot 3 H_2O$ -----	1.55064, 15° } -----	“ “
“ “	“ -----	1.54754, 20° } -----	
“ “	“ -----	1.54493, 25° } -----	
Hydrogen pyrosulphate	$H_2S_2O_7$ -----	1.9 -----	Watts' Dictionary.
Hydrogen tetrasulphate	$H_2S_4O_{11}$ -----	1.983 -----	Weber. P. A. 159, 325.
Lithium sulphate	$Li_2S O_4$ -----	2.210 -----	Kremers. J. 10, 67.
“ “	“ -----	2.21, 15° ----	Brauner. P. M. (5), 11, 67.
“ “	$Li_2S O_4 \cdot H_2O$ -----	2.02 -----	Troost. J. 10, 141.
“ “	“ -----	2.052, 21° ----	Pettersson. U. N. A. 1874.
“ “	“ -----	2.056, 20° ----	
“ “	“ -----	2.066, 20° ----	
Sodium sulphate	$Na_2S O_4$ -----	2.462 -----	Mohs. Quoted by Schröder.
“ “	“ -----	2.67 -----	Breithaupt. Quoted by Schröder.
“ “	“ -----	2.73 -----	Cordier. Quoted by Schröder.
“ “	“ -----	2.640 -----	Thomson. Ann. Phil. (2), 10, 435.
“ “	“ -----	2.6313 -----	Karsten. Schw. J. 65, 394.
“ “	“ -----	2.597 -----	Playfair and Joule. M. C. S. 2, 401.
“ “	“ -----	2.629 -----	Filhol. Ann. (3), 21, 415.
“ “	“ -----	2.654 } -----	Kremers. J. 5, 15. Crystallized at different temperatures.
“ “	“ -----	2.658 } -----	
“ “	“ -----	2.674 } -----	
“ “	“ -----	2.684 } -----	
“ “	“ -----	2.693, m. of 3. } -----	
			Schröder. P. A. 106, 226.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium sulphate	$\text{Na}_2\text{S O}_4$	2.681, 20°.7	Favre and Valson. C. R. 77, 579.
"	"	2.677	} 17° { Petterson. U. N. A. 1874.
"	"	2.687	
"	"	2.66180, cryst. at 40°.	
"	"	2.66372, cryst. at 110°	} Nicol. P. M. (5), 15, 94.
"	"	2.104, at the melting p't.	
"	$\text{Na}_2\text{S O}_4 \cdot 10\text{H}_2\text{O}$	1.4457	Braun. J. C. S. (2), 13, 31.
"	"	1.850	Hassenfratz. Ann. 28, 3.
"	"	1.469, m. of 2	Thomson. Ann. Phil. (2), 10, 435.
"	"	1.520	Playfair and Joule. M. C. S. 2, 401.
"	"	1.465	Filhol. Ann. (3), 21, 415.
"	"	1.471	Schiff.
"	"	1.4608	Buignet. J. 14, 15.
"	"	1.4595	} Stolba. J. P. C. 97, 503.
"	"	1.455, 26°.5	
"	"	1.485, 19°	Favre and Valson. C. R. 77, 579.
"	"	1.492, 20°	Petterson. U. N. A. 1874.
Potassium sulphate	$\text{K}_2\text{S O}_4$	2.636	Wattson.
"	"	2.4073	Hassenfratz. Ann. 28, 3.
"	"	2.880	Thomson. Ann. Phil. (2), 10, 435.
"	"	2.6232	Karsten. Schw. J. 65, 394.
"	"	2.400	Jacquelain. A. C. P. 32, 234.
"	"	2.662	Kopp. A. C. P. 36, 1.
"	"	2.640	Playfair and Joule. M. C. S. 2, 401.
"	"	2.65606, 4°	Playfair and Joule. J. C. S. 1, 132.
"	"	2.625	Filhol. Ann. (3), 21, 415.
"	" Cryst.	2.644	} Penny. J. 8, 333.
"	" After fu- sion.	2.657	
"	"	2.676	Holker. P. M. (3), 27, 213.
"	"	2.653	Schiff. A. C. P. 107, 64.
"	"	2.658	Schröder. P. A. 106, 226.
"	"	2.572	Buignet. J. 14, 15.
"	"	2.645	Stolba. J. P. C. 97, 503.
"	"	2.648	Topsoë and Christ- iansen.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium sulphate	$K_2 S O_4$	2.660, 17°.1	Petterson. U. N. A. 1874. Richardson. F. W. C. Wise. F. W. C. W. C. Smith. Am. J. P. 45, 148. Quinke. P. A. 138, 141. Spring. Ber. 15, 1940. Details in Bull. Acad. Bel- gique IV., No. 8, 1882. Spring. Ber. 16, 2724. Jacquelain. A. C. P. 32, 234. Petterson. U. N. A. 1874. Spring. Ber. 15, 1940. Details in Bull. Acad. Bel- gique IV., No. 8, 1882.
"	"	2.667, 18°.2	
"	"	2.669, 18°.2	
"	"	2.635, 18°.5	
"	"	2.653, 14°	
"	"	2.715	
"	"	2.1, fused	
"	"	2.6651, 0°	
"	"	2.6627, 10°	
"	"	2.6603, 20°	
"	"	2.6577, 30°	
"	"	2.6551, 40°	
"	"	2.6522, 50°	
"	"	2.6492, 60°	
"	"	2.6456, 70°	
"	"	2.6420, 80°	
"	"	2.6366, 90°	
"	"	2.6311, 100°	
"	Not pressed	2.653, 21°	
"	Once "	2.651, 22°	
"	Twice "	2.656, 22°	
Potassium pyrosulphate	$K_2 S_2 O_7$	2.277	
Rubidium sulphate	$Rb_2 S O_4$	3.639, 16°.8	Petterson. U. N. A. 1874. Spring. Ber. 15, 1940. Details in Bull. Acad. Bel- gique IV., No. 8, 1882.
"	"	3.641, 16°.8	
"	"	3.6438, 0°	
"	"	3.6402, 10°	
"	"	3.6367, 20°	
"	"	3.6333, 30°	
"	"	3.6299, 40°	
"	"	3.6256, 50°	
"	"	3.6220, 60°	
"	"	3.6181, 70°	
"	"	3.6142, 80°	
"	"	3.6089, 90°	
"	"	3.6036, 100°	
Cæsium sulphate	$Cs_2 S O_4$	4.105, 19°.2	Petterson. U. N. A. 1874.
Ammonium sulphate	$Am_2 S O_4$	1.7676	Hassenfratz. Ann. 28, 3.
"	"	1.76	Kopp. J. 11, 10.
"	"	1.78	
"	"	1.750	Playfair and Joule. M. C. S. 2, 401.
"	"	1.76147, 4°	Playfair and Joule. J. C. S. 1, 138.
"	"	1.628	Schiff. A. C. P. 107, 64.
"	"	1.771, m. of 2	Schröder. P. A. 106, 226.
"	"	1.750	Buignet. J. 14, 15.
"	"	1.770, m. of 4	Petterson. U. N. A. 1874.
"	"	1.766 } extremes	
"	"	1.775 } 17°.9-18°.6	
"	"	1.7	
"	"		W. C. Smith. Am. J. P. 53, 145.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium sulphate	$\text{Am}_2\text{S O}_4$	1.765, 20° 5	Wilson. F. W. C.
"	"	1.773	Schröder. Ber. 11, 2211.
"	"	1.7763, 0°	Spring. Ber. 15, 1940. Details in Bull. Acad. Bel gique. IV., No. 8, 1882.
"	"	1.7748, 10°	
"	"	1.7734, 20°	
"	"	1.7719, 30°	
"	"	1.7703, 40°	
"	"	1.7685, 50°	
"	"	1.7667, 60°	
"	"	1.7641, 70°	
"	"	1.7617, 80°	
"	"	1.7593, 90°	
"	"	1.7567, 100°	
"	Not pressed	1.773, 20°	
"	Once "	1.750, 22°	
"	Twice "	1.760, 22°	
Mascagnite	$\text{Am}_2\text{S O}_4 \cdot \text{H}_2\text{O}$	1.72—1.73	Dana's Mineralogy.
Silver sulphate	$\text{Ag}_2\text{S O}_4$	5.341	Karsten. Schw. J. 65, 394.
"	"	5.322	Playfair and Joule. M. C. S. 2, 401.
"	"	5.410	Filhol. Ann. (3), 21, 415.
"	"	5.425	Schröder. P. A. 106, 226.
"	"	5.49	Pettersson. U.N.A. 1874.
"	"	5.54	
Thallium sulphate	$\text{Tl}_2\text{S O}_4$	6.77	Lamy. J. 15, 186.
"	"	6.603	Lamy and Des Cloi- zeaux. Nature 1, 116.
"	"	6.79, 17° 8	Pettersson. U.N.A. 1874.
"	"	6.81, 17° 2	
"	"	6.83, 17°	
Glucinum sulphate	$\text{Gl S O}_4$	2.443	Nilson and Petters- son. C. R. 91, 232.
"	$\text{Gl S O}_4 \cdot 4\text{H}_2\text{O}$	1.725	Topsoë. C. C. 4, 76.
"	"	1.6743, 22°	H. Stallo. F.W. C.
"	"	1.713	Nilson and Petters- son. C. R. 91, 232.
Magnesium sulphate	$\text{Mg S O}_4$	2.6066	Karsten. Schw. J. 65, 394.
"	"	2.706, m. of 2	Playfair and Joule. M. C. S. 2, 401.
"	"	2.628	Filhol. Ann. (3), 21, 415.
"	"	2.675, 16°	Pape. P. A. 120, 367.
"	"	2.770, 13° 8	Pettersson. U.N.A. 1876.
"	"	2.795, 14°	
"	"	2.488	Schröder. J. P. C. (2), 19, 266. Two modifications.
"	"	2.471	
"	"	2.829	
"	"	2.709, 15°	
"	$\text{Mg S O}_4 \cdot \text{H}_2\text{O}$	2.517, native	Thorpe and Watts. J. C. S. 37, 102.
"	"	"	Bischof. Dana's Min.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium sulphate	$MgSO_4 \cdot H_2O$	2.281, 16°	Pape. P. A. 120, 369.
"	"	2.339, 14°	Petersson. U.N.A. 1876.
"	"	2.340, 16°.5	
"	"	2.385	
"	"	2.478, m. of 2.	Schröder. J. P. C. (2), 19, 266.
"	"	2.445, 15°	Playfair. J. C. S. 37, 102.
"	"	2.445, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$MgSO_4 \cdot 2H_2O$	2.279	Playfair. J. C. S. 37, 102.
"	"	2.373, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$MgSO_4 \cdot 5H_2O$	1.869, m. of 2.	Playfair. J. C. S. 37, 102.
"	$MgSO_4 \cdot 6H_2O$	1.751	"
"	"	1.734, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	Two modifications.	1.6151	Schulze. P. A. (2), 31, 229.
"		1.8981	
"	$MgSO_4 \cdot 7H_2O$	1.6603	Hassenfratz. Ann. 28, 3.
"	"	1.751	Mohs. See Böttger.
"	"	1.674	Kopp. A. C. P. 36, 1.
"	"	1.660	Playfair and Joule. M. C. S. 2, 401.
"	"	1.6829, 4°	Playfair and Joule. J. C. S. 1, 138.
"	"	1.751	Filhol. Ann. (3), 21, 415.
"	"	1.685	Schiff. A. C. P. 107, 64.
"	"	1.675	Buignet. J. 14, 15.
"	"	1.636, 15°.5	Forbes. P. M. 32, 135.
"	"	1.665, 15°.5	Holker. P. M. (3), 27, 213.
"	"	1.701, 16°	Pape. P. A. 120, 373.
"	"	1.684, 15°.4	Petersson. U.N.A. 1876.
"	"	1.691, 15°.5	
"	"	1.680	Schröder. Dm. 1873.
"	"	1.675	Schröder. J. P. C. (2), 19, 266.
"	"	1.632	W. C. Smith. Am. J. P. 53, 148.
"	"	1.678, 15°	Thorpe and Watts. J. C. S. 37, 102.
Zinc sulphate	$ZnSO_4$	3.681, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	3.400	Karsten. Schw. J. 65, 394.
"	"	3.400	Filhol. Ann. (3), 21, 415.
"	"	3.435, 16°	Pape. P. A. 120, 367.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc sulphate	$ZnSO_4$	3.520	Schröder. J. P. C. (2), 19, 266. Thorpe and Watts. J. C. S. 37, 102.
" "	"	3.552	
" "	"	3.580	
" "	"	3.6235, 15°	
" "	$ZnSO_4 \cdot H_2O$	3.215, 16°	Pape. P. A. 120, 369.
" "	"	3.076	Schröder. J. P. C. (2), 19, 266.
" "	"	3.259	Playfair. J. C. S. 37, 102.
" "	"	3.2845, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$ZnSO_4 \cdot 2H_2O$	2.958, 15°	" "
" "	$ZnSO_4 \cdot 5H_2O$	2.206, 15°	" "
" "	$ZnSO_4 \cdot 6H_2O$	2.056	Playfair. J. C. S. 37, 102.
" "	"	2.072, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$ZnSO_4 \cdot 7H_2O$	1.912	Hassenfratz. Ann. 28, 3.
" "	"	2.036	Mohs. See Böttger.
" "	"	1.931, m. of 4.	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.036	Filhol. Ann. (3), 21, 415.
" "	"	1.953	Schiff. A. C. P. 107, 64.
" "	"	1.957	Buignet. J. 14, 15.
" "	"	1.9534	Stolba. J. P. C. 97, 503.
" "	"	1.976, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	1.901, 16°	Pape. P. A. 120, 374.
" "	"	2.015	Schröder. Dm. 1873.
" "	"	1.953	Schröder. J. P. C. (2), 19, 266.
" "	"	1.955	
" "	"	1.961	
" "	"	1.974, 15°	W. C. Smith. Am. J. P. 53, 148. Thorpe and Watts. J. C. S. 37, 102.
Cadmium sulphate	$CdSO_4$	4.447	Schröder. J. P. C. (2), 19, 266.
" "	$CdSO_4 \cdot H_2O$	2.939	Buignet. J. 14, 15.
" "	$3CdSO_4 \cdot 8H_2O$	3.05, 12°	Giesecke. B. D. Z.
Mercurous sulphate	$Hg_2SO_4$	7.560	Playfair and Joule. M. C. S. 2, 401.
Mercuric sulphate	$HgSO_4$	6.466	" "
Calcium sulphate	$CaSO_4$	2.9271	Karsten. Schw. J. 65, 394.
" "	"	2.955	Neumann. P. A. 23, 1.
" "	"	3.102	Filhol. Ann. (3), 21, 415.
" " Artificial cryst.	"	2.969	Manross. J. 5, 9.
" " Anhydrite	"	2.983	Schrauf. J. 15, 756.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium sulphate. Anhydrite.	$\text{Ca S O}_4$ -----	2.92, 15° -----	Fuchs. J. 15, 755.
" " -----	" -----	2.736 -----	Two lots. Schröder. Dm. 1873. Gorgeu. Ann. (6), 4, 515. Johnston. P. M. (2), 13, 325.
" " -----	" -----	2.759 -----	
" " Artificial cryst.	" -----	2.884 -----	
" " -----	" -----	2.98 -----	
" " -----	$2 \text{ Ca S O}_4, \text{ H}_2 \text{ O}$ -----	2.757 -----	Johnston. P. M. (2), 13, 325.
" " -----	$\text{Ca S O}_4, 2 \text{ H}_2 \text{ O}$ -----	2.322 -----	Leroy and Dumas.
" " -----	" -----	2.310 -----	Mohs.
" " -----	" -----	2.307 -----	Breithaupt. Schw. J. 68, 291.
" " -----	" -----	2.331 -----	Filhol. Ann. (3), 21, 415.
" " Gypsum	" -----	2.317, m. of 15.	Kenngalt. J. 6, 844.
" " -----	" -----	2.3057 -----	Stolba. J. P. C. 97, 503.
" " Powder	" -----	2.2745, 19°.4	Petersson. U. N. A. 1874.
" " -----	" -----	2.3228, 18°.2	
" " Splinters	" -----	2.3086, 18°	
" " -----	" -----	2.3223, 18°	
Strontium sulphate. Celestite.	$\text{Sr S O}_4$ -----	3.973 -----	Breithaupt. Dana's Min.
" " " -----	" -----	3.9593 -----	Beudant. Dana's Min.
" " " -----	" -----	3.96 -----	Hunt. Dana's Min.
" " " -----	" -----	3.86 -----	Mohs.
" " " -----	" -----	3.962, 15°	Kopp.
" " " -----	" -----	3.955 -----	Neumann. P. A. 23, 1.
" " Artificial cryst.	" -----	3.927 -----	Manross. J. 5, 9.
" " -----	" -----	3.949 -----	Schröder. P. A. Er- ganz. Bd. 6, 622.
" " Ppt.	" -----	3.5883 -----	Karsten. Schw. J. 65, 394.
" " " -----	" -----	3.770 -----	Filhol. Ann. (3), 21, 415.
" " " -----	" -----	3.707 -----	Schröder. P. A. 106, 226.
" " Ppt. ig- } " " nited. } " " unignited.	" -----	3.6679 -----	Schweitzer. Proc. Amer. Asso. 1877, 201.
" " " -----	" -----	3.6949 -----	
" " " -----	" -----	3.7883 -----	
" " " -----	" -----	3.9502 -----	
" " " -----	" -----	3.9514 -----	
" " " -----	" -----	3.9702 -----	
" " Artif. cryst	" -----	3.9 -----	Gorgeu. Anp. (6), 4, 515.
Barium sulphate	$\text{Ba S O}_4$ -----	4.42 -----	Breithaupt.
" " -----	" -----	4.446 -----	Mohs. Sec Böttger.
" " -----	" -----	4.2003 -----	Karsten. Schw. J. 65, 394.
" " -----	" -----	4.4695, 0° -----	Kopp.
" " Barite	" -----	4.429 -----	Neumann. P. A. 23, 1.
" " " -----	" -----	4.4773 -----	G. Rose. P. A. 75 409.
" " " -----	" -----	4.4872 -----	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Manganese sulphate	$MnSO_4 \cdot 5H_2O$	1.834	Gmelin.
"	"	2.087	Kopp. A. C. P. 36, 1.
"	"	2.095	
"	"	2.059, 16°	
"	"	2.099, 16°·2	Pape. P. A. 120, 372.
"	"	2.103, 17°·6	
"	"	2.107, 15°·2	
"	"	2.103, 15°	
Ferrous sulphate	$FeSO_4$	2.841	Pettersøn. U. N. A. 1876.
"	"	3.138	Thorpe and Watts. J. C. S. 37, 102.
"	"	3.48	Filhol. Ann. (3), 21, 415.
"	"	3.346, 15°	Playfair and Joule. M. C. S. 2, 401.
"	$FeSO_4 \cdot H_2O$	3.047	Playfair. J. C. S. 37, 102.
"	"	2.994, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$FeSO_4 \cdot 2H_2O$	2.773, 15°	"
"	$FeSO_4 \cdot 3H_2O$	2.268, 16°	Pape. P. A. 120, 371.
"	$FeSO_4 \cdot 4H_2O$	2.227, 15°	Thorpe and Watts. J. C. S. 37, 102.
"	$FeSO_4 \cdot 7H_2O$	1.8399	Hassenfratz. Ann. 28, 3.
"	"	1.857, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.8889, 4°	Playfair and Joule. J. C. S. 1, 138.
"	"	1.904	Filhol. Ann. (3), 21, 415.
"	"	1.884	Schiff. A. C. P. 107, 64.
"	"	1.902	Buignet. J. 14, 15.
"	"	1.851, 15°·5	Holker. P. M. (3), 27, 214.
"	"	1.9854, 16°	Pape. P. A. 120, 372.
"	"	1.881	Schröder. Dm. 1873
"	"	1.897	Schröder. J. P. C. (2), 19, 266.
"	"	1.896	W. C. Smith. Am. J. P. 53, 145.
Ferric sulphate	$Fe_2(SO_4)_3$	3.097, 18°	Pettersson. U. N. A. 1874.
"	"	3.098, 18°·5	
"	"	3.103, 18°·2	
Coquimbite	$Fe_2(SO_4)_3 \cdot 9H_2O$	2.0—2.1	Dana's Mineralogy.
"	"	2.092	Breithaupt. See Z. K. M. 3, 520.
Ihleite	$Fe_2(SO_4)_3 \cdot 12H_2O$	1.812	Schrauf. N. J. 1877, 252.
Nickel sulphate	$NiSO_4$	3.643, 16°	Pape. P. A. 120, 369.
"	"	3.652	Schröder. J. P. C. (2), 19, 266.
"	"	3.696	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nickel sulphate	$\text{Ni S O}_4$	3.526	Playfair. J. C. S. 37, 102.
" "	"	3.418, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Ni S O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.042	Topsoë. C. C. 4, 76.
" "	"	2.074	
" "	"	2.031, 15°	
" "	$\text{Ni S O}_4 \cdot 7 \text{ H}_2 \text{ O}$	2.037	Thorpe and Watts. J. C. S. 37, 102.
" "	"	1.931	Kopp. A. C. P. 36, 1.
" "	Morenosite	"	Schiff. A. C. P. 107, 64.
" "	"	2.004	Fulda. J. 17, 859.
" "	"	1.877, 16°	Pape. P. A. 120, 373.
" "	"	1.955, 14°	Pettersson. U. N. A. 1876.
" "	"	1.949, 15°	Thorpe and Watts. J. C. S. 37, 102.
Cobalt sulphate	$\text{Co S O}_4$	3.531	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.614, 15°.6	Pettersson. U. N. A. 1876.
" "	"	3.615, 16°	
" "	"	3.444	
" "	"	3.472, 15°	Playfair. J. C. S. 37, 102.
" "	"	3.472, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Co S O}_4 \cdot \text{H}_2 \text{ O}$	3.125, 15°	" "
" "	$\text{Co S O}_4 \cdot 2 \text{ H}_2 \text{ O}$	2.712	Playfair. J. C. S. 37, 102.
" "	"	2.668, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Co S O}_4 \cdot 4 \text{ H}_2 \text{ O}$	2.327, 15°	" "
" "	$\text{Co S O}_4 \cdot 5 \text{ H}_2 \text{ O}$	2.134, 15°	" "
" "	$\text{Co S O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.019, 15°	" "
" "	$\text{Co S O}_4 \cdot 7 \text{ H}_2 \text{ O}$	1.924	Schiff. A. C. P. 107, 64.
" "	"	1.958, 15°.6	Pettersson. U. N. A. 1876.
" "	"	1.964, 15°.5	
" "	"	1.958	
" "	"	1.918, 15°	Schröder. J. P. C. (2), 19, 266.
" "	"	1.918, 15°	Thorpe and Watts. J. C. S. 37, 102.
Copper sulphate	$\text{Cu S O}_4$	3.631	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.572	Karsten. Schw. J. 65, 394.
" "	"	3.530	Filhol. Ann. (3), 21, 415.
" "	"	3.527, 16°	Pape. P. A. 120, 368.
" "	"	3.707, 19°	Favre and Vulson. C. R. 77, 579.
" "	"	3.82, 17°.1	Pettersson. U. N. A. 1874.
" "	"	3.83, 18°	
" "	"	3.651, 11°	
" "	"	3.83	Hampe. Z. C. 13, 367.
" "	"	3.83	Schröder. J. P. C. (2), 19, 266.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Copper sulphate	$\text{Cu S O}_4$	3.606, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot \text{H}_2 \text{O}$	3.125, 16°	Pape. P. A. 120, 370.
" "	"	3.235, 17°.2	} Petterson. U. N. A. 1874.
" "	"	3.239, 18°.1	
" "	"	3.246, 18°	
" "	"	3.038	
" "	"	3.206	Schröder. J. P. C. (2), 19, 266.
" "	"	3.206	Playfair. J. C. S. 37, 102.
" "	"	3.289, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot 2 \text{H}_2 \text{O}$	2.808, 16°	Pape. P. A. 120, 371.
" "	"	2.878	} Playfair. J. C. S. 37, 102.
" "	"	2.891	
" "	"	2.953, 15°	Thorpe and Watts. J. C. S. 37, 102.
" "	$\text{Cu S O}_4 \cdot 3 \text{H}_2 \text{O}$	2.663, 15°	" "
" "	$2 \text{Cu S O}_4 \cdot 7 \text{H}_2 \text{O}$	2.648, 15°	" "
" "	$\text{Cu S O}_4 \cdot 5 \text{H}_2 \text{O}$	2.1943	Hassenfratz. Ann. 28, 3.
" "	"	2.2	Gmelin.
" "	Native	2.297	Breithaupt. J. P. C. 11, 151.
" "	"	2.274	Kopp. A. C. P. 36, 1.
" "	"	2.254	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.286	Filhol. Ann. (3), 21, 415.
" "	"	2.2422	} 4° { Playfair and Joule. J. C. S. 1, 138.
" "	"	2.2781	
" "	"	2.2901	
" "	"	2.302	Buignet. J. 14, 15.
" "	"	2.2778	Stolba. J. P. C. 97, 503.
" "	"	2.268, 16°	Pape. P. A. 120, 371.
" "	"	2.248, 18°.9	Favre and Valson. C. R. 77, 579.
" "	"	2.286, 19°.4	} Petterson. U. N. A. 1874.
" "	"	2.292, 20°	
" "	"	2.277	Schröder. Dm. 1873.
" "	"	2.263	} Schröder. J. P. C. (2), 19, 266.
" "	"	2.296	
" "	"	2.330	Rüdorff. Ber. 12, 251.
" "	"	2.212	W. C. Smith. Am. J. P. 53, 145.
" "	"	2.284, 15°	Thorpe and Watts. J. C. S. 37, 102.
Chromic sulphate	$\text{Cr}_2 (\text{S O}_4)_3$	2.743, 17°.2	Favre and Valson. C. R. 77, 579.
" "	"	3.012	Nilson and Petterson. C. R. 91, 232.
" "	$\text{Cr}_2 (\text{S O}_4)_3 \cdot 15 \text{H}_2 \text{O}$	1.696, 22°	Schrötter. P. A. 53, 513.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chromic sulphate	$\text{Cr}_2 (\text{S O}_4)_3 \cdot 15 \text{H}_2 \text{O}$	1.867, 17° 2	Favre and Valson. C. R. 77, 579.
Aluminum sulphate	$\text{Al}_2 (\text{S O}_4)_3$	2.7400	Karsten. Schw. J. 65, 394.
"	"	2.171	Playfair and Joule. M. C. S. 2, 401.
"	"	2.672, 22° 5	Favre and Valson. C. R. 77, 579.
"	"	2.710	Pettersson. U. N. A. 1874.
"	"	2.716	
"	$\text{Al}_2 (\text{S O}_4)_3 \cdot 18 \text{H}_2 \text{O}$	1.671, m. of 2	Playfair and Joule. M. C. S. 2, 401.
"	"	1.569	Filhol. Ann. (3), 21, 415.
"	"	1.767, 22° 1	Favre and Valson. C. R. 77, 579.
Indium sulphate	$\text{In}_2 (\text{S O}_4)_3$	3.438	Nilson and Pettersson. C. R. 91, 232.
Scandium sulphate	$\text{Sc}_2 (\text{S O}_4)_3$	2.579	"
Yttrium sulphate	$\text{Y}_2 (\text{S O}_4)_3$	2.606, 19° 4	Pettersson. U. N. A. 1876.
"	"	2.615, 15°	
"	"	2.626, 19° 3	
"	"	2.612	
"	$\text{Y}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	2.52	Nilson and Pettersson. C. R. 91, 232.
"	"	2.53	Cleve and Hoeglund. B. S. C. 18, 200.
"	"	2.531, 19° 6	Topsoë. Quoted by Pettersson.
"	"	2.537, 19° 4	
"	"	2.552, 15°	
"	"	2.540	
Erbium sulphate	$\text{Er}_2 (\text{S O}_4)_3$	3.518, 14° 5	Pettersson. U. N. A. 1876.
"	"	3.524, 14° 2	
"	"	3.678	Nilson and Pettersson. C. R. 91, 232.
"	$\text{Er}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	3.17	Cleve and Hoeglund. B. S. C. 18, 200.
"	"	3.230, 16° 4	Pettersson. U. N. A. 1876.
"	"	3.242, 16° 6	
"	"	3.248, 17° 1	
"	"	3.180	
Ytterbium sulphate	$\text{Yb}_2 (\text{S O}_4)_3$	3.793	Nilson and Pettersson. C. R. 91, 232.
"	$\text{Yb}_2 (\text{S O}_4)_3 \cdot 8 \text{H}_2 \text{O}$	3.286	"
Lanthanum sulphate	$\text{La}_2 (\text{S O}_4)_3$	3.53, 13° 6	Pettersson. U. N. A. 1876.
"	"	3.67, 15° 4	
"	"	3.600	Nilson and Pettersson. C. R. 91, 232.
"	"	3.544	Brauner. S. W. A. June, 1882.
"	"	3.545	
"	$\text{La}_2 (\text{S O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	2.827	Topsoë. Quoted by Pettersson.
"	"	2.848, 17° 2	Pettersson. U. N. A. 1876.
"	"	2.864, 17° 4	
"	"	2.853	Nilson and Pettersson. C. R. 91, 232.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cerium sulphate	$Ce_2(SO_4)_3$	3.916, 12°.5	Pettersson. U. N. A. 1876.
" "	"	3.912	Nilson and Pettersson. C. R. 91, 232.
" "	$Ce_2(SO_4)_3 \cdot 5 H_2O$	3.214, 14°.2	Pettersson. U. N. A. 1876.
" "	"	3.232, 14°	
" "	"	3.220	Nilson and Pettersson. C. R. 91, 232.
Didymium sulphate	$Di_2(SO_4)_3$	3.722, 14°.6	Pettersson. U. N. A. 1876.
" "	"	3.756, 15°.6	
" "	"	3.735	Nilson and Pettersson. C. R. 91, 232.
" "	"	3.662	Cleve. U. N. A. 1885.
" "	"	3.672	
" "	$Di_2(SO_4)_3 \cdot 8 H_2O$	2.82	Cleve and Hoeglund. B. S. C. 18, 200.
" "	"	2.877, 16°.4	Pettersson. U. N. A. 1876.
" "	"	2.886, 14°.8	
" "	"	2.878	Nilson and Pettersson. C. R. 91, 262.
" "	"	2.827, 14°.8	Cleve. U. N. A. 1885.
" "	"	2.828, 16°.2	
" "	"	2.831, 16°	
Samarium sulphate	$Sm_2(SO_4)_3$	3.898, 18°.3	" "
" "	$Sm_2(SO_4)_3 \cdot 8 H_2O$	2.928	" "
" "	"	2.932	
Thorium sulphate	$Th(SO_4)_2$	4.053, 22°.8	Clarke. A. C. J. 2, 175.
" "	"	4.2252, 17°	Krüss and Nilson. Ber. 20, 1675.
" "	$2 Th(SO_4)_2 \cdot 9 H_2O$	3.398, 24°	Clarke. A. C. J. 2, 175.
" "	$Th(SO_4)_2 \cdot 9 H_2O$	2.767	Topsoë. B. S. C. 21, 120.
Uranyl sulphate	$UO_2 \cdot SO_4 \cdot 3 H_2O$	3.280, 16°.5	H. Schmidt. F. W. C.

## 2d. Double and Triple Sulphates.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium hydrogen sulphate	$NaHSO_4$	2.742	Playfair and Joule. M. C. S. 2, 401.
Potassium hydrogen sulphate.	$KHSO_4$	2.112	Thomson. Ann. Phil. (2), 10, 435.
" " "	"	2.163	Jacquelin. A. C. P. 32, 234.
" " "	"	2.475, m. of 2	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.47767, 4°	Playfair and Joule. J. C. S. 1, 138.

\* Exclusive of basic or partly basic double sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium hydrogen sulphate.	$KHSO_4$	2.305, cryst.	} Schröder. Dm. 1873.
" " "	"	2.354 } cryst.	
" " "	"	2.355 } mass.	
" " "	"	2.091, after fusion.	
" " "	"	2.245, cryst.	Wyrouboff. B. S. M. 7, 7.
Ammonium hydrogen sulphate.	$AmHSO_4$	1.761, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.787	Schiff. A. C. P. 107, 64.
Sodium potassium sulphate.	$Na_2SO_4 \cdot 3K_2SO_4$	2.668	} Two lots. Penny. J. 8, 333.
" " "	"	2.671	
Lithium ammonium sulphate.	$AmLiSO_4$	1.164	} Wyrouboff. B. S. M. 5, 42.
" " "	"	1.204 } two modifications	
Sodium ammonium sulphate.	$AmNaSO_4 \cdot 2H_2O$	1.63	Schiff. A. C. P. 114, 68.
Potassium ammonium sulphate.	$AmKSO_4$	2.280	Schiff. A. C. P. 107, 64.
Guanovulite	$Am_2K_7H_3(SO_4)_6$	2.33	} Wibel. Ber. 7, 393.
"	$4H_2O$	2.65	
Glauberite	$Na_2Ca(SO_4)_2$	2.767	Breithaupt. Schw. J. 68, 291.
"	"	2.64	Ulex. J. 2, 776.
Syngenite	$K_2Ca(SO_4)_2 \cdot H_2O$	2.603, 17° 5.	Zepharovich. J. 25, 1143.
"	"	2.252	Rumpf. Dana's Min., 2d Supp.
Dreelite	$CaSO_4 \cdot 3BaSO_4$	3.2—3.4	Dana's Mineralogy.
Polyhalite	$K_2Ca_2Mg(SO_4)_4 \cdot 2H_2O$	2.7689	"
Krugite	$K_2Ca_4Mg(SO_4)_6 \cdot 2H_2O$	2.801	Precht. Ber. 14, 2138.
Simonyite	$Na_2Mg(SO_4)_2 \cdot 4H_2O$	2.244	Tschermak. J. 22, 1241.
Loewite	$Na_4Mg_2(SO_4)_4 \cdot 5H_2O$	2.376	Haidinger. J. 1, 1220.
Krönnkite	$Na_2Cu(SO_4)_2 \cdot 2H_2O$	2.5	Domeyko. Dana's Min., 3d Supp.
Potassium magnesium sulphate.	$K_2Mg(SO_4)_2$	2.676	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.735	} Schröder. Ber. 7, 1117.
" " "	"	2.750	
" " "	$K_2Mg(SO_4)_2 \cdot 6H_2O$	2.076, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.05319, 4°	Playfair and Joule. J. C. S. 1, 138.
" " "	"	1.995	Schiff. A. C. P. 107, 64.
" " "	"	2.024	Topsoë and Christ- iansen.
" " "	"	2.034	Schröder. Dm. 1873.
" " "	"	2.036	} Schröder. J. P. C. (2), 19, 266.
" " "	"	2.048	
Ammonium magnesium sulphate.	$Am_2Mg(SO_4)_2$	2.080	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium magnesium sulphate.	$\text{Am}_2 \text{Mg} (\text{S O}_4)_2$	2.095	Schröder. J. P. C. (2), 19, 266.
"	"	2.141	
"	$\text{Am}_2 \text{Mg} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.696	Gmelin.
"	"	1.721	Playfair and Joule.
"	"	1.71686, 4°	M. C. S. 2, 401.
"	"	1.680	Playfair and Joule.
"	"	1.762	J. C. S. 1, 138.
"	"	1.720	Schiff. A. C. P. 107, 64.
"	"	1.723	Buignet. J. 14. 15.
"	"	1.727	Topsøe and Christiansen.
"	"	1.723	Schröder. J. P. C. (2), 19, 266.
"	"	1.727	
Potassium zinc sulphate.	$\text{K}_2 \text{Zn} (\text{S O}_4)_2$	2.816	Playfair and Joule.
"	"	2.946	M. C. S. 2, 401.
"	"	2.891	
"	"	3.027	Various lots, differently treated.
"	"	2.703	
"	"	2.738	
"	"	2.738	
"	$\text{K}_2 \text{Zn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.153	Schröder. J. P. C. (2), 19, 266.
"	"	2.245	Kopp. A. C. P. 36, 1.
"	"	2.24034, 4°	Playfair and Joule.
"	"	2.153	M. C. S. 2, 401.
"	"	2.249	Playfair and Joule.
"	"	2.235	J. C. S. 1, 138.
"	"	2.240	Schiff. A. C. P. 107, 64.
"	"	2.240	Schröder. Dm. 1873.
"	"	2.240	Schröder. J. P. C. (2), 19, 266.
Ammonium zinc sulphate	$\text{Am}_2 \text{Zn} (\text{S O}_4)_2$	2.222	Playfair and Joule.
"	"	2.258	M. C. S. 2, 401.
"	"	2.288	Schröder. J. P. C. (2), 19, 266.
"	$\text{Am}_2 \text{Zn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.897, m. of 2.	Playfair and Joule.
"	"	1.910	M. C. S. 2, 401.
"	"	1.919	Schiff. A. C. P. 107, 64.
"	"	1.921	Schröder. J. P. C. (2), 19, 266.
"	"	1.925	
"	"	1.925	
Potassium cadmium sulphate.	$\text{K}_2 \text{Cd} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.438	Schiff. A. C. P. 107, 64.
Ammonium cadmium sulphate.	$\text{Am}_2 \text{Cd} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	2.073	"
Potassium manganese sulphate.	$\text{K}_2 \text{Mn} (\text{S O}_4)_2$	3.008, m. of 2.	Playfair and Joule.
"	"	3.031	M. C. S. 2, 401.
"	"	2.954	Schröder. Ber. 7, 1118.
"	"	2.313	Schröder. J. P. C. (2), 19, 266.
Ammonium manganese sulphate.	$\text{Am}_2 \text{Mn} (\text{S O}_4)_2 \cdot 6 \text{H}_2 \text{O}$	1.930	Thomson. Gm. H. 1, 71.
"	"	1.823	Schröder. J. P. C. (2), 19, 266.
"	"	1.827	
Potassium iron sulphate.	$\text{K}_2 \text{Fe} (\text{S O}_4)_2$	3.042	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium iron sulphate.	$K_2 Fe(SO_4)_2 \cdot 6H_2O$ .	2.202 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.189 -----	Schiff. A. C. P. 107, 64.
Ammonium iron sulphate	$Am_2 Fe(SO_4)_2 \cdot 6H_2O$	1.848, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.813 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.886 -----	Schröder. J. P. C. (2), 19, 266.
Potassium nickel sulphate	$K_2 Ni(SO_4)_2$ -----	2.897, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	3.086 -----	Schröder. Ber. 7, 1117.
“ “ “	$K_2 Ni(SO_4)_2 \cdot 6H_2O$	2.111 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	2.136 -----	
“ “ “	“	1.921 -----	
“ “ “	“	1.922 -----	
Ammonium nickel sulphate.	$Am_2 Ni(SO_4)_2 \cdot 6H_2O$	1.783 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	1.915 -----	
“ “ “	“	1.921 -----	
Potassium cobalt sulphate	$K_2 Co(SO_4)_2$ -----	3.105 -----	Schröder. Ber. 7, 1118.
“ “ “	$K_2 Co(SO_4)_2 \cdot 6H_2O$ ----	2.154 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	2.205, 16°.8	Petterson. U. N. A. 1876.
“ “ “	“	2.214, 16°.6	
Ammonium cobalt sulphate.	$Am_2 Co(SO_4)_2 \cdot 6H_2O$	1.873 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.902, 18°	Petterson. U. N. A. 1876.
“ “ “	“	1.907, 16°.6	
“ “ “	“	1.893 -----	Schröder. J. P. C. (2), 19, 266.
Thallium cobalt sulphate.	$Tl_2 Co(SO_4)_2 \cdot 6H_2O$ ----	3.729, 16°.2	Petterson. U. N. A. 1876.
“ “ “	“	3.769, 16°	
“ “ “	“	3.803, 16°.4	
Potassium coppersulphate.	$K_2 Cu(SO_4)_2$ -----	2.797, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.784, 20°.5	Favre and Valson. C. R. 77, 579.
“ “ “	“	2.754	Schröder. Dm. 1873.
“ “ “	“	2.779	
“ “ “	“	2.789	
“ “ “	$K_2 Cu(SO_4)_2 \cdot 6H_2O$	2.244, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.16376, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	2.137 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	2.186, 18°.8	Favre and Valson. C. R. 77, 579.
“ “ “	“	2.224 -----	Schröder. Dm. 1870.
“ “ “	“	2.221, 16°	Petterson. U. N. A. 1876.
Ammonium copper sulphate.	$Am_2 Cu(SO_4)_2$ -----	2.197, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.348 -----	Schröder. J. P. C. (2), 19, 266.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium copper sulphate.	$\text{Am}_2\text{Cu}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$	1.756 -----	Kopp. A. C. P. 36, 1. Playfair and Joule. M. C. S. 2, 401. Playfair and Joule. J. C. S. 1, 138. Schiff. A. C. P. 107, 64. Pettersson. U. N. A. 1876. Evans. F. W. C. Schiff. A. C. P. 107, 64.
“ “ “	“	1.757 -----	
“ “ “	“	1.891, m. of 2	
“ “ “	“	1.89378, 4°	
“ “ “	“	1.931 -----	
“ “ “	“	1.925, 15° 2	
“ “ “	“	1.931, 15° 8	} Pettersson. U. N. A. 1876.
“ “ “	“	1.870, 22°	
Magnesium zinc sulphate.	$\text{MgZn}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.817 -----	Schiff. A. C. P. 107, 64.
Magnesium cadmium sulphate.	$\text{MgCd}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.983 -----	“ “
Magnesium iron sulphate.	$\text{MgFe}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.733 -----	“ “
Magnesium copper sulphate.	$\text{MgCu}(\text{SO}_4)_2 \cdot 14\text{H}_2\text{O}$	1.813 -----	“ “
Fauserite -----	$\text{MgMn}_2(\text{SO}_4)_3 \cdot 15\text{H}_2\text{O}$	1.88 -----	Breithaupt. J. 18, 901.
Zinc iron manganese sulphate. Native.	$\text{ZnFeMn}_5(\text{SO}_4)_7 \cdot 28\text{H}_2\text{O}$	2.1627 -----	Iles. A. C. J. 3, 420.
Mendozite -----	$\text{NaAl}(\text{SO}_4)_2 \cdot 11\text{H}_2\text{O}$	1.88 -----	Thomson. Dana's Min.
Sodium aluminum alum.	$\text{NaAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.641 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.567 -----	Buignet. J. 14, 15.
“ “ “	“	1.686, 18°	} Pettersson. U. N. A. 1874. Soret. J. C. S. 50, 596.
“ “ “	“	1.693, 18°	
“ “ “	“	1.694, 18° 2	
“ “ “	“	1.73 -----	
Potassium aluminum alum.*	$\text{KAl}(\text{SO}_4)_2$	2.228, m. of 2	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	2.6846	} Pettersson. U. N. A. 1876.
“ “ “	“	2.6905	
“ “ “	$\text{KAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.7109 -----	Hassenfratz. Ann. 28, 3.
“ “ “	“	1.753 -----	Dufrenoy.
“ “ “	“	1.724 -----	Kopp. A. C. P. 36, 1.
“ “ “	“	1.726, m. of 4	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“	1.75125, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	1.711 -----	Schröder. Dm. 1873.
“ “ “	“	1.749, 21°	} Pettersson. U. N. A. 1874.
“ “ “	“	1.753, 21°	
“ “ “	“	1.755, 20° 5	
“ “ “	“	1.753 -----	
“ “ “	“	1.722 -----	W. C. Smith. Am. J. P. 53, 145.
“ “ “	“	1.722 -----	Schiff. A. C. P. 107, 64.
“ “ “	“	1.757 -----	Buignet. J. 14, 15.
“ “ “	“	1.7505 -----	Stolba. J. P. C. 97, 503.

\* The dehydrated alums are included here for convenience.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Potassium aluminum alum	$K Al(SO_4)_2 \cdot 12H_2O$	1.7546, 0°	Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.	
"	"	1.7542, 10°		
"	"	1.7538, 20°		
"	"	1.7532, 30°		
"	"	1.7526, 40°		
"	"	1.7521, 50°		
"	"	1.7501, 60°		
"	"	1.7474, 70°		
"	"	1.7252, 80°		
"	"	1.7067, 90°		
"	"	1.758, 21°, not pressed.		
"	"	1.756, 16°.5, once pressed.		Spring. Ber. 16, 2724.
"	"	1.750, 16°.5, twice pressed		
"	"	1.735		Soret. C. R. 99, 867.
Rubidium aluminum alum	$Rb Al(SO_4)_2$	2.7832, 14°.8	Pettersson. U. N. A. 1876.	
"	"	2.7910, 15°	Redtenbacher. S. W. A. 51, 248. Pettersson. U. N. A. 1874. Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408. Setterberg. Ber. 15, 1740. Soret. C. R. 99, 867. Redtenbacher. S. W. A. 51, 248. Pettersson. U. N. A. 1874. Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.	
"	$Rb Al(SO_4)_2 \cdot 12H_2O$	1.874		
"	"	1.890 } 20°		
"	"	1.891 } 20°		
"	"	1.8667, 0°		
"	"	1.8648, 10°		
"	"	1.8639, 20°		
"	"	1.8635, 30°		
"	"	1.8631, 40°		
"	"	1.8624, 50°		
"	"	1.8619, 60°		
"	"	1.8611, 70°		
"	"	1.8596, 80°		
"	"	1.8578, 90°		
"	"	1.8554, 100°		
"	"	1.883 } 20°.6		
"	"	1.886 } 20°.6		
"	"	1.852		
Cæsium aluminum alum	$Cs Al(SO_4)_2 \cdot 12H_2O$	2.003		
"	"	1.994, 18°.1	Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.	
"	"	2.000, 20°		
"	"	2.0215, 0°		
"	"	2.0210, 10°		
"	"	2.0205, 20°		
"	"	2.0200, 30°		
"	"	3.0194, 40°		
"	"	2.0189, 50°		
"	"	2.0186, 60°		
"	"	2.0173, 70°		
"	"	2.0153, 80°		
"	"	2.0107, 90°		
"	"	2.0061, 100°		
"	"	1.983, 18°, not pressed.		Spring. Ber. 16, 2724.
"	"	2.000, 20°, once pressed.		
"	"	2.005, 20°, twice pressed		

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cæsium aluminum alum.	$\text{CsAl}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.911	Soret. C. R. 99, 867.
Ammonium aluminum alum.	$\text{Am Al}(\text{SO}_4)_2$	2.039	Playfair and Joule. M. C. S. 2, 401.
"	$\text{Am Al}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.602	Breithaupt. J. P. C. 11, 151.
"	"	1.625	Kopp. A. C. P. 36, 1.
"	"	1.626	
"	"	1.625	
"	"	1.621	Playfair and Joule. M. C. S. 2, 401.
"	"	1.621	Schiff. A. C. P. 107, 64.
"	"	1.653	Buignet. J. 14, 15.
"	"	1.642, m. of 4.	} Pettersson. U. N. A. 1874.
"	"	1.638 } extremes	
"	"	1.647 } $18^\circ 2-19^\circ 5$	
"	"	1.661	
"	"	1.6357, 0°	} Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.
"	"	1.6351, 10°	
"	"	1.6346, 20°	
"	"	1.6345, 30°	
"	"	1.6340, 40°	
"	"	1.6336, 50°	
"	"	1.6332, 60°	
"	"	1.6328, 70°	
"	"	1.6323, 80°	
"	"	1.6299, 90°	
"	"	1.6275, 100°	} Spring. Ber. 16, 2724.
"	"	1.641, 18°, not pressed.	
"	"	1.629, 16°.5, once pressed.	
"	"	1.634, 18°, twice pressed	} Soret. C. R. 99, 867.
"	"	1.631	
Methylamine aluminum alum.	$(\text{NH}_2\text{CH}_3)\text{Al}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.568	"
Thallium aluminum alum	$\text{Tl Al}(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.645, 17°	Pettersson. U. N. A. 1874.
"	$\text{Tl Al}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.348, 15°.8	} " "
"	"	2.366, 21°	
"	"	2.368, 20°.6	
"	"	2.384, 17°	
"	"	2.320, 22°, not pressed.	
"	"	2.314, 16°.5, once pressed.	} Spring. Ber. 16, 2724.
"	"	2.314, 18°, twice pressed	
"	"	2.3226, 0°	
"	"	2.3213, 10°	} Spring. Ber. 17, 408.
"	"	2.3200, 20°	
"	"	2.3189, 30°	
"	"	2.3184, 40°	
"	"	2.3181, 50°	
"	"	2.257	} Soret. C. R. 99, 867.
Potassium chrome alum	$\text{K Cr}(\text{SO}_4)_2$	2.1583, 14°.1	
"	"	2.1618, 14°.4	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chrome alum	$K Cr (SO_4)_2 \cdot 12 H_2 O$	1.848 -----	Kopp. A. C. P. 36, 1.
" " "	"	1.826 -----	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.85609, 4°	Playfair and Joule. J. C. S. 1, 138.
" " "	"	1.845, 12°	Schiff. A. C. P. 107, 64.
" " "	"	1.839, 21°	} Pettersson. U. N. A. 1874.
" " "	"	1.840, 21°	
" " "	"	1.841, 20°.2	
" " "	"	1.849, 21°	
" " "	"	1.807	
" " "	"	1.808	} Schröder. Dm. 1873.
" " "	"	1.8278, 0°	
" " "	"	1.8273, 10°	
" " "	"	1.8269, 20°	
" " "	"	1.8265, 30°	
" " "	"	1.8260, 40°	} Spring. Ber. 15, 1254, and Bei. 6, 648. Also a series in Ber. 17, 408.
" " "	"	1.8255, 50°	
" " "	"	1.8223, 60°	
" " "	"	1.8044, 70°	
" " "	"	1.7456, 80°	
" " "	"	1.828, 20°, not pressed.	} Spring. Ber. 16, 2724.
" " "	"	1.823, 16°.5, oncepressed.	
" " "	"	1.817	Soret. C. R. 99, 867.
Rubidium chrome alum	$Rb Cr (SO_4)_2 \cdot 12 H_2 O$	1.967	} Pettersson. U. N. A. 1874.
" " "	"	1.969	
" " "	"	1.946	
Cæsium chromium alum	$Cs Cr (SO_4)_2 \cdot 12 H_2 O$	2.043	Soret. C. R. 99, 867.
Ammonium chrome alum	$Am Cr (SO_4)_2$	1.9943, 14°.7	" " "
" " "	$Am Cr (SO_4)_2 \cdot 12 H_2 O$	1.738, 21°	Pettersson. U. N. A. 1876.
" " "	"	1.738, 21°	Schröder. P. A. 53, 513.
" " "	"	1.728, 20°	Pettersson. U. N. A. 1874.
" " "	"	1.719	Soret. C. R. 99, 867.
Thallium chrome alum	$Tl Cr (SO_4)_2 \cdot 12 H_2 O$	2.392, 15°	} Pettersson. U. N. A. 1874.
" " "	"	2.402, 18°	
" " "	"	2.236	
Potassium iron alum	$K Fe (SO_4)_2 \cdot 12 H_2 O$	1.831	Soret. C. R. 99, 867.
" " "	"	1.819, 16°.8	} Topsoë. C. C. 4, 76.
" " "	"	1.822, 17°.5	
" " "	"	1.831, 17°	
" " "	"	1.806	
Rubidium iron alum	$Rb Fe (SO_4)_2 \cdot 12 H_2 O$	1.916	Pettersson. U. N. A. 1874.
Cæsium iron alum	$Cs Fe (SO_4)_2 \cdot 12 H_2 O$	2.061	" " "
Ammonium iron alum	$Am Fe (SO_4)_2$	2.54, 16°.8	Soret. C. R. 99, 867.
" " "	$Am Fe (SO_4)_2 \cdot 12 H_2 O$	1.712	Pettersson. U. N. A. 1874.
" " "	"	1.712	Kopp. A. C. P. 36, 1.
" " "	"	1.718	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.719	Topsoë. C. C. 4, 76.
" " "	"	1.700	Schröder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium iron alum	$\text{AmFe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.720, 18°.2	Petterson. U. N. A. 1874.
“ “ “	“	1.723, 18°	
“ “ “	“	1.725, 17°	
“ “ “	“	1.713	
Thallium iron alum	$\text{TlFe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.351, 15	Petterson. U. N. A. 1874.
“ “ “	“	2.385	Soret. C. R. 99, 867.
Potassium gallium alum	$\text{K Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.895	Soret. C. R. 101, 156.
Rubidium gallium alum	$\text{Rb Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.962	“ “
Ammonium gallium alum	$\text{Am Ga}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.745	Soret. C. R. 99, 867.
“ “ “	“	1.775	Soret. C. R. 101, 156.
Rubidium indium alum	$\text{Rb In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.065	“ “
Cæsium indium alum	$\text{Cs In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.241	“ “
Ammonium indium alum	$\text{Am In}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.011	Soret. C. R. 99, 867.
Sonomaite	$\text{Mg}_3\text{Al}_2(\text{SO}_4)_6 \cdot 33\text{H}_2\text{O}$	1.604	Goldsmith. J. 30, 1297.
Roemerite. (Ferroso-fer- ric sulphate.)	$\text{Fe}_3(\text{SO}_4)_4 \cdot 12\text{H}_2\text{O}$	2.15—2.18	Graulich. J. 11, 730.
Uranyl potassium sulphate	$\text{UO}_2\text{K}_2(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.363, 19°.1	Schmidt. F. W. C.
Uranyl ammonium sulphate.	$\text{UO}_2\text{Am}_2(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$	3.0131, 21°.5	“ “
Didymium ammonium sulphate.	$\text{Am Di}(\text{SO}_4)_2$	3.075 } 15°	Cleve. U. N. A. 1885.
“ “	“	3.086	
“ “	$\text{Am Di}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$	2.575, 15°	
Samarium ammonium sulphate.	$\text{Am Sm}(\text{SO}_4)_2$	3.191, 18°	“ “
“ “	$\text{Am Sm}(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$	2.674 } 18°.4	“ “
“ “	“	2.677	

## 3d. Basic and Ammonio-Sulphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrabasic zinc sulphate.	$\text{Zn}_4\text{S O}_7 \cdot 4\text{H}_2\text{O}$	3.122	Playfair and Joule. M. C. S. 2, 401.
Mercuric orthosulphate, or turpeth mineral.	$\text{Hg}_3\text{S O}_6$	8.319	“ “
Tetrabasic copper sulphate	$\text{Cu}_4\text{S O}_7 \cdot 4\text{H}_2\text{O}$	3.082, m. of 2	“ “
“ “ } Langite. }	“	3.48	
“ “ } Langite. }	“	3.50	Maskelyne. J. 18, 901.
Herregrundite	$\text{Cu}_5\text{S}_2\text{O}_{11} \cdot 7\text{H}_2\text{O}$	3.132	Winkler. Dana's Min., 3d App.
Brochantite*	$\text{Cu}_7\text{S}_2\text{O}_{13} \cdot 5\text{H}_2\text{O}$	3.78—3.87	Magnus. P. A. 14, 141.
“	“	3.9069	G. Rose. Dana's Min.
“ Warringtonite.	“	3.39—3.47	Maskelyne. J. 18, 902.

\* Composition uncertain, because of variations in the analyses.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lanarkite -----	$Pb_2 S O_5$ -----	6.3—6.4 -----	Thomson.
Linarite -----	$Pb Cu S O_5, H_2 O$ -----	5.43 -----	Brooke. Ann. Phil. (2), 4, 117.
Alumian -----	$Al_2 S_2 O_7$ -----	2.702 -----	Breithaupt. J. 11, 730.
“ -----	“ -----	2.781 -----	
Werthemanite -----	$Al_2 S O_6, 3 H_2 O$ -----	2.80 -----	Raimondi. Dana's Min., 3d App.
Aluminite -----	$Al_2 S O_6, 9 H_2 O$ -----	1.66 -----	Dana's Mineralogy.
Felsobanyite -----	$Al_4 S O_6, 10 H_2 O$ -----	2.33 -----	Haidinger. J. 7, 863.
Alunite -----	$K_2 Al_6 S_4 O_{22}, 6 H_2 O$ -----	2.481 -----	Gautier-Lacroze. J. 16, 833.
Löwigite -----	$K_2 Al_6 S_4 O_{22}, 9 H_2 O$ -----	2.58 -----	Römer. J. 9, 877.
Zincaluminite -----	$Zn_6 Al_6 S_2 O_{21}, 18 H_2 O$ -----	2.26 -----	Bertrand and Da- mour. Z. K. M. 6, 298.
Ettringite -----	$Ca_8 Al_2 S_3 O_{18}, 32 H_2 O$ -----	1.7504 -----	Lehmann. N. J. 1874, 273.
Amarantite -----	$Fe_2 S_2 O_9, 7 H_2 O$ -----	2.11 -----	Frenzel. M. P. M. 9, 398.
Raimondite -----	$Fe_4 S_3 O_{15}, 7 H_2 O$ -----	3.190 -----	Breithaupt. J. 19, 952.
“ -----	“ -----	3.222 -----	
Hohmannite -----	$Fe_4 S_3 O_{15}, 13 H_2 O$ -----	2.24 -----	Frenzel. M. P. M. 9, 397.
Copiapite -----	$Fe_4 S_3 O_{21}, 12 H_2 O$ -----	2.14 -----	Borcher. Dana's Min.
Fibroferrite -----	$Fe_4 S_3 O_{21}, 27 H_2 O$ -----	1.84 -----	Smith. A. J. S. (2), 18, 375.
Carphosiderite -----	$Fe_6 S_4 O_{21}, 10 H_2 O$ -----	2.728 -----	Pisani. Dana's Min. Breithaupt. Schw. J. 50, 314. Lacroix. C. R. 103, 1037.
“ -----	“ -----	2.496—2.501 -----	
“ -----	“ -----	3.09 -----	
Jarosite -----	$K_2 Fe_3 S_3 O_{28}, 9 H_2 O$ -----	3.256 -----	Breithaupt. J. 6, 845.
Urusite -----	$Na_4 Fe_2 S_4 O_{17}, 8 H_2 O$ -----	2.22 -----	Frenzel J. 32, 1195.
Sideronatriite -----	$Na_2 Fe_2 S_3 O_{13}, 6 H_2 O$ -----	2.153 -----	Dana's Min., 3d App.
Silver ammonio-sulphate -----	$Ag_2 S O_4, 4 N H_3$ -----	2.918, m. of 2 -----	Playfair and Joule. M. C. S. 2, 401.
Zincammonium sulphate -----	$Zn N_2 H_6, S O_4$ -----	2.479 -----	“ “
Tetramercurammonium sulphate -----	$Hg_4 N_2 S O_4, 2 H_2 O$ -----	7.319 -----	“ “
Cuprammonium sulphate -----	$Cu N_2 H_6, S O_4$ -----	2.476 -----	“ “
“ -----	$Cu N_2 H_6, S O_4, \frac{3}{2} H_2 O$ -----	1.950 -----	“ “
Copper ammonio-sulphate -----	$Cu S O_4, 4 N H_3, H_2 O$ -----	1.790 -----	“ “
“ -----	“ -----	1.809 -----	
“ -----	“ -----	2.133, 24° 3' -----	
Roseocobalt iodosulphate -----	$Co_2 (N H_3)_{10} (S O_4)_2 I_2$ -----	2.139 -----	Evans. F. W. C. Wilson. F. W. C.
“ -----	“ -----	2.149 -----	

NOTE.—Botryogen, clinophæite, johannite, lamprophanite, pissophanite, plagioclitrite, and watevillite, being of uncertain composition, are omitted. See Dana's Mineralogy and appendixes.

## XXIII. SELENITES AND SELENATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen selenite, or selenious acid.	$H_2 Se O_3$	3.123	Topsoë. C. C. 4, 76.
“ “ “	“	3.0066	Clausnizer. A. C. P. 196, 265.
Chalcomenite	$Cu Se O_3 \cdot 2 H_2 O$	3.76	Des Cloizeaux and Damour. B. S. M. 4, 51.
Mercurous selenite	$3 Hg_2 O \cdot 4 Se O_2$	7.35, 13° 5	Köhler. P. A. 89, 149.
Hydrogen selenate, or selenic acid.	$H_2 Se O_4$	2.524	Mitscherlich. P. A. 9, 629.
“ “ “	“	2.625	
“ “ “	“	2.627	
Lithium selenate	$Li_2 Se O_4 \cdot H_2 O$	2.439	Topsoë. C. C. 4, 76.
“ “ “	“	2.564, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	2.565, 19° 5	
Sodium selenate	$Na_2 Se O_4$	3.098	Topsoë. B. S. C. 19, 246.
“ “ “	“	3.209, 17° 2	Pettersson. U. N. A. 1874.
“ “ “	“	3.217, 17° 6	
“ “ “	$Ne_2 Se O_4 \cdot 10 H_2 O$	1.584	Topsoë. C. C. 4, 76.
“ “ “	“	1.612, m. of 5	
“ “ “	“	1.603 } extremes	
“ “ “	“	1.621 } 17° 9-19°	
“ “ “	“	1.621 } extremes	
Potassium selenate	$K_2 Se O_4$	3.050	Topsoë. C. C. 4, 76.
“ “ “	“	3.074, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	3.077, 19°	
“ “ “	“	3.077, 21°	
Sodium potassium selenate	$Na_2 Se O_4 \cdot 3 K_2 Se O_4$	3.095	Topsoë. C. C. 4, 76.
Rubidium selenate	$Rb_2 Se O_4$	3.923, m. of 5	Pettersson. U. N. A. 1874.
“ “ “	“	3.896 } extremes	
“ “ “	“	3.943 } 18°-19° 8	
Cæsium selenate	$Cs_2 Se O_4$	4.31, 15° 2	Pettersson. U. N. A. 1876.
“ “ “	“	4.34, 15° 5	1876.
Ammonium selenate	$Am_2 Se O_4$	2.162	Topsoë. B. S. C. 19, 246.
“ “ “	“	2.197, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	2.198, 18° 8	
Ammonium hydrogen selenate.	$Am H Se O_4$	2.409	Topsoë. C. C. 4, 76.
Silver selenate	$Ag_2 Se O_4$	5.92, 17° 2	Pettersson. U. N. A. 1874.
“ “ “	“	5.93, 17°	
Silver ammonio-selenate.	$Ag_2 Se O_4 \cdot 4 N H_3$	2.854	Topsoë. C. C. 4, 76.
Thallium selenate	$Tl_2 Se O_4$	7.019, 18°	Pettersson. U. N. A. 1874.
“ “ “	“	7.067, 18° 2	
Glucinum selenate.	$Gl Se O_4 \cdot 4 H_2 O$	2.029	Topsoë. C. C. 4, 76.
Magnesium selenate	$Mg Se O_4 \cdot 6 H_2 O$	1.928	“ “ “
“ “ “	“	1.955, 15° 2	Pettersson. U. N. A. 1876.
“ “ “	“	1.960, 15° 8	
Zinc selenate	$Zn Se O_4 \cdot 5 H_2 O$	2.591	Topsoë. C. C. 4, 76.
“ “ “	$Zn Se O_4 \cdot 6 H_2 O$	2.325	“ “ “
Cadmium selenate	$Cd Se O_4 \cdot 2 H_2 O$	3.632	“ “ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium selenate. Cryst.	$\text{Ca Se O}_4$	2.93	Michel. C. R. 106, 878.
“ “	$\text{Ca Se O}_4 \cdot 2 \text{ H}_2 \text{ O}$	2.676	Topsoë. C. C. 4, 76.
Strontium selenate. Cryst.	$\text{Sr Se O}_4$	4.23	Michel. C. R. 106, 878.
Barium selenate	$\text{Ba Se O}_4$	4.67, 22°	Schafarik. J. P. C. 90, 12.
“ “ Cryst.	“	4.75	Michel. C. R. 106, 878.
Lead selenate	$\text{Pb Se O}_4$	6.37, 22°	Schafarik. J. P. C. 90, 12.
“ “	“	6.22, 18°	Pettersson. U. N. A. 1874.
“ “	“	6.23, 18° 2	
Manganese selenate	$\text{Mn Se O}_4 \cdot 2 \text{ H}_2 \text{ O}$	2.949	Topsoë. B. S. C. 19, 246.
“ “	“	3.001, 15° 8	Pettersson. U. N. A. 1876.
“ “	“	3.012, 16° 6	
“ “	$\text{Mn Se O}_4 \cdot 5 \text{ H}_2 \text{ O}$	2.334	Topsoë. B. S. C. 19, 246.
“ “	“	2.386	16° { Pettersson. U. N. A. 1876.
“ “	“	2.389	
Iron selenate	$\text{Fe Se O}_4 \cdot 7 \text{ H}_2 \text{ O}$	2.073	Topsoë. B. S. C. 19, 246.
Nickel selenate	$\text{Ni Se O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.314	“ “
“ “	“	2.332, 14° 1	Pettersson. U. N. A. 1876.
“ “	“	2.335, 13° 8	
“ “	“	2.339, 13° 8	
“ “	“	2.399, 13° 8	
Cobalt selenate	$\text{Co Se O}_4$	4.037, 14° 2	“ “
“ “	$\text{Co Se O}_4 \cdot 5 \text{ H}_2 \text{ O}$	2.512	Topsoë. C. C. 4, 76.
“ “	$\text{Co Se O}_4 \cdot 6 \text{ H}_2 \text{ O}$	2.179	“ “
“ “	“	2.247, 14° 6	Pettersson. U. N. A. 1876.
“ “	“	2.248, 17°	
“ “	“	2.258, 15° 8	
“ “	$\text{Co Se O}_4 \cdot 7 \text{ H}_2 \text{ O}$	2.135	
Copper selenate	$\text{Cu Se O}_4 \cdot 5 \text{ H}_2 \text{ O}$	2.559	Topsoë. C. C. 4, 76.
“ “	“	2.561, 19° 2	Pettersson. U. N. A. 1874.
“ “	“	2.562, 17° 8	
Yttrium selenate	$\text{Y}_2 (\text{Se O}_4)_3 \cdot 9 \text{ H}_2 \text{ O}$	2.6770, 18°	CleveandHoeglund. B. S. C. 18, 289.
“ “	“	2.780	Topsoë. Quoted by Pettersson.
“ “	“	2.661, 12° 8	Pettersson. U. N. A. 1876.
Erbium selenate	$\text{Er}_2 (\text{Se O}_4)_3 \cdot 8 \text{ H}_2 \text{ O}$	3.516	Topsoë. Quoted by Pettersson.
“ “	“	3.501, 13° 8	Pettersson. U. N. A. 1876.
“ “	“	3.510, 14°	
“ “	“	3.529, 13° 4	
“ “	$\text{Er}_2 (\text{Se O}_4)_3 \cdot 9 \text{ H}_2 \text{ O}$	3.171	
Lanthanum selenate	$\text{La}_2 (\text{Se O}_4)_3 \cdot 6 \text{ H}_2 \text{ O}$	3.48, 14° 4	Topsoë. Quoted by Pettersson.
Didymium selenate	$\text{Di}_2 (\text{Se O}_4)_3$	4.416	12° 5 } Cleve. U. N. A. 1885.
“ “	“	4.430	
“ “	“	4.460	
“ “	“	4.461	
“ “	$\text{Di}_2 (\text{Se O}_4)_3 \cdot 5 \text{ H}_2 \text{ O}$	3.710, 13° 8	Pettersson. U. N. A. 1876.
“ “	“	3.722, 13° 3	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Didymium selenate-----	$Di_2(SeO_4)_3 \cdot 5H_2O$	3.677, 15°	Cleve. U. N. A. 1885.
“ “-----	“-----	3.685, 18°·3	
Samarium selenate-----	$Sm_2(SeO_4)_3$	4.077, 10°	
“ “-----	$Sm_2(SeO_4)_3 \cdot 8H_2O$	3.326 } 13°	
“ “-----	“-----	3.329 } 10°	
“ “-----	$Sm_2(SeO_4)_3 \cdot 12H_2O$	3.009 } 10°	“ “
“ “-----	“-----	3.010 } 10°	“ “
Thorium selenate-----	$Th(SeO_4)_2 \cdot 9H_2O$	3.026-----	Topsoë. B. S. C. 21, 121.
Magnesium potassium selenate.	$MgK_2(SeO_4)_2 \cdot 6H_2O$	2.336-----	Topsoë. C. C. 4, 76.
Magnesium ammonium selenate.	$MgAm_2(SeO_4)_2 \cdot 6H_2O$	2.035-----	Topsoë. B. S. C. 19, 246.
Zinc potassium selenate-----	$ZnK_2(SeO_4)_2 \cdot 2H_2O$	3.210-----	Topsoë. C. C. 4, 76.
“ “-----	$ZnK_2(SeO_4)_2 \cdot 6H_2O$	2.538-----	“ “
Zinc ammonium selenate-----	$ZnAm_2(SeO_4)_2 \cdot 6H_2O$	2.200-----	“ “
Cadmium potassium selenate.	$CdK_2(SeO_4)_2 \cdot 2H_2O$	3.376-----	“ “
Cadmium ammonium selenate.	$CdAm_2(SeO_4)_2 \cdot 2H_2O$	2.897-----	“ “
“ “-----	$CdAm_2(SeO_4)_2 \cdot 6H_2O$	2.307-----	“ “
Manganese potassium selenate.	$MnK_2(SeO_4)_2 \cdot 2H_2O$	3.070-----	Topsoë. B. S. C. 19, 246.
Manganese ammonium selenate.	$MnAm_2(SeO_4)_2 \cdot 6H_2O$	2.093-----	Topsoë. C. C. 4, 76.
Iron ammonium selenate-----	$FeAm_2(SeO_4)_2 \cdot 6H_2O$	2.160-----	“ “
Nickel potassium selenate-----	$NiK_2(SeO_4)_2 \cdot 6H_2O$	2.539-----	“ “
“ “-----	“-----	2.580, m. of 5-----	} Pettersson. U. N. A. 1876.
“ “-----	“-----	2.573 } extremes	
“ “-----	“-----	2.587 } 16°·4-17°·3	
Nickel ammonium selenate.	$NiAm_2(SeO_4)_2 \cdot 6H_2O$	2.228-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	2.274, 15°·8 } 1876.	} Pettersson. U. N. A.
“ “-----	“-----	2.279, 16° } 1876.	
Nickel thallium selenate-----	$NiTh_2(SeO_4)_2 \cdot 6H_2O$	4.066, 13°·3-----	“ “
Cobalt potassium selenate-----	$CoK_2(SeO_4)_2 \cdot 6H_2O$	2.514-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	2.531, 18°·8 } 1876.	} Pettersson. U. N. A.
“ “-----	“-----	2.543, 17°·4 } 1876.	
Cobalt rubidium selenate-----	$CoRb_2(SeO_4)_2 \cdot 6H_2O$	2.837, 18°·3 } 1876.	} “ “
“ “-----	“-----	2.838, 15°·6 } 1876.	
“ “-----	“-----	2.844, 18°·6 } 1876.	
Cobalt cesium selenate-----	$CoCs_2(SeO_4)_2 \cdot 6H_2O$	3.050, 18°·5 } 1876.	} “ “
“ “-----	“-----	3.061, 16°·7 } 1876.	
“ “-----	“-----	3.073, 18°·8 } 1876.	
Cobalt ammonium selenate-----	$CoAm_2(SeO_4)_2 \cdot 6H_2O$	2.212-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	2.225, 18°·8 } 1876.	} Pettersson. U. N. A.
“ “-----	“-----	2.229, 17° } 1876.	
“ “-----	“-----	2.248, 15°·8 } 1876.	
Cobalt thallium selenate-----	$CoTh_2(SeO_4)_2 \cdot 6H_2O$	4.047, 13°·5 } 1876.	} “ “
“ “-----	“-----	4.059, 16°·5 } 1876.	
Copper potassium selenate-----	$CuK_2(SeO_4)_2 \cdot 6H_2O$	2.527-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	2.556, 17° } 1876.	} Pettersson. U. N. A.
“ “-----	“-----	2.557, 16°·4 } 1876.	
Copper ammonium selenate-----	$CuAm_2(SeO_4)_2 \cdot 6H_2O$	2.221-----	Topsoë. C. C. 4, 76.
“ “-----	“-----	2.234, 17°·2-----	Pettersson. U. N. A. 1876.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium aluminum alum.	$\text{NaAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.061, 21°	} Pettersson. U. N. A. 1874.
" " "	" " "	2.069, 20°.8	
" " "	" " "	2.071, 20°.8	
Potassium aluminum alum	$\text{KAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.971	} Weber. J. 12, 91. Pettersson. U. N. A. 1874.
" " "	" " "	1.998, 21°	
" " "	" " "	2.004, 20°.1	
Ammonium aluminum alum.	$\text{AmAl}(\text{SeO}_4)_2$	2.3676, 20°.4	} Pettersson. U. N. A. 1876.
" " "	$\text{AmAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.892, m. of 4.	
" " "	" " "	1.889 } extremes	
Rubidium aluminum alum	$\text{RbAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.895 } 17°-20°.5	} Pettersson. U. N. A. 1874.
" " "	" " "	2.132, 17°.2	
" " "	" " "	2.134, 21°	
Cæsium aluminum alum.	$\text{CsAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.135, 17°.2	} " "
" " "	" " "	2.223, 18°.8	
" " "	" " "	2.225, 20°	
Thallium aluminum alum	$\text{TlAl}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.492, 17°.5	} " "
" " "	" " "	2.514, 17°	
Potassium chromium alum	$\text{KCr}(\text{SeO}_4)_2$	2.5190, 20°.3	
" " "	$\text{KCr}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.076, 17°.6	} Pettersson. U. N. A. 1876.
" " "	" " "	2.077, 17°	
" " "	" " "	2.081, 17°.2	
Ammonium chromium alum.	$\text{AmCr}(\text{SeO}_4)_2$	2.3585, 15°.5	} Pettersson. U. N. A. 1876.
" " "	$\text{AmCr}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	1.980 } 20°	
" " "	" " "	1.984 } 20°	
Rubidium chromium alum	$\text{RbCr}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.214, 18°.8	} Pettersson. U. N. A. 1874.
" " "	" " "	2.223, 17°	
Thallium chromium alum	$\text{TlCr}(\text{SeO}_4)_2 \cdot 12\text{H}_2\text{O}$	2.630, 20	
Didymium potassium selenate.	$\text{DiK}(\text{SeO}_4)_2$	3.839, 13°	} Cleve. U. N. A. 1885.
" " "	$\text{DiK}(\text{SeO}_4)_2 \cdot 5\text{H}_2\text{O}$	3.174 } 13°	
" " "	" " "	3.178 } 13°	
Didymium ammonium selenate.	$\text{DiAm}(\text{SeO}_4)_2 \cdot 5\text{H}_2\text{O}$	2.957 } 15°	} " "
" " "	" " "	2.961 } 15°	
Samarium potassium selenate.	$\text{SmK}(\text{SeO}_4)_2$	4.098 } 10°	
" " "	" " "	4.129 } 10°	
" " "	$\text{SmK}(\text{SeO}_4)_2 \cdot 3\text{H}_2\text{O}$	3.566, 10°	} " "
" " "	" " "	3.540, 18°	
" " "	" " "	3.540, 18°	
Samarium ammonium selenate.	$\text{SmAm}(\text{SeO}_4)_2$	3.805, 14°	} " "
" " "	$\text{SmAm}(\text{SeO}_4)_2 \cdot 3\text{H}_2\text{O}$	3.277, 14°	
" " "	" " "	3.263, 15°	
" " "	" " "	3.260, 18°.6	
Potassium selenate with nickel sulphate.	$\text{K}_2\text{SeO}_4 \cdot \text{NiSO}_4 \cdot 6\text{H}_2\text{O}$	2.34	Gerichten. B. S. C 20, 80.

NOTE.—For the sp. gr. of some mixtures of sulphates and selenates see Pettersson, Ber. 9, 1676.

## XXIV. TELLURATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen tellurate, or telluric acid. " " " " " " " "	$H_2 Te O_4$ -----	3.425, 18°.8	Clarke. A. J. S. (3), 16, 206.
" " " " " " " "	"-----	3.440, 19°.2	
" " " " " " " "	"-----	3.458, 19°.1	
" " " " " " " "	$H_2 Te O_4 \cdot 2 H_2 O$ -----	2.340-----	Oppenheim. J. 10, 213.
" " " " " " " "	"-----	2.9649, 26°.5	Clarke. A. J. S. (3), 16, 206.
" " " " " " " "	"-----	2.9999, 25°.5	
Ammonium tellurate-----	$Am_2 Te O_4$ -----	2.986, 24°.5	" "
" " " " " " " "	"-----	3.012, 25°	
" " " " " " " "	"-----	3.024, 24°.5	
Thallium tellurate-----	$Tl_2 Te O_4$ -----	6.742, 16°	" "
" " " " " " " "	"-----	6.760, 17°.5	
" " " " " " " "	$2 Tl_2 Te O_4 \cdot H_2 O$ -----	5.687, 22°	
" " " " " " " "	"-----	5.712, 20°	" "
Barium tellurate-----	$Ba Te O_4$ -----	4.5305, 10°	
" " " " " " " "	"-----	4.5486, 10°.5	Clarke. A. J. S. (3), 14, 286.

## XXV. CHROMATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium chromate-----	$Na_2 Cr O_4$ -----	2.7104, 16°.5	Abbot. F. W. C.
" " " " " " " "	"-----	2.7358, 12°	
" " " " " " " "	$Na_2 Cr O_4 \cdot 10 H_2 O$ -----	1.4828, 20°	" "
Sodium dichromate-----	$Na_2 Cr_2 O_7 \cdot 2 H_2 O$ -----	2.5246, 13°	
Potassium chromate-----	$K_2 Cr O_4$ -----	2.612-----	Thomson.
" " " " " " " "	"-----	2.6402-----	Karsten. Schw. J. 65, 394.
" " " " " " " "	"-----	2.705-----	Kopp. A. C. P. 36, 1.
" " " " " " " "	"-----	2.682, m. of 10	Playfair and Joule. M. C. S. 2, 401.
" " " " " " " "	"-----	2.711-----	Playfair and Joule. J. C. S. 1, 137.
" " " " " " " "	"-----	2.72309, 4°	
" " " " " " " "	"-----	2.678, 15°.5	Holker. P. M. (3), 27, 213.
" " " " " " " "	"-----	2.691-----	Schiff. A. C. P. 107, 64.
" " " " " " " "	"-----	2.7343-----	Stolba. J. P. C. 97, 503.
" " " " " " " "	"-----	2.719-----	Schröder. Dm. 1873.
" " " " " " " "	"-----	2.722-----	
" " " " " " " "	"-----	2.7403, 0°	
" " " " " " " "	"-----	2.7374, 10°	
" " " " " " " "	"-----	2.7345, 20°	
" " " " " " " "	"-----	2.7317, 30°	
" " " " " " " "	"-----	2.7288, 40°	
" " " " " " " "	"-----	2.7288, 40°	Spring. Ber. 15, 1940.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium chromate	$K_2 Cr O_4$	2.7258, 50°	Spring. Ber. 15, 1940.
" "	"	2.7227, 60°	
" "	"	2.7169, 70°	
" "	"	2.7110, 80°	
" "	"	2.7102, 90°	
" "	"	2.7095, 100°	
Potassium dichromate	$K_2 Cr_2 O_7$	2.6027	Karsten. Schw. J. 65, 394.
" "	"	2.624	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.692, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.689	Schabus. J. 3, 312.
" "	"	2.721	Schiff. A. C. P. 107, 64.
" "	"	2.6616	Stolba. J. P. C. 97, 503.
" "	"	2.6806	
" " Pulv.	"	2.702	
" " After	"	2.677	
" " fusion.	"	2.751	
" "	"	2.694	Schröder. Ber. 11, 2019.
" "	"	2.694	W. C. Smith. Am. J. P. 53, 145.
Potassium trichromate	$K_2 Cr_3 O_{10}$	2.655, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.613	Bothe. J. 2, 272.
" "	"	2.676	Schröder. A. C. P. 174, 249.
" "	"	2.702	
Potassium chromium chromate.	$K_2 Cr_5 O_{13} \cdot H_2 O$	2.28, 14°	Tommasi. B. S. C. (2), 17, 396.
Ammonium chromate	$Am_2 Cr O_4$	1.9138	12° Abbot. F. W. C.
" "	"	1.9203	
" "	"	1.860	
" "	"	1.871	
Ammonium dichromate	$Am_2 Cr_2 O_7$	2.367	Schiff. A. C. P. 107, 64.
" "	"	2.152	Schröder. Dm. 1873.
" "	"	2.153	
" "	"	2.1223, 16°	
" "	"	2.1805, 17°	
Silver chromate	$Ag_2 Cr O_4$	5.770	Playfair and Joule. M. C. S. 2, 401.
" "	"	5.536	Rettig. A. C. P. 173, 72.
" "	"	5.463	Schröder. Dm. 1873.
" "	"	5.583	
Silver dichromate	$Ag_2 Cr_2 O_7$	4.662	" "
" "	"	4.676	
Silver ammonio-chromate	$Ag_2 Cr O_4 \cdot 4 N H_3$	3.063, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.717	Topsoë. C. C. 4, 76.
Magnesium chromate	$Mg Cr O_4 \cdot H_2 O$	2.2301	17° Abbot. F. W. C.
" "	"	2.2886	
" "	$Mg Cr O_4 \cdot 7 H_2 O$	1.66, 15°	Kopp. A. C. P. 42, 97.
" "	"	1.75, 12°	Bödeker. B. D. Z.
" "	"	1.7613, 16°	Abbot. F. W. C.
Trimercuric chromate	$Hg_3 Cr O_6$	7.171, 18°.6	H. Stallo. F. W. C.
Strontium chromate	$Sr Cr O_4$	3.353	Schröder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium chromate	Ba Cr O <sub>4</sub>	3.90, 11°	Bödeker and Giesecke. B. D. Z.
" "	"	4.49, 23°	Schafarik. J. P. C. 90, 12.
" "	"	4.5044	Schweitzer. University of Missouri. Special pub., 1876.
" "	"	4.296	} Schröder. Dm. 1873.
" "	"	4.304	
" " Cryst.	"	4.60	
Lead chromate	Pb Cr O <sub>4</sub>	6.004	Mohs. See Böttger.
" "	"	5.951	Breithaupt. "
" "	"	5.653	Playfair and Joule. M. C. S. 2, 401.
" " Artif. cryst.	"	6.118	Manross. J. 5, 12.
" " " " "	"	6.29	Bourgeois. B. S. C. 47, 884.
" " Native	"	5.965, m. of 3	Schröder. Ber. 11, 2019.
Diplumbic chromate	Pb <sub>2</sub> Cr O <sub>5</sub>	6.266	Playfair and Joule. M. C. S. 2, 401.
Phenicochroite	Pb <sub>3</sub> Cr <sub>2</sub> O <sub>9</sub>	5.75	Dana's Mineralogy.
Potassium ammonium chromate.	K Am Cr O <sub>4</sub>	2.278	} Schröder. Dm. 1873.
" " "	"	2.290	
Potassium calcium chromate.	K <sub>2</sub> Ca (CrO <sub>4</sub> ) <sub>2</sub> · 2H <sub>2</sub> O	2.499	
" " " "	" " " "	2.505	" "
" " " "	K <sub>2</sub> Ca <sub>4</sub> (CrO <sub>4</sub> ) <sub>5</sub> · 2H <sub>2</sub> O	2.772	" "
" " " "	" " " "	2.802	" "
Magnesium potassium chromate.	K <sub>2</sub> Mg (CrO <sub>4</sub> ) <sub>2</sub> · H <sub>2</sub> O	2.592	} " "
" " " "	" " " "	2.608	
" " " "	" " " "	2.5804	
" " " "	" " " "	2.5966	19°.5 Abbot. F. W. C.
Magnesium ammonium chromate.	Am <sub>2</sub> Mg (CrO <sub>4</sub> ) <sub>2</sub> · 6H <sub>2</sub> O	1.8278, 16°	} " "
" " " "	" " " "	1.8293, 17°	
" " " "	" " " "	1.8595, 16°	
Vauquelinite	Pb <sub>2</sub> Cu Cr <sub>2</sub> O <sub>9</sub>	5.5—5.78	Dana's Mineralogy.
Potassium chlorochromate	K Cr O <sub>3</sub> Cl	2.466	Playfair and Joule. M. C. S. 2, 401.
" " "	"	2.49702, 4°	Playfair and Joule. J. C. S. 1, 187.
Sodium chromiodate	Na Cr I O <sub>6</sub> · H <sub>2</sub> O	3.21	Berg. C. R. 104, 1514.
Potassium chromiodate	K Cr I O <sub>6</sub>	3.66	" "
Ammonium chromiodate	Am Cr I O <sub>6</sub>	3.50	" "

## XXVI. MANGANITES, MANGANATES, AND PERMANGANATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium manganite -----	Ba Mn O <sub>3</sub> -----	5.85 -----	Rousseau and Saglier. C. R. 98, 141.
Barium manganate -----	Ba Mn O <sub>4</sub> -----	4.85, 23° -----	Schafarik. J. P. C. 90, 12.
Potassium permanganate	K Mn O <sub>4</sub> -----	2.709 } -----	Kopp. J. 16, 4.
“ “ -----	“ -----	2.710 }	

## XXVII. MOLYBDATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium molybdate----	Am <sub>2</sub> Mo O <sub>4</sub> -----	2.238 -----	Various samples. Schröder. Ber. 11, 2212. Baerwald. J. C. S. 50, 17.
“ “ -----	“ -----	2.261 -----	
“ “ -----	“ -----	2.270 -----	
“ “ -----	“ -----	2.286 -----	
“ “ -----	“ -----	2.295 -----	
“ “ -----	18 Mo O <sub>3</sub> . 14 N H <sub>3</sub> . (O H) <sub>6</sub> . 18 H <sub>2</sub> O.	2.975 -----	Baerwald. J. C. S. 50, 17.
Strontium molybdate -----	Sr Mo O <sub>4</sub> -----	4.1348, 21° } -----	F. O. Marsh. F. W. C.
“ “ -----	“ -----	4.1554, 20°.5 } -----	
Barium molybdate -----	Ba Mo O <sub>4</sub> -----	4.6483, 19°.5 } -----	“ “
“ “ -----	“ -----	4.6589, 17°.5 } -----	
Lead molybdate -----	Pb Mo O <sub>4</sub> -----	8.11, artificial } -----	Manross. J. 5, 11. Cossa. G. C. I. 16, 324.
“ “ -----	“ -----	6.62 “ } -----	
“ “ Wulfenite	“ -----	6.76 -----	Haidinger.
“ “ “	“ -----	6.95 -----	Smith. J. 8, 963.
Cerium molybdate -----	Ce <sub>2</sub> (Mo O <sub>4</sub> ) <sub>3</sub> -----	4.56, cryst. } -----	Cossa. G. C. I. 16, 324.
“ “ -----	“ -----	4.82, ppt. } -----	
Didymium molybdate -----	Di <sub>2</sub> (Mo O <sub>4</sub> ) <sub>3</sub> -----	4.75, cryst. -----	“ “
Samarium molybdate -----	Sm <sub>2</sub> (Mo O <sub>4</sub> ) <sub>3</sub> -----	5.95 -----	Cleve. B. S. C. 43, 162.
Samarium sodium molybdate.	Sm Na (Mo O <sub>4</sub> ) <sub>2</sub> ----	5.265 -----	Cleve. U. N. A. 1885.

## XXVIII. TUNGSTATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium tungstate-----	$\text{Na}_2 \text{W O}_4$ -----	4.1743, 20°.5 } 4.1833, 18°.5 }	J. L. Davis. F. W. C.
“ “-----	“-----	3.2314, 19° } 3.2588, 17°.5 }	“ “
“ “-----	$\text{Na}_2 \text{W O}_4 \cdot 2 \text{H}_2 \text{O}$ -----	3.8467, 13°-----	Scheibler. J. 14, 219.
Sodium metatungstate ---	$\text{Na}_2 \text{W}_4 \text{O}_{13} \cdot 10 \text{H}_2 \text{O}$ -----	5.4983-----	Scheibler. J. 14, 216.
Sodium polytungstate-----	$\text{Na}_6 \text{W}_7 \text{O}_{24}$ -----	3.987, 14°-----	“ “
“ “-----	$\text{Na}_6 \text{W}_7 \text{O}_{24} \cdot 16 \text{H}_2 \text{O}$ -----	6.617-----	Wright. J. 4, 348.
Sodium tungstoso-tungstate.	$\text{Na}_2 \text{W}_3 \text{O}_9^*$ -----	7.283-----	Scheibler. J. 14, 223.
“ “ “-----	$\text{Na}_2 \text{W}_4 \text{O}_{11}$ -----	7.085 } 7.095 } 7.135 }-----	Two preparations. Knorre. J. P. C. (2), 27, 62.
Potassium tungstoso-tungstate.	$\text{K}_2 \text{W}_4 \text{O}_{12}^*$ -----	7.6-----	Zetnow. J. 20, 224.
“ “ “-----	$\text{K}_2 \text{W}_5 \text{O}_{12}$ -----	6.53-----	Knorre. J. P. C. (2), 27, 92.
“ “ “-----	$\text{K}_2 \text{W}_8 \text{O}_{25}$ -----	7.112-----	Knorre. J. P. C. (2), 27, 62.
Sodium potassium tungstoso-tungstate. “-----	$5 \text{K}_2 \text{W}_4 \text{O}_{12} \cdot 2 \text{Na}_2 \text{W}_5 \text{O}_{15}$ } }-----	7.121-----	“ “
Calcium tungstate-----	$\text{Ca W O}_4$ -----	6.076, artif.-----	Manross. J. 5, 11.
“ “ Scheelite-----	“-----	6.04-----	Karsten. Schw. J. 65, 394.
“ “ “-----	“-----	6.03-----	Rammelsberg. J. 3, 752.
“ “ “-----	“-----	6.02-----	Bernoulli. J. 13, 783.
Barium tungstate-----	$\text{Ba W O}_4$ -----	5.0035, 13°.5 } 5.0422, 15° }-----	J. L. Davis. F. W. C.
“ “-----	“-----	4.298, 14°-----	Scheibler. J. 14, 220.
Barium metatungstate ---	$\text{Ba W}_4 \text{O}_{13} \cdot 9 \text{H}_2 \text{O}$ -----	8.232, artif.-----	“ “
Lead tungstate-----	$\text{Pb W O}_4$ -----	8.238-----	Manross. J. 5, 11.
“ “-----	“-----	8.1032-----	“ “
“ “-----	“-----	8.1275-----	Kerndt. J. P. C. 42, 113.
Manganese tungstate-----	$\text{Mn W O}_4$ -----	6.7, artif.-----	Geuther and Forsberg. J. 14, 224.
“ “ Hübnerite.-----	“-----	7.14-----	Breithaupt. Dana's Min.
“ “ “-----	“-----	7.177, 24°-----	Hillebrand. A. J. S. (3), 27, 357.
Iron tungstate-----	$\text{Fe W O}_4$ -----	7.1, artif.-----	Geuther and Forsberg. J. 14, 224.
“ “ Ferberite-----	“-----	7.169-----	Rammelsberg. J. 17, 855.
“ “ “-----	“-----	6.801-----	Breithaupt. Dana's Min.
“ “ Reinite-----	“-----	6.640-----	Lüdecke. J. 82, 1196.
Iron manganese tungstate.	$2 \text{Mn W O}_4 \cdot 3 \text{Fe W O}_4$ -----	7.0, artif.-----	Geuther and Forsberg. J. 14, 224.

\* Philipp (Ber. 15, 506) finds the specific gravity of all the “tungsten bronzes” to vary between 7.2 and 7.3, at 16°–18°.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Wolfram* -----	(Mn Fe) W O <sub>4</sub> -----	7.155 -----	Mohs. See Böttger.
" " -----	" " -----	7.097 -----	Gehlen. " " -----
" Fe <sub>2</sub> : Mn -----	" " -----	7.4581 -----	Sipöcz. Ber. 19, 95.
Nickel tungstate -----	Ni W O <sub>4</sub> -----	6.8522, 22° -----	J. L. Davis. F.
" " -----	" " -----	6.8896, 20°.5 } -----	W. C.
Cerium tungstate -----	Ce <sub>2</sub> (W O <sub>4</sub> ) <sub>3</sub> -----	6.514, 12° -----	Cossa and Zechini. Ber. 13, 1861.
Didymium tungstate -----	Di <sub>2</sub> (W O <sub>4</sub> ) <sub>3</sub> -----	6.69, 14° -----	Cossa. Ber. 14, 107.
Samarium tungstate -----	Sm <sub>2</sub> O <sub>3</sub> . 12 W O <sub>3</sub> . } -----	3.992 } -----	{ Cleve. U. N. A.
" " -----	35 H <sub>2</sub> O. } -----	3.996 } 18°.4 -----	{ 1885.

## XXIX. BORATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen borate, or boric acid.	H <sub>3</sub> B O <sub>3</sub> -----	1.479 -----	Kirwan.
" " " -----	" -----	1.4847, 15° -----	Stolba. J. 16, 667.
" " " -----	" -----	1.493, 20°.5 -----	Favre and Valson. C. R. 77, 579.
" " " -----	" -----	1.5463, 0° -----	} Ditte. Bei. 2, 67.
" " " -----	" -----	1.5172, 12° -----	
" " " -----	" -----	1.4165, 60° -----	
" " " -----	" -----	1.3828, 80° -----	
Sodium diborate -----	Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> -----	2.367 -----	Filhol. Ann. (3), 21, 415.
" " -----	" -----	2.371, 20° -----	Favre and Valson. C. R. 77, 579.
" " -----	" -----	2.368, 16° -----	} Bedson and Wil- liams. Ber. 14, 2553.
" " -----	" -----	2.370, 14°.2 -----	
" " -----	" -----	2.373, 18°.5 -----	
" " -----	" -----	2.5, fused -----	Quincke. P. A. 135, 642.
" " -----	Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> . 5 H <sub>2</sub> O -----	1.815 -----	Payen. Q. J. S. 1828 (1), 483.
" " -----	Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> . 10 H <sub>2</sub> O -----	1.757 -----	Watson.
" " -----	" -----	1.723 -----	Hassenfratz. Ann. 28, 3.
" " -----	" -----	1.716 -----	Mohs. See Böttger.
" " -----	" -----	1.74 -----	Payen. Q. J. S. 1828 (1), 483.
" " -----	" -----	1.730, m. of 2 -----	Playfair and Joule. M. C. S. 2, 401.
" " -----	" -----	1.692 -----	Filhol. Ann. (3), 21, 415.
" " -----	" -----	1.692 -----	Buignet. J. 14, 15.
" " -----	" -----	1.7156 -----	Stolba. J. P. C. 97, 503.
" " -----	" -----	1.711, 20° -----	Favre and Valson. C. R. 77, 579.
" " -----	" -----	1.736 -----	W. C. Smith. Am. J. P. '53, 148.

\* See Dana's Mineralogy for many other determinations.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium borate	$K_2 B_4 O_7$	1.740	Buignet. J. 14, 15.
Pinnoite	$Mg B_2 O_3 \cdot 3 H_2 O$	2.27	Staute. Ber. 17, 1584.
Magnesium borate	$Mg_3 B_2 O_6$	2.987	Ebelmen. J. 4, 13.
Szaibelyite	$Mg_5 B_4 O_{11} \cdot 3 H_2 O$	3.0	Peters. J. 16, 836.
Colemanite	$Ca_2 B_6 O_{11} \cdot 5 H_2 O$	2.428	Evans. J. 37, 1927.
Priceite	$Ca_3 B_8 O_{15} \cdot 6 H_2 O$	2.262	Silliman. A. J. S.
"	"	2.298	(3), 6, 128.
" Pandermite	"	2.48	v. Rath. Dana's Min., 3d App.
Lead borate	$Pb B_2 O_4$	5.598	Herapath. J. 2, 227.
Lead hydrogen borate	$Pb H B_3 O_6$	5.235	" "
Jeremerewite	$Al B O_3$	3.28	Damour. J. C. S. 44, 719.
Didymium orthoborate	$Di B O_3$	5.680	} 15°
" "	"	5.721	
Didymium borate	$Di_4 B_2 O_9$	5.825	14°
Samarium orthoborate	$Sm B O_3$	6.045	} 16° 4'
" "	"	6.052	
Ulexite	$Na Ca B_5 O_9 \cdot 6 H_2 O$	1.65	Cleve. U. N. A. 1885.
Franklandite	$Na_4 Ca_2 B_{12} O_{22} \cdot 15 H_2 O$	1.65	Nordenskiöld. J. 14, 197.
Hydroboracite	$Mg_3 Ca_3 B_{16} O_{30} \cdot 18 H_2 O$	1.9	{ Cleve. U. N. A. 1885.
Sussexite	$Mg Mn B_2 O_5 \cdot H_2 O$	3.42	How. A. J. S. (2), 24, 234.
Magnesium chromium borate.	$Mg_6 Cr_6 B_4 O_{21}$	3.82	Reynolds. J. 30, 1288.
Magnesium iron borate	$Mg_6 Fe_3 B_4 O_{21}$	3.85	Hess. P. A. 31, 49.
Ludwigite	$Mg_6 Fe''''_4 Fe''_2 H_3 B_3 O_{20}$	3.907	} Brush. A. J. S. (2), 46, 240.
"	"	4.016	
Rhodizite	$Al_2 K B_3 O_8$	3.38	Ebelmen. J. 4, 13.
Boracite	$Mg_7 B_{16} O_{30} Cl_2$	2.9134	" "
"	"	2.974	Tschermak. J. 27, 1278.
			Damour. J. 37, 1927.
			Karsten. J. 1, 1227.
			Mohs. See Böttger.

## XXX. NITRATES.

## 1st. Simple Nitrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogennitrate, or nitric acid.	$H N O_3$	1.5543, 15° 5'	Kirwan. Gilb. Ann. 9, 266.
" " "	"	1.522, 12° 5'	Mitscherlich. P. A. 18, 152.
" " "	"	1.503	A. Smith. J. 1, 386.
" " "	"	1.552, 15°	Millon. J. P. C. 29, 337.
" " "	$H N O_3 \cdot H_2 O$	1.486	A. Smith. J. 1, 386.
" " "	$H N O_3 \cdot 3 H_2 O$	1.424	" "
Nitric subhydrate	$2 H N O_3 \cdot N_2 O_5$	1.642, 18°	Weber. J. P. C. (2), 6, 357.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium nitrate	Li N O <sub>3</sub>	2.334	Kremers. J. 10, 67.
" "	"	2.442	Troost. J. 10, 141.
Sodium nitrate	Na N O <sub>3</sub>	2.0964	Hassenfratz. Ann. 28, 3.
" "	"	2.096	Klaproth.
" "	"	2.1880	Marx. See Böttger.
" "	"	2.2256	Karsten. Schw. J. 65, 394.
" "	"	2.200	Kopp. A. C. P. 36, 1.
" "	"	2.182, m. of 4.	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.2606, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.26	Filhol. Ann. (3), 21, 415.
" "	"	2.256	Schröder. P. A. 106, 226.
" "	"	2.265	Buignet. J. 14, 15.
" "	"	2.236	Kopp. J. 16, 4.
" "	"	2.246, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	2.24	Page and Keightley. J. C. S. (2), 10, 566.
" "	"	2.25	
" "	"	2.148	W. C. Smith. Am. J. P. 53, 148.
" " Native	"	2.18, 15°.5	Forbes. P. M. (4), 32, 135.
" "	"	2.290	Hayes.
" "	"	1.878, at the melting p't.	Melts 314°. Braun. P. A. 154, 190.
" "	"	2.24	Brügelmann. Ber. 17, 2359.
" "	Na N O <sub>3</sub> . 7 H <sub>2</sub> O	1.357, 0°, 1.	Ditte. B. S. C. 24, 366.
Potassium nitrate	K N O <sub>3</sub>	1.9369	Hassenfratz. Ann. 28, 3.
" "	"	1.933	Watson.
" "	"	2.1006	Karsten. Schw. J. 65, 394.
" "	"	2.058	Kopp. A. C. P. 36, 1.
" "	"	2.070, m. of 8.	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.1078	Playfair and Joule. J. C. S. 1, 137.
" "	"	2.10657	
" "	"	2.09584	
" "	"	2.109	Grassi. J. 1, 39.
" " Large crystals.	"	2.143	
" " Small crystals. After fusion.	"	2.132	
" "	"	2.100	Schiff. A. C. P. 112, 88.
" "	"	2.086	Schröder. P. A. 106, 226.
" "	"	2.126	Buignet. J. 14, 15.
" "	"	2.105	Kopp. J. 16, 4.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium nitrate	$KNO_3$	2.074, 15°.5	Holker. P. M. (3), 27, 213.
" "	"	2.0845	Stolba. J. P. C. 97, 503.
" "	"	2.0904	
" "	"	2.059, 0°	Quinke. P. A. 135, 642.
" "	"	2.06	Page and Keightley. J. C. S. (2), 10, 566.
" "	"	2.10355, cryst. at 20°.	Nicol. P. M. (5), 15, 94.
" "	"	2.09916, cryst. at 110°.	
" "	"	1.702, at the melting p't.	Braun. (Melts at 342°.) P. A. 154, 190.
Ammonium nitrate	$AmNO_3$	1.579	Hassenfratz. Ann. 28, 3.
" "	"	1.707	Kopp. A. C. P. 36, 1.
" "	"	1.635, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.737, m. of 2.	Schröder. P. A. 106, 226.
" "	"	1.709	Schiff. A. C. P. 112, 88.
" "	"	1.723	Buignet. J. 14, 15.
" "	"	1.6915	Stolba. J. P. C. 97, 503.
Silver nitrate	$AgNO_3$	4.3554	Karsten. Schw. J. 65, 394.
" "	"	4.336	Playfair and Joule. M. C. S. 2, 401.
" "	"	4.238	Schröder. P. A. 107, 113.
" "	"	4.253	
" "	"	4.271	
" "	"	4.328	
Thallium nitrate	$TlNO_3$	5.8	Lamy. J. 15, 186.
" "	"	5.55	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium nitrate	$Mg(NO_3)_2 \cdot 6H_2O$	1.464	Playfair and Joule. M. C. S. 2, 401.
Zinc nitrate	$Zn(NO_3)_2 \cdot 6H_2O$	2.063, 13°	Laws. F. W. C.
" "	"	2.067, 15°	
Cadmium nitrate	$Cd(NO_3)_2 \cdot 4H_2O$	2.450, 14°	" "
" "	"	2.460, 20°	
Mercurous nitrate	$HgNO_3 \cdot H_2O$	4.785, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
Calcium nitrate	$Ca(NO_3)_2$	2.240	Filhol. Ann. (3), 21, 415.
" "	"	2.472	Kremers. J. 10, 67.
" "	"	2.504, 17°.9	Favre and Valson. C. R. 77, 579.
" "	$Ca(NO_3)_2 \cdot 4H_2O$	1.78	Filhol. Ann. (3), 21, 415.
" "	"	1.90, 15°.5, s. }	Ordway. J. 12, 115.
" "	"	1.79, 15°.5, l. }	
" "	"	1.873, 18°	Favre and Valson. C. R. 77, 579.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium nitrate	$\text{Sr}(\text{N O}_3)_2$	3.0061	Hassenfratz. Ann. 28, 3.
" "	"	2.8901	Karsten. Schw. J. 65, 394.
" "	"	2.704	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.857	Filhol. Ann. (3), 21, 415.
" "	"	2.962, m. of 4	Schröder. P. A. 106, 226.
" "	"	2.805	Buignet. J. 14, 15.
" "	"	2.980, 16° 8	Favre and Valson. C. R. 77, 579.
" "	$\text{Sr}(\text{N O}_3)_2 \cdot 4 \text{H}_2 \text{O}$	2.113	Filhol. Ann. (3), 21, 415.
" "	"	2.249, 15° 5	Favre and Valson. C. R. 77, 579.
Barium nitrate	$\text{Ba}(\text{N O}_3)_2$	2.9149	Hassenfratz. Ann. 28, 3.
" "	"	3.1848	Karsten. Schw. J. 65, 394.
" "	"	3.284, m. of 5	Playfair and Joule. M. C. S. 2, 401.
" "	"	3.16052, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	3.200	Filhol. Ann. (3), 21, 415.
" "	"	3.222	} Crystallized at different temperatures. Kremers. J. 5, 15.
" "	"	3.228	
" "	"	3.240	
" "	"	3.242	
" "	"	3.208	
" "	"	3.241	Schröder. P. A. 106, 226.
" "	"	3.404	Buignet. J. 14, 15.
" "	"	3.22	Brügelmann. Ber. 17, 2359.
Lead nitrate	$\text{Pb}(\text{N O}_3)_2$	4.068	Hassenfratz. Ann. 28, 3.
" "	"	4.769	Breithaupt. Schw. J. 68, 291.
" "	"	4.3993	Karsten. Schw. J. 65, 394.
" "	"	4.340	Kopp.
" "	"	4.316, m. of 3	Playfair and Joule. M. C. S. 2, 401.
" "	"	4.472, 4°	Playfair and Joule. J. C. S. 1, 137.
" "	"	4.581	Filhol. Ann. (3), 21, 415.
" "	"	4.41, 15° 5	Holker. P. M. (3), 27, 214.
" "	"	4.423	} Schröder. P. A. 106, 226.
" "	"	4.429	
" "	"	4.509	
" "	"	4.235	Buignet. J. 14, 15.
" "	"	4.3, 0°	Ditte. Ber. 15, 1438.
Manganese nitrate	$\text{Mn}(\text{N O}_3)_2 \cdot 6 \text{H}_2 \text{O}$	1.8199, 21° s.	} Ordway. J. 12, 113.
" "	"	1.8104, 21° l.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nickel nitrate-----	Ni (N O <sub>3</sub> ) <sub>2</sub> . 6 H <sub>2</sub> O	2.037, 22°	Laws. F. W. C.
“ “-----	“	2.065, 14°	
Cobalt nitrate-----	Co (N O <sub>3</sub> ) <sub>2</sub> . 6 H <sub>2</sub> O	1.83, 14°	Bödeker. B. D. Z.
Copper nitrate-----	Cu (N O <sub>3</sub> ) <sub>2</sub> . 3 H <sub>2</sub> O	2.174	Hassenfratz. Ann. 28, 3.
“ “-----	“	2.047, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
Didymium nitrate-----	Di (N O <sub>3</sub> ) <sub>3</sub> . 6 H <sub>2</sub> O	2.245	Cleve. U. N. A. 1885.
“ “-----	“	2.253	
Samarium nitrate-----	Sm (N O <sub>3</sub> ) <sub>3</sub> . 6 H <sub>2</sub> O	2.380	“ “
“ “-----	“	2.370	
Ferric nitrate-----	Fe <sub>2</sub> (N O <sub>3</sub> ) <sub>6</sub> . 18 H <sub>2</sub> O	1.6835, 21°, s.	{ Ordway. J. 12, 114.
“ “-----	“	1.6712, 1.	
Bismuth nitrate-----	Bi (N O <sub>3</sub> ) <sub>3</sub> . 5 H <sub>2</sub> O	2.736, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “-----	“	2.823, 13°	Laws. F. W. C.
Uranyl nitrate-----	U O <sub>2</sub> (N O <sub>3</sub> ) <sub>2</sub> . 6 H <sub>2</sub> O	2.807, 13°	Bödeker. B. D. Z.
Gold hydrogen nitrate----	Au H (N O <sub>3</sub> ) <sub>4</sub> . 3 H <sub>2</sub> O	2.82	{ Gumpach. See Schottlander, Wurzburg In. Diss. 1884.
“ “ “-----	“	2.87	

## 2d. Basic and Ammonio-Nitrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimercuric nitrate-----	Hg <sub>2</sub> N <sub>2</sub> O <sub>7</sub> . 2 H <sub>2</sub> O	4.242	Playfair and Joule. M. C. S. 2, 401.
Mercurous subnitrate----	Hg <sub>6</sub> (N O <sub>3</sub> ) <sub>4</sub> O. 3 H <sub>2</sub> O	5.967	“ “
Lead hydroxynitrate-----	Pb N O <sub>3</sub> O H	5.93, 0°	Ditte. Ber. 15, 1438.
Diplumbic nitrate-----	Pb <sub>2</sub> N <sub>2</sub> O <sub>7</sub>	5.645	Playfair and Joule. M. C. S. 2, 401.
Tricupric nitrate-----	Cu <sub>3</sub> N <sub>2</sub> O <sub>8</sub> . H <sub>2</sub> O	2.765, m. of 3.	Wells and Penfield. A. J. S. (3), 30, 50.
Tetracupric nitrate-----	Cu <sub>4</sub> N <sub>2</sub> O <sub>9</sub> . 3 H <sub>2</sub> O	3.378	
“ “-----	“	3.371	
Gerhardtite-----	“	3.426	Playfair and Joule. M. C. S. 2, 401.
Bismuth subnitrate-----	Bi <sub>2</sub> N <sub>2</sub> O <sub>8</sub> . H <sub>2</sub> O	4.551	“ “
Bismuth hydroxynitrate----	Bi (O H) <sub>2</sub> N O <sub>3</sub>	5.260, m. of 2.	“ “
Mercury ammonionitrate----	Hg <sub>3</sub> N <sub>2</sub> O <sub>8</sub> . 2 N H <sub>3</sub>	5.970	“ “
Copper ammonionitrate----	Cu (N O <sub>3</sub> ) <sub>2</sub> . 4 N H <sub>3</sub>	1.874, m. of 3.	“ “
“ “-----	“	1.905, 21°.5	Evans. F. W. C.
Purpureocobalt chloronitrate.	Co <sub>2</sub> (NH <sub>3</sub> ) <sub>10</sub> Cl <sub>2</sub> (NO <sub>3</sub> ) <sub>4</sub>	1.667, 16°	Jörgensen. J. P. C. (2), 20, 105.
Purpureocobalt bromonitrate.	Co <sub>2</sub> (NH <sub>3</sub> ) <sub>10</sub> Br <sub>2</sub> (NO <sub>3</sub> ) <sub>4</sub>	1.956, 17°.1	Jörgensen. J. P. C. (2), 19, 49.
Purpureochromium chloronitrate.	Cr <sub>2</sub> (NH <sub>3</sub> ) <sub>10</sub> Cl <sub>2</sub> (NO <sub>3</sub> ) <sub>4</sub>	1.569, 17°.2	Jörgensen. J. P. C. (2), 20, 105.

## XXXI. HYPOPHOSPHITES AND PHOSPHITES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen hypophosphite, or hypophosphorous acid	$H_3 P O_2$ -----	1.493, 18°.8--	Thomsen. J. P. C. (2), 2, 160.
Barium hypophosphite----	$Ba H_4 P_2 O_4 \cdot H_2 O$ ----	2.8718, 10°	} Mohr. F. W. C. Schröder. Ber. 11, 2130. Nye. F. W. C.
" "-----	"-----	2.8971, 17°	
" "-----	"-----	2.839	
" "-----	"-----	2.911	
" "-----	"-----	2.775, 23°.3	
" "-----	"-----	2.780, 21°.6	Nye. F. W. C.
Magnesium hypophosphite	$Mg H_4 P_2 O_4 \cdot 6 H_2 O$	1.5681, 14°.5	} Mohr. F. W. C.
" "-----	"-----	1.5886, 12°.5	
Zinc hypophosphite-----	$Zn H_4 P_2 O_4 \cdot 6 H_2 O$ ----	2.014, 19°.5	} Nye. F. W. C.
" "-----	"-----	2.016, 19°.2	
" "-----	"-----	2.020, 20°	
Nickel hypophosphite----	$Ni H_4 P_2 O_4 \cdot 6 H_2 O$ ----	1.824, 19°.8	} " "
" "-----	"-----	1.844, 19°	
" "-----	"-----	1.856, 18°	
Cobalt hypophosphite----	$Co H_4 P_2 O_4 \cdot 6 H_2 O$ ----	1.808	} 18°.5 " "
" "-----	"-----	1.809	
" "-----	"-----	1.811	
Hydrogen phosphite, or phosphorous acid.	$H_3 P O_3$ -----	1.651, 21°.2--	Thomsen. J. P. C. (2), 2, 160.

## XXXII. HYPOPHOSPHATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrasodium hypophos- phate.	$Na_4 P_2 O_6 \cdot 10 H_2 O$ ----	1.832 -----	Dufet. C. R. 102, 1328.
" "-----	"-----	1.8233 -----	Dufet. B. S. M. 10, 77.
Trisodium hypophosphate	$Na_3 H P_2 O_6 \cdot 9 H_2 O$ ----	1.7427 -----	" "
Disodium hypophosphate-	$Na_2 H_2 P_2 O_6 \cdot 6 H_2 O$ ----	1.8491 -----	" "
" "-----	"-----	1.840 -----	Dufet. C. R. 102, 1328.

## XXXIII. PHOSPHATES.

## 1st. Normal Orthophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen phosphate, or phosphoric acid.	$H_3 P O_4$ -----	1.88 -----	Schiff. J. 12, 41.
“ “	“ -----	1.884, 18°.2---	Thomsen. J. P. C. (2), 2, 160.
Trisodium phosphate	$Na_3 P O_4$ -----	2.5111, 12° } 2.5362, 17°.5 }	C. A. Mohr. F. W. C.
“ “	$Na_3 P O_4 \cdot 12 H_2 O$ ---	1.622 -----	Playfair and Joule. M. C. S. 2, 401.
“ “	“ -----	1.618 -----	Schiff. A. C. P. 112, 88.
“ “	“ -----	1.6645 -----	Dufet. B. S. M. 10, 77.
Disodium hydrogen phosphate.	$Na_2 H P O_4 \cdot 3 H_2 O$	1.848 -----	Dufet. C. R. 102, 1328.
“ “ “	$Na_2 H P O_4 \cdot 7 H_2 O$	1.6789 -----	Dufet. B. S. M. 10, 77.
“ “ “	$Na_2 H P O_4 \cdot 12 H_2 O$	1.5139 -----	Tünnermann. See Böttger.
“ “ “	“ -----	1.525, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“ -----	1.586, 8° -----	Kopp. J. 8, 45.
“ “ “	“ -----	1.525 -----	Schiff. A. C. P. 112, 88.
“ “ “	“ -----	1.550 -----	Buignet. J. 14. 15.
“ “ “	“ -----	1.5235, 15° -----	Stolba. J. P. C. 97, 503.
“ “ “	“ -----	1.535 -----	W. C. Smith. Am. J. P. 53, 148.
“ “ “	“ -----	1.5313 -----	Dufet. B. S. M. 10, 77.
Sodium dihydrogen phosphate.	$Na H_2 P O_4 \cdot H_2 O$ ---	2.040 -----	Schiff. A. C. P. 112, 88.
“ “ “	“ -----	2.0547 -----	Dufet. B. S. M. 10, 77.
“ “ “	$Na H_2 P O_4 \cdot 2 H_2 O$	1.915 -----	Joly and Dufet. C. R. 102, 1393.
“ “ “	“ -----	1.9096 -----	Dufet. B. S. M. 10, 77.
Potassium dihydrogen phosphate.	$K H_2 P O_4$ -----	2.298 -----	Schiff. A. C. P. 112, 88.
“ “ “	“ -----	2.403 -----	Buignet. J. 14, 15.
“ “ “	“ -----	3.321 -----	Schröder. Dm. 1873.
“ “ “	“ -----	2.323 -----	
“ “ “	“ -----	2.343 -----	
“ “ “	“ -----	2.380 -----	
Diammonium hydrogen phosphate.	$Am_2 H P O_4$ -----	1.619 -----	Schiff. A. C. P. 112, 88.
“ “ “	“ -----	1.678 -----	Buignet. J. 14, 15.
Ammonium dihydrogen phosphate.	$Am H_2 P O_4$ -----	1.758 -----	Schiff. A. C. P. 112, 88.
“ “ “	“ -----	1.700 -----	Schröder. Dm. 1873.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ammonium dihydrogen phosphate.	$\text{Am H}_2\text{P O}_4$	1.779	Schröder. Ber. 7, 677.
Sodium potassium hydrogen phosphate.	$\text{Na K H P O}_4 \cdot 7\text{H}_2\text{O}$	1.671	Schiff. A. C. P. 112, 88.
Sodium ammonium hydrogen phosphate.	$\text{Na Am H P O}_4 \cdot 4\text{H}_2\text{O}$	1.554	" "
Trisilver phosphate.	$\text{Ag}_3\text{P O}_4$	7.321	Stromeyer. See Böttger.
Thallium dihydrogen phosphate.	$\text{Tl H}_2\text{P O}_4$	4.723	Lamy and Des Cloizeaux. Nature 1, 116.
Trithallium phosphate.	$\text{Tl}_3\text{P O}_4$	6.89, 10°	Lamy. J. 18, 247.
Bobierite.	$\text{Mg}_3(\text{P O}_4)_2 \cdot 8\text{H}_2\text{O}$	2.41	Lacroix. C. R. 106, 632.
Magnesium hydrogen phosphate.	$\text{Mg H P O}_4 \cdot \text{H}_2\text{O}$	2.326, 15°	Schulten. C. R. 100, 877.
Struvite.	$\text{Am Mg P O}_4 \cdot 6\text{H}_2\text{O}$	1.65	Teschemacher. P. M. (3), 28, 548.
Hannayite.	$\text{Am}_3\text{Mg}_3\text{H}_3(\text{P O}_4)_4 \cdot 8\text{H}_2\text{O}$	1.893	v. Rath. B. S. M. 2, 80.
Hopeite.	$\text{Zn}_3(\text{P O}_4)_2 \cdot 4\text{H}_2\text{O}$	2.76—2.85	Dana's Mineralogy.
Brushite.	$\text{Ca H P O}_4 \cdot 2\text{H}_2\text{O}$	2.208	Moore. A. J. S. (2), 29, 43.
Metabrushite.	$2\text{Ca H P O}_4 \cdot 3\text{H}_2\text{O}$	2.288	} 15° .5 { Julien. A. J. S. (2), 40, 371.
"	"	2.356	
"	"	2.362	
Martinite.	$\text{Ca}_{10}\text{H}_4(\text{P O}_4)_8 \cdot \text{H}_2\text{O}$	2.892—2.896	Kloos. J. C. S. 54, 233.
Reddingite.	$\text{Mn}_3(\text{P O}_4)_2 \cdot 3\text{H}_2\text{O}$	3.102	Brush and Dana. A. J. S. (3), 16, 120.
Vivianite.	$\text{Fe}_3(\text{P O}_4)_2 \cdot 8\text{H}_2\text{O}$	2.58, 15°	Rammelsberg. P. A. 64, 411.
"	"	2.680	Rammelsberg. J. P. C. 86, 344.
Lithiophilite.	$\text{Mn Li P O}_4$	3.482	Brush and Dana. A. J. S. (3), 18, 45.
Triphylite.	$\text{Fe Li P O}_4$	3.6	Fuchs. B. J. 15, 211.
"	"	3.534—3.589	Penfield. A. J. S. (3), 17, 226.
Hureaulite.	$\text{Mn}_{10}\text{Fe}_2\text{H}_3(\text{P O}_4)_5 \cdot 5\text{H}_2\text{O}$	3.185—3.198	Des Cloizeaux. Ann. (3), 53, 300.
Fairfieldite.	$\text{MnCa}_2(\text{P O}_4)_2 \cdot 2\text{H}_2\text{O}$	3.15	Brush and Dana. A. J. S. (3), 17, 359.
Dickinsonite.	$\text{NaCaFeMn}_2(\text{P O}_4)_3 \cdot \text{H}_2\text{O}$	3.338	} Brush and Dana. A. J. S. (3), 16, 114.
"	"	3.343	
Fillowite.	$\text{Na}_2\text{CaFeMn}_6(\text{P O}_4)_6 \cdot \text{H}_2\text{O}$	3.43	Brush and Dana. A. J. S. (3), 17, 363.
Strengite.	$\text{Fe}'''\text{P O}_4 \cdot 2\text{H}_2\text{O}$	2.87	Nies. Z. K. M. 1, 94.
" Artificial.	"	2.74	Schulten. Z. K. M. 12, 640.
Koninckite.	$\text{Fe}'''\text{P O}_4 \cdot 3\text{H}_2\text{O}$	2.3	Cesaro. A. J. S. (3), 29, 342.
Aluminum phosphate. Cryst.	$\text{Al P O}_4$	2.59	Schulten. C. R. 98, 1584.
Berlinite.	$4\text{Al P O}_4 \cdot \text{H}_2\text{O}$	2.64	Blomstrand. Dana's Min.
Callinite. (Variscite?)	$2\text{Al P O}_4 \cdot 5\text{H}_2\text{O}$	2.50	} Damour. C. R. 59, 936.
"	"	2.52	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Variscite	$\text{Al P O}_4 \cdot 2 \text{ H}_2 \text{ O}$	2.408, 18°	Petersen. N. J. 1871, 357.
Zepharovichite	$\text{Al P O}_4 \cdot 3 \text{ H}_2 \text{ O}$	2.384	Boricky. J. 22, 1235.
Xenotime	$\text{Y P O}_4$	4.54	Smith. J. 7, 857.
"	"	4.45	Zchau. J. 8, 966.
"	"	4.51	
"	"	4.39	
Cerium phosphate	$\text{Ce P O}_4$	5.22, 14°	Damour. J. 10, 686. Grandeau. Ann. (6), 8, 193.
Cryptolite	"	4.6	Wöhler. P. A. 67, 424.
"	"	4.78	Watts. J. 2, 773.
Rhabdophane (Seovillite)	$2 (\text{La Di Y Er}) \text{ P O}_4 \cdot \text{H}_2 \text{ O}$	3.9—4.01	Brush and Penfield. A. J. S. (3), 25, 459.
Monazite	$(\text{Ce La Di}) \text{ P O}_4$	5.203	Genth. Dana's Min.
"	"	5.174	Rammelsberg. J. 30, 1298.
"	"	5.106—5.110	Kokscharow. J. 15, 762.
"	"	5.174	Rammelsberg. Z. G. S. 29, 79.
Didymium phosphate	$\text{Di P O}_4$	5.34, 15°	Grandeau. Ann. (6), 8, 193.
Samarium phosphate	$\text{Sm P O}_4$	5.826	Cleve. U. N. A. 1885.
"	"	5.830	
Autunite	$\text{Ca} (\text{U O}_2)_2 (\text{P O}_4)_2 \cdot 8 \text{ H}_2 \text{ O}$	3.05—3.19	Dana's Mineralogy.
Torbernite	$\text{Cu} (\text{U O}_2)_2 (\text{P O}_4)_2 \cdot 8 \text{ H}_2 \text{ O}$	3.4—3.6	" "
Uranocircite	$\text{Ba} (\text{U O}_2)_2 (\text{P O}_4)_2 \cdot 8 \text{ H}_2 \text{ O}$	3.53	Weisbach. J. 30, 1303.
Sodium zirconium phosphate.	$\text{Na}_8 \text{ Zr} (\text{P O}_4)_4$	2.43, 14°	Troost and Ouvrard. C. R. 105, 30.
" " "	$\text{Na}_{12} \text{ Zr}_3 (\text{P O}_4)_8$	2.88, 14°	" "
" " "	$\text{Na}_4 \text{ Zr}_2 (\text{P O}_4)_3$	3.10, 12°	" "
Potassium zirconium phosphate.	$\text{K}_2 \text{ Zr} (\text{P O}_4)_2$	3.076, 7°	Troost and Ouvrard. C. R. 102, 1422.
" " "	$\text{K Zr}_2 (\text{P O}_4)_3$	3.18, 12°	" "
Sodium thorium phosphate.	$\text{Na}_5 \text{ Th} (\text{P O}_4)_3$	3.843, 7°	Troost and Ouvrard. C. R. 105, 30.
" " "	$\text{Na Th}_2 (\text{P O}_4)_3$	5.62, 16°	" "
Potassium thorium phosphate.	$\text{K}_{12} \text{ Th}_3 (\text{P O}_4)_8$	3.95, 12°	Troost and Ouvrard. C. R. 102, 1422.
" " "	$\text{K}_2 \text{ Th} (\text{P O}_4)_2$	4.688, 7°	" "
" " "	$\text{K Th}_2 (\text{P O}_4)_3$	5.75, 12°	" "

## 2d. Basic Orthophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoclasite	$\text{Ca}_2(\text{OH})\text{PO}_4 \cdot 2\text{H}_2\text{O}$	2.92	Sandberger. J. P. C. (2), 2, 125.
Libethenite	$\text{Cu}_2(\text{OH})\text{PO}_4$	3.6—3.8	Hermann. J. P. C. 37, 175.
Tagilite	$\text{Cu}_2(\text{OH})\text{PO}_4 \cdot \text{H}_2\text{O}$	3.50	Hermann. J. P. C. 37, 184.
"	"	4.076	Breithaupt. B. H. Ztg. 24, 309.
Veszelyite	$\text{Cu}_2(\text{OH})\text{PO}_4 \cdot 2\text{H}_2\text{O}$	3.531	Schrauf. Z. K. M. 4, 31.
Pseudomalachite	$\text{Cu}_3(\text{OH})_3\text{PO}_4$	4.175	Schrauf. Z. K. M. 4, 14.
Ehlite	$\text{Cu}_5(\text{OH})_4(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$	4.102	Schrauf. Z. K. M. 4, 13.
Dihydrate	$\text{Cu}_5(\text{OH})_4(\text{PO}_4)_2$	4.309	Schrauf. Z. K. M. 4, 12.
Triploidite	$(\text{MnFe})_2(\text{OH})\text{PO}_4$	3.697	Brush and Dana. A. J. S. (3), 16, 42.
Ludlamite	$\text{Fe}_7(\text{OH})_2(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$	3.12	Maskelyne and Field. J. 30, 1300.
Picite	$\text{Fe}_{14}(\text{OH})_{18}(\text{PO}_4)_8 \cdot 27\text{H}_2\text{O}$	2.83	Streng. J. 34, 1377.
Dufrenite	$\text{Fe}''_2(\text{OH})_3\text{PO}_4$	3.227	Dufrenoy. Dana's Min.
"	"	3.382	Campbell. A. J. S. (3), 22, 65.
"	"	3.454	Massie. J. 33, 1433.
"	"	3.293	Boricky. S. W. A. 56 (1), 7.
Caoxonite	$\text{Fe}''_4(\text{OH})_6(\text{PO}_4)_2 \cdot 9\text{H}_2\text{O}$	3.38	Dana's Mineralogy.
Calcioferrite	$\text{Fe}''_3\text{Ca}_3(\text{OH})_3(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$	2.523	Reissig. Dana's Min.
"		2.529	
Borickite	$\text{Fe}''_5\text{Ca}(\text{OH})_{11}(\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$	2.696—2.707	Boricky. J. 20, 1002.
Chalcosiderite	$\text{Fe}''_6\text{Cu}(\text{OH})_3(\text{PO}_4)_4 \cdot 4\text{H}_2\text{O}$	3.108	Maskelyne. J. C. S. 23, 586.
Andrewsite	$\text{Fe}''_8\text{CuFe}''_4(\text{PO}_4)_3(\text{OH})_6$	3.475	" "
Evansite	$\text{Al}_3(\text{OH})_6\text{PO}_4 \cdot 6\text{H}_2\text{O}$	1.939	Forbes. P. M. (4), 28, 341.
Trolleite	$\text{Al}_4(\text{OH})_3(\text{PO}_4)_3$	3.10	Blomstrand. Dana's Min.
Augelite	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2$	2.77	" "
Turquoise	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$	2.621	Hermann. J. P. C. 33, 282.
"	"	2.426—2.651	Blake. J. 11, 722.
Peganite	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$	2.492—2.496	Breithaupt. Schw. J. 60, 308.
Fischerite	$\text{Al}_4(\text{OH})_6(\text{PO}_4)_2 \cdot 5\text{H}_2\text{O}$	2.46	Hermann. J. P. C. 33, 286.
Cæruleoactite	$\text{Al}_6(\text{OH})_3(\text{PO}_4)_4 \cdot 7\text{H}_2\text{O}$	2.552, 19°	Petersen. N. J. 1871, 353.
		2.593, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Wavellite -----	$Al_6 (O H)_6 (P O_4)_4$ 9 $H_2 O$ .	2.337 -----	Haidinger. Dana's Min.	
“ -----	“ -----	2.316 -----	Richardson. Dana's Min.	
Planerite -----	$Al_6 (O H)_6 (P O_4)_4$ 12 $H_2 O$ .	2.65 -----	Hermann. J. 15, 764.	
Sphærite -----	$Al_{10} (O H)_{18} (P O_4)_4$ 7 $H_2 O$ .	2.536 -----	Zepharovich. S. W. A. 56, 24.	
Lazulite -----	$Al_2 Mg (OH)_2 (P O_4)_2$	3.122 -----	Smith and Brush. J. 6, 840.	
“ -----	“ -----	3.106—3.123 --	Rammelsberg. P. A. 64, 261.	
“ -----	“ -----	3.108 -----	Chapman. J. 14, 1033.	
Cirrolite -----	$Al_2 Ca_3 (O H)_3 (P O_4)_3$	3.08 -----	Blomstrand. Dana's Min.	
Plumbogummite -----	$Al_4 Pb (O H)_8 (P O_4)_2$ 5 $H_2 O$ .	4.88, 15°.6 ---	Dufrenoy. Ann. (2), 59, 440.	
“ Hitchcockite -----	“ -----	4.014, 20° ---	Genth. A. J. S. (2), 23, 424.	
Eosphorite -----	$Al Mn (O H)_2 P O_4$ H <sub>2</sub> O. } ----- } “ ----- } ----- }	3.124 ----- } 3.134 ----- } 3.145 ----- }	Brush and Dana. A. J. S. (3), 16, 35.	
Childrenite -----	$Al Fe (O H)_2 P O_4$ H <sub>2</sub> O. ---	3.22 -----		Church. J. C. S. 26, 104.
Barrandite -----	$Al Fe''' (P O_4)_2$ 4 $H_2 O$ .	2.576 -----		Zepharovich. J. 20, 1000.

## 3d. Meta- and Pyrophosphates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium metaphosphate ---	$Na P O_3$ -----	2.4756, 19°.5 } 2.4769, 18° } 2.503, 20° ---	Mohr. F. W. C. Bedson and Wil- liams. Ber. 14, 2555.
“ “ -----	“ -----	-----	
“ “ -----	“ -----	-----	
Potassium metaphosphate	$K P O_3$ -----	2.2513 } 2.2639 } 14°.5	Mohr. F. W. C.
“ “ -----	“ -----	-----	
Didymium metaphosphate	$Di P_5 O_{14}$ -----	3.333 } 3.358 } 18°.4	Cleve. U. N. A. 1885.
“ “ -----	“ -----	-----	
Samarium metaphosphate	$Sm P_5 O_{14}$ -----	3.485 } 3.489 } 28°.8	“ “
“ “ -----	“ -----	-----	
Thorium metaphosphate ---	$Th P_4 O_{12}$ -----	4.08, 16°.4 ---	Troost. C. R. 101, 210.
Sodium pyrophosphate ---	$Na_4 P_2 O_7$ -----	2.534 -----	Schröder. Dm. 1873.
“ “ -----	“ -----	2.3613 } 2.3851 } 17° ---	Mohr. F. W. C.
“ “ -----	“ -----	-----	
“ “ -----	$Na_4 P_2 O_7 \cdot 10 H_2 O$ ---	1.836 -----	Playfair and Joule. M. C. S. 2, 401.
“ “ -----	“ -----	1.7726, 21° ---	Mohr. F. W. C.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium pyrophosphate---	$\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}$ ---	1.824 -----	Dufet. C. R. 102, 1328.
“ “ ---	“ ---	1.8151 -----	Dufet. B. S. M. 10, 77.
Sodium hydrogen pyrophosphate.	$\text{Na}_2\text{H}_2\text{P}_2\text{O}_7 \cdot 6\text{H}_2\text{O}$	1.8616 -----	“ “
Potassium pyrophosphate.	$\text{K}_4\text{P}_2\text{O}_7$ -----	2.33 -----	Brügelmann. Ber. 17, 2359.
Silver pyrophosphate ---	$\text{Ag}_4\text{P}_2\text{O}_7$ -----	5.306 -----	Stromeyer. See Böttger.
“ “ ---	“ -----	5.2596 -----	Tünnermann. See Böttger.
Thallium pyrophosphate .	$\text{Tl}_4\text{P}_2\text{O}_7$ -----	6.786 -----	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium pyrophosphate	$\text{Mg}_2\text{P}_2\text{O}_7$ -----	2.220 -----	Schröder. Dm. 1873.
“ “ ---	“ -----	2.559, 18° } -----	Lewis. F. W. C.
“ “ ---	“ -----	2.598, 22° } -----	
Zinc pyrophosphate-----	$\text{Zn}_2\text{P}_2\text{O}_7$ -----	3.7538 -----	“ “
“ “ ---	“ -----	3.7574 } 23° -----	
Manganese pyrophosphate	$\text{Mn}_2\text{P}_2\text{O}_7$ -----	3.5742, 26° } -----	“ “
“ “ ---	“ -----	3.5847, 20° } -----	
Nickel pyrophosphate-----	$\text{Ni}_2\text{P}_2\text{O}_7$ -----	3.9064, 27° } -----	“ “
“ “ ---	“ -----	3.9303, 25° } -----	
Cobalt pyrophosphate-----	$\text{Co}_2\text{P}_2\text{O}_7$ -----	3.710, 25° } -----	“ “
“ “ ---	“ -----	3.746, 23° } -----	
Barium pyrophosphate---	$\text{Ba}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$ ---	3.574 } -----	Schröder. Dm. 1873.
“ “ ---	“ -----	3.582 } -----	
“ “ ---	“ -----	3.590 } -----	
Silicon pyrophosphate---	$\text{SiP}_2\text{O}_7$ -----	3.1, 14° -----	Hautefeuille and Margottet. C. R. 96, 1053.
Zirconium pyrophosphate	$\text{ZrP}_2\text{O}_7$ -----	3.12 -----	Knop. A. C. P. 159, 48.
“ “ ---	“ -----	3.14 -----	
Tin pyrophosphate -----	$\text{SnP}_2\text{O}_7$ -----	3.61 -----	Knop. A. C. P. 159, 39.
Basic tin pyrophosphate---	$\text{Sn}_2(\text{P}_2\text{O}_7)\text{O}_2$ -----	3.87 } -----	“ “
“ “ ---	“ -----	3.98 } -----	
Basic titanium pyrophosphate.	$\text{Ti}_3(\text{P}_2\text{O}_7)\text{O}_4$ -----	2.9 -----	Knop. A. C. P. 157, 365.

## XXXIV. VANADATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium octovanadate ----	$\text{Na}_{12} \text{V}_8 \text{O}_{26} \cdot 4 \text{H}_2 \text{O}$	2.85, 18° ----	Carnelley. J. C. S. (2), 11, 323.
Silver octovanadate ----	$\text{Ag}_{12} \text{V}_8 \text{O}_{26}$	5.67, 18° ----	" " "
Thallium metavanadate ----	$\text{Tl} \text{V} \text{O}_3$	6.019, 11° ----	" " "
Thallium pyrovanadate ----	$\text{Tl}_4 \text{V}_2 \text{O}_7$	8.21, 18° .5, } ppt. } fused. }	" " "
" " ----	" ----	8.812, 18° .5, } fused. }	" " "
Thallium orthovanadate ----	$\text{Tl}_3 \text{V} \text{O}_4$	8.6, 17° ----	" " "
Thallium octovanadate ----	$\text{Tl}_{12} \text{V}_8 \text{O}_{26}$	8.59, 17° .5 ----	" " "
Thallium decavanadate ----	$\text{Tl}_{12} \text{V}_{10} \text{O}_{31}$	7.86, 17° ----	" " "
Magnesium vanadate. Brown. ----	$\text{Mg}_3 \text{V}_{10} \text{O}_{28} \cdot 28 \text{H}_2 \text{O}$	2.199 } 18° ----	Sugiura and Baker. J. C. S. 35, 716.
" " Red ----	" ----	2.167 } 18° ----	" " "
Pucherite ----	$\text{Bi} \text{V} \text{O}_4$	5.91 ----	Frenzel. J. P. C. (2), 4, 227.
Dechenite ----	$\text{Pb}_3 \text{V}_2 \text{O}_8 \cdot \text{Zn}_3 \text{V}_2 \text{O}_8$	5.81 ----	Bergemann. J. 3, 753.
" ----	" ----	5.83 ----	Tschermak. J. 14, 1021.
" Eusynchite ----	" ----	5.596 ----	Rammelsberg.
Descloizite ----	$\text{Pb} \text{Zn} (\text{O} \text{H}) \text{V} \text{O}_4$	5.839 ----	Damour. J. 7, 855.
" ----	" ----	5.915 ----	} From two samples. Rammelsberg. J. 33, 1428.
" ----	" ----	6.080 ----	
" ----	" ----	6.200 ----	} Penfield.* A. J. S. (3), 26, 361.
" ----	" ----	6.205 ----	
" Light ----	" ----	6.105—6.108 ----	} Genth. Am. Phil. Soc. 1885.
" Dark ----	" ----	5.814—5.882 ----	
Mottramite† ----	$\text{Pb} \text{Cu} (\text{O} \text{H}) \text{V} \text{O}_4$	5.894 ----	Roscoe. J. 29, 1259.
Volborthite‡ ----	$\text{R}_3 (\text{O} \text{H})_3 \text{VO}_4 \cdot 6 \text{H}_2 \text{O}$	3.55 ----	Credner. Dana's Min.
Didymium vanadate ----	$\text{Di} \text{V} \text{O}_4$	4.959 } 4.963 } 21° .2 ----	} Cleve. U. N. A. 1885.
" " ----	" ----	4.963 } 21° .2 ----	
Didymium metavanadate ----	$\text{Di} \text{V}_5 \text{O}_{14} \cdot 14 \text{H}_2 \text{O}$	2.492 } 2.497 } 18° .5 ----	} " " "
" " ----	" ----	2.497 } 18° .5 ----	
Samarium metavanadate ----	$\text{Sm} \text{V}_5 \text{O}_{14} \cdot 12 \text{H}_2 \text{O}$	2.628, 17° .5 } 2.620, 17° .8 } 17° .5 ----	} " " "
" " ----	" ----	2.620, 17° .8 } 17° .5 ----	
" " ----	$\text{Sm} \text{V}_5 \text{O}_{14} \cdot 14 \text{H}_2 \text{O}$	2.52° , 17° .5 } 2.520, 17° .8 } 17° .8 ----	} " " "
" " ----	" ----	2.52° , 17° .5 } 17° .8 ----	
Sodium vanadium vanadate. ----	$2 \text{Na}_2 \text{O} \cdot 2 \text{V}_2 \text{O}_4 \cdot \text{V}_2 \text{O}_5 \cdot \frac{6}{6} \text{H}_2 \text{O}$	1.389, 15° ----	Brierly. J. C. S. 49, 30.
" " " ----	$2 \text{Na}_2 \text{O} \cdot 2 \text{V}_2 \text{O}_4 \cdot \text{V}_2 \text{O}_5 \cdot \frac{13}{6} \text{H}_2 \text{O}$	1.327, 15° ----	" " "
Potassium vanadium vanadate. ----	$5 \text{K}_2 \text{O} \cdot 2 \text{V}_2 \text{O}_4 \cdot 4 \text{V}_2 \text{O}_5 \cdot \frac{13}{6} \text{H}_2 \text{O}$	1.213, 15° ----	" " "
Ammonium vanadium vanadate. ----	$3 \text{Am}_2 \text{O} \cdot 2 \text{V}_2 \text{O}_4 \cdot 4 \text{V}_2 \text{O}_5 \cdot \frac{6}{6} \text{H}_2 \text{O}$	1.335, 15° ----	" " "

\* Penfield's mineral contained some copper and arsenic. Frenzel's tritochorite (G. 6.25) is similar.

† Formula somewhat doubtful.

‡ R in this formula =  $\frac{3}{4}$  Cu and  $\frac{1}{4}$  Ca + Ba.

## XXXV. ARSENITES AND ARSENATES.

## 1st. Normal Orthoarsenates.

NAME.	FORMULA.	SP. GRAVITY:	AUTHORITY.
Sodium dihydrogen arsenate.	$\text{Na H}_2 \text{As O}_4 \cdot \text{H}_2 \text{O}$	2.535 -----	Schiff. A. C. P. 112, 88.
" " "	"	2.6700 -----	Dufet. B. S. M. 10, 77.
" " "	$\text{Na H}_2 \text{As O}_4 \cdot 2 \text{H}_2 \text{O}$	2.320 -----	Joly and Dufet. C. R. 102, 1393.
" " "	"	2.3093 -----	Dufet. B. S. M. 10, 77.
Disodium hydrogen arsenate.	$\text{Na}_2 \text{H As O}_4 \cdot 7 \text{H}_2 \text{O}$	1.871 -----	Schiff. A. C. P. 112, 88.
" " "	"	1.8825 -----	Dufet. B. S. M. 10, 77.
" " "	$\text{Na}_2 \text{H As O}_4 \cdot 12 \text{H}_2 \text{O}$	1.759 -----	Thomson. See Böttger.
" " "	"	1.736 -----	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.670 -----	Schiff. A. C. P. 112, 88.
" " "	"	1.6675 -----	Dufet. B. S. M. 10, 77.
Trisodium arsenate	$\text{Na}_3 \text{As O}_4$	2.8128 -----	} 21° Stallo. F. W. C.
" " "	"	2.8577 -----	
" " "	$\text{Na}_3 \text{As O}_4 \cdot 12 \text{H}_2 \text{O}$	1.804 -----	Playfair and Joule. M. C. S. 2, 401.
" " "	"	1.762 -----	Schiff. A. C. P. 112, 88.
" " "	"	1.7593 -----	Dufet. B. S. M. 10, 77.
Potassium dihydrogen arsenate.	$\text{K H}_2 \text{As O}_4$	2.638 -----	Thomson. See Böttger.
" " "	"	2.832 -----	Schiff. A. C. P. 112, 88.
" " "	"	2.844 -----	} Schröder. Dm. 1873.
" " "	"	2.853 -----	
" " "	"	2.855 -----	
" " "	"	2.862 -----	Topsoë. B. S. C. 19, 246.
Ammonium dihydrogen arsenate.	$\text{Am H}_2 \text{As O}_4$	2.249 -----	Schiff. A. C. P. 112, 88.
" " "	"	2.299 -----	} Schröder. Dm. 1873.
" " "	"	2.309 -----	
" " "	"	2.312 -----	
" " "	"	2.308 -----	Topsoë. C. C. 4, 76.
Diammonium hydrogen arsenate.	$\text{Am}_2 \text{H As O}_4$	1.989 -----	Schiff. A. C. P. 112, 88.
Potassium sodium hydrogen arsenate.	$\text{K Na H As O}_4 \cdot 7 \text{H}_2 \text{O}$	1.884 -----	Schiff. A. C. P. 112, 88.
Ammonium sodium hydrogen arsenate.	$\text{Am Na H As O}_4 \cdot 4 \text{H}_2 \text{O}$	1.838 -----	" "
Hoernesite	$\text{Mg}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2 \text{O}$	2.474 -----	Haidinger. J. 13, 784.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium hydrogen arsenate.	$(\text{H Mg As O}_4)_2 \cdot \text{H}_2\text{O}$	3.155, 15°	Schulten. C. R. 100, 877.
Köttigite	$\text{Zn}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.1	Köttig. J. 2, 771.
Native nickel arsenate	$\text{Ni}_3 (\text{As O}_4)_2$	4.982	Bergemann. J. 11, 728.
Erythrite	$\text{Co}_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	2.948	Dana's Mineralogy.
Cabrerite	$(\text{Ni Co Mg})_3 (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	2.96	Ferber. B. H. Ztg. 22, 306.
Roselite	$(\text{Ca Co Mg})_3 (\text{As O}_4)_2 \cdot 2 \text{H}_2\text{O}$	3.5—3.6	Schrauf. N. J. 1874, 870.
"	"	3.46, 3°	Weisbach. N. J. 1874, 871.
Caryinite	$(\text{Pb Mn Ca})_3 (\text{As O}_4)_2$	4.25	Lundström. Dana's Min., 3d App.
Berzeliite	$\text{Mg}_3 \text{Ca}_3 (\text{As O}_4)_4$	2.52	Dana's Mineralogy.
Haidingerite	$\text{H Ca As O}_4 \cdot \text{H}_2\text{O}$	2.848	Turner. Dana's Min.
Pharmacolite	$2 \text{H Ca As O}_4 \cdot 5 \text{H}_2\text{O}$	2.64—2.73	Dana's Mineralogy.
Wapplerite	$\text{H (Ca Mg) As O}_4 \cdot 7 \text{H}_2\text{O}$	2.48	Frenzel. Dana's Min., 2d App.
Forbesite	$2 \text{H (Co Ni) As O}_4 \cdot 7 \text{H}_2\text{O}$	3.086	Forbes. P. M. (4), 25, 103.
Scorodite	$\text{Fe}^{+++} \text{As O}_4 \cdot 2 \text{H}_2\text{O}$	3.11	} Damour. Ann. (3), 10, 406.
"	"	3.18	
" Artificial	"	3.28	Verneuil and Bourgeois. C. R. 90, 224.
Carminite	$\text{Pb}_3 \text{Fe}^{+++}_{10} (\text{As O}_4)_{12}$	4.105	Dana's Mineralogy.
Trögerite	$(\text{U O}_2)_3 (\text{As O}_4)_2 \cdot 12 \text{H}_2\text{O}$	3.23	Weisbach. N. J. 1873, 316.
Uranospinite	$(\text{U O}_2)_2 \text{Ca} (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.45	" "
Zeunerite	$(\text{U O}_2)_2 \text{Cu} (\text{As O}_4)_2 \cdot 8 \text{H}_2\text{O}$	3.53	" "

## 2d. Basic Orthoarsenates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Adamite	$\text{Zn}_2 (\text{O H) As O}_4$	4.338, 18°	Friedel. C. R. 62, 692.
Native nickel arsenate	$\text{Ni}_5 \text{O}_2 (\text{As O}_4)_2$	4.838	Bergemann. J. 11, 728.
Olivenite	$\text{Cu}_2 (\text{O H) As O}_4$	4.378	Damour. Ann. (3), 13, 404.
"	"	4.135	Hermann. J. P. C. 33, 291.
Clinoclasite	$\text{Cu}_3 (\text{O H})_3 \text{As O}_4$	4.19—4.36	Dana's Mineralogy.
"	"	4.312	Damour. Ann. (3), 13, 404.
"	"	4.28, 19°	Hillebrand. Private communication.
Euchroite	$\text{Cu}_3 (\text{OH})_3 \text{As O}_4 \cdot 6 \text{H}_2\text{O}$	3.389	Dana's Mineralogy.
Erinite	$\text{Cu}_5 (\text{O H})_4 (\text{As O}_4)_2$	4.043	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cornwallite -----	$\text{Cu}_5 (\text{O H})_4 (\text{As O}_4)_3 \cdot \text{H}_2 \text{O}$	4.160 -----	Dana's Mineralogy.
Tyrolite -----	$\text{Cu}_5 (\text{O H})_4 (\text{As O}_4)_3 \cdot 7 \text{H}_2 \text{O}$	3.02—3.098 ---	" "
" -----	"	3.162 -----	Church. J. C. S. 26, 108.
" -----	"	3.27, 20°.5 ---	Hillebrand. Private communication.
Chalcopyllite -----	$\text{Cu}_8 (\text{O H})_{10} (\text{As O}_4)_7 \cdot 7 \text{H}_2 \text{O}$	2.659 -----	Damour. Ann. (3), 13, 404.
" -----	"	2.435 -----	Hermann. J. P. C. 33, 294.
Conichalcite -----	$\text{Cu Ca (O H) As O}_4$	4.123 -----	Fritzsche. J. 2, 772.
Bayldonite -----	$\text{Cu}_3 \text{Pb} (\text{OH})_2 (\text{As O}_4)_2 \cdot \text{H}_2 \text{O}$	5.35 -----	Church. J. C. S. 18, 265.
Liroconite -----	$\text{Cu}_2 \text{Al (O H)}_4 \text{As O}_4 \cdot 4 \text{H}_2 \text{O}$	2.926 -----	Haidinger. Dana's Min.
" -----	"	2.964 -----	Damour. Ann. (3), 13, 404.
" -----	"	2.985 -----	Hermann. J. P. C. 33, 296.
Chenevixite -----	$\text{Cu}_3 \text{Fe}''_2 (\text{O H})_6 (\text{As O}_4)_3$	3.93 -----	Pisani. C. R. 62, 690.
Pharmacosiderite -----	$\text{Fe}''_4 (\text{OH})_3 (\text{As O}_4)_3$	2.9—3.0 -----	Dana's Mineralogy.
Arsenosiderite -----	$\text{Fe}''_4 \text{Ca}_3 (\text{O H})_9 (\text{As O}_4)_3$	3.520 -----	Dufrenoy.
" -----	"	3.88 -----	Rammelsberg.
" -----	"	3.86 -----	Church. J. C. S. 26, 102.
Allaktite -----	$\text{Mn}_7 (\text{O H})_8 (\text{As O}_4)_2$	3.83—3.85 ---	Sjögren. A. J. S. (3), 27, 494.
Rhagite -----	$\text{Bi}_5 (\text{O H})_9 (\text{As O}_4)_2$	6.82, 22° ---	Weisbach. N. J. 1874, 302.
Mixite -----	$\text{BiCu}_{10} (\text{OH})_8 (\text{As O}_4)_5 \cdot 7 \text{H}_2 \text{O}$	2.66 -----	Schrauf. Z. K. M. 4, 277.
" -----	"	3.79, 23°.5 ---	Hillebrand. Private communication.
Walpurgite -----	$(\text{U O}_2)_3 \text{Bi}_{10} (\text{As O}_4)_4 (\text{O H})_{24}$	5.64 -----	Weisbach. N. J. 1873, 316.

## 3d. Pyroarsenates and Arsenites.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium pyroarsenate -----	$\text{Mg}_2 \text{As}_2 \text{O}_7$	3.7305, 15° -----	Stallo. F. W. C.
" " -----	"	3.7649, 18° -----	
Zinc pyroarsenate -----	$\text{Zn}_2 \text{As}_2 \text{O}_7$	4.6989 -----	" "
" " -----	"	4.7034 } 21° -----	
Manganese pyroarsenate -----	$\text{Mn}_2 \text{As}_2 \text{O}_7$	3.6625, 25° -----	" "
" " -----	"	3.6832 } 23° -----	
" " -----	"	3.6927 } -----	
Lead arsenite -----	$\text{Pb As}_2 \text{O}_4$	5.85, 23° -----	Schafarik. J. P. C. 90, 12.

XXXVI. PHOSPHATES, VANADATES, AND ARSENATES,  
COMBINED WITH HALOIDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium fluo-phosphate*-----	$\text{Na}_4(\text{P O}_4)\text{F} \cdot 12\text{H}_2\text{O}$	2.2165 -----	Briegleb. J. 8, 338.
Sodium fluo-arsenate*-----	$\text{Na}_4(\text{As O}_4)\text{F} \cdot 12\text{H}_2\text{O}$	2.849 -----	Briegleb. J. 8, 339.
Wagnerite-----	$\text{Mg}_2(\text{P O}_4)\text{F}$	2.985 -----	Rammelsberg. P. A.
"-----	"-----	3.068 -----	64, 251.
"-----	"-----	3.12 -----	Pisani. Z. K. M.
Artificial vanadium wag- nerite.	$\text{Ca}_2(\text{V O}_4)\text{Cl}$	4.01 -----	3, 645.
Herderite-----	$\text{Ca Cl}(\text{P O}_4)\text{F}$	3.00 -----	Hautefeuille. J. C.
"-----	"-----	3.006 -----	S. (2), 12, 131.
"-----	"-----	3.012 -----	Hidden and Mack-
Triplite-----	$(\text{Fe Mn})_2(\text{P O}_4)\text{F}$	3.617 -----	intosh. A. J. S.
"-----	"-----	3.83—3.90 -----	(3), 27, 135.
Amblygonite-----	$\text{Al Li}(\text{P O}_4)\text{F}$	3.118 -----	Penfield and Harper.
"-----	"-----	3.088 -----	A. J. S. (3), 32, 107.
"-----	"-----	3.046 -----	Bergemann. J. P. C.
Durangite-----	$\text{Al Na}(\text{As O}_4)\text{F}$	3.937 -----	79, 414.
Fluorapatite-----	$\text{Ca}_5(\text{P O}_4)_3\text{F}$	3.166—3.235 -----	Siewert. J. 26, 1185.
"-----	"-----	3.091—3.216 -----	Breithaupt. J. P. C.
"-----	"-----	3.25 -----	16, 476.
Chlorapatite-----	$\text{Ca}_5(\text{P O}_4)_3\text{Cl}$	3.054, artif. -----	Penfield. A. J. S.
"-----	"-----	2.98 "-----	(3), 18, 295.
Pyromorphite-----	$\text{Pb}_5(\text{P O}_4)_3\text{Cl}$	7.008, artif. -----	Brush. A. J. S. (2),
"-----	"-----	7.054—7.208 -----	34, 243.
"-----	"-----	7.36 -----	Brush. A. J. S. (3),
Vanadinite-----	$\text{Pb}_5(\text{V O}_4)_3\text{Cl}$	6.707, 12°, artif.	11, 464.
"-----	"-----	6.886 -----	G. Rose. P. A. 9,
"-----	"-----	6.863 -----	185.
Mimetite-----	$\text{Pb}_5(\text{As O}_4)_3\text{Cl}$	7.218 -----	Pusirewski. J. 15,
"-----	"-----	7.82 -----	763.
" Artificial-----	"-----	7.12 -----	Church. J. C. S.
Ekdemite-----	$\text{Pb}_5(\text{As O}_4)_2\text{Cl}_4$	7.14 -----	26, 101.
Endlichite-----	$\text{Pb}_5(\text{As O}_4)_3\text{Cl} + \text{Pb}_5(\text{V O}_4)_3\text{Cl}$	6.864 -----	Manross. J. 5, 10.
			Daubreé. "Études synthétiques."
			Manross. J. 5, 10.
			G. Rose. P. A. 9,
			209.
			Fuchs. J. 20, 1001.
			Roscoc. Z. C. 13,
			357.
			Rammelsberg. J. 9,
			872.
			Struve. J. 12, 805.
			Rammelsberg. J. 7.
			856.
			Smith. J. 8, 965.
			Michel. B. S. M.
			10, 135.
			Nordenskiöld. Z. K.
			M. 2, 306.
			Genth. Am. Phil
			Soc., 1885.

\*Baker (J. C. S., May, 1885) assigns more complex formulæ to these salts.

## XXXVII. ANTIMONITES AND ANTIMONATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium antimonite	$\text{Na Sb O}_2 \cdot 3 \text{H}_2 \text{O}$	2.864	Terreil. Ann. (4), 7, 350.
Sodium hydrogen antimonite.	$\text{Na H}_2 (\text{Sb O}_2)_3$	5.05	" "
Romeite	$\text{Ca} (\text{Sb O}_2) (\text{Sb O}_3) ?$	4.675 } 4.714 }	Damour. J. 6, 837.
"		5.03	
Atopite	$\text{Ca}_2 \text{Sb}_2 \text{O}_7$	5.03	Nordenskiöld. Dana's Min., 3d App.
Barcenite	$\text{Ca Hg} (\text{Sb O}_3)_4$	5.353, 20°	Mallet. A. J. S. (3), 16, 306.
Monimolite	$\text{Pb}_4 (\text{Sb O}_4)_2 \text{O}$	5.94	Igelström. Dana's Min.
Bindheimite	$\text{Pb}_3 (\text{Sb O}_4)_2 \cdot 4 \text{H}_2 \text{O}$	4.60—4.76	Hermann. J. P. C. 34, 179.
"	"	5.01, 19°	Hillebrand. Bull. 20, U. S. G. S.
Nadorite	$\text{Pb} (\text{Sb O}_2) \text{Cl}$	7.02	Flajolot. J. 23, 1280.
Stibioferrite	$4 \text{Fe}''' \text{Sb O}_4 \cdot 3 \text{H}_2 \text{O}$	3.598	Goldsmith. Dana's Min., 2d App.
Thrombolite	$\text{Cu}_{10} \text{Sb}_6 \text{O}_{19} \cdot 19 \text{H}_2 \text{O}$	3.668	Schrauf. Z. K. M. 4, 28.

## XXXVIII. COLUMBATES AND TANTALATES.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium columbate	$\text{Mg}_4 \text{Cb}_2 \text{O}_9$	4.3	Joly. C. R. 81, 268.
Manganese columbate	?	4.94	Joly. B. S. C. 25, 67.
Columbite	$\text{Fe Cb}_2 \text{O}_6$	5.469—5.495	Schlieper. Dana's Min.
"	"	5.447	Oesten. Dana's Min.
"	"	5.432—5.452	Breithaupt. J. 11, 720.
"	"	5.40—5.43	Müller. J. 11, 721.
Manganese columbite	$\text{Mn} (\text{Cb O}_3) (\text{Ta O}_3)$	6.59	Comstock. A. J. S. (3), 19, 131.
Tantalite	$\text{Fe Ta}_2 \text{O}_6$	7.264	Nordenskiöld. P. A. 26, 488.
"	"	7.936	Berzelius. Dana's Min.
"	"	7.703	Jenzsch. Dana's Min.
"	"	7.277—7.414	Rose. J. 11, 720.
"	"	7.2	Smith. A. J. S. (3), 14, 323.
Mangantantalite	$\text{Mn Ta}_2 \text{O}_6$	7.37	Arzruni. J. C. S. 54, 234.
Spyllite	$\text{Er Cb O}_4$	4.883, 16°	Mallet. Z. K. M. 6, 518.

\* For samarskite, microlite, fergusonite, and other natural columbotantalates see Dana's Mineralogy. The formulae here assigned to columbite, tantalite, and spyllite are only approximative, representing the typical compounds.

## XXXIX. CARBONATES.

## 1st. Simple Carbonates.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Lithium carbonate	$\text{Li}_2\text{C O}_3$	2.111	Kremers. J. 10, 67.
" "	"	1.787, fused	Quincke. P. A. 138, 141.
Sodium carbonate	$\text{Na}_2\text{C O}_3$	2.4659	Karsten. Schw. J. 65, 394.
" "	"	2.430	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.509	Filhol. Ann. (3), 21, 415.
" "	"	2.407, 20°.5	Favre and Valson. C. R. 77, 579.
" "	"	2.490	Schröder. Dm. 1873.
" "	"	2.510	
" "	"	2.041, 960°	Braun. J. C. S. (2), 13, 31.
" "	"	2.45, fused	Quincke. P. A. 135, 642.
" "	$\text{Na}_2\text{C O}_3 \cdot 8\text{H}_2\text{O}$	1.51	Thomson. Ann. Phil. (2), 10, 442.
" "	$\text{Na}_2\text{C O}_3 \cdot 10\text{H}_2\text{O}$	1.423	Haidinger. See Böttger.
" "	"	1.454, m. of 4.	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.475	Schiff.
" "	"	1.463	Buignet. J. 14, 15.
" "	"	1.455, 15°.5	Holker. P. M. (3), 27, 214.
" "	"	1.4402	Stolba. J. P. C. 97, 503.
" "	"	1.456, 19°	Favre and Valson. C. R. 77, 579.
Thermonatrite	$\text{Na}_2\text{C O}_3 \cdot \text{H}_2\text{O}$	1.5—1.6	Dana's Mineralogy.
Potassium carbonate	$\text{K}_2\text{C O}_3$	2.2643	Karsten. Schw. J. 65, 394.
" "	"	2.103	Playfair and Joule. M. C. S. 2, 401.
" "	"	2.267	Filhol. Ann. (3), 21, 415.
" "	"	2.105	W. C. Smith. Am. J. P. 53, 145.
" "	"	2.00, 1150°	Braun. J. C. S. (2), 13, 31.
Silver carbonate	$\text{Ag}_2\text{C O}_3$	6.0766	Karsten. Schw. J. 65, 394.
" "	"	6.0, 17°.5	Kremers. P. A. 85, 43.
Thallium carbonate	$\text{Tl}_2\text{C O}_3$	7.06	Lamy. J. 15, 186.
" "	"	7.164	Lamy and Des Cloizeaux. Nature 1, 116.
Magnesium carbonate	$\text{Mg C O}_3$	3.037	Neumann. P. A. 23, 1.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Magnesium carbonate	Mg C O <sub>3</sub>	3.056	Mohs.
" "	"	3.065	Scheerer.
" "	"	3.017	Breithaupt.
" "	"	3.033	Hauer.
" "	"	3.017	Marchand and Scheerer. J. 3, 760.
" "	"	3.007	Jenzsch. J. 6, 848.
" "	"	3.076	
" "	"	3.033	
" "	"	3.015	Zepharovich. J. 8, 975.
" "	"	3.015	Zepharovich. J. 18, 906.
" "	Mg C O <sub>3</sub> . 3 H <sub>2</sub> O	1.875	Beckurts. J. C. S. 42, 14.
Zinc carbonate	Zn C O <sub>3</sub>	4.339	Smithson.
" "	"	4.442	Mohs. See Böttger.
" "	"	4.3765	Karsten. Schw. J. 65, 394.
" "	"	4.45	Naumann.
" "	"	4.42	Haidinger.
Cadmium carbonate	Cd C O <sub>3</sub>	4.42, 17°	Herapath. P. M. 64, 321.
" "	"	4.4938	Karsten. Schw. J. 65, 394.
" "	"	4.258	Schröder. Dm. 1873.
Calcium carbonate	Ca C O <sub>3</sub>	2.7000	Karsten. Schw. J. 65, 394.
" " Chalk	"	2.6946	
" " Aragonite	"	2.931	Haidinger.
" " "	"	2.927	Biot.
" " "	"	2.945	Beudant.
" " "	"	2.947	
" " "	"	2.931	Mohs.
" " "	"	2.938	Breithaupt.
" " "	"	2.995	
" " "	"	2.926	Neumann. P. A. 23, 1.
" " "	"	2.933, 0°	Kopp.
" " "	"	2.93	Nendtwich.
" " "	"	2.92	Riegel. J. 4, 819.
" " "	"	2.93	Stieren. J. 9, 882.
" " "	"	2.932	Luca. J. 11, 732.
" " Calcite	"	2.7064	Karsten. Schw. J. 65, 394.
" " "	"	2.6987	
" " "	"	2.7213	Beudant.
" " "	"	2.7234	
" " "	"	2.750	Neumann. P. A. 23, 1.
" " "	"	2.702	Hochstetter. J. 1, 1222.
" " "	"	2.72	Kopp. J. 16, 5.
" " "	" Artificial	2.71	Bourgeois. Ann. (5), 29, 493.
" " "	Ca C O <sub>3</sub> . 5 H <sub>2</sub> O	1.783	Pelouze.
" " "	"	1.75	Salm-Horstmar. P. A. 35, 515.
Strontium carbonate	Sr C O <sub>3</sub>	3.605	Mohs. See Böttger.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium carbonate	$\text{Sr C O}_3$	3.6245	Karsten. Schw. J. 65, 394.
" "	"	3.613	v. der Marck. J. 3, 759.
" " Precip.	"	3.548	Schröder. P. A. 106, 226.
" " "	"	3.620	
Barium carbonate	$\text{Ba C O}_3$	4.24	
" "	"	4.301	Mohs.
" "	"	4.35	Kirwan.
" "	"	4.3019	Karsten. Schw. J. 65, 394.
" "	"	4.565	Filhol. Ann. (3), 21, 415.
" " Precip.	"	4.216	Schröder. P. A. 106, 226.
" " "	"	4.235	
" " "	"	4.372	
" " Ppt. hot.	"	4.1721	Schweitzer. Contrib. Lab. Univ. of Missouri, 1876.
" " "	"	4.1975	
" " Ppt. cold.	"	4.1609	
" " "	"	4.2811	
Lead carbonate	$\text{Pb C O}_3$	6.465	Mohs. See Böttger.
" "	"	6.5	John.
" "	"	6.47	Breithaupt.
" "	"	6.4277	Karsten. See Böttger.
" "	"	6.60	Smith. J. 8, 972.
" "	"	6.510	Schröder. P. A. Ergänzt. Bd. 6, 622.
" "	"	6.517	
Manganese carbonate	$\text{Mn C O}_3$	3.592	Mohs. See Böttger.
" "	"	3.553	Kersten. J. P. C. 37, 163.
" "	"	3.6608	Kranz.
" "	"	3.57	Grüner. J. 3, 767.
" " Ppt.	"	3.122	Schröder. P. A. 106, 226.
" " "	"	3.129	
Iron carbonate	$\text{Fe C O}_3$	3.829	Mohs. See Böttger.
" "	"	3.815	Dufrenoy.
" "	"	3.872	Neumann. P. A. 23, 1.
" "	"	3.698	Breithaupt. J. P. C. 14, 445.
" "	"	3.796, 0°	Kopp.
Lanthanite	$\text{La}_2 (\text{C O}_3)_3 \cdot 8 \text{ H}_2 \text{ O}$	2.605, 20°	Genth. A. J. S. (2), 28, 425.
"	"	2.666	Blake. J. 6, 850.
Didymium carbonate	$\text{Di}_2 (\text{C O}_3)_3 \cdot 8 \text{ H}_2 \text{ O}$	2.850, } 15° {	Cleve. U. N. A. 1885.
" "	"	2.872, }	

## 2d. Double Carbonates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydrogen sodium carbonate.	$\text{Na H C O}_3$ -----	2.192, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“-----	2.163-----	Buignet. J. 14, 15.
“ “ “	“-----	2.2208, 15°-----	Stolba. J. P. C. 97, 508.
“ “ “	“-----	2.207-----	}----- Schröder. Dm. 1873.
“ “ “	“-----	2.205-----	
“ “ “	“-----	2.159-----	W. C. Smith. Am. J. P. 53, 148.
Urao-----	$\text{Na}_3\text{H}(\text{C O}_3)_2 \cdot 2\text{H}_2\text{O}$	2.1473, 21°-----	Chatard. Private communication.
Hydrogen potassium carbonate.	$\text{K H C O}_3$ -----	2.012-----	Gmelin.
“ “ “	“-----	2.092-----	Playfair and Joule. M. C. S. 2, 401.
“ “ “	“-----	2.180-----	Buignet. J. 14, 15.
“ “ “	“-----	2.140-----	}----- Schröder. Dm. 1873.
“ “ “	“-----	2.167-----	
“ “ “	“-----	2.078-----	W. C. Smith. Am. J. P. 53, 145.
Hydrogen ammonium carbonate.	$\text{Am H C O}_3$ -----	1.586-----	Playfair and Joule. M. C. S. 2, 401.
Sodium potassium carbonate.	$\text{K Na C O}_3$ -----	2.5289-----	}----- Stolba. J. 18, 166.
“ “ “	“-----	2.5633-----	
“ “ “	$\text{K Na C O}_3 \cdot 12\text{H}_2\text{O}$	1.6088-----	
“ “ “	“-----	1.6334-----	“ “
Silver potassium carbonate.	$\text{Ag K C O}_3$ -----	3.769-----	Schulten. C. R. 105, 813.
Gaylussite-----	$\text{Na}_2\text{Ca}(\text{C O}_3)_2 \cdot 5\text{H}_2\text{O}$	1.928-----	} Boussingault. Ann. (2), 31, 270.
“-----	“-----	1.950-----	
Dolomite-----	$\text{Ca Mg}(\text{C O}_3)_2$ -----	2.914-----	} Neumann. P. A. 23, 1.
“-----	“-----	2.918-----	
“-----	“-----	2.89-----	Ott. J. 1, 1223.
“-----	“-----	2.924-----	Tschernak. J. 10, 695.
“-----	“-----	2.85-----	Senft. J. 14, 1027.
Hydrodolomite-----	$\text{Ca Mg}_2(\text{C O}_3)_3 \cdot \text{H}_2\text{O}$	2.495-----	Rammelsberg. Dana's Min.
“-----	“-----	2.86-----	Hermann. J. P. C. 47, 13.
Bromlite-----	$\text{Ca Ba}(\text{C O}_3)_2$ -----	3.718-----	Thomson.
“-----	“-----	3.76, 15°.5-----	Johnston. P. M. (3), 6, 1.
Barytocalcite-----	“-----	3.66-----	Children. Ann. Phil. (2), 8, 114.
Manganocalcite-----	$\text{Ca Mn}_2(\text{C O}_3)_3$ -----	3.037-----	Breithaupt. P. A. 69, 429.
Pistomesite-----	$\text{Mg Fe}(\text{C O}_3)_2$ -----	3.412-----	} Breithaupt. P. A. 70, 146.
“-----	“-----	3.417-----	
Mesitite-----	$\text{Mg}_2\text{Fe}(\text{C O}_3)_3$ -----	3.349-----	} Breithaupt. P. A. 11, 170.
“-----	“-----	3.363-----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ankerite -----	$\text{Ca (Mg Fe) (C O}_3)_2$	3.01 -----	Luboldt. Dana's Min.
“ -----	“ -----	3.008 -----	Ettling. Dana's Min.
“ -----	“ -----	3.072 -----	Boricky. J. 22, 1245.
Dawsonite -----	$\text{Al Na (C O}_3) (\text{O H})_2$	2.40 -----	Harrington. Dana's Min., 2d App.

## 3d. Basic Carbonates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hydromagnesite -----	$\text{Mg}_4 (\text{C O}_3)_3 (\text{O H})_2$ $\quad\quad\quad 3 \text{ H}_2 \text{ O}$	2.145 -----	Smith and Brush. J. 6, 851.
“ -----	“ -----	2.180 -----	
Hydrogiobertite -----	$\text{Mg}_2 \text{ C O}_4 \cdot 3 \text{ H}_2 \text{ O}$	2.149—2.174 -----	Scacchi. See Z. K. M. 12, 202.
Hydrozincite -----	$\text{Zn}_3 (\text{C O}_3) (\text{O H})_4$	3.252 -----	Petersen and Voit. A. C. P. 108, 48.
Zaratite -----	$\text{Ni}_3 (\text{C O}_3) (\text{O H})_4 \cdot 4 \text{ H}_2 \text{ O}$	2.57 -----	B. Silliman, Jr. J. 1, 1225.
“ -----	“ -----	2.693 -----	
Malachite -----	$\text{Cu}_2 (\text{C O}_3) (\text{O H})_2$	3.715 -----	Breithaupt. Schw. J. 68, 291.
“ -----	“ -----	3.898 -----	Breithaupt. J. P. C. 16, 475.
“ -----	“ -----	4.06 -----	Smith. J. 8, 975.
Azurite -----	$\text{Cu}_3 (\text{C O}_3)_2 (\text{O H})_2$	3.88 -----	“ -----
“ -----	“ -----	3.5—3.831 -----	Dana's Mineralogy.
Bismutosphærite -----	$\text{Bi}_2 \text{ C O}_5$	7.28—7.32 -----	Weisbach. J. C. S. 34, 117.
“ -----	“ -----	7.42 -----	Wells. A. J. S. (3), 34, 271.
Bismutite -----	$\text{Bi}_2 \text{ H}_2 \text{ C O}_6$	6.86 -----	Louis. J. C. S. 54, 33.

## XL. SILICATES.\*

## 1st. Silicates Containing But One Metal.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium metasilicate	$\text{Na}_2 \text{Si O}_3 \cdot 8 \text{H}_2 \text{O}$	1.666, 18°	F. W. Clarke.
Phenakite	$\text{Ca}_2 \text{Si O}_4$	2.966	Kokscharow. J. 10, 664.
"	"	2.996	
"	"	2.967, 23°	
"	"	2.95	Hillebrand. Bull. 20, U. S. G. S.
Bertrandite	$\text{Ca}_4 \text{H}_2 \text{Si}_2 \text{O}_9$	2.593	Hatch. N. J. 1888, 171.
"	"	2.586	Bertrand. B. S. M. 3, 96.
"	"	2.55	Damour. B. S. M. 6, 252.
Enstatite	$\text{Mg Si O}_3$	3.19	Scharizer. Z. K. M. 14, 41.
"	"	3.10—3.13	Damour. Dana's Min.
"	"	3.153	Kenngott. J. 8, 928.
" Artificial	"	3.11	Brögger and v. Rath. Z. K. M. 1, 22.
Forsterite	$\text{Mg}_2 \text{Si O}_4$	3.243	Hautefeuille. J. 17, 212.
" Boltonite	"	3.008	Rammelsberg. J. 13, 757.
"	"	3.208	Silliman, Jr. J. 2, 742.
"	"	3.323	Smith. J. 7, 821.
Talc	$\text{Mg}_3 \text{H}_2 \text{Si}_4 \text{O}_{12}$	2.48—2.80	
"	"	2.682	Scheerer. J. 4, 793.
Serpentine	$\text{Mg}_3 \text{H}_4 \text{Si}_2 \text{O}_9$	2.557	Senft. Z. G. S. 14, 167.
"	"	2.644	Rammelsberg. J. 1, 1195.
"	"	2.57	Delesse. J. 1, 1195.
"	"	2.564—2.593	Hermann. J. 2, 764.
"	"	2.597—2.622	Gilm. J. 10, 678.
			Hunt. J. 11, 715.

\* For sp. gr. of silicates before and after fusion see v. Kobell, Bei. 6, 314.

NOTE.—As regards the natural silicates this table is far from complete. Only those compounds are included which admit of fairly definite chemical formulation, and only a few typical determinations of specific gravity are given in each case. Furthermore, the arrangement is absolutely chemical, and is in no sense dependent upon mineralogical considerations. Thus, for example, all the magnesium silicates are brought together; and so also are the numerous double silicates of aluminum and calcium, quite regardless of their classification as mineral species. Many micas, chlorites, scapolites, etc., are omitted altogether; but the omissions are not serious, for all the important data have been many times collected in the larger treatises on mineralogy, and are, therefore, easily accessible.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Willemite	$Zn_2 Si O_4$	4.18	Levy. B. J. 25, 351.
"	"	4.02	Hermann. J. 2, 743.
"	"	4.11	Mixer. J. 21, 1006.
"	"	4.16	
"	Artificial	4.25	Gorgeu. B. S. C. 47, 146.
Calamine	$Zn_2 Si O_4 \cdot H_2 O$	3.435	Hermann. J. P. C. 33, 98.
"	"	3.43—3.49	Monheim. J. 1, 1187.
"	"	3.42	Schnabel. J. 11, 710.
"	"	3.36	Wieser. J. 24, 1156.
"	"	3.338, 21°	McIrby. J. 26, 1175.
Wollastonite	$Ca Si O_3$	2.884	Seibert. See Böttger.
"	"	2.853	v. Rath. J. 24, 1145.
"	"	2.799	Piquet. J. 25, 1104.
"	Artificial	2.7	Bourgeois. Ann. (5), 29, 441.
"	"	2.88	Gorgeu. Ann. (6), 4, 515.
Xonaltite	$4 Ca Si O_3 \cdot H_2 O$	2.710—2.718	Rammelsberg. J. 19, 932.
Okenite	$Ca Si_2 O_5 \cdot 2 H_2 O$	2.324	Schmidt. J. 18, 889.
"	"	2.28	Kobell. Dana's Min.
"	"	2.362	Connel. Dana's Min.
Rhodonite	$Mn Si O_3$	3.63	Hermann. J. 2, 738.
"	"	3.63	Igelström. J. 4, 768.
"	"	3.65	Fino. J. 36, 1891.
"	Artificial	3.68	Gorgeu. Ann. (6), 4, 515.
Hydrorhodonite	$Mn Si O_3 \cdot H_2 O$	2.70	Engström.
Penwithite	$Mn Si O_3 \cdot 2 H_2 O$	2.49	Collins. Z. K. M. 5, 623.
Tephroite	$Mn_2 Si O_4$	4.1	Brush. J. 17, 837.
"	"	4.0	Mixer. S. 21, 1006.
"	Artificial	4.34	Gorgeu. C. R. 98, 920.
"	"	4.08	Gorgeu. Ann. (6), 4, 515.
Friedelite	$Mn_4 H_4 Si_3 O_{12}$	3.07	Bertrand. C. R. 82, 1167.
Grünertite	$Fe Si O_3$	3.713	Gruner. C. R. 24, 794.
Fayalite	$Fe_2 Si O_4$	4.138	Gmelin. B. J. 21, 200.
"	"	4.006	Delosse. J. 7, 821.
"	Artificial	4.4	Gorgeu. Ann. (6), 4, 515.
Chrysocolla	$Cu Si O_3 \cdot 2 H_2 O$	2.0—2.238	Dana's Mineralogy.
Dioptase	$Cu H_2 Si O_4$	3.314	Kenngott. J. 3, 732.
"	"	3.348	
Kyanite	$Al_2 O_2 Si O_3$	3.48	Igelström. J. 7, 819.
"	"	3.661	Erdmann. B. J. 24, 311.
"	"	3.678	Jacobson. P. A. 68, 416.
Andalusite	$Al_3 (Si O_4)_3 (Al O)_3$	3.070	Rowney. J. 14, 982.
"	"	3.154	Erdmann. B. J. 24, 311.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Andalusite	$Al_3 (Si O_4)_3 (Al O)_3$	3.152	Kersten. J. P. C. 37, 163.
"	"	3.160	Damour. Ann. d. Mines (5), 4, 53.
"	"	3.07—3.12	Schmid. P. A. 97, 113.
Fibrolite	"	3.18—3.21	Damour. J. 18, 881.
"	"	3.239	Erdmann. B. J. 24, 311.
"	"	3.238	Dana. Dana's Min.
"	"	3.232	Brush. " "
Dumortierite	$Al_2 (Si O_4)_3 (Al O)_6$	3.36	Damour. Z. K. M. 6, 289.
Xenolite	$Al_4 (Si O_4)_3$	3.58	Nordenskiöld. P. A. 56, 643.
Kaolinite	$Al_2 O H (Si O_4)_2 H_3$	2.6	Clark. J. 4, 786.
"	"	2.4—2.63	Dana's Mineralogy.
"	"	2.611	Hillebrand. Bull. 20, U. S. G. S.
Pyrophyllite	$Al H (Si O_3)_2$	2.78—2.79	Sjögren. J. 2, 757.
"	"	2.81	Brush. J. 11, 707.
"	"	2.804	Genth. Z. K. M. 4, 384.
"	"	2.82	Tyson and Allen. J. 15, 745.
"	"	2.812	Genth. J. 36, 1903.
Allophane	$Al_2 Si O_5 \cdot 6 H_2 O$	2.02	Schnabel. J. 2, 756.
"	"	1.85—1.89	Dana's Mineralogy.
Szaboite	$Fe'''_2 (Si O_3)_3$	3.505	Koch. Z. K. M. 3, 308.
Nontronite. Chloropal	$Fe'''_2 (Si O_3)_3 \cdot 5 H_2 O$	1.727—1.870	Dana's Mineralogy.
"	"	2.105	Thomson. Dana's Min.
Zircon	$Zr Si O_4$	4.047	Damour. J. 1, 1171.
"	"	4.595	Wetherill. J. 6, 796.
"	"	4.602	} Hunt. J. 4, 768.
"	"	4.625	
"	"	4.395	
"	"	4.515	
"	"	4.438	
"	"	4.863	
"	"	4.709, 21°	
			} Church. J. 17, 834.
			} Cross and Hillebrand. J. 36, 1839.
Cerium orthosilicate	$Ce_4 (Si O_4)_3$	4.9	Didier. C. R. 19, 882.
Thorium metasilicate	$Th (Si O_3)_2$	5.56, 25°	Troost and Ouvrard. C. R. 105, 255.
Thorium orthosilicate	$Th Si O_4$	6.82, 16°	" "
Thorite. (Orangite)	$2 Th Si O_4 \cdot 3 H_2 O ?$	5.397	Bergemann. P. A. 82, 562.
"	"	5.34	Krantz. P. A. 82, 586.
"	"	5.19	Damour. Ann. d. Mines (5), 1, 587.
"	"	4.888—5.205	Chydenius. P. A. 119, 43.
" (Ordinary)	"	4.344—4.397	" "
Eulytite	$Bi_4 (Si O_4)_3$	5.912—6.006	Dana's Mineralogy.
"	"	6.106, 17°	v. Rath. J. 22, 1209.

## 2d. Silicates Containing More Than One Metal.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pectolite	H Na Ca <sub>2</sub> (Si O <sub>3</sub> ) <sub>3</sub>	2.784	Scott. J. 5, 866.
"	"	2.778—2.881	Heddle and Greg. J. 8, 952.
"	"	2.873	Clarke. Bull. 9, U. S. G. S.
Malacolite	Ca Mg (Si O <sub>3</sub> ) <sub>2</sub>	3.37	Bonsdorff. Dana's Min.
"	"	3.285	Haushofer. J. 20, 984.
"	"	3.192	Doelter. Z. K. M. 4, 89.
"	"	3.273—3.275	Hunt. Dana's Min.
Tremolite	Ca Mg <sub>3</sub> (Si O <sub>3</sub> ) <sub>4</sub>	2.930—3.004	Rammelsberg. J. 11, 694.
"	"	2.99	Michaelson. Dana's Min.
"	"	2.996, 22°	König. Z. K. M. 1, 50.
Hedenbergite	Ca Fe (Si O <sub>3</sub> ) <sub>2</sub>	3.467, 25°	Wolff. J. P. C. 34, 236.
"	"	3.492	Doelter. Z. K. M. 4, 90.
Monticellite	Ca Mg Si O <sub>4</sub>	3.119	Rammelsberg. J. 13, 758.
"	"	3.05	Freda. J. 36, 1876.
Knebelite	Fe Mn Si O <sub>4</sub>	3.714, 18°.5	Doebereiner. Schw. J. 21, 49.
"	"	4.122	Erdmann. Dana's Min.
Kentrolite	Mn'' <sub>2</sub> Pb <sub>2</sub> Si <sub>2</sub> O <sub>9</sub>	6.19	v. Rath. Z. K. M. 5, 35.
Melanotekite	Fe''' <sub>2</sub> Pb <sub>2</sub> Si <sub>2</sub> O <sub>9</sub>	5.78	Lindström. Z. K. M. 6, 515.
Hyalotekite	Ca Ba Pb Si <sub>6</sub> O <sub>15</sub> ?	3.81	Nordenskiöld.
Petalite	Al Li (Si <sub>2</sub> O <sub>3</sub> ) <sub>2</sub>	2.447—2.455	Rammelsberg. J. 5, 858.
"	"	2.412—2.553	Damour. Dana's Min.
" (Castorite)	"	2.382—2.401	Breithaupt. P. A. 69, 438.
Spodumene	Al Li (Si O <sub>3</sub> ) <sub>2</sub>	3.170	Mohs. See Böttger.
"	"	3.1827—3.187	Rammelsberg. J. 5, 857.
"	"	3.16	Pisani. Z. K. M. 2, 109.
" Hiddenite	"	3.177	Genth. Z. K. M. 6, 522.
Eucryptite	Al <sub>3</sub> Li <sub>3</sub> (Si O <sub>4</sub> ) <sub>3</sub>	2.647	} Brush and Dana. A. J. S. (3), 20, 266.
"	"	2.667	
Aluminum lithium silicate	Al <sub>2</sub> Li <sub>2</sub> Si <sub>5</sub> O <sub>14</sub>	2.40, 12°	Hautefeuille. C. R. 90, 541.
" " "	Al Li Si <sub>3</sub> O <sub>8</sub>	2.41, 11°	" "
Albite	Al Na Si <sub>3</sub> O <sub>8</sub>	2.612	Eggertz. Dana's Min.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Albite	$\text{Al Na Si}_3 \text{O}_8$	2.609, 12°	Streng. J. 24, 1151.
"	"	2.59	Leeds. J. 26, 1166.
"	"	2.604	Genth. J. 36, 1896.
"	"	2.618	Baerwald. J. 36, 1897.
"	"	2.601	Lacroix. Z. K. M. 14, 112.
" Artificial	"	2.61	Hautefeuille. Z. K. M. 2, 107.
Jadeite	$\text{Al Na (Si O}_3)_2$	3.26—3.36	Damour. B. S. M. 4, 157.
"	"	3.33	Damour. Z. K. M. 6, 290.
"	"	3.326—3.355	Hallock. { Unpublished data from
"	"	3.26—3.34	Hawes. { U. S. National Museum.
"	"	3.35	Taylor. {
Nephelite	$\text{Al}_3 \text{Na}_8 \text{Si}_9 \text{O}_{34}$	2.56—2.617	Scheerer. P. A. 49, 359.
"	"	2.629	Kimball. J. 13, 762.
"	"	2.600—2.6087	Rammelsberg. Z. G. S. 29, 78.
"	"	2.60—2.63	Lorenzen. J. 36, 1884.
Analcite	$\text{Al Na H}_2 \text{Si}_2 \text{O}_7$	2.262—2.288	Waltershausen. J. 11, 711.
"	"	2.236	Waltershausen. J. 6, 820.
"	"	2.278	Thomson. Dana's Min.
"	"	2.222	Bamberger. Z. K. M. 6, 33.
Eudnophite	"	2.27	Weibye. J. 3, 735.
Paragonite	$\text{Al}_3 \text{Na H}_2 (\text{Si O}_4)_3$	2.779	Schafhäutl. Dana's Min.
" Pregrattite	"	2.895	Oellacher. Dana's Min.
" Cossaite	"	2.890—2.896	Gastaldi. Dana's Min., 2d App.
Hydronephelite	$\text{Al}_3 \text{Na}_2 \text{H} (\text{Si O}_4)_3 \cdot 3 \text{H}_2 \text{O}$	2.263	Diller. A. J. S. (3), 31, 267.
Natrolite	$\text{Al}_2 \text{Na}_2 \text{H}_4 (\text{Si O}_4)_3$	2.207, 11°	Gmelin. J. 3, 733.
"	"	2.254—2.258	Kenngott. J. 6, 820.
"	"	2.249	Brush. A. J. S. (2), 31, 365.
Orthoclase	$\text{Al K Si}_3 \text{O}_8$	2.5702	Breithaupt. See Böttger.
"	"	2.573	Rammelsberg. J. 20, 988.
"	"	2.576—2.586	v. Rath. J. 24, 1150.
"	"	2.572—2.595	Genth. J. 36, 1896.
" Artificial	"	2.55, 16°	Hautefeuille. Z. K. M. 2, 514.
Leucite	$\text{Al K (Si O}_3)_2$	2.519	Bischof. Dana's Min.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Leucite	$Al K (Si O_3)_2$	2.48	Rammelsberg. J. 9, 852.
"	"	2.479, 23°	v. Rath. J. 27, 1255.
" Artificial	"	2.47, 13°	Hautefeuille. Z. K. M. 5, 411.
Muscovite	$Al_3 K H_2 (Si O_4)_3$	2.817	Kussin. Dana's Min.
"	"	2.714—2.796	Graulich. Dana's Min.
"	"	2.830—2.831	Tschermak. Z. K. M. 3, 127.
"	"	2.855	Scharizer. Z. K. M. 12, 15.
Pollucite	$Al_2 Cs_2 H_2 (Si O_3)_5$	2.868—2.892	Breithaupt. P. A. 69, 439.
"	"	2.901	Pisani. J. 17, 850.
"	"	2.893	Rammelsberg. Z. K. M. 6, 286.
Grossularite	$Al_2 Ca_3 (Si O_4)_3$	3.522—3.536	Hunt. Dana's Min.
"	"	3.609	Websky. J. 22, 1214.
"	"	3.572	Jannasch. J. 36, 1880.
Anorthite	$Al_2 Ca (Si O_4)_2$	2.763	Rose. See Böttger.
"	"	2.73	Deville. J. 7, 832.
"	"	2.7325	Potyka. J. 12, 785.
"	"	2.668	Silliman. Dana's Min.
"	"	2.686	v. Rath. J. 27, 1255.
Idocrase	$Al_4 Ca_8 (Si O_4)_7 ?$	3.3123—3.3905	Karsten. See Böttger.
"	"	3.384	Rammelsberg. J. 2, 745.
"	"	3.44	Damour. J. 24, 1153.
"	"	3.2533	Korn. J. 36, 1874.
"	"	3.403—3.472	Jannasch. J. 36, 1875.
Melilite	$Al_2 Ca_8 Si_5 O_{19}$	2.9—3.104	Dana's Mineralogy.
"	"	2.95	Damour. Ann. (3), 10, 59.
Meionite*	$Al_6 Ca_4 Si_6 O_{25}$	2.734—2.737	v. Rath. P. A. 90, 87.
"	"	2.716, 16°	Neminar. J. 28, 1227.
Gehlenite	$Al_2 Ca_3 Si_2 O_{10}$	2.9—3.067	Dana's Mineralogy.
"	"	2.997	Janovsky. J. 26, 1170.
Prehnite	$Al_2 Ca_2 H_2 (Si O_4)_3$	2.926	Mohs. See Böttger.
"	"	2.845—2.897, 4°	Streng. N. J. 1870, 314.
"	"	3.042	Genth. J. 36, 1185.
Heulandite	$Al_2 Ca H_{10} Si_6 O_{21}$	2.195	Thomson. Dana's Min.
"	"	2.1963	Jeremejew. Z. K. M. 2, 503.
Stilbite	$Al_2 Ca H_{12} Si_6 O_{22}$	2.203	Münster. P. A. 65, 297.

\*For other data relative to the scapolite group see Dana's Mineralogy and also Tschermak's memoir in M. C. 4, 884.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stilbite	$Al_2 Ca H_{12} Si_6 O_{22}$	2.134	Waltershausen. Dana's Min.
"	"	2.16	Schmid. J. 24, 1158.
Laumontite	$Al_2 Ca H_8 Si_4 O_{16}$	2.268	Breithaupt. See Böttger.
"	"	2.252	Mallet. Dana's Min.
"	"	2.280—2.310	Gericke. J. 9, 861.
Scolezite	$Al_2 Ca_2 H_6 Si_3 O_{13}$	2.398	Waltershausen. J. 6, 819.
"	"	2.28	Collier. Dana's Min.
"	"	2.27	Lüdecke. Z. K. M. 6, 312.
Chabazite	$Al_2 Ca H_{12} Si_4 O_{18}$	2.094	Breithaupt. See Böttger
"	"	2.08—2.19	Dana's Mineralogy.
"	"	2.133	Streng. Z. K. M.
"	"	2.115	1, 519.
Zoisite	$Al_3 Ca_2 H Si_3 O_{13}$	3.251—3.361	Rammelsberg. J. 9, 849.
"	"	3.226—3.381	Breithaupt. Dana's Min.
Margarite	$Al_4 Ca H_2 Si_2 O_{12}$	2.99	Hermann. J. P. C. 53, 16.
Oligoclase	$Al_3 Ca Na_3 Si_{11} O_{32}$	2.66—2.68	Kerndt. J. 1, 1182.
"	"	2.725	v. Rath. J. 11, 706.
"	"	2.643—2.689	Petersen. J. 25, 1112.
Andesite	$Al_3 Ca Na Si_5 O_{16}$	2.651—2.736	Delesse. J. 1, 1183.
"	"	2.667—2.674	Hunt. J. 14, 995.
Labradorite	$Al_7 Ca_3 Na Si_9 O_{32}$	2.719—2.883	Delesse. J. 1, 1183.
"	"	2.709	Damour. J. 3, 723.
"	"	2.697	Hunt. J. 4, 782.
"	"	2.72—2.77, 15° 5	Streng. J. 15, 736.
Faujasite	$Al_4 Ca Na_2 H_4 (SiO_3)_{10} 18 H_2 O$	1.923	Damour. Ann. d. Mines (4), 1, 395.
Thomsonite	$2 Al_2 (Ca Na_2) Si_2 O_3 5 H_2 O$	2.35—2.38	Zippe. Dana's Min.
"	"	2.357	Rammelsberg. J. P. C. 59, 348.
" Lintonite	"	2.32—2.37	Peckham and Hall. A. J. S. (3), 19, 122.
Gmelinite	$Al_2 (Ca Na_2) H_{12} Si_4 O_{18}$	2.07	Damour. J. 12, 796.
"	"	2.099—2.169	Dana's Mineralogy.
"	"	2.100	Liversidge. J. 36, 1895.
Milairite	$Al_2 Ca_2 K H (Si_2 O_5)_6$	2.5529	Ludwig. Z. K. M. 2, 631.
Phillipsite	$Al_2 (Ca K_2) H_8 Si_4 O_{16}$	2.201	Waltershausen. Dana's Min.
"	"	2.213	Marignac. B. J. 26, 351.
"	"	2.150, 21°	W. Fresenius. Z. K. M. 3, 42.
"	"	2.160, 20°	
Strontium oligoclase	$Al_5 Sr Na_3 Si_{11} O_{32}$	2.619	Fouqué and Lévy. C. R. 90, 622.
Strontium labradorite	$Al_7 Sr_3 Na Si_9 O_{32}$	2.862	"
Strontium anorthite	$Al_2 Sr (Si O_4)_2$	3.043	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium oligoclase -----	$Al_5 Ba Na_3 Si_{11} O_{32}$ -----	2.906 -----	Fouqué and Lévy. C. R. 90, 622.
Barium labradorite -----	$Al_7 Ba_3 Na Si_9 O_{32}$ -----	3.333 -----	" " "
Barium anorthite -----	$Al_2 Ba (Si O_4)_2$ -----	3.573 -----	" " "
Harmotome -----	$Al_2 Ba H_{10} Si_5 O_{19}$ -----	2.392 -----	Mohs. See Böttger. Dana's Mineralogy.
" -----	" -----	2.44—2.45-----	" " "
" -----	" -----	2.447 -----	Damour. Dana's Min.
" -----	" -----	2.402, 21°-----	W. Fresenius. Z. K. M. 3, 42.
Lead oligoclase -----	$Al_5 Pb Na_3 Si_{11} O_{32}$ -----	3.196 -----	Fouqué and Lévy. C. R. 90, 622.
Lead labradorite -----	$Al_7 Pb_3 Na Si_9 O_{32}$ -----	3.609 -----	" " "
Lead anorthite -----	$Al_2 Pb (Si O_4)_2$ -----	4.093 -----	" " "
Euclase -----	$Al Gl H Si O_5$ -----	3.036 -----	Mallet. J. 6, 800.
" -----	" -----	3.097 -----	Des Cloizeaux. Da- na's Min.
" -----	" -----	3.096—3.103-----	Kokscharow. Da- na's Min.
" -----	" -----	3.087 -----	Guyot. Z. K. M. 5, 250.
Beryl -----	$Al_2 Gl_3 (Si O_3)_6$ , or $Al_4 Gl_5 H_2 Si_{11} O_{34}$ -----	2.813 -----	Mallet. J. 7, 828.
" -----	" -----	2.686 -----	Haughton. J. 15, 720.
" -----	" -----	2.650 -----	Petersen. J. 19, 925.
" -----	" -----	2.706 -----	Penfield and Har- per. A. J. S. (3), 32, 111.
" -----	" -----	2.681—2.725-----	Kokscharow. Dana's Min.
" Emerald -----	" -----	2.614 -----	Boussingault. J. 22, 1216.
" " -----	" -----	2.710—2.759-----	Kammerer. Dana's Min.
Iolite -----	$Al_4 Mg_2 Si_5 O_{18}$ -----	2.605 -----	Kokscharow. J. 13, 767.
" -----	" -----	2.6699, 16°-----	Schachtel. Z. K. M. 7, 594.
" -----	" -----	2.6708, 18°-----	Jost. Z. K. M. 7, 594.
Ripidolite -----	$Al_2 Mg_5 Si_3 O_{14} \cdot 4 H_2 O$ -----	2.774 -----	Rose. Dana's Min.
" -----	" -----	2.603 -----	Hermann. Dana's Min.
" -----	" -----	2.673 -----	Maignac. Dana's Min.
" -----	" -----	2.714 -----	Blake. Dana's Min.
Arctolite -----	$Al_2 Mg Ca H_2 (Si O_4)_3$ -----	3.03 -----	Blomstrand.
Manganese garnet. Arti- ficial.	$Al_2 Mn_3 (Si O_4)_3$ -----	4.05, 11°-----	Gorgeu. C. R. 97, 1303.
Karpholite -----	$Al_2 Mn H_4 Si_2 O_{10}$ -----	2.935 -----	Breithaupt. Dana's Min.
" -----	" -----	2.876 -----	Koninck. Z. K. M. 4, 222.
Almandite -----	$Al_2 Fe''_3 (Si O_4)_3$ -----	3.90—4.236-----	Wachtmeister. Da- na's Min.
" -----	" -----	4.196 -----	Mallet. Dana's Min.
" -----	" -----	4.197 -----	Websky. J. 21, 1013.
" -----	" -----	4.127 -----	Heddle. J. 36, 1881.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Partschinite	$\text{Al}_2 \text{Fe}'' \text{Mn}_2 (\text{Si O}_4)_3$	4.006	Haidinger. J. 7, 826.
Venasquite	$\text{Al}_2 \text{Fe}'' \text{H}_2 \text{Si}_3 \text{O}_{11}$	3.26	Damour. Z. K. M. 4, 413.
Chloritoid	$\text{Al}_2 \text{Fe}'' \text{H}_2 \text{Si O}_7$	3.52	Smith. J. 3, 741.
"	"	3.513	Hunt. J. 14, 1011.
"	"	3.538	Tschermak and Sipöcz. Z. K. M. 3, 508.
Ouvarovite	$\text{Cr}_2 \text{Ca}_3 (\text{Si O}_4)_3$	3.5145	Erdmann. B. J. 23, 291.
"	"	3.41—3.52	Dana's Mineralogy.
Acmite	$\text{Fe}''' \text{Na} (\text{Si O}_3)_2$	3.536—3.543	Breithaupt. See Böttger.
"	"	3.530	Rammelsberg. J. 11, 695.
"	"	3.520	Doelter. Z. K. M. 4, 92.
Andradite	$\text{Fe}'''_2 \text{Ca}_3 (\text{Si O}_4)_3$	3.85	Damour. J. 9, 848.
"	"	3.796—3.798	Kokscharow. J. 12, 782.
"	"	3.797	Fellenberg. J. 20, 984.
"	"	3.740	Dana. Z. K. M. 2, 311.
" Demantoid	"	3.828	Rammelsberg. Z. K. M. 3, 103.
"	"	3.81, 15°	Cossa. Z. K. M. 5, 602.
Crocidolite	$\text{Fe}'''_2 \text{Fe}'''_3 \text{Na}_2 \text{H}_4 (\text{Si O}_3)_9$	3.200	Stromeyer and Hausmann. P. A. 23, 153.
"	"	3.2	Chester. A. J. S. (3), 34, 108.
Lievrite	$\text{Fe}''' \text{Fe}''_2 \text{Ca H Si}_2 \text{O}_9$	3.711	Tobler. J. 9, 851.
"	"	4.023	Städeler. J. 19, 934.
"	"	4.05	Lorenzen. J. 36, 1879.
Thuringite. (Owenite)	$\text{Fe}'''_4 \text{Fe}''_4 \text{Si}_3 \text{O}_{18} \cdot 5 \text{H}_2 \text{O}$	3.197, 20°	Genth. A. J. S. (2), 16, 167.
"	"	3.191	Smith. A. J. S. (2), 18, 376.
"	"	3.177	Zepharovich. Z. K. M. 1, 371.
Sphene	$\text{Ca Ti Si O}_5$	3.49—3.51	Hunt. J. 6, 837.
"	"	3.44	Fuchs. Dana's Min.
"	"	3.535	Rose. " "
" Greenovite	"	3.547	Hintze. Z. K. M. 2, 310.
" Artificial	"	3.45	Hautefeuille. J. 17, 216.
Guarinite	"	3.487	Guiscardi. J. 11, 718.
Zirconium potassium silicate.	$\text{Zr K}_2 \text{Si}_2 \text{O}_7$	2.79	Mellis. Göttingen Doct. Diss., 1870.
Zirconium sodium silicate	$\text{Zr}_2 \text{Na}_2 \text{Si O}_{19} \cdot 11 \text{H}_2 \text{O}$	3.53	" "
Calcium tin silicate	$\text{Ca Sn Si O}_5$	4.34	Bourgeois. C. R. 104, 233.

## 3d. Boro-, Fluor-, and Other Mixed Silicates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Danburite	$\text{Ca B}_2 \text{Si}_2 \text{O}_8$	2.986	Brush and Dana. Z. K. M. 5, 185. Bodewig. Z. K. M. 7, 297.
"	"	3.021	
"	"	2.986	
"	"	2.988	
Datolite	$\text{Ca H B Si O}_5$	2.989	Mohs. See Böttger. Breithaupt. See Böttger.
"	"	2.9911	
"	"	2.983	Whitney. J. 12, 801.
"	"	2.987—3.014	Tschermak. J. 13, 778.
"	"	2.988	Smith. J. 27, 1270.
Homilite	$\text{Ca}_2 \text{Fe B}_2 \text{Si}_2 \text{O}_{10}$	3.28	Paikull. Z. K. M. 1, 385.
Howlite	$\text{Ca}_2 \text{H}_5 \text{B}_5 \text{Si O}_{14}$	2.59	Penfield and Sperry. A. J. S. (3), 34, 221.
Axinite	$\text{Al}_3 (\text{Ca Fe Mn})_4 \text{H}_2 \text{B Si}_5 \text{O}_{21}$	3.271	Mohs. See Böttger.
Tourmaline. Colorless	$\text{Al B O}_2 (\text{Si O}_4)_2 \text{R}'_6$	3.07—3.085	Riggs. A. J. S. (3), 35, 35.
" Red	"	2.998—3.082	Rammelsberg. J. 3, 744.
" "	"	2.997—3.028	Riggs. A. J. S. (3), 35, 35.
" Green	"	3.069—3.112	Rammelsberg. J. 3, 744.
" Brown	"	3.035—3.068	" "
" Black	"	3.205—3.243	" "
" "	"	3.08—3.20	Riggs. A. J. S. (3), 35, 35.
Apophyllite	$\text{Ca}_4 \text{K H}_8 (\text{Si O}_3)_8 \text{F}_4 \text{H}_2 \text{O}$	2.335	Mohs. See Böttger.
"	"	2.305	Jackson. J. 3, 733.
"	"	2.37	Smith. J. 7, 838.
Leucophane	$\text{Gl}_4 \text{Ca}_4 \text{Na}_3 \text{Si}_7 \text{O}_{22} \text{F}_3$	2.964	Rammelsberg. J. 9, 867.
"	"	2.974	Erdmann. B. J. 21, 168.
Melinophane	$\text{Gl}_3 \text{Ca}_3 \text{Na}_{12} \text{Si}_4 \text{O}_{14} \text{F}_{12}$	3.00	Scheerer. J. 5, 883.
"	"	3.018	Rammelsberg. J. 9, 867.
Topaz	$\text{Al}_2 \text{Si O}_4 \text{F}_2$	3.439—3.547	Breithaupt. See Böttger.
"	"	3.52—3.56	Kokscharow. J. 9, 867.
"	"	3.514—3.563	Rammelsberg. J. P. C. 96, 7.
"	"	3.533—3.597	Church. Geol. Mag. (2), 2, 320.
"	"	3.578, 22°	Hillebrand. Bul. 20, U. S. G. S.
Lepidolite	$\text{Al}_2 \text{K Li Si}_3 \text{O}_9 \text{F}_2$	2.834—2.8546	Berwerth. Z. K. M. 2, 523.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lepidolite -----	$Al_2 K Li Si_3 O_9 F_2$ -----	2.838 -----	Scharizer. Z. K. M. 12, 15.
Phlogopite -----	$Al_2 Mg_5 H K Si_5 O_{18} F_2$ -----	2.78—2.85 -----	Dana's Mineralogy.
" -----	" -----	2.81 -----	Kenngott. J. 15, 742.
" -----	" -----	2.959, 16° -----	Berwerth. Z. K. M. 2, 521.
" -----	" -----	2.742—2.867 -----	Tschermak. Z. K. M. 3, 127.
Calcium chlorosilicate -----	$Ca_3 Si O_4 Cl_2$ -----	2.77 -----	Le Chatelier. C. R. 97, 1510.
Sodalite -----	$Al_4 Na_5 (Si O_4)_4 Cl$ -----	2.401 -----	v. Rath. Dana's Min.
" -----	" -----	2.31 -----	Lorenzen. J. 36, 1884.
" -----	" -----	2.3405, 21° -----	Bamberger. Z. K. M. 5, 584.
" -----	" -----	2.294—2.314 -----	Kimball. J. 13, 775.
Marialite -----	$Al_3 Na_4 Si_9 O_{24} Cl$ -----	2.626, 19° -----	v. Rath. Z. G. S. 18, 635.
Pyrosmalite -----	$Mn_5 Fe''_5 H_{14} (Si O_4)_3 Cl_2$ -----	3.168—3.174 -----	Lang. J. P. C. 83, 424.
" -----	" -----	3.081 -----	Hisinger. Dana's Min.
Helvite -----	$Gl_3 Mn_4 (Si O_4)_3 S$ -----	4.306 -----	Lewis. Z. K. M. 7, 425.
" -----	" -----	3.23—3.37 -----	Koksharov. J. 22, 1228.
Danalite -----	$Gl_3 Fe_3 Zn (Si O_4)_3 S$ -----	3.427 -----	Cooke. A. J. S. (2), 42, 73.
Nosean -----	$Al_4 Na_6 (Si O_4)_4 S O_4$ -----	2.25—2.4 -----	Dana's Mineralogy.
" -----	" -----	2.279—2.399 -----	v. Rath. Z. G. S. 16, 86.
Complex silicate and sulphide.	$Ca_{18} Al_2 S_2 O_{35} \cdot 2 Ca S$ -----	3.054 -----	Rammelsberg. J. P. C. (2), 35, 98.
Thaumasite -----	$Ca_3 Si O_3 S O_4 C O_3 \cdot 14 H_2 O$ -----	1.877, 19° -----	Lindström. J. 33, 1484.
Calcium silicophosphate -----	$Ca_5 Si O_4 (P O_4)_2$ -----	3.042 -----	Carnot and Richard. B. S. M. 6, 241.

## XLI. TITANATES AND STANNATES.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Calcium titanate. Artificial.	$Ca Ti O_3$ -----	4.10 -----	Ebelmen.
" " "	" -----	4.00 -----	Hautfeuille. J. 17, 217.
" " Perovskite.	" -----	4.017 -----	Rose. B. J. 20, 210.
" " "	" -----	4.038 -----	Damour. J. 8, 960.
" " "	" -----	3.974, 20° -----	Brun. Z. K. M. 7, 389.
Strontium titanate -----	$Sr_2 Ti_3 O_8$ -----	5.1 -----	Bourgeois. C. R. 103, 141.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Barium titanate -----	$Ba_2 Ti_3 O_8$ -----	5.91 -----	Bourgeois. C. R. 103, 141.
Magnesium titanate -----	$Mg Ti O_3$ -----	3.91 -----	Hautefeuille. J. 17, 217.
Magnesium orthotitanate -----	$Mg_2 Ti O_4$ -----	3.52 -----	" "
Ilmenite -----	$Fe Ti O_3$ -----	4.727 -----	Marignac. B. J. 26, 372.
Iron orthotitanate -----	$Fe_2 Ti O_4$ -----	4.37 -----	Hautefeuille. J. 17, 217.
Zinc titanate -----	$Zn Ti_3 O_7$ -----	4.92, 15° -----	Levy. C. R. 105, 380.
Potassium stannate -----	$K_2 Sn O_3 \cdot 3 H_2 O$ -----	3.197 -----	Ordway. J. 18, 240.

## XLII. CYANOGEN COMPOUNDS.\*

## 1st. General Division.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cyanogen. Liquefied -----	$C_2 N_2$ -----	.866, 17°.2 -----	Faraday. P.T. 1845, 155.
Hydrocyanic acid -----	$H C N$ -----	.7058, 7° -----	Gay Lussac. Ann. 95, 136.
" " -----	" -----	.6969, 18° -----	Trautwein.
" " -----	" -----	.710, 6° -----	Cooper. P. A. 47, 527.
" " -----	" -----	.706, 2°.8 -----	
Cyanic acid -----	$H C N O$ -----	1.1558, -20° -----	Troost and Haute-
" " -----	" -----	1.140, 0° -----	feuille. J. 21, 314.
Cyanuric acid -----	$H_3 C_3 N_3 O_3$ -----	1.768, 0° -----	
" " -----	" -----	2.500, 19° -----	Troost and Haute-
" " -----	" -----	2.228, 24° -----	feuille. J. 22, 99.
" " -----	" -----	1.725, 48° -----	
" " -----	" -----	1.722 -----	Schröder. Ber. 13, 1070.
" " -----	" -----	1.735 -----	
Cyamelide -----	$(H C N O)_n$ -----	1.974, 0° -----	Troost and Haute-
" " -----	" -----	1.774, 24° -----	feuille. J. 22, 99.
Hydrosulphocyanic acid -----	$H C N S$ -----	1.0013, 10° -----	Clasen.
" " -----	" -----	1.022 -----	Porrett. P.T. 1814, 548.
" " -----	" -----	1.0082 -----	Meitzendorff. P. A. 56, 63.
Tricyanogen trichloride -----	$C_3 N_3 Cl_3$ -----	1.32 -----	Serullas. Ann. (2), 38, 370.
Cyanogen iodide -----	$C N I$ -----	1.85 -----	Weltzien's "Zusammenstellung."

\* Exclusive of organic cyanides, or compounds containing organic radicles.



## 2d. Cyanides, Cyanates, and Sulphocyanides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium cyanide	K C N	1.52, 12°	Bödeker. B. D. Z.
Silver cyanide	Ag C N	3.943, 11°	Giesecke. "
Mercury cyanide	Hg (C N) <sub>2</sub>	3.77, 13°	Bödeker. "
" "	"	4.0036, 14°.2	Clarke. A. J. S. (3), 16, 201.
" "	"	4.0262, 12°	Creighton. F. W. C.
" "	"	4.0026, 22° .2	Wittmann. "
" "	"	3.990	Schröder. Ber. 13, 1070.
" "	"	4.011	
Mercury oxycyanide	Hg O. Hg (C N) <sub>2</sub>	4.419 } 23° .2	Clarke. A. J. S.
" "	"	4.428 } (3), 16, 201.	
" "	"	4.437, 19° .2	Creighton. F. W. C.
Mercury chlorocyanide	Hg Cl (C N)	4.514, 26°	Wittmann. "
" "	"	4.531, 21° .7	
Mercury potassium cyanide.	K <sub>2</sub> Hg (C N) <sub>4</sub>	2.4470, 21° .2	Creighton. "
" "	"	2.4551, 24°	
" "	"	2.4620, 21° .5	
Potassium chromocyanide	K <sub>4</sub> Cr (C N) <sub>6</sub>	1.71	Moissan. Ann. (6), 4, 138.
Potassium manganicyanide.	K <sub>3</sub> Mn (C N) <sub>6</sub>	1.821	Topsoë. B. S. C. 19, 246.
Sodium ferrocyanide	Na <sub>4</sub> Fe (C N) <sub>6</sub> . 12 H <sub>2</sub> O	1.458	Bunsen.
Potassium ferrocyanide	K <sub>4</sub> Fe (C N) <sub>6</sub> . 3 H <sub>2</sub> O	1.83	Watts' Dictionary.
" "	"	1.86	Schiff. J. 12, 41.
" "	"	2.052	Buignet. J. 14, 15.
Thallium ferrocyanide	Tl <sub>4</sub> Fe (C N) <sub>6</sub> . 2 H <sub>2</sub> O	4.641	Lamy and Des Cloi- zeaux. Nature 1, 142.
Ammonium ferrocyanide with ammonium chlo- ride.	Am <sub>4</sub> Fe (C N) <sub>6</sub> . 2 Am Cl. 3 H <sub>2</sub> O.	1.490	Topsoë. C. C. 4, 76.
Potassium ferricyanide	K <sub>3</sub> Fe Cy <sub>6</sub>	1.8004	Schabus. J. 3, 359.
" "	"	1.845	Wallace. J. 7, 378.
" "	"	1.849	Schiff. J. 12, 41.
" "	"	1.817	Buignet. J. 14, 15.
" "	"	1.849, 15° .3	Schröder. Dm. 1873.
" "	"	1.854, 15° .3	
" "	"	1.855, 15°	
" "	"	1.861, 15°	
Silver ammonio-ferricy- anide.	4 Ag Fe (C N) <sub>6</sub> . 6 N H <sub>3</sub> . H <sub>2</sub> O. } 2.42 } 14° .2	2.47	Gintl. J. 22, 321.
Sodium nitroprusside	Na <sub>4</sub> Fe <sub>2</sub> (C N) <sub>10</sub> } (NO) <sub>2</sub> . 4 H <sub>2</sub> O. }	1.710 } 1.716 }	Schröder. Dm. 1873.
" "	"	1.6869, 25°	Dudley. F. W. C.
" "	"	1.713	Schröder. Ber. 13, 1070.
" "	"	1.731	
Potassium nickel cyanide	K <sub>2</sub> Ni (C N) <sub>4</sub> . H <sub>2</sub> O.	1.871, 14° .5	Dudley. F. W. C.
" "	"	1.875, 11	
Potassium cobalticyanide.	K <sub>3</sub> Co (C N) <sub>6</sub>	1.906, 11°	Bödeker. B. D. Z.
" "	"	1.913	Topsoë. C. C. 4, 76.
Potassium platinumcyanide.	K <sub>2</sub> Pt (C N) <sub>4</sub> . 3 H <sub>2</sub> O	2.4548, 16°	Dudley. F. W. C.
" "	"	2.5241, 13°	
Barium platinumcyanide	BaPt (C N) <sub>4</sub>	3.054	Schabus. J. 3, 360.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Samarium platinoeyanide.	$\text{Sm}_2\text{Pt}_3(\text{CN})_{12} \cdot 18\text{H}_2\text{O}$	2.743	Cleve. U. N. A. 1885.
“ “	“	2.745	
Thorium platinoeyanide.	$\text{ThPt}_2(\text{CN})_8 \cdot 16\text{H}_2\text{O}$	2.460	
Potassium cyanate.	$\text{K C N O}$	2.0475, 16°	Mendius. B. D. Z.
“ “	“	2.056, 4°	Schröder. Ber. 12, 561.
Silver cyanate.	$\text{Ag C N O}$	4.004, 16°	Mendius. B. D. Z.
“ “	“	3.998	Schröder. Ber. 13, 1070.
Potassium sulphocyanide.	$\text{K C N S}$	1.866	Bödeker. B. D. Z.
“ “	“	1.906	
“ “	“	1.891	
Ammonium sulphocyanide.	$\text{Am C N S}$	1.299	Dudley. F. W. C.
“ “	“	1.316	
“ “	“	1.316	
Lead sulphocyanide.	$\text{Pb (C N S)}_2$	3.82	Schabus. J. 3, 362.
Phosphorus sulphocyanide	$\text{P (C N S)}_3$	1.625, 18°	Miquel. J. C. S. 32, 872.
Potassium chromium sulphocyanide.	$\text{K}_6\text{Cr(CNS)}_{12} \cdot 8\text{H}_2\text{O}$	1.7051, 17°.5	Dudley. F. W. C.
“ “	“	1.7107, 16°	
Potassium platinsulphocyanide.	$\text{K}_2\text{Pt (C N S)}_6$	2.342, 18°	
“ “	“	2.370, 19°	“ “
Potassium platinselenocyanide.	$\text{K}_2\text{Pt (C N Se)}_6$	3.377, 10°.2	“ “
“ “	“	3.378, 12°.5	
Titanium nitroeyanide	$\text{Ti (C N)}_2 \cdot 3\text{Ti}_3\text{N}_2$	5.30	Wollaston. P. T. 1823, 17.
“ “	“	5.28001	Karsten. Schw. J. 65, 394.
Samarium sulphocyanide with mercuric cyanide.	$\text{Sm (C N S)}_3 \cdot 3\text{Hg (CN)}_2 \cdot 12\text{H}_2\text{O}$	2.742, 18°	Cleve. U. N. A. 1885.
		2.749, 18°.4	

## XLIII. MISCELLANEOUS INORGANIC COMPOUNDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitrogen chlorophosphide	$\text{P}_3\text{N}_3\text{Cl}_3$	1.98	Gladstone and Holmes. J. 17, 148.
Mercury sulphide with copper chloride.	$\text{Hg S. Cu Cl}_2$	6.29	Raschig. A. C. P. 228, 27.
Mercury chloride with ammonium dichromate.	$\text{Hg Cl}_2 \cdot \text{Am}_2\text{Cr}_2\text{O}_7$	3.1850, 18°	Heighway. F. W. C.
“ “	“	3.2336, 21°	
“ “	“	3.0824, 14°	
Mercury cyanide with potassium chromate.	$2\text{Hg Cy}_2 \cdot \text{K}_2\text{CrO}_4$	3.564, 21°.8	H. Schmidt. F. W. C.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium nitrate-sulphate.	$K_2 S O_4 \cdot H N O_3$ ---	2.38 -----	Jacquelain. A. C. P. 32, 234.
Potassium phosphato-sulphate.	$K_2 S O_4 \cdot H_3 P O_4$ ---	2.296 -----	" "
Hanksite -----	$4 N a_2 S O_4 \cdot N a_2 C O_3$	2.562 -----	Hidden. A. J. S. (3), 30, 135.
Phosgenite -----	$P b_2 C O_3 C l_2$ -----	6.305 -----	Rammelsberg. P. A. 85, 141.
Leadhillite -----	$P b_4 S O_4 (C O_3)_3$ -----	6.550 -----	Gadolin. J. 6, 846.
" -----	" -----	6.526 -----	Kokscharow. J. 6, 846.
Bastnäsité (Hamartite) ---	$(C e L a D i) (C O_3) F$ ---	4.93 -----	Nordenskiöld. J. 22, 1246.
" -----	" -----	5.18-5.20 ---	Allen and Comstock. A. J. S. (3), 19, 890.
Parisite -----	$(C e L a D i)_2 (C O_3)_4$ -----	4.35 -----	Bunsen. Dana's Min.
" -----	" ----- Ca F <sub>2</sub> .	4.317 -----	Dufrenoy. Dana's Min.

## XLIV. ALLOYS.\*

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
SODIUM AND POTASSIUM.		
Na K -----	.8993 } 0°, solid } -----	Hagen. P. A. (2), 19, 436.
" -----	.8994 } -----	
" -----	.8905, 4°.5, fluid } -----	
ZINC AND CALCIUM.†.		
Zn <sub>12</sub> Ca -----	6.369 } -----	v. Rath. Z. C. 12, 665.
" -----	6.3726 } -----	
ALLOYS OF MERCURY. AMALGAMS.		
Hg Zn -----	11.304 -----	Calvert and Johnson. J. 12, 120.
Hg <sub>5</sub> Cd <sub>2</sub> -----	12.615 -----	Croockewitt. J. 1, 393.
Hg Pb -----	11.93 -----	" "
" -----	12.284, 15°.7 -----	Matthiessen. P. T. 1860, 177.
Hg Pb <sub>2</sub> -----	11.979, 15°.9 -----	" "
Hg <sub>3</sub> Pb <sub>2</sub> -----	12.49, 17° -----	Bauer. J. 24, 317.
Hg <sub>2</sub> Pb -----	12.815, 15°.5 -----	Matthiessen. P. T. 1860, 177.
Hg <sub>2</sub> Sn -----	11.3816 -----	Kupffer. Ann. (2), 40, 285.
" -----	11.456, 11°.3 -----	Holzmann. P. T. 1860, 177.

\*This table contains only a moderate number of the many determinations which have been made relative to the specific gravity of alloys. Only those alloys have been admitted which allow of relatively simple chemical formulæ. Some of them are doubtless true chemical compounds, but in most cases the formulæ merely represent proportionate composition.

†See also Norton and Twitchell, A. C. J. 10, 70.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
ALLOYS OF MERCURY. AMALGAMS—continued.		
Hg Sn	10.3447	Kupffer. Ann. (2), 40, 285.
"	10.369, 14° 2	Holzmann. P. T. 1860, 177.
"	10.255	Calvert and Johnson. J. 12, 120.
Hg Sn <sub>2</sub>	9.3185	Kupffer. Ann. (2), 40, 285.
"	9.362, 9° 9	Holzmann. P. T. 1860, 177.
"	9.314	Calvert and Johnson. J. 12, 120.
Hg Sn <sub>3</sub>	8.8218	Kupffer. Ann. (2), 40, 285.
"	8.805	Calvert and Johnson. J. 12, 120.
Hg Sn <sub>4</sub>	8.510	" "
Hg Sn <sub>5</sub>	8.312	" "
Hg Sn <sub>6</sub>	8.151	" "
Hg Bi	11.208	" "
Hg Bi <sub>2</sub>	10.693	" "
"	10.45	Croockewitt. J. 1, 393.
Hg Bi <sub>3</sub>	10.474	Calvert and Johnson. J. 12, 120.
Hg Bi <sub>4</sub>	10.350	" "
Hg Bi <sub>5</sub>	10.240	" "
Hg <sub>5</sub> Ag <sub>12</sub> Native	12.703, 17°	Weiss. J. 36, 1819.
Hg <sub>2</sub> Au	15.412	Croockewitt. J. 1, 393.
ALLOYS OF ALUMINUM.		
Al Zn	4.532	Hirzel. J. 11, 138.
Al <sub>6</sub> Sn	3.583	" "
Al <sub>5</sub> Sn	3.791	" "
Al <sub>4</sub> Sn	4.025	" "
Al <sub>3</sub> Sn	4.276	" "
Al <sub>2</sub> Sn	4.744	" "
Al Sn	5.454	" "
Al Sn <sub>2</sub>	6.264	" "
Al Sn <sub>3</sub>	6.536	" "
Al <sub>3</sub> Cb	4.45—4.52	Marignac. J. 21, 215.
Al <sub>3</sub> Ta	7.02	Marignac. J. 21, 212.
Al Cr	4.9	Wöhler. J. 11, 160.
Al <sub>4</sub> W	5.58	Michel. J. 13, 130.
Al <sub>3</sub> Mn	3.402	Michel. J. 13, 131.
Al <sub>6</sub> Ni	3.647	Michel. J. 13, 132.
Al <sub>44</sub> Cu	2.764	Hirzel. J. 11, 138.
Al <sub>6</sub> Cu	3.206	" "
Al <sub>5</sub> Cu	3.316	" "
Al <sub>11</sub> Cu <sub>3</sub>	3.579	" "
Al <sub>7</sub> Cu <sub>2</sub>	3.724	" "
Al <sub>5</sub> Cu	3.972	" "
Al <sub>9</sub> Cu <sub>4</sub>	4.148	" "
Al <sub>2</sub> Cu	4.355	" "
Al Cu	5.731	" "
Al Cu <sub>2</sub>	6.946	" "
Al Cu <sub>3</sub>	7.204	" "
Al Cu <sub>4</sub>	7.534	" "
Al Cu <sub>5</sub>	7.727	" "
Al Cu <sub>6</sub>	7.751	" "
Al <sub>2</sub> Cu <sub>13</sub>	7.884	" "
Al <sub>2</sub> Ag	6.733	Hirzel. J. 11, 137.
Al Ag	8.744	" "
Al Ag <sub>2</sub>	9.376	" "

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND ZINC.		
Sn <sub>2</sub> Zn	7.235	Croockewitt. J. 1, 394.
"	7.274	Calvert and Johnson. J. 12, 120.
Sn Zn	7.115	Croockewitt. J. 1, 394.
"	7.262	Calvert and Johnson. J. 12, 120.
Sn Zn <sub>2</sub>	7.096	Croockewitt. J. 1, 394.
"	7.188	Calvert and Johnson. J. 12, 120.
Sn Zn <sub>3</sub>	7.180	" "
Sn Zn <sub>4</sub>	7.155	" "
Sn Zn <sub>5</sub>	7.140	" "
Sn Zn <sub>10</sub>	7.135	" "
TIN AND CADMIUM.		
Sn <sub>6</sub> Cd	7.434, 12°.7	Matthiessen. P. T. 1860, 177.
Sn <sub>4</sub> Cd	7.489, 15°	" "
Sn <sub>2</sub> Cd	7.690, 12°.9	" "
Sn Cd	7.904, 13°.2	" "
Sn Cd <sub>2</sub>	8.139, 11°.1	" "
Sn Cd <sub>4</sub>	8.336, 14°.5	" "
Sn Cd <sub>6</sub>	8.432, 15°	" "
TIN AND LEAD.		
Sn <sub>12</sub> Pb	7.628, 19°.4	Vicentini and Omodei. Bei. 12, 178. Melting point, 181°.
"	7.4849, 181° s.	
"	7.3513, 212° l.	
"	7.3209, 218°.7	
"	7.3041, 249°.4	
"	7.2726, 275°.3	
"	7.2490, 304°.2	
"	7.2294, 329°	
"	7.2088, 354°.8	
Sn <sub>6</sub> Pb	7.9210	Kupffer. Ann. (2), 40, 285.
"	7.927, 15°.2	Long. P. T. 1860, 177.
Sn <sub>5</sub> Pb	8.0279	Kupffer. Ann. (2), 40, 285.
"	8.093	Calvert and Johnson. J. 12, 120.
"	8.046	Riche. J. 15, 111.
Sn <sub>4</sub> Pb	8.1730	Kupffer. Ann. (2), 40, 285.
"	7.850	Thomson. J. 1, 1040.
"	8.188, 16°	Long. P. T. 1860, 177.
"	8.196	Calvert and Johnson. J. 12, 120.
"	8.2347	Pillichody. J. 14, 279.
"	8.195	Riche. J. 15, 111.
"	8.177, 16°.7	Vicentini and Omodei. Bei. 12, 178. Melting point, 183°.3.
"	8.0735, 183°.3, s.	
"	7.8393, 209° l.	
"	7.8090, 240°.4	
"	7.7917, 260°.4	
"	7.7586, 295°.5	
"	7.7323, 324°.7	
"	7.7032, 357°.6	
Sn <sub>7</sub> Pb <sub>2</sub>	8.291	Riche. J. 15, 111.
Sn <sub>3</sub> Pb	8.3914	Kupffer. Ann. (2), 40, 285.
"	8.549	Thomson. J. 1, 1040.
"	9.025	Croockewitt. J. 1, 394.
"	8.418	Calvert and Johnson. J. 12, 120

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND LEAD—contin'd.		
Sn <sub>8</sub> Pb	8.4087	Pillichody. J. 14, 279.
"	8.414	Riche. J. 15, 111.
"	8.400, 17°	
"	8.2949, 182° 9, s.	
"	8.0821, 182° 9, l.	
"	8.0755, 189° 7	
"	8.0431, 222° 9	
"	8.0150, 250°	Vicentini and Omodei. Bei. 12,
"	7.9896, 275° 9	178. Melting point, 182° 9.
"	7.9695, 296° 3	
"	7.9446, 323° 9	
"	7.9212, 349° 5	
Sn <sub>5</sub> Pb <sub>2</sub>	8.565	Riche. J. 15, 111.
Sn <sub>2</sub> Pb	8.7454	Kupffer. Ann. (2), 40, 285.
"	8.777, 13° 3	Regnault. P. A. 53, 67.
"	8.688	Thomson. J. 1, 1040.
"	8.779, 17° 2	Long. P. T. 1860, 177.
"	8.774	Calvert and Johnson. J. 12, 120.
"	8.7257	Pillichody. J. 14, 279.
"	8.766	Riche. J. 15, 111.
"	8.745, 15° 2	
"	8.6298, 182° 3, s.	
"	8.4509, 182° 3, l.	
"	8.4381, 189°	
"	8.4038, 207°	
"	8.3532, 242° 5	Vicentini and Omodei. Bei. 12,
"	8.3204, 272° 9	178. Melting point, 182° 3.
"	8.2920, 303° 1	
"	8.2688, 325° 5	
"	8.2448, 351° 5	
Sn <sub>8</sub> Pb <sub>2</sub>	9.0377	Pillichody. J. 14, 279.
"	9.046	Riche. J. 15, 111.
Sn <sub>7</sub> Pb <sub>5</sub>	9.2773, 15°	Pohl. J. 3, 324.
Sn Pb	9.4263	Kupffer. Ann. (2), 40, 285.
"	9.387, 13° 3	Regnault. P. A. 53, 67.
"	9.288	Thomson. J. 1, 1040.
"	9.394	Croockewitt. J. 1, 394.
"	9.460, 15° 5	Long. P. T. 1860, 177.
"	9.458	Calvert and Johnson. J. 12, 120.
"	9.4390	Pillichody. J. 14, 279.
"	9.451	Riche. J. 15, 111.
"	9.422, 20°	
"	9.2809, 181° 8, s.	
"	9.180, 181° 8, l.	
"	9.1348, 201° 6	
"	9.0953, 216° 7	
"	9.0438, 233°	
"	8.9864, 248° 8	Vicentini and Omodei. Bei. 12,
"	8.9643, 262° 3	178. Melting point, 181° 8.
"	8.9276, 293°	
"	8.8989, 317°	
"	8.8771, 337°	
"	8.8590, 356°	
Sn <sub>3</sub> Pb <sub>4</sub>	9.6399, 15°	Pohl. J. 3, 323.
Sn <sub>2</sub> Pb <sub>3</sub>	9.7971	Pillichody. J. 14, 279.
Sn Pb <sub>2</sub>	10.0782	Kupffer. Ann. (2), 40, 285.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
TIN AND LEAD—contin'd.		
Sn Pb <sub>2</sub> -----	9.966 -----	Croockewitt. J. 1, 394.
" -----	10.080, 14° 8' -----	Long. P. T. 1860, 177.
" -----	10.105 -----	Calvert and Johnson. J. 12, 120.
" -----	10.0520 -----	Pillichody. J. 14, 279.
" -----	10.110 -----	Riche. J. 15, 111.
Sn Pb <sub>3</sub> -----	10.3868 -----	Kupffer. Ann. (2), 40, 285.
" -----	10.421 -----	Calvert and Johnson. J. 12, 120.
" -----	10.3311 -----	Pillichody. J. 14, 279.
" -----	10.419 -----	Riche. J. 15, 111.
Sn Pb <sub>4</sub> -----	10.5551 -----	Kupffer. Ann. (2), 40 285.
" -----	10.590, 14° 3' -----	Long. P. T. 1860, 177.
" -----	10.587 -----	Calvert and Johnson. J. 12, 120.
" -----	10.5957 -----	Pillichody. J. 14, 279.
Sn Pb <sub>5</sub> -----	10.751 -----	Calvert and Johnson. J. 12, 120.
Sn Pb <sub>6</sub> -----	10.815, 15° 6' -----	Long. P. T. 1860, 177.
LEAD AND CADMIUM.		
Cd <sub>6</sub> Pb -----	9.160, 13° 7' -----	Holzmann. P. T. 1860, 177.
Cd <sub>4</sub> Pb -----	9.353, 12° -----	" "
Cd <sub>2</sub> Pb -----	9.755, 14° 7' -----	" "
Cd Pb -----	10.246, 11° 7' -----	" "
Cd Pb <sub>2</sub> -----	10.656, 13° 4' -----	" "
Cd Pb <sub>4</sub> -----	10.950, 9° 2' -----	" "
Cd Pb <sub>6</sub> -----	11.044, 14° 8' -----	" "
ANTIMONY AND TIN.		
Sb <sub>12</sub> Sn -----	6.739, 16° 2' -----	Long. P. T. 1860, 177.
Sb <sub>8</sub> Sn -----	6.747, 13° 04' -----	" "
Sb <sub>4</sub> Sn -----	6.781, 13° 5' -----	" "
Sb <sub>2</sub> Sn -----	6.844, 13° 8' -----	" "
Sb Sn -----	6.929, 15° 8' -----	" "
Sb Sn <sub>2</sub> -----	7.023, 15° 8' -----	" "
Sb Sn <sub>3</sub> -----	7.100, 10° 6' -----	" "
Sb Sn <sub>5</sub> -----	7.140, 19° -----	" "
Sb Sn <sub>10</sub> -----	7.208, 18° 5' -----	" "
Sb Sn <sub>20</sub> -----	7.276, 19° 4' -----	" "
Sb Sn <sub>50</sub> -----	7.279, 20° -----	" "
Sb Sn <sub>100</sub> -----	7.284, 20° 2' -----	" "
ANTIMONY AND LEAD.		
Sb <sub>8</sub> Pb -----	7.214 -----	Riche. J. 15, 111.
Sb <sub>6</sub> Pb -----	7.361 -----	" "
Sb <sub>5</sub> Pb -----	7.432 -----	Calvert and Johnson. J. 12, 120.
Sb <sub>4</sub> Pb -----	7.525 -----	" "
" -----	7.622 -----	Riche. J. 15, 111.
Sb <sub>3</sub> Pb -----	7.830 -----	Calvert and Johnson. J. 12, 120.
Sb <sub>2</sub> Pb -----	8.330 -----	" "
" -----	8.201, 13° 7' -----	Matthiessen. P. T. 1860, 177.
" -----	8.233 -----	Riche. J. 15, 111.
Sb Pb -----	8.953 -----	Calvert and Johnson. J. 12, 120
" -----	8.989, 11° 7' -----	Matthiessen. P. T. 1860, 177.
" -----	8.999 -----	Riche. J. 15, 111.
Sb <sub>2</sub> Pb <sub>3</sub> -----	9.502 -----	" "

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
ANTIMONY AND LEAD— continued.		
Sb Pb <sub>2</sub> -----	9.723-----	Calvert and Johnson. J. 12, 120.
“-----	9.811, 14° 3-----	Matthiessen. P. T. 1860, 177.
“-----	9.817-----	Riche. J. 15, 111.
Sb <sub>2</sub> Pb <sub>5</sub> -----	10.040-----	“ “
Sb Pb <sub>3</sub> -----	10.136-----	Calvert and Johnson. J. 12, 120.
“-----	10.144, 15° 4-----	Matthiessen. P. T. 1860, 177.
“-----	10.211-----	Riche. J. 15, 111.
Sb <sub>2</sub> Pb <sub>7</sub> -----	10.344-----	“ “
Sb Pb <sub>4</sub> -----	10.387-----	Calvert and Johnson. J. 12, 120.
“-----	10.455-----	Riche. J. 15, 111.
Sb <sub>2</sub> Pb <sub>9</sub> -----	10.541-----	“ “
Sb Pb <sub>5</sub> -----	10.556-----	Calvert and Johnson. J. 12, 120.
“-----	10.586, 19° 3-----	Matthiessen. P. T. 1860, 177.
“-----	10.615-----	Riche. J. 15, 111.
Sb <sub>2</sub> Pb <sub>11</sub> -----	10.673-----	“ “
Sb Pb <sub>6</sub> -----	10.722-----	“ “
Sb <sub>2</sub> Pb <sub>13</sub> -----	10.764-----	“ “
Sb Pb <sub>7</sub> -----	10.802-----	“ “
Sb Pb <sub>10</sub> -----	10.930, 19° 9-----	Matthiessen. P. T. 1860, 177.
Sb Pb <sub>25</sub> -----	11.194, 20° 5-----	“ “
BISMUTH AND ZINC.		
Bi Zn-----	9.046-----	Calvert and Johnson. J. 12, 120
BISMUTH AND CADMIUM.		
Bi <sub>12</sub> Cd-----	9.766, 15° 4-----	Matthiessen. P. T. 1860, 177.
Bi <sub>8</sub> Cd-----	9.737, 14° 7-----	“ “
Bi <sub>4</sub> Cd-----	9.669, 14° 8-----	“ “
Bi <sub>2</sub> Cd-----	9.554, 13° 4-----	“ “
Bi Cd-----	9.388, 15°-----	“ “
Bi Cd <sub>2</sub> -----	9.195, 15° 5-----	“ “
Bi Cd <sub>3</sub> -----	9.079, 13° 1-----	“ “
BISMUTH AND TIN.		
Bi <sub>400</sub> Sn-----	9.815, 18° 1-----	Carty. P. T. 1860, 177.
Bi <sub>180</sub> Sn-----	9.814, 19° 5-----	“ “
Bi <sub>120</sub> Sn-----	9.811, 19°-----	“ “
Bi <sub>88</sub> Sn-----	9.803, 22° 8-----	“ “
Bi <sub>60</sub> Sn-----	9.774, 23°-----	“ “
Bi <sub>20</sub> Sn-----	9.737, 19° 8-----	“ “
Bi <sub>12</sub> Sn-----	9.675, 15° 2-----	“ “
Bi <sub>8</sub> Sn-----	9.614, 12° 7-----	“ “
Bi <sub>4</sub> Sn-----	9.435, 15°-----	“ “
“-----	9.434-----	Riche. J. 15, 112.
Bi <sub>2</sub> Sn-----	9.178, 15° 9-----	Carty. P. T. 1860, 177.
“-----	9.145-----	Riche. J. 15, 111.
Bi Sn-----	8.759-----	Regnault. P. A. 53, 67.
“-----	8.772, 12° 6-----	Carty. P. T. 1860, 177.
“-----	8.754-----	Riche. J. 15, 112.
Bi <sub>2</sub> Sn <sub>3</sub> -----	8.506-----	“ “
Bi Sn <sub>2</sub> -----	8.085-----	Regnault. P. A. 53, 67.
“-----	8.339, 13° 9-----	Carty. P. T. 1860, 177.



ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
BISMUTH AND TIN— continued.		
Bi Sn <sub>2</sub> -----	8.327-----	Riche. J. 15, 112.
Bi <sub>2</sub> Sn <sub>5</sub> -----	8.199-----	“ “
Bi Sn <sub>3</sub> -----	8.112, 14° 2	Carty. P. T. 1860, 177.
“-----	8.097-----	Riche. J. 15, 112.
Bi <sub>2</sub> Sn <sub>7</sub> -----	8.017-----	“ “
Bi Sn <sub>4</sub> -----	7.943, 20°	Carty. P. T. 1860, 177.
Bi Sn <sub>22</sub> -----	7.438, 19° 9	“ “
BISMUTH AND LEAD.		
Bi <sub>60</sub> Pb-----	9.844, 21° 7	Carty. P. T. 1860, 177.
Bi <sub>48</sub> Pb-----	9.845, 21° 6	“ “
Bi <sub>40</sub> Pb-----	9.850, 21° 3	“ “
Bi <sub>24</sub> Pb-----	9.887, 20° 6	“ “
Bi <sub>20</sub> Pb-----	9.893, 19° 5	“ “
Bi <sub>16</sub> Pb-----	9.934, 21° 1	“ “
Bi <sub>12</sub> Pb-----	9.973, 15°	“ “
Bi <sub>8</sub> Pb-----	10.048, 10° 7	“ “
“-----	8.6-----	E. Wiedemann. P. A. (2), 20, 240.
Bi <sub>4</sub> Pb-----	10.235, 12° 5	Carty. P. T. 1860, 177.
“-----	10.232-----	Riche. J. 15, 111.
“-----	9.73-----	E. Wiedemann. P. A. (2), 20, 239.
Bi <sub>2</sub> Pb-----	10.538, 14°	Carty. P. T. 1860, 177.
“-----	10.519-----	Riche. J. 15, 111.
“-----	10.96-----	E. Wiedemann. P. A. (2), 20, 239.
Bi Pb-----	10.956, 14° 9	Carty. P. T. 1860, 177.
“-----	10.931-----	Riche. J. 15, 111.
“-----	11.03-----	E. Wiedemann. P. A. (2), 20, 237
Bi <sub>4</sub> Pb <sub>5</sub> -----	11.038-----	Riche. J. 15, 111.
Bi <sub>2</sub> Pb <sub>3</sub> -----	11.108-----	“ “
Bi <sub>4</sub> Pb <sub>7</sub> -----	11.166-----	“ “
Bi Pb <sub>2</sub> -----	11.141, 12° 7	Carty. P. T. 1860, 177.
“-----	11.194-----	Riche. J. 15, 111.
“-----	11.4-----	E. Wiedemann. P. A. (2), 20, 236.
Bi <sub>2</sub> Pb <sub>5</sub> -----	11.209-----	Riche. J. 15, 111.
Bi Pb <sub>3</sub> -----	11.161, 14° 8	Carty. P. T. 1860, 177.
“-----	11.225-----	Riche. J. 15, 111.
Bi <sub>2</sub> Pb <sub>7</sub> -----	11.235-----	“ “
Bi Pb <sub>4</sub> -----	11.188, 20° 8	Carty. P. T. 1860, 177.
Bi Pb <sub>5</sub> -----	11.196, 20° 2	“ “
Bi Pb <sub>12</sub> -----	11.280, 22° 5	“ “
Bi Pb <sub>50</sub> -----	11.331, 23°	“ “
BISMUTH AND ANTIMONY.		
Bi <sub>6</sub> Sb-----	9.435, 9° 4	Holzmann. P. T. 1860, 177.
Bi <sub>5</sub> Sb-----	9.369-----	Calvert and Johnson. J. 12, 120.
Bi <sub>4</sub> Sb-----	9.276-----	“ “
“-----	9.277, 12° 1	Holzmann. P. T. 1860, 177.
Bi <sub>3</sub> Sb-----	9.095-----	Calvert and Johnson. J. 12, 120.
Bi <sub>2</sub> Sb-----	8.859-----	“ “
“-----	8.886, 14°	Holzmann. P. T. 1860, 177.
Bi Sb-----	8.364-----	Calvert and Johnson. J. 12, 120.
“-----	8.392, 11°	Holzmann. P. T. 1860, 177.
Bi Sb <sub>2</sub> -----	7.829-----	Calvert and Johnson. J. 12, 120.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
BISMUTH AND ANTIMONY —continued.		
Bi Sb <sub>2</sub> -----	7.864, 9 <sup>o</sup> .4-----	Holzmann. P. T. 1860, 177.
Bi Sb <sub>3</sub> -----	7.561-----	Calvert and Johnson. J. 12, 120.
Bi Sb <sub>4</sub> -----	7.370-----	“ “
Bi Sb <sub>5</sub> -----	7.271-----	“ “
IRON AND TIN.		
Fe Sn <sub>6</sub> . Cryst. furnace product.	7.584-----	Rammelsberg.
Fe Sn <sub>2</sub> -----	7.446-----	Noellner. J. 13, 188.
Fe <sub>3</sub> Sn-----	8.783-----	Lassaigne.
IRON AND NICKEL.		
~varnite. Ni <sub>2</sub> Fe-----	8.1-----	Ulrich. N. J. 1888, 209.
COPPER AND ZINC.*		
Cu <sub>10</sub> Zn-----	8.605-----	Mallet. D. J. 85, 378.
Cu <sub>9</sub> Zn-----	8.607-----	“ “
Cu <sub>8</sub> Zn-----	8.633-----	“ “
Cu <sub>7</sub> Zn-----	8.587-----	“ “
Cu <sub>6</sub> Zn-----	8.591-----	“ “
Cu <sub>5</sub> Zn-----	8.415-----	“ “
“-----	8.673-----	Calvert and Johnson. J. 12, 120.
Cu <sub>4</sub> Zn-----	8.448-----	Mallet. D. J. 85, 378.
“-----	8.650-----	Calvert and Johnson. J. 12, 120.
Cu <sub>3</sub> Zn-----	8.397-----	Mallet. D. J. 85, 378.
“-----	8.576-----	Calvert and Johnson. J. 12, 120.
Cu <sub>2</sub> Zn-----	8.299-----	Mallet. D. J. 85, 378.
“-----	8.392-----	Croockewitt. J. 1, 394.
“-----	8.488-----	Calvert and Johnson. J. 12, 120.
Cu <sub>8</sub> Zn <sub>2</sub> -----	8.224-----	Croockewitt. J. 1, 394.
Cu Zn-----	8.230-----	Mallet. D. J. 85, 378.
“-----	7.808-----	Calvert and Johnson. J. 12, 120.
Cu <sub>3</sub> Zn <sub>5</sub> -----	7.939-----	Croockewitt. J. 1, 394.
Cu Zn <sub>2</sub> -----	8.283-----	Mallet. D. J. 85, 378.
“-----	7.859-----	Calvert and Johnson. J. 12, 120.
Cu <sub>8</sub> Zn <sub>17</sub> -----	7.721-----	Mallet. D. J. 85, 378.
Cu <sub>8</sub> Zn <sub>18</sub> -----	7.836-----	“ “
Cu <sub>8</sub> Zn <sub>19</sub> -----	8.019-----	“ “
Cu <sub>8</sub> Zn <sub>20</sub> -----	7.603-----	“ “
Cu <sub>8</sub> Zn <sub>21</sub> -----	8.058-----	“ “
Cu <sub>8</sub> Zn <sub>22</sub> -----	7.882-----	“ “
Cu <sub>8</sub> Zn <sub>23</sub> -----	7.443-----	“ “
Cu Zn <sub>3</sub> -----	7.449-----	“ “
“-----	7.736-----	Calvert and Johnson. J. 12, 120.
Cu Zn <sub>4</sub> -----	7.371-----	Mallet. D. J. 85, 378.
“-----	7.445-----	Calvert and Johnson. J. 12, 120.
Cu Zn <sub>5</sub> -----	6.605-----	Mallet. D. J. 85, 378.
“-----	7.442-----	Calvert and Johnson. J. 12, 120.

\* See also the Report of the (U. S.) Board on Testing Iron, Steel, and other Metals. Washington Government Printing Office, 1881.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
COPPER AND TIN.		
Cu <sub>96</sub> Sn	8.564	Thurston's Report, 295.
Cu <sub>48</sub> Sn	8.649	" " "
Cu <sub>25</sub> Sn	8.820	Calvert and Johnson. J. 12, 120.
Cu <sub>24</sub> Sn	8.694	Thurston's Report, 295.
Cu <sub>20</sub> Sn	8.793	Calvert and Johnson. J. 12, 120.
Cu <sub>15</sub> Sn	8.825	" " "
"	8.84	Riche. J. 21, 270.
"	8.80	Riche. J. 23, 1100.
Cu <sub>12</sub> Sn	8.681	Thurston's Report, 295.
Cu <sub>10</sub> Sn	8.561	Mallet. D. J. 85, 378.
"	8.832	Calvert and Johnson. J. 12, 120.
"	8.87	Riche. J. 21, 270
"	8.83	Riche. J. 23, 1100.
Cu <sub>9</sub> Sn	8.462	Mallet. D. J. 85, 378.
Cu <sub>8</sub> Sn	8.459	" " "
"	8.84	Riche. J. 21, 270.
"	8.86	Riche. J. 23, 1100.
Cu <sub>7</sub> Sn	8.728	Mallet. D. J. 85, 378.
"	8.72	Riche. J. 21, 270.
"	8.90	Riche. J. 23, 1100.
Cu <sub>6</sub> Sn	8.750	Mallet. D. J. 85, 378.
"	8.65	Riche. J. 21, 270.
"	8.91	Riche. J. 23, 1100.
"	8.565	Thurston's Report, 295.
Cu <sub>5</sub> Sn	8.575	Mallet. D. J. 85, 378.
"	8.965	Calvert and Johnson. J. 12, 120.
"	8.62	Riche. J. 21, 270.
"	8.87	Riche. J. 23, 1100.
Cu <sub>4</sub> Sn	8.400	Mallet. D. J. 85, 378.
"	8.948	Calvert and Johnson. J. 12, 120.
"	8.77	Riche. J. 21, 270.
"	8.80	Riche. J. 23, 1100.
"	8.938	Thurston's Report, 295.
Cu <sub>3</sub> Sn	8.539	Mallet. D. J. 85, 378.
"	8.954	Calvert and Johnson. J. 12, 120.
"	8.91	Riche. J. 21, 270.
"	8.96	Riche. J. 23, 1100.
"	8.970	Thurston's Report, 295.
Cu <sub>12</sub> Sn <sub>6</sub>	8.682	" " "
Cu <sub>2</sub> Sn	8.416	Mallet. D. J. 85, 378.
"	8.512	Croockewitt. J. 1, 394.
"	8.533	Calvert and Johnson. J. 12, 120.
"	8.15	Riche. J. 21, 270.
"	8.57	Riche. J. 23, 1100.
"	8.560	Thurston's Report, 295.
Cu <sub>12</sub> Sn <sub>7</sub>	8.442	" " "
Cu <sub>3</sub> Sn <sub>2</sub>	8.06	Riche. J. 21, 270.
"	8.30	Riche. J. 23, 1100.
"	8.312	Thurston's Report, 295.
Cu <sub>4</sub> Sn <sub>3</sub>	8.302	" " "
Cu <sub>6</sub> Sn <sub>5</sub>	8.182	" " "
Cu Sn	8.656	Mallet. D. J. 85, 378.
"	8.072	Croockewitt. J. 1, 394.
"	7.992	Calvert and Johnson. J. 12, 120.
"	7.90	Riche. J. 21, 270.
"	8.12	Riche. J. 23, 1100

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
COPPER AND TIN—continued.		
Cu Sn	8.013	Thurston's Report, 295.
Cu <sub>3</sub> Sn <sub>4</sub>	7.948	" " "
Cu <sub>3</sub> Sn <sub>5</sub>	7.835	" " "
Cu Sn <sub>2</sub>	7.387	Mallet. D. J. 85, 378.
" Cryst.	7.53	Miller. P. A. 120, 55.
"	7.738	Calvert and Johnson. J. 12, 120.
"	7.83	Riche. J. 21, 270.
"	7.74	Riche. J. 23, 1100.
"	7.770	Thurston's Report, 295.
Cu <sub>3</sub> Sn <sub>7</sub> , Furnace product.	6.994	Rammelsberg. P. A. 120, 54.
Cu <sub>2</sub> Sn <sub>5</sub>	7.652	Croockewitt. J. 1, 394.
Cu Sn <sub>3</sub>	7.447	Mallet. D. J. 85, 378.
"	7.606	Calvert and Johnson. J. 12, 120.
"	7.44	Riche. J. 21, 270.
"	7.53	Riche. J. 23, 1100.
"	7.657	Thurston's Report, 295.
Cu Sn <sub>4</sub>	7.472	Mallet. D. J. 85, 378.
"	7.558	Calvert and Johnson. J. 12, 120.
"	7.31	Riche. J. 21, 270.
"	7.50	Riche. J. 23, 1100.
"	7.552	Thurston's Report, 295.
Cu Sn <sub>5</sub>	7.442	Mallet. D. J. 85, 378.
"	7.517	Calvert and Johnson. J. 12, 120.
"	7.28	Riche. J. 21, 270.
"	7.52	Riche. J. 23, 1100.
"	7.487	Thurston's Report, 295.
Cu Sn <sub>12</sub>	7.360	" " "
Cu Sn <sub>48</sub>	7.305	" " "
Cu Sn <sub>96</sub>	7.299	" " "
COPPER AND LEAD.		
Cu Pb	10.375	Croockewitt. J. 1, 394.
Cu <sub>2</sub> Pb <sub>3</sub>	10.753	" "
COPPER AND ANTIMONY.		
Cu <sub>11</sub> Sb <sub>2</sub>	8.829	Laist and Norton. A. C. J. 10, 60.
" Horsfordite	8.812	
Cu <sub>4</sub> Sb	8.871	Kamenski.* P. M. (5), 17, 274.
Cu <sub>2</sub> Sb	8.339	" "
Cu Sb	7.990	Calvert and Johnson. J. 12, 120.
COPPER AND BISMUTH.		
Cu Bi	9.634	Calvert and Johnson. J. 12, 120.
SILVER AND TIN.		
Ag <sub>4</sub> Sn	9.953, 14°.8	Holzmann. P. T. 1860, 177
Ag <sub>2</sub> Sn	9.507, 12°.9	" "
Ag Sn	8.828, 13°.8	" "
Ag Sn <sub>2</sub>	8.223, 16°.3	" "

\* Kamenski gives data for seventeen other Cu Sb alloys.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
SILVER AND TIN—continued.		
Ag Sn <sub>3</sub> -----	7.936, 19° 3 -----	Holzmann. P. T. 1860, 177.
Ag Sn <sub>5</sub> -----	7.551, 18° 8 -----	" " "
Ag Sn <sub>6</sub> -----	7.666, 18° 4 -----	" " "
Ag Sn <sub>18</sub> -----	7.421, 18° 6 -----	" " "
SILVER AND LEAD.		
Ag <sub>4</sub> Pb -----	10.800, 13° 5 -----	Matthiessen. P. T. 1860, 177.
Ag <sub>2</sub> Pb -----	10.925, 13° 8 -----	" " "
Ag Pb -----	10.054, 12° 5 -----	" " "
Ag Pb <sub>2</sub> -----	11.144, 18° 2 -----	" " "
Ag Pb <sub>4</sub> -----	11.196, 21° -----	" " "
Ag Pb <sub>10</sub> -----	11.285, 22° 2 -----	" " "
Ag Pb <sub>25</sub> -----	11.334, 20° 6 -----	" " "
SILVER AND COPPER.*		
Ag <sub>3</sub> Cu <sub>2</sub> -----	9.9045 -----	Levol. J. 5, 768.
" Solid -----	9.9045 -----	} Roberts. C. N. 31, 143.
" Molten -----	9.0554 -----	
GOLD AND TIN.		
Au <sub>4</sub> Sn -----	16.367, 15° 4 -----	Holzmann. P. T. 1860, 177.
Au <sub>2</sub> Sn -----	14.244, 14° 2 -----	" " "
Au Sn -----	11.833, 14° 6 -----	" " "
Au <sub>2</sub> Sn <sub>3</sub> -----	10.794, 23° 6 -----	" " "
Au Sn <sub>2</sub> -----	10.168, 23° 7 -----	" " "
Au <sub>2</sub> Sn <sub>5</sub> -----	9.715, 22° 4 -----	" " "
Au Sn <sub>3</sub> -----	9.405, 23° 7 -----	" " "
Au Sn <sub>4</sub> -----	8.931, 25° 6 -----	" " "
Au Sn <sub>6</sub> -----	8.470, 23° 1 -----	" " "
Au Sn <sub>9</sub> -----	8.118, 22° 4 -----	" " "
Au Sn <sub>15</sub> -----	7.801, 22° 8 -----	" " "
Au Sn <sub>50</sub> -----	7.441, 22° 9 -----	" " "
GOLD AND LEAD.		
Au <sub>4</sub> Pb -----	17.013, 14° 3 -----	Matthiessen. P. T. 1860, 177.
Au <sub>2</sub> Pb -----	15.603, 14° 5 -----	" " "
Au Pb -----	14.466, 14° 3 -----	" " "
Au Pb <sub>2</sub> -----	13.306, 22° 1 -----	" " "
Au Pb <sub>3</sub> -----	12.737, 21° 3 -----	" " "
Au Pb <sub>4</sub> -----	12.445, 21° 6 -----	" " "
Au Pb <sub>5</sub> -----	12.274, 19° 4 -----	" " "
Au Pb <sub>10</sub> -----	11.841, 23° 3 -----	" " "
GOLD AND BISMUTH.		
Au <sub>2</sub> Bi -----	14.844, 16° -----	Holzmann. P. T. 1860, 177.
Au Bi -----	13.403, 16° 5 -----	" " "
Au Bi <sub>2</sub> -----	12.067, 16 -----	" " "
Au Bi <sub>4</sub> -----	11.025, 23° -----	" " "

\* See Karmarsch, Beiblätter 2, 194, for sixteen Ag Cu alloys.

ALLOY.	SPECIFIC GRAVITY.	AUTHORITY.
GOLD AND BISMUTH— continued.		
Au Bi <sub>3</sub> -----	10.452, 21°.4 -----	Holzmann. P. T. 1860, 177.
Au Bi <sub>20</sub> -----	10.076, 18°.7 -----	“ “
Au Bi <sub>40</sub> -----	9.942, 21°.2 -----	“ “
Au Bi <sub>50</sub> -----	9.872, 21° -----	“ “
GOLD AND COPPER.		
Au <sub>6</sub> Cu -----	17.9340 -----	Roberts. Bei. 2, 327.
Au <sub>3</sub> Cu -----	17.1653 -----	“ “
Au <sub>2</sub> Cu -----	16.4832 -----	“ “
GOLD AND SILVER.		
Au <sub>6</sub> Ag -----	18.041, 13°.1 -----	Matthiessen. P. T. 1860, 177.
Au <sub>4</sub> Ag -----	17.540, 12°.3 -----	“ “
Au <sub>2</sub> Ag -----	16.354, 13° -----	“ “
Au Ag -----	14.870, 13° -----	“ “
Au Ag <sub>2</sub> -----	13.432, 14°.3 -----	“ “
Au Ag <sub>4</sub> -----	12.257, 14°.7 -----	“ “
Au Ag <sub>8</sub> -----	11.760, 13°.1 -----	“ “
PALLADIUM AND LEAD.		
Pd <sub>3</sub> Pb -----	11.225 -----	Bauer. J. 24, 317.
PLATINUM AND LEAD.		
Pt Pb -----	15.77 -----	Bauer. Z. C. 14, 48.
IRIDIUM AND OSMIUM.		
Ir Os. Newjanskite -----	19.386—19.471 -----	Berzelius. Dana's Min.
Ir Os <sub>4</sub> . Sisserskite -----	21.118 -----	“ “
TRIPLE ALLOYS.*		
Cd Pb <sub>3</sub> Bi <sub>4</sub> -----	10.563 -----	v. Hauer. J. 18, 236.
Cd <sub>2</sub> Pb <sub>7</sub> Bi <sub>8</sub> -----	10.732 -----	“ “
Pb Sn <sub>2</sub> Bi <sub>8</sub> -----	9.194, 11° -----	Regnault. P. A. 53, 67.
Pb Sn <sub>2</sub> Bi <sub>2</sub> -----	9.253, 20° -----	“ “
Pb <sub>4</sub> Sn <sub>6</sub> Bi <sub>7</sub> . Rose's alloy -----	9.5125, 4° -----	Spring. Ann. (5), 7, 196.
Pb <sub>8</sub> Sn <sub>10</sub> Bi <sub>13</sub> . Darcet's " -----	9.6401, 4° -----	“ “
Sn <sub>2</sub> Sb Bi -----	7.883, 20° -----	Regnault. P. A. 53, 67.
Cu <sub>3</sub> Ni Sb <sub>3</sub> . Furnace product.	8.004 -----	Sandberger. J. 11, 202.
QUADRUPLE ALLOYS.		
Cd Sn Pb Bi <sub>2</sub> -----	9.765 -----	v. Hauer. J. 18, 236.
Cd Sn <sub>2</sub> Pb <sub>2</sub> Bi <sub>4</sub> -----	9.784 -----	“ “
Cd <sub>2</sub> Sn <sub>2</sub> Pb Bi <sub>4</sub> . Wood's alloy.	9.1106, 4° -----	Spring. Ann. (5), 7, 196.
Cd <sub>3</sub> Sn <sub>4</sub> Pb <sub>4</sub> Bi <sub>3</sub> -----	9.725 -----	v. Hauer. J. 18, 236.
Cd <sub>4</sub> Sn <sub>5</sub> Pb <sub>5</sub> Bi <sub>10</sub> -----	9.685 -----	“ “
Cd <sub>4</sub> Sn <sub>5</sub> Pb <sub>6</sub> Bi <sub>11</sub> . Lipo-witz alloy.	9.7244, 4° -----	Spring. Ann. (5), 7, 196.

\* For the triple alloys of Cu Sn Zn see Thurston's Report. For many amalgams see Joule, J. C. S., vol. 16, 1863. For alloys of platinum and gold see Prinsep, P. T. 1828.

## XLV. HYDROCARBONS.

1st. Paraffins.  $C_n H_{2n+2}$ .

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methane. Liquefied	$C H_4$	.37	Wroblevsky. C. R. 99, 136.
"	"	.414	{ Olszewski. P. A. (2), 31, 73.
"	"	.415	
"	"	.416	
Propane	$C_3 H_8$	.613, $-25^\circ$	Lefebvre. J. 21, 329.
Butane	$C_4 H_{10}$	.600, $0^\circ$	Pelouze and Cahours. J. 16, 524.
"	"	.600, $0^\circ$	Ronalds. J. 18, 507.
"	"	.624, $-1^\circ$	Lefebvre. J. 21, 329.
Normal pentane. (B. $39^\circ$ )	$C_5 H_{12}$	.636, $17^\circ$	Schorlemmer. J. 15, 386.
"	"	.6263, $17^\circ$	Schorlemmer. J. 19, 527.
"	"	.626, $14^\circ$	Cahours and Demarcay. C. R. 80, 1569.
"	"	.6267, $14^\circ$	Lachowicz. A. C. P. 220, 191.
"	"	.624, $11^\circ.5$	Gladstone. Bei. 9, 249.
"	"	.6323, $17^\circ$	Norton and Andrews. A. C. J. 8, 7.
Isopentane. (B. $30^\circ$ )	"	.6415, $11^\circ.2$	Frankland. J. 3, 481.
"	"	.6385, $14^\circ.2$	
"	"	.628, $18^\circ$	Pelouze and Cahours. J. 16, 527.
"	"	.6375, $13^\circ$	Just. A. C. P. 220, 153.
"	"	.6282, $13^\circ.7$	Schiff. G. C. I, 13, 177.
"	"	.6132, $30^\circ.5$	
"	"	.6402, $0^\circ$	Bartolli and Stracciati. Bei. 9, 697.
"	"	.6111, $30^\circ$	
Normal hexane. (B. $69^\circ$ )	$C_6 H_{14}$	.6745, $18^\circ$	Williams. J. 10, 418.
"	"	.669, $16^\circ$	Pelouze and Cahours. J. 15, 410.
"	"	.678, $15^\circ.5$	Schorlemmer. J. 15, 386.
"	"	.6617, $17^\circ.5$	Dale. J. 17, 381.
"	"	.6645, $16^\circ.5$	Wanklyn and Erlennmeyer. J. 16, 521.
"	"	.6630, $17^\circ$	Schorlemmer. A. C. P. 161, 263.
"	"	.689, $0^\circ$	Warren. J. 21, 330.
"	"	.6641, $18^\circ$	Thorpe and Young. A. C. P. 165, 1.
"	"	.6620, $19^\circ.5$	
"	"	.667, $13^\circ$	Cahours and Demarcay. C. R. 80, 1570.
"	"	.6199, $60^\circ.8$	Ramsay. J. C. S. 35, 463.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal hexane-----	$C_6H_{14}$ -----	.6753, 0° ---	Zander. A. C. P. 214, 181.
“ “-----	“-----	.6129, 69° ---	
“ “-----	“-----	.6985, 14° ---	Lachowicz. A. C. P. 220, 192.
“ “-----	“-----	.6681, 10°.8	Schiff. G. C. I. 13, 177.
“ “-----	“-----	.6142 } 68°.6	
“ “-----	“-----	.6143 } 68°.6	
“ “-----	“-----	.6603, 20° ---	
“ “-----	“-----	.6950, 0° ---	Brühl. A. C. P. 200, 183.
“ “-----	“-----	.6343, 68° ---	
“ “-----	“-----	.6745, 18° ---	Bartoli and Strac- ciati. Bei. 9, 697.
“ “-----	“-----	-----	Norton and And- rews. A. C. J. 8, 7.
Isohexane. (B. 62°) -----	“-----	.7011, 0° -----	Wurtz. J. 8, 576.
“-----	“-----	.676, 0° -----	Warren. J. 21, 330.
Hexane. B. 48°—62°-----	“-----	.6317, 25°.5-----	Gladstone. Bei. 9. 249.
“ B. 53°—60°-----	“-----	.6413, 25°-----	“ “
Methyl-diethyl-methane. (B. 64°.)-----	“-----	.6765, 20°.5-----	Wislicenus. A. C. P. 219, 315.
Tetramethyl-ethane, or diisopropyl. (B. 58°. )	“-----	.6769, 10°-----	Schorlemmer. J. 20, 566.
“ “-----	“-----	.6701, 17°.5	
“ “-----	“-----	.6569, 29°-----	
“ “-----	“-----	.668, 0°-----	Riche. Ann. (3), 59, 426.
“ “-----	“-----	.6829, 0°-----	Zander. A. C. P. 214, 181.
“ “-----	“-----	.6286, 58°-----	
Hexane from suberic acid. B. 78°.-----	“-----	.671, 26°-----	Riche. Ann. (3), 59, 426.
Normal heptane. (B. 98°.4)	$C_7H_{16}$ -----	.709, 17°.5-----	Schorlemmer. J. 15, 386.
“ “ From coal oil.	“-----	.7122, 16°-----	Schorlemmer. J. 16, 532.
“ “ “ azelaic acid	“-----	.6851, 17°.5-----	Dale. J. 17, 381.
“ “ “ “	“-----	.6840, 20°.5-----	Schorlemmer and Dale. A. C. P. 136, 266.
“ “-----	“-----	.7085, 0°-----	Warren and Storer. J. 21, 331.
“ “-----	“-----	.693, 12°-----	Cahours and Demar- çay. C. R. 80, 1570.
“ “ From petro- leum.	“-----	.6967, 19°-----	Beilstein and Kur- batow. Ber. 13, 2028.
“ “-----	“-----	.6915, 18° ---	Thorpe and Young. A. C. P. 165, 1.
“ “-----	“-----	.6910, 19° ---	
“ “ (Abietene)-----	“-----	.694-----	Wenzell. C. N. 39, 182.
“ “-----	“-----	.70048, 0°-----	Thorpe. J. C. S. 37, 371.
“ “-----	“-----	.61386, 98°.43	
“ “-----	“-----	.7176, 20°-----	Lachowicz. A. C. P. 220, 193.
“ “-----	“-----	.7291, 20°-----	Lachowicz. A. C. P. 220, 203.
“ “-----	“-----	.7023, 14°-----	Lachowicz. A. C. P. 220, 204.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoheptane*, ethyl-amyl, or dimethyl-butyl-me- thane. B. 90°.3.	C <sub>7</sub> H <sub>16</sub> -----	.7069, 0° ----	Wurtz. J. 8, 576.
“ “ -----	“ -----	.6819, 17°.5 }-----	Schorlemmer. A. C. P. 136, 259.
“ “ -----	“ -----	.6795, 20° }-----	
“ “ -----	“ -----	.6789, 19° -----	Schorlemmer. A. C. P. 136, 264.
“ “ -----	“ -----	.7259, 0° ----	Schorlemmer. A. C. P. 136, 269. From petroleum.
“ “ -----	“ -----	.7148, 15° -----	
“ “ -----	“ -----	.6999, 32° -----	
“ “ -----	“ -----	.6867, 48° -----	
“ “ -----	“ -----	.6833, 18°.4 -----	Grimshaw. A. C. P. 166, 163.
“ “ -----	“ -----	.69692, 0° -----	} Thorpe. J. C. S. 37, 371.
“ “ -----	“ -----	.61606, 90°.3 -----	
“ “ -----	“ -----	.6060, 91° -----	Ramsay. J. C. S. 35, 463.
Methyl-ethyl-propyl-me- thane. (B. 91°.)	“ -----	.6895, 20° -----	Just. A. C. P. 220, 155.
Triethyl-methane. (B. 96°)	“ -----	.689, 27° -----	Ladenburg. B. S. C. 18, 548.
Dimethyl-diethyl-me- thane. (B. 86°—87°.)	“ -----	.7111, 0° -----	} Friedel and Laden- burg. J. P. C. 101, 315.
	“ -----	.6958, 20°.5 -----	
“ From petroleum.	“ -----	.709, 16° -----	Schorlemmer. A. C. P. 166, 172.
Heptane from petroleum	“ -----	.7328, 0° -----	} Bartoli and Strac- ciati. Bei. 9, 697.
“ (B. 92°—94°)	“ -----	.6473, 92°—94° -----	
“ “ -----	“ -----	.7303, 0° -----	
“ “ -----	“ -----	.6462, 92°—94° -----	
Normal octane. (B. 125°.5)	C <sub>8</sub> H <sub>18</sub> -----	.6945, 18° -----	Williams. J. 10, 418.
“ “ -----	“ -----	.7033, 12°.5 -----	Schorlemmer.
“ “ -----	“ -----	.7032, 17° -----	Schorlemmer. A. C. P. 161, 263.
“ “ -----	“ -----	.723, 0° }-----	Riche. J. 13, 248.
“ “ -----	“ -----	.721, 10° }-----	
“ “ -----	“ -----	.719, 17°.5 -----	Schorlemmer. J. 15, 386.
“ “ -----	“ -----	.726, 15° -----	Pelouze and Ca- hours. J. 16, 524.
“ “ -----	“ -----	.728, 0° -----	Wurtz. J. 16, 509.
“ “ -----	“ -----	.7207, 15°.5 }-----	} Thorpe and Young. Two lots. A. C. P. 165, 1.
“ “ -----	“ -----	.7165, 15°.6 }-----	
“ “ -----	“ -----	.723, 13° -----	Cahours and Demar- çay. C. R. 80, 1571.
“ “ -----	“ -----	.71883, 0° -----	} Thorpe. J. C. S. 37, 371.
“ “ -----	“ -----	.61077, 125°.46 -----	
“ “ From co- nicein.	“ -----	.712, 11° -----	Hofmann. Ber. 18, 13.
Tetramethyl-butane, or diisobutyl. (B. 108°.53.)	“ -----	.6940, 18° -----	Kolbe. J. 1. 559.
“ “ -----	“ -----	.7057, 0° -----	Wurtz. J. 8, 576.
“ “ -----	“ -----	.7135, 0° -----	Kopp. A. C. P. 95, 307.
“ “ -----	“ -----	.7001, 16°.4 }-----	

\* For a mixture of heptane and isoheptane from petroleum, B. 92°—94°, Pelouze and Cahours give a sp. g. of .699, 16°.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Tetramethyl-butane, or diisobutyl. (B. 108°.53.)	$C_8H_{18}$	.7091, 0°	Williams. J. C. S. 25, 125.	
"	"	.7085, 0°		
"	"	.7015, 10°		
"	"	.6931, 20°		
"	"	.686, 30°		
"	"	.677, 40°		
"	"	.669, 50°		
"	"	.626, 100°		
"	"	.698, 16°.5		
"	"	.6712, 49°		
"	"	.7111, 0°		Schorlemmer. J. 20, 567.
"	"	.61549, 108°.53		
"	"	.7001, 12°.1	Thorpe. J. C. S. 37, 371.	
"	"	.6166 } 107°.8		
"	"	.6167 }	Schiff. G. C. I. 13, 177.	
Octane from petroleum. (B. 121°.)	"	.732, 12°		
" " " (B. 116°)	"	.7463, 0°	Lemoine. B. S. C. 41, 161.	
" " " (B. 118°)	"	.6536, 116°-118°		
Normal nonane. (B. 149°)	$C_9H_{20}$	.741	Bartoli and Stracciati. Bei. 9, 697. Pelouze and Cahours.* J. 16, 524. Cahours and Demarcay.* C. R. 80, 1571. Thorpe and Young. A. C. P. 165, 1.	
"	"	.744, 13°		
"	"	.7279, 13°.5		
"	"	.7330, 0°		
"	"	.7228, 13°.5		
"	"	.7217, 15°		
"	"	.7177, 20°		
"	"	.6541, 99°.1		
"	"	.7124, 21°		
"	"	.742, 12°		
"	"	.743, 0°		Lachowicz. A. C. P. 220, 194. Lemoine.* B. S. C. 41, 161.
"	"	.734, 12°.7		
"	"	.731, 16°		
"	"	.725, 24°		
"	"	.7623, 0°		
"	"	.6492, 136-138°	Bartoli and Stracciati.* Bei. 9, 697.	
"	"	.7247, 0°		
Tetramethyl pentane, or butyl-amyl. (B. 132.)	"	.7247, 0°	Wurtz. J. 8, 570.	
Normal decane. (B. 167°)	$C_{10}H_{22}$	.7394, 13°.5	Thorpe and Young. A. C. P. 165, 1.	
"	"	.7562, 15°		
"	"	.7516, 22°	Jacobson. A. C. P. 184, 202.	
"	"	.7456, 0°		
"	"	.7452, 0°	Kraft. Ber. 15, 1687.	
"	"	.7342, 15°		
"	"	.7304, 20°		
"	"	.6690, 99°.3		
"	"	.73097, 18°		
Diisoamyl. (B. 155°)	"	.7704, 11°	Lachowicz. A. C. P. 220, 180. Frankland. J. 3, 479.	

\* Preparations from petroleum, boiling at 130° to 140°, and doubtless containing admixed isomers

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Diisoamyl. (B. 158°) ----	C <sub>10</sub> H <sub>22</sub> -----	.7413, 0°	} Wurtz. J. 8, 573. Williams. J.10,418. Wurtz. J. 16, 510. Schiff. G. C. I. 13, 177. Just. A. C. P. 220, 156. Lachowicz. A. C. P. 220, 172.	
" (B. 159°) ----	"-----	.7282, 20°		
" (B. 156°) ----	"-----	.7365, 18°		
" (B. 159°.4)----	"-----	.753, 0°		
" (B. 160°) ----	"-----	.7358, 9°.8		
" (B. 157°.1)---	"-----	.6126, 159°.4		
" (B. 160°) ----	"-----	.7463, 22°		
Decane. (B. 160°) ----	"-----	.757, 16°	} Pelouze and Cahours.* J.16, 524. Cahours and Demarcay.* C. R. 80,1571. Cloeuz.† C. R. 85, 1003. Lachowicz.† A. C. P. 220, 195. Lemoine.* B. S. C. 41, 161. } Bartoli and Stracciati.* Bei.9,697. Pelouze and Cahours.* J. 16, 524. Cahours and Demarcay.* C. R. 80,1571. Cloeuz.† C. R. 85, 1003. } Bartoli and Stracciati.* Bei.9,697.	
" (B. 159°) ----	"-----	.758, 14°		
" (B. 155°-160°) -	"-----	.760		
" (B. 162°-163°) -	"-----	.7324, 20°		
" (B. 152°-153°) -	"-----	.7187, 21°		
"-----	"-----	.764, 0°		
"-----	"-----	.753, 15°.6		
"-----	"-----	.751, 17°		
"-----	"-----	.739, 33°.5		
"-----	"-----	.7711, 0°		
Undecane. (B. 181°) ----	C <sub>11</sub> H <sub>24</sub> -----	.6475, 158-162°		
" (B. 177°) ----	"-----	.766		
" (B. 179°) ----	"-----	.770, 14°		
" (B. 180°-182°) -	"-----	.769		
" (B. 180°-182°) -	"-----	.7816, 0°		
" (B. 180°-182°) -	"-----	.6448, 180-182°		
Normal undecane. (B. 194°.5.)	"-----	.7560, 0°		
" "-----	"-----	.7557, 0°	} Krafft. Ber.15,1687. Melts at -26°.5	
" "-----	"-----	.7448, 15°		
" "-----	"-----	.7411, 20°		
" "-----	"-----	.6816, 99°		
Dodecane. (B. 202°) ----	C <sub>12</sub> H <sub>26</sub> -----	.7574, 0°	} Wurtz. J. 8, 576. Williams. J.10,418. Pelouze and Cahours.* J. 16, 524. Cahours and Demarcay.* C. R. 80,1571. Cloeuz.† C. R. 85, 1003. Schorlemmer. A. C. P. 161, 263. } Bartoli and Stracciati.* Bei.9,697.	
" (B. 198°) ----	"-----	.7568, 18°		
" (B. 198°) ----	"-----	.778, 20°		
" (B. 200°) ----	"-----	.784, 14°		
" (B. 196°.5) ----	"-----	.782		
" (B. 201°) ----	"-----	.7738, 17°		
" (B. 198°-200°) -	"-----	.7915, 0°		
" (B. 198°-200°) -	"-----	.6442, 198-200°		
Normal dodecane. (B. 214°.5)	"-----	.7655, 0°		} Krafft. Ber.15,1687.
" "-----	"-----	.7548, 15°		
" "-----	"-----	.7511, 20°		
" "-----	"-----	.6930, 99°.1		

\* From petroleum. Doubtless a mixture of isomers.

† From hydrogen evolved from cast iron. Constitution undetermined.

‡ Two isomers from Galician petroleum. Constitution undetermined.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tridecane. (B. 219°) -----	C <sub>13</sub> H <sub>23</sub> -----	.796, 17° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 217°.5) -----	“ -----	.793 -----	Cloez.† C. R. 85, 1003.
“ (B. 218°-220°) -----	“ -----	.8016, 0° -----	} Bartoli and Stracciati.* Bei. 9, 697.
“ “ -----	“ -----	.6469, 218-220° -----	
Normal tridecane. (B. 234°) -----	“ -----	.7716, 0° -----	} Kraft. Ber. 15, 1687.
“ “ -----	“ -----	.7713, 0° -----	
“ “ -----	“ -----	.7608, 15° -----	
“ “ -----	“ -----	.7571, 20° -----	
“ “ -----	“ -----	.7008, 99° -----	
Tetradecane. (B. 238°) -----	C <sub>14</sub> H <sub>30</sub> -----	.809, 20° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 236°) -----	“ -----	.812 -----	Cloez.† C. R. 85, 1003.
“ (B. 236°-240°) -----	“ -----	.8129, 0° -----	} Bartoli and Stracciati.* Bei. 9, 697.
“ “ -----	“ -----	.6412, 236-240° -----	
Normal tetradecane. -----	“ -----	.7753, 4°.5 -----	} Kraft. Ber. 15, 1687. Melts at 4°.5.
“ “ (B. 252°.5) -----	“ -----	.7750, 5° -----	
“ “ -----	“ -----	.7715, 10° -----	
“ “ -----	“ -----	.7681, 15° -----	
“ “ -----	“ -----	.7645, 20° -----	
“ “ -----	“ -----	.7087, 99°.2 -----	
Pentadecane. (B. 260°) -----	C <sub>15</sub> H <sub>32</sub> -----	.825, 19° -----	Pelouze and Cahours.* J. 16, 524.
“ (B. 258°) -----	“ -----	.830 -----	Cloez.† C. R. 85, 1003.
“ (B. 258°-262°) -----	“ -----	.8224, 0° -----	} Bartoli and Stracciati.* Bei. 9, 697.
“ “ -----	“ -----	.6385, 258-262° -----	
Normal pentadecane. -----	“ -----	.7757, 10° -----	} Kraft. Ber. 15, 1687. Melts at 10°.
“ “ (B. 270°.5) -----	“ -----	.7759, 10° -----	
“ “ -----	“ -----	.7724, 15° -----	
“ “ -----	“ -----	.7689, 20° -----	
“ “ -----	“ -----	.7136, 99°.3 -----	
Hexdecane, dioctyl, or diisooctyl. (B. 278.) -----	C <sub>16</sub> H <sub>34</sub> -----	.850 -----	Cloez.† C. R. 85, 1003.
“ “ -----	“ -----	.7438, 15° -----	Eichler. Ber. 12, 1882.
“ (B. 268°.5) -----	“ -----	.8022, 0° -----	Alcchin. Ber. 16, 1225.
“ (B. 264°) -----	“ -----	.80011, 18° -----	Lachowicz. A. C. P. 220, 187.
“ (B. 278°-282°) -----	“ -----	.8287, 0° -----	} Bartoli and Stracciati.* Bei. 9, 697.
“ “ -----	“ -----	.6396, 278-282° -----	
Normal hexdecane. -----	“ -----	.7754, 18° -----	} Kraft. Ber. 15, 1687. Melts at 18°.
“ “ (B. 287°.5) -----	“ -----	.7742, 20° -----	
“ “ -----	“ -----	.7707, 25° -----	
“ “ -----	“ -----	.7197, 99° -----	
“ “ -----	“ -----	.7754, 14°.2 -----	
Heptadecane. (B. 303°) -----	C <sub>17</sub> H <sub>36</sub> -----	.7764, 22°.5 -----	Kraft. Ber. 19, 2218.
“ -----	“ -----	.7767, 22°.5 -----	} Kraft.† Ber. 15, 1687. Melts at 22°.5.
“ -----	“ -----	.7749, 25° -----	
“ -----	“ -----	.7714, 30° -----	
“ -----	“ -----	.7245, 99° -----	

\* From petroleum. Probably a mixture of isomers.

† From hydrogen evolved from cast iron. Constitution undetermined

‡ All of Kraft's paraffins are said to belong to the normal series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Octadecane. (B. 317°)---	$C_{18}H_{38}$ -----	.7768, 28°	Krafft. Ber. 15, 1687. Melts at 28°.	
"-----	"-----	.7754, 30°		
"-----	"-----	.7719, 35°		
"-----	"-----	.7685, 40°		
"-----	"-----	.7288, 99°		
Nondecane. (B. 330°)---	$C_{19}H_{40}$ -----	.7766, 28°	Krafft. Ber. 19, 2218.	
"-----	"-----	.7774, 32°		
"-----	"-----	.7754, 35°	Krafft. Ber. 15, 1687. Melts at 32°.	
"-----	"-----	.7720, 40°		
"-----	"-----	.7323, 99°·3		
Eicosane. (M. 36°·7)---	$C_{20}H_{42}$ -----	.7779, 36°·7		Krafft. Ber. 15, 1711.
"-----	"-----	.7487, 80°·2		
"-----	"-----	.7363, 99°·2		
"-----	"-----	.7776, 36°·7	Krafft. Ber. 19, 2218.	
Heneicosane. (M. 40°·4)---	$C_{21}H_{44}$ -----	.7783, 40°·4		
"-----	"-----	.7557, 74°·7	Krafft. Ber. 15, 1711.	
"-----	"-----	.7400, 98°·9		
Docosane. (M. 44°·4)---	$C_{22}H_{46}$ -----	.7782, 44°·4		" "
"-----	"-----	.7549, 79°·6		
"-----	"-----	.7422, 99°·2		
Tricosane. (M. 47°·7)---	$C_{23}H_{48}$ -----	.7785, 47°·7	" "	
"-----	"-----	.7570, 80°·8		
"-----	"-----	.7456, 98°·8		
Tetracosane. (M. 51°·1)---	$C_{24}H_{50}$ -----	.7786, 51°·1	" "	
"-----	"-----	.7628, 76°		
"-----	"-----	.7481, 98°·9		
Heptacosane. (M. 59°·5)---	$C_{27}H_{56}$ -----	.7796, 59°·5	" "	
"-----	"-----	.7659, 80°·8		
"-----	"-----	.7545, 99°		
Hentriacontane. (M. 68°·1)---	$C_{31}H_{64}$ -----	.7808, 68°·1	" "	
"-----	"-----	.7730, 80°·8		
"-----	"-----	.7619, 98°·8		
Dotriacontane. (M. 70°)---	$C_{32}H_{66}$ -----	.7810, 70°	Krafft. Ber. 19, 2218.	
Pentatriacontane.	$C_{35}H_{72}$ -----	.7816, 74°·7		
" (M. 74°·7)---	"-----	.7775, 80°·8	Krafft. Ber. 15, 1711.	
"-----	"-----	.7664, 99°·2		
Paraffin.* M. 56°-----	$C_nH_{2n+2}$ -----	.913	From ozokerite. Sauerlandt. J. 1879, 1147.	
" M. 61°-----	"-----	.921		
" M. 67°-----	"-----	.927		
" M. 72°-----	"-----	.934		
" M. 76°-----	"-----	.940		
" M. 82°-----	"-----	.943		
" M. 38°-----	"-----	.872, 17°		
"-----	"-----	.879, 55°		
" M. 43°-----	"-----	.883, 17°		
"-----	"-----	.788, 55°		
"-----	"-----	.889, 17°		
"-----	"-----	.785, 55°		
" M. 46°-----	"-----	.887, 17°		
"-----	"-----	.781, 60°-65°		
" M. 47°-----	"-----	.900, 17°		
"-----	"-----	.775, 60°-65°		
" M. 51°-----	"-----	.908, 17°		
"-----	"-----	.775, 60°-65°		
"-----	"-----	.912, 17°		
"-----	"-----	.777, 60°-65°		

Albrecht. D. J.  
218, 280.

\* No attempt has been made to secure completeness concerning the specific gravity of common paraffin. The data given are included only to facilitate comparison.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Paraffin. M. 38°-----	$C_n H_{2n+2}$ -----	.874, 21° s.-----	} From shale oil, Beilby. J. C. S., Sept., 1883, 388. Data given for sp. g. of paraffin in solution.
"-----	"-----	.783, 38°-----	
"-----	"-----	.779, 43° 4'-----	
"-----	"-----	.775, 49°-----	
"-----	"-----	.771, 54° 5'-----	
"-----	"-----	.767, 60°-----	
"-----	"-----	.763, 65° 5'-----	

2d. Olefines.  $C_n H_{2n}$ .

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Ethylene. Liquefied-----	$C_2 H_4$ -----	.414, -21°-----	} Cailletet and Ma- thias. C. R. 102, 1202.
"-----	"-----	.342, -7° 3'-----	
"-----	"-----	.353, -3° 7'-----	
"-----	"-----	.332, +4° 3'-----	
"-----	"-----	.306, +6° 2'-----	
Butylene-----	$C_4 H_8$ -----	.739, 0°-----	} Chapman. J. 20, 581. Puchot. Ann. (5), 28, 207.
"-----	"-----	.635, -13° 5'-----	
"-----	"-----	.639, -14° 2'-----	
Amylene-----	$C_5 H_{10}$ -----	.6517, 16° 5'-----	} Mendelejeff. J. 13, 7. Bauer. J. 14, 660.
"-----	"-----	.6633, 0°-----	
"-----	"-----	.66277, 0°-----	} Buff. A. C. P., 4 Supp. Bd., 129.
"-----	"-----	.65490, 10°-----	
"-----	"-----	.64450, 17°-----	
"-----	"-----	.62384, 33°-----	
"-----	"-----	.625812, 33° 5'-----	
"-----	"-----	.62634, 35° 5'-----	
"-----	"-----	.679, 0°-----	
"-----	"-----	.6319, 35°-----	
"-----	"-----	.6617, 9° 9'-----	
"-----	"-----	.6340, 35° 6'-----	
"-----	"-----	.6356, 36° 3'-----	} Schiff. G. C. I. 13, 187.
"-----	"-----	.6503, 21°-----	
Trimethyl ethylene-----	"-----	.6783, 0°-----	} Le Bel. B. S. C. 25, 547.
$\beta$ . Ethyl methyl ethylene-----	"-----	.670, 0°-----	
Isopropyl ethylene-----	"-----	.648, 0°-----	} Flawitzky. Ber. 11, 992.
Hexylene-----	$C_6 H_{12}$ -----	.709, 12°-----	
"-----	"-----	.6937-----	} Pelouze and Ca- hours. J. 16, 526.
"-----	"-----	.6986-----	
"-----	"-----	.702, 0°-----	
"-----	"-----	.6996-----	} Wurtz. J. 17, 512.
"-----	"-----	.6997-----	
Tetramethyl ethylene-----	"-----	.712-----	} Geibel and Buff. J. 21, 336.
"-----	"-----	.6996-----	
"-----	"-----	.6997-----	} Hecht. A. C. P. 165, 146.
"-----	"-----	.712-----	
"-----	"-----	.712-----	} Pawlow. A. C. P. 196, 122.
"-----	"-----	.712-----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
$\alpha$ . Ethyl dimethyl ethylene. " " " "	$C_6H_{12}$	.712, 0°	Jawein. Ber. 11, 1258.
" " " "	"	.698, 19°	
$\beta$ . Ethyl dimethyl ethylene. " " " "	"	.702, 0°	
" " " "	"	.687, 19°	" "
Heptylene	$C_7H_{14}$	.718, 18°	Williams. J. 11, 438. Schorlemmer. A. C. P. 136, 257.
"	"	.7060, 12° 5	
"	"	.7026, 19° 5	" "
"	"	.7060, 16°	Grimshaw. A. C. P. 166, 163.
"	"	.742, 20°	Renard. Ber. 15, 2368.
"	"	.71812, 20°	Sokolow. Ber. 21, ref. 56.
Dimethyl isopropyl ethylene.	"	.6985, 14°	Markownikow. Z. C. 14, 268.
" " " "	"	.7144, 0°	Pawlow. A. C. P. 173, 194.
Octylene	$C_8H_{18}$	.708, 16°	Cahours. C. R. 81, 143.
"	"	.723, 17°	Bouis. J. 7, 582.
"	"	.737, 20°	Fittig. J. 13, 320.
"	"	.7396, 0°	Warren and Storer. J. 21, 331.
"	"	.7217, 17°	Möslinger. Ber. 9, 1000.
"	"	.7294, 9° 9	Schiff. G. C. I. 13, 177.
"	"	.6306, 123° 4	
"	"	.7222, 22°	Lachowicz. A. C. P. 220, 185.
"	"	.7197, 20°	Brühl. A. C. P. 235, 1.
"	"	.73645, 20°	Sokolow. Ber. 21, ref. 56.
Diisopropyl ethylene	"	.7526, 16°	Williams. Ber. 10, 908.
Methyl ethyl propyl ethylene.	"	.73138, 20°	Sokolow. Ber. 21, ref. 56.
Diisobutylene	"	.734, 0°	Butlerow. J. C. S. 34, 122.
"	"	.737, 0°	Lermontoff. A. C. P. 196, 116.
Nonylene. B. 145°	$C_9H_{18}$	.757, 20° 5	Fittig. J. 13, 321.
" B. 153°	"	.7618, 0°	Warren and Storer. J. 21, 331.
" B. 134°	"	.853, 18° 4	Lemoine. B. S. C. 41, 161.
"	"	.74333, 20°	Sokolow. Ber. 21, ref. 56.
Diamylene. B. 165°	$C_{10}H_{20}$	.7777, 0°	Bauer. J. 14, 660.
" B. 151°	"	.8416, 0°	Schneider. A. C. P. 157, 208.
"	"	.8248, 20°	
" B. 174° 6	"	.7912, 0°	Warren and Storer. J. 21, 332.
" B. 175° 8	"	.823, 0°	Warren and Storer. J. 21, 331.
"	"	.7789, 10°	Schiff. G. C. I. 13, 177.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diamylene. B. 156°	C <sub>10</sub> H <sub>20</sub>	.6611	Schiff. G. C. I. 13, 177.
"	"	.6615	
"	"	.77753, 15° 2	
" B. 165°	"	.855, 14°	Lemoine. B. S. C. 41, 161.
" B. 164°	"	.7387, 20°	Lachowicz. A. C. P. 220, 177.
Endecylene	C <sub>11</sub> H <sub>22</sub>	.782, 0°	Warren. J. 21, 330.
"	"	.8398, 0°	
"	"	.791, 0°	Warren and Storer. J. 21, 332.
Dodecylene. B. 216°	C <sub>12</sub> H <sub>24</sub>	.791, 0°	Warren. J. 21, 330.
" B. 212° 6	"	.8361	
" B. 208°-219°	"	.8543	Warren and Storer. J. 21, 332.
"	"	.8054	
"	"	.7954, -31°	Kraft. Ber. 16, 3018:
"	"	.7729	
"	"	.7732	Kraft. Ber. 16, 3018:
"	"	.7620, 15°	
"	"	.7511, 30°	Kraft. Ber. 16, 3018:
"	"	.796, 0°	
Dihexylene. B. 196°-199°	"	.786, 19°	From two sources. Jawein. Ber. 11, 1258.
"	"	.809, 0°	
"	"	.798, 19°	
Triisobutylene. B. 178°	"	.774, 0°	Butlerow. Mem. Acad. St. Petersb., 1879.
"	"	.746, 50°	
"	"	.773	Lermontoff. A. C. P. 196, 116.
"	"	.774	
" B. 180°	"	.782, 0°	Five different lots. Puchot. Ann. (5), 28, 525.
"	"	.7435, 51° 6	
"	"	.707, 99° 5	
"	"	.785, 0°	
"	"	.751, 44° 9	
"	"	.783, 0°	
"	"	.738, 60° 5	
"	"	.707, 100° 2	
"	"	.780, 0°	
"	"	.779, 0°	
Tridécylene	C <sub>13</sub> H <sub>26</sub>	.768, 14°	Warren and Storer. J. 21, 332.
"	"	.8445, 0°	
Tetradécylene	C <sub>14</sub> H <sub>28</sub>	.7936, -12°	Kraft Ber. 16, 3018.
"	"	.7852, 0°	
"	"	.7745, 15°	
"	"	.7638, 30°	Kraft Ber. 16, 3018.
Triamylene	C <sub>15</sub> H <sub>30</sub>	.8139	
Cetene. B. 275°	C <sub>16</sub> H <sub>32</sub>	.7893, 15° 2	Bauer. J. 14, 660. Mendelejeff. J. 13, 7.
"	"	.7915, 4°	
"	"	.7839, 15°	Two samples. Kraft. Ber. 16, 3018.
"	"	.7686, 37° 1	
"	"	.7917, 4°	
"	"	.7842, 15°	
"	"	.7689, 37° 1	Bouis. Watts' Dict Dumas and Boullay See Serullas.
Diocylene. B. 250°	"	.814, 15°	
Etherol. B. 230°	"	.9174	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Etherol -----	$C_{16}H_{32}$ -----	.921 -----	Serullas. Ann. (2), 89, 178.
Octodecylene -----	$C_{18}H_{36}$ -----	.7910, 18° --	Krafft. Ber. 16, 3018.
“ -----	“ -----	.7881, 22°.1	
“ -----	“ -----	.7790, 35°.6	
Tetramylene -----	$C_{20}H_{40}$ -----	.8710, 0° -----	Bauer. J. 14, 660.
Cerotene -----	$C_{27}H_{54}$ -----	.861, 15° -----	Weltzien's "Zusammenstellung."
Melene -----	$C_{30}H_{60}$ -----	.89 -----	Watts' Dictionary.

## 3d. Acetylene Series and Derivatives.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetylene. Liquefied -----	$C_2H_2$ -----	.460, -7° -----	Ansdell. C. N. 40, 136. Critical t°, 37°.05.
“ -----	“ -----	.456, -3° -----	
“ -----	“ -----	.451, 0° -----	
“ -----	“ -----	.441, 4°.4 -----	
“ -----	“ -----	.432, 9° -----	
“ -----	“ -----	.420, 16°.4 -----	
“ -----	“ -----	.418, 20°.6 -----	
“ -----	“ -----	.404, 26°.25 -----	
“ -----	“ -----	.397, 30° -----	
“ -----	“ -----	.381, 34° -----	
“ -----	“ -----	.364, 35°.8 -----	
Valerylene. B. 41°—42° -----	$C_5H_8$ -----	.69999, 0° -----	
“ -----	“ -----	.687386, 17° -----	
“ -----	“ -----	.65719, 41° -----	
“ -----	“ -----	.65082, 42° -----	Bruylants. Ber. 8, 407.
Isopropyl acetylene -----	“ -----	.652, 11° -----	
“ “ B. 28°—29° -----	“ -----	.6854, 0° -----	Flawitzky and Kri- loff. Ber. 11, 1939.
Isoprene. B. 37°—38° -----	“ -----	.6823, 20° -----	Williams. J. 13, 495.
“ -----	“ -----	.6709, 18° -----	Gladstone. J. C. S. 49, 623.
“ Pentene -----	“ -----	.6766, 18° -----	“ “
Hexoylene. B. 80°—83° -----	$C_6H_{10}$ -----	.710, 13° -----	Reboul and Truchot. J. 20, 587.
“ -----	“ -----	.7494, 0° -----	Hecht. Ber. 11, 1051.
“ -----	“ -----	.7377, 13° -----	
Diallyl. B. 59°.5 -----	“ -----	.684, 14° -----	Berthelot and Luca. J. 1, 590.
“ -----	“ -----	.68724, 17° -----	Buff. A. C. P., 4th Supp. Bd., 129.
“ -----	“ -----	.64682, 59°.5 -----	
“ -----	“ -----	.64564, 58° -----	
“ -----	“ -----	.7074, 0° -----	Zander. A. C. P. 214, 181.
“ -----	“ -----	.6508, 59°.5 -----	Schiff. G. C. I. 13, 177.
“ -----	“ -----	.6983, 11°.9 -----	
“ -----	“ -----	.6503, 59°.3 -----	Brühl. Bei. 4, 780. L. Henry. C. N. 38, 101.
“ -----	“ -----	.6880, 20° -----	
Diallylene -----	$C_6H_8$ -----	.8579, 18°.2 -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dipropargyl -----	$C_6 H_6$ -----	.81, 18° -----	L. Henry. J. C. S. (2), 11, 1215.
“ -----	“ -----	.82 -----	Berthelot and Ogier. J. C. S. 40, 719.
Ethyl propyl acetylene -----	$C_7 H_{12}$ -----	.790, 0° -----	Béhal. Ber. 20, ref. 809.
Tetramethyl allylene -----	“ -----	.9513, 9° -----	L. Henry. Ber. 8, 400.
Methyl propyl allylene -----	“ -----	.8031, 20° -----	Renard. C. R. 91, 419.
Heptidene -----	“ -----	.7458, 20° -----	Brühl. A. C. P. 235, 1.
Conylene -----	$C_8 H_{14}$ -----	.76076, 15° -----	Wertheim. A. C. P. 123, 157.
From allyl diethyl carb- nol. “ “ “	“ -----	.7734, 0° -----	Reformatsky. J. P. C. (2), 30, 217.
“ “ “	“ -----	.75856, 15°.4 -----	
“ “ “	“ -----	.75622, 18° -----	
From allyl dipropyl carb- nol. “ “	$C_{10} H_{18}$ -----	.7870 -----	Reformatsky. J. P. C. (2), 27, 389.
“ “	“ -----	.7830 -----	
“ “	“ -----	.7825 -----	
“ “	“ -----	.7855 -----	
“ “	“ -----	.7726 -----	
“ “	“ -----	.7705 -----	
“ “	“ -----	.7738 -----	
“ “	“ -----	.7740, 16° -----	
“ “	“ -----	.7705 -----	
“ “	“ -----	.7681 -----	
“ “	“ -----	.7665 -----	
“ “	“ -----	.7703 -----	
“ “	“ -----	.7728, 20°.6 -----	
From allyl dimethyl carb- nol. “ “	$C_{12} H_{20}$ -----	.8530, 0° -----	Nikolsky and Saytzeff. J. P. C. (2), 27, 383.
“ “	“ -----	.8385, 20° -----	
“ “	“ -----	.8512, 0° -----	Albitsky. J. P. C. (2), 30, 213.
“ “	“ -----	.8449, 9°.8 -----	
“ “	“ -----	.8349, 21°.4 -----	
Dodecylidene -----	$C_{12} H_{22}$ -----	.8030, 0° -----	Krafft. Ber. 17, 1371.
“ -----	“ -----	.7917, 15° -----	
“ -----	“ -----	.7788, 32°.5 -----	“ “
Tetradecylidene -----	$C_{14} H_{26}$ -----	.8064, 6°.5 -----	
“ -----	“ -----	.8000, 15°.2 -----	
“ -----	“ -----	.7892, 30° -----	
Benylene -----	$C_{15} H_{28}$ -----	.9114, 0° -----	Wertheim. A. C. P. 123, 157.
Trivalerylene -----	$C_{15} H_{24}$ -----	.862, 15° -----	Reboul. J. 20, 585.
Hexadecylidene -----	$C_{16} H_{30}$ -----	.8039, 20° -----	Krafft. Ber. 17, 1371.
“ -----	“ -----	.7969, 30° -----	
Octadecylidene -----	$C_{18} H_{34}$ -----	.8016, 30° -----	“ “
Eikosylene -----	$C_{20} H_{38}$ -----	.8181, 24° -----	Lippmann and Hawliczek. Ber. 12, 72.

## 4th. Benzene Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzene	$C_6H_6$	.85, 15°.5	Faraday. P. T. 1825, 440.
"	"	.956, —18°.s	
"	"	.85	Mitscherlich. A. C. P. 9, 43.
"	"	.85	Mansfield. J. 1, 711.
"	"	.89911, 0°	Kopp. P. A. 72, 243.
"	"	.88372, 15°.2	
"	"	.88354, 15°.3	
"	"	.8931, 5°—10°	} Regnault. P. A. 62, 50.
"	"	.8827, 10°—15°	
"	"	.8838, 15°—20°	
"	"	.8841, 15°	Mendelejeff. J. 13, 7.
"	"	.8667	Church. J. 17, 531.
"	"	.8957, 0°	} Warren. J. 18, 515.
"	"	.8820, 15°.5	
"	"	.895, 3°	} Jungfleisch. C. R. 64, 911.
"	"	.812, 80°.5	
"	"	.8995, 0°	} Louguinine. Ann. (4), 11, 453. Other values given for intermediate t's.
"	"	.8890, 10°	
"	"	.8784, 20°	
"	"	.8568, 40°	
"	"	.8349, 60°	
"	"	.8126, 80°	
"	"	.90023, 0°	
"	"	.89502, 5°	
"	"	.88982, 10°	
"	"	.88462, 15°	
"	"	.87940, 20°	
"	"	.87417, 25°	
"	"	.86891, 30°	
"	"	.86362, 35°	
"	"	.85829, 40°	
"	"	.85291, 45°	
"	"	.84748, 50°	
"	"	.84198, 55°	
"	"	.83642, 60°	
"	"	.83078, 65°	
"	"	.82505, 70°	
"	"	.81923, 75°	
"	"	.81331, 80°	
"	"	.899487, 0°	} Adrieenz. Ber. 6, 442.
"	"	.883573, 15°	
"	"	.872627, 25°	
"	"	.846170, 50°	
"	"	.818721, 75°	} Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.88029	
"	"	.8773, 20°	Landolt. Ber. 9, 907.
"	"	.8142, 80°	Naumann. Ber. 10, 1422.
"	"	.8858, 15°	Ramsay. J. C. S. 35, 463.
"	"	.8111, 80°	Thorpe and Watts. J. C. S. 37, 102.
"	"		Schiff. Ber. 14, 2769.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzene	$C_6H_6$	.9000, 0°	Dieff. J. P. C. (2), 27, 368. Schiff. G. C. I. 13, 177. Brühl. Bei. 4, 780. Flink. Bei. 8, 262. Schall. Ber. 17, 2555. Gladstone. Bei. 9, 249. Knops. V. H. V. 1887, 17. Taken at different pressures, each t° being the boil- ing point at the pressure obser- ved. Neu- beck. Z. P. C. 1, 654. Wegmann. Z. P. C. 2, 218. Pelletier and Wal- ter. Gm. H. Couverbe. Gm. H. Glénard and Bou- dault. Gm. H. Deville. Gm. H. Church. J. 17, 531. Warren. J. 18, 515. Tollens and Fittig. A. C. P. 131, 303. Louguinine. Ann. (4), 11, 453. Other values given for intermediate t°s. Post and Mehrstens. Ber. 8, 1551. Naumann. Ber. 10, 1425. Ramsay. J. C. S. 35, 463. Naccari and Pag- liani. Bei. 6, 88. Several other in- termediate val- ues are given.
"	"	.8818, 20°	
"	"	.8839, 14° 2	
"	"	.8111, 80° 1	
"	"	.8799, 20°	
"	"	.87901, 20°	
"	"	.8719, 25° 7	
"	"	.8845, 13° 8	
"	"	.8881, 7° 5	
"	"	.8901 } 10°	
"	"	.8903 } 10°	
"	"	.8801, 20°	
"	"	.85716, 40° 1	
"	"	.85493, 41° 3	
"	"	.84324, 53° 2	
"	"	.84006, 54° 7	
"	"	.83101, 64° 1	
"	"	.83081, 64° 2	
"	"	.82099, 72° 9	
"	"	.82079, 73° 4	
"	"	.81387 } 79° 2	
"	"	.81392 } 79° 2	
"	"	.81297, 79° 9	
"	"	.87907, 20°	
Toluene	$C_7H_8$	.86	
"	"	.821	
"	"	.864, 23°	
"	"	.87, 18°	
"	"	.8650	
"	"	.8824, 0°	
"	"	.8720, 15°	
"	"	.881, 5°	
"	"	.8841, 0°	
"	"	.8657, 20°	
"	"	.8375, 50°	
"	"	.8086, 80°	
"	"	.7889, 100°	
"	"	.866, 20°	
"	"	.8657, 20°	
"	"	.7650, 111°	
"	"	.8822, 0°	
"	"	.8797, 2° 77	
"	"	.8722, 10° 89	
"	"	.8692, 14° 13	
"	"	.8653, 18° 43	
"	"	.8556, 28° 74	
"	"	.8430, 42° 24	
"	"	.8258, 60° 04	
"	"	.8136, 72° 46	
"	"	.7874, 99° 01	
"	"	.7811, 105° 17	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Toluene	$C_7H_8$	.8708, 13° 1	} Schiff. G. C. I 13, 177. Brühl. Bei. 4, 780. Schall. Ber. 17, 2204. Schall. Ber. 17 2555. Gladstone. Bei. 9, 249. Gladstone and Tribe. J. C. S. 47, 448. Taken at different pressures, each t°. being the boiling point at the press- ure observed. Neubeck. Z. P. C. 1, 656. Mendelejeff. J. 13, 7. Beilstein. A. C. P. 133, 37. Louguinine. Ann. (4), 11, 453. Val- ues given for other intermediate t°s. Naumann. Ber. 10, 1426. Ramsay. J. C. S. 35, 463. Brühl. A. C. P. 235, 1. Schiff. Ber. 15, 2974. Gladstone. Bei. 9, 249. Colson. Ann. (6), 6, 86. Taken at different pressures, each t°. being the boiling point at the press- ure observed. Neubeck. Z. P. C. 1, 656. Pinette. A. C. P. 243, 50.
"	"	.7780	
"	"	.77807 } 109° 2	
"	"	.7781	
"	"	.8656, 20°	
"	"	.7801, 109°	
"	"	.8617, 26°	
"	"	.85098, 34° 5	
"	"	.8704, 7° 5	
"	"	.8643 } 14°	
"	"	.8691	
"	"	.82664, 61° 2	
"	"	.82441, 62° 3	
"	"	.82435, 63° 5	
"	"	.80656, 81° 2	
"	"	.80637, 81° 5	
"	"	.79470 } 93° 4	
"	"	.79494	
"	"	.78576, 102° 6	
"	"	.78515, 103°	
"	"	.77816 } 110° 1	
"	"	.77788	
"	"	.77741, 110° 7	
"	"	.77694, 110° 8	
Xylene*	$C_6H_4(C_2H_5)_2$	.8309, 15°	
"	"	.8668, 21°	
"	"	.8770, 0°	
"	"	.8600, 20°	
"	"	.8340, 50°	
"	"	.8073, 80°	
"	"	.7892, 100°	
"	"	.8616, 20°	
"	"	.7335, 132-134°	
"	"	.8619, 20°	
Orthoxylene	" 1.2	.7559, 141° 1	
"	"	.8632, 18°	
"	"	.876, 24° 5	
"	"	.81449, 90° 4	
"	"	.81422, 90° 6	
"	"	.79497, 112° 7	
"	"	.79435, 112° 9	
"	"	.78204 } 123° 8	
"	"	.78188	
"	"	.77398 } 133° 9	
"	"	.77413	
"	"	.76684 } 141° 1	
"	"	.76661	
"	"	.76569, 142° 5	
"	"	.8932, 0°	
"	"	.7684, 141° 9	

\* Exact character not specified. For sp. gr. of several mixed xylenes see Lewinstein, Ber. 17, 446.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metaxylene	$C_6 H_4 (C H_3)_2$ . 1.3	.878, 0°	Warren. J. 18, 515.
"	"	.866, 15°	
"	"	.8715, 12° 3'	Schiff. G. C. I. 13, 177.
"	"	.7567, 139°	
"	"	.7571	139° 2'
"	"	.7572	
"	"	.8726, 15° 5'	Gladstone. Bei. 9, 249.
"	"	.861, 24° 5'	Colson. Ann. (6), 6, 86.
"	"	.8655, 20°	Brühl. A. C. P. 235, 1.
"	"	.80588, 88° 8'	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 656.
"	"	.80522, 89° 3'	
"	"	.78722, 108° 3'	
"	"	.78667, 108° 7'	
"	"	.77483, 120° 5'	
"	"	.77427, 121° 8'	
"	"	.76639	
"	"	.76647	
"	"	.76639	
"	"	.75799	
"	"	.75795	
"	"	.75658	
"	"	.75685	
"	"	.8812, 0°	
"	"	.7567, 138° 9'	Pinette. A. C. P. 243, 50.
Paraxylene	" 1.4	.8621, 19° 5'	Glinzer and Fittig. A. C. P. 136, 303.
"	"	.7543	136° 5'
"	"	.7545	
"	"	.8488, 16°	Gladstone. Bei. 9, 249.
"	"	.854, 24° 5'	Colson. Ann. (6), 6, 86.
"	"	.80215	86° 9'
"	"	.80189	
"	"	.78341	106° 9'
"	"	.78310	
"	"	.77292	119° 2'
"	"	.75968	
"	"	.75983	129° 6'
"	"	.75429	
"	"	.75421	137° 1'
"	"	.75306	
"	"	.75303	138° 4'
"	"	.8801, 0°	
"	"	.7558, 138°	Pinette. A. C. P. 243, 50.
Ethylbenzene	$C_6 H_5, C_2 H_5$	.8664, 22° 5'	Fittig and König. A. C. P. 144, 277.
"	"	.8760, 9° 9'	Schiff. G. C. I. 13, 177.
"	"	.7611	
"	"	.7612	135° 8'
"	"	.88316, 0°	
"	"	.7612, 136° 5'	Weger. A. C. P. 221, 61.
"	"	.8673, 20°	Brühl. A. C. P. 235, 1.
Trimethylbenzene. Me- sitylene.	$C_6 H_3 (C H_3)_3$ . 1.3.5.	.863, 13°	Schwanert.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylbenzene. Me-	$C_6 H_3 (C H_3)_3$	.8643, 0°	} Warren. J. 18, 515.
“ sitylene.	“	.8530, 15°	
“	“	.8694, 9° 8	
“	“	.7372, 164° 5	
“	“	.8558, 20°	
“ Pseudocumene	“ 1.3.4	.8632, 19°	Schiff. G. C. I. 13, 177.
Orthomethylethylbenzene	$C_6 H_4 . C H_3 . C_2 H_5$ , 1.2.	.8901, 0°	Brühl. Bei. 4, 781. Gladstone. Bei. 9, 249.
Metamethylethylbenzene	“ 1.3.	.8731, 16°	Konowalow. Ber. 20, ref. 570.
Paramethylethylbenzene	“ 1.4.	.869, 20°	Claus and Mann. Ber. 18, 1122.
“	“	.869, 20°	Wroblevsky. A. C. P. 192, 198.
“	“	.8694, 11° 3	} Schiff. G. C. I. 13, 177.
“	“	.7393	
“	“	.7394	
“	“	.864, 20°	
Propylbenzene	$C_6 H_5 . C_3 H_7$	.881, 0°	Anschütz. A. C. P. 235, 314.
“	“	.88009, 0°	Paterno and Spica. Ber. 10, 294.
“	“	.8692, 17°	Spica. J. C. S. 36, 631.
“	“	.8702, 9° 8	Wispek and Zuber. A. C. P. 218, 380.
“	“	.7399, 158° 5	Schiff. G. C. I. 13, 177.
Isopropylbenzene. Cu-	“	.87	Pelletier and Wal- ter. Ann. (2), 67, 269.
“	“	.8792, 0°	} Warren. J. 18, 515.
“	“	.8675, 15°	
“	“	.87976, 0°	
“	“	.85870, 25°	
“	“	.83756, 50°	
“	“	.81585, 75°	
“	“	.79324, 100°	
“	“	.86576, 17° 5	
“	“	.8776, 0°	
“	“	.8577, 25°	
“	“	.87798, 0°	} Two preparations. Silva. B. S. C. 43, 317.
“	“	.85766, 25°	
“	“	.8432, 12°	Gladstone. Bei. 9, 249.
Tetramethylbenzene	$C_6 H_2 (C H_3)_4$	.8816, 9°	Knublauch. Tübingen Inaug. Diss., 1872.
Dimethylethylbenzene	$C_6 H_3 (C H_3)_2 C_2 H_5$ , 1.2.4.	.8783, 20°	Ernst and Fittig. A. C. P. 139, 192.
“	“ 1.3.5.	.8644, 20°	Jacobsen. B. S. C. 24, 73.
“	“	.861, 20°	Wroblevsky. A. C. P. 192, 217.
“	“ 1.3.4.	.8686, 20°	Anschütz. A. C. P. 235, 324.
Diethylbenzene	$C_6 H_4 (C_2 H_5)_2$ , 1.4.	.8707, 15° 5	Fittig and König. A. C. P. 144, 285.
Metamethylpropylbenzene.	$C_6 H_4 . C H_3 . C_3 H_7$ , 1.3.	.863, 16°	Claus and Stuesser. Ber. 13, 899.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metamethylpropylbenzene.	$C_6H_4.CH_3.C_3H_7$ , 1.3.	.8728, 0° ----	Spica. Ber. 16, 792.
"	"	.864, 9°.8 ----	Schiff. G. C. I. 13, 177.
"	"	.7248, 175°.4 }	
Paramethylpropylbenzene. Cymene.	" 1.4.	.860, 14° ----	Gerhardt and Cahours. A. C. P. 38, 345.
"	"	.857, 16° ----	Noad. A. C. P. 63, 281.
"	"	.8778, 0° ----	Kopp. A. C. P. 94, 257.
"	"	.8678, 12°.6 }	
"	"	.8660, 15° ----	Mendelejeff. J. 13, 7.
"	"	.8664, 20° ----	Williams. J. C. S. 15, 120.
"	"	.8697, 0° ----	From cummin oil. Warren. Mem. Amer. Acad. 9, 154.
"	"	.8724, 0° ----	
"	"	.8592, 14° ----	
"	"	.8705, 0° ----	From cummin oil. Louguine. Ann. (4), 11, 453. Other values given for intermediate t°s.
"	"	.8544, 20° ----	
"	"	.8302, 50° ----	
"	"	.7893, 100° }	
"	"	.8732, 0° ----	From camphor. Louguine. Ann. (4), 11, 453. Other values given for intermediate t°s.
"	"	.8574, 20° ----	
"	"	.8333, 50° ----	
"	"	.7919, 100° }	
"	"	.8708, 0° ----	From two sources. Beilstein and Kupffer. J. C. S. (2), 12, 152.
"	"	.8572, 20°.2 }	
"	"	.8732, 0° ---- }	
"	"	.8707, 0° ----	Beilstein and Kupffer. A. C. P. 170, 295.
"	"	.86 ----	Gladstone. J. C. S. (2), 11, 699.
"	"	.8424 ----	Ext. of 8, from different sources. Gladstone. J. C. S. (2), 11, 970.
"	"	.8438 ----	
"	"	.858, 16° ----	Orlowsky. B. S. C. 21, 321.
"	"	.87446, 0° --	From cummin oil. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.85457, 25° --	
"	"	.82352, 50° --	
"	"	.81409, 75° --	
"	"	.79307, 100°	From cymylalcohol. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.87227, 0° --	
"	"	.85258, 25° --	
"	"	.82352, 50° --	
"	"	.81209, 75° --	
"	"	.79129, 100°	
"	"	.87224, 0° --	From camphor. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.85237, 25° --	
"	"	.83251, 50° --	
"	"	.81230, 75° --	
"	"	.79122, 100° }	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Paramethylpropylbenzene. Cymene.	$C_6H_4 \cdot CH_3 \cdot C_3H_7$ . 1.4.	.86542, 0° -- .78429, 100° --	} From thyme oil. Pisati and Paterno. J. C. S. (2), 12, 686.
"	"	.8598, 15° --	
"	"	.8732, 0°	} From two sources. Kraut. A. C. P. 192, 224.
"	"	.8595, 15°	
"	"	.8718, 0°	} Jacobsen. Ber. 11, 1060.
"	"	.86035, 10°	
"	"	.873, 0°	} Febve. Ber. 14, 1720. Kanonnikoff. Bei. 7, 542.
"	"	.8720, 20°	
"	"	.7248, 176° 2.	} Schiff. Ber. 15, 2974. Brühl. A. C. P. 235, 1.
"	"	.8569	
"	"	.8551, 21°	} Gladstone. J. C. S. 49, 623.
Methylisopropylbenzene	"	.86948, 0°	
"	"	.86211, 25°	} Silva. B. S. C. 43, 317.
"	"	.8702, 0°	
Butylbenzene	$C_6H_5 \cdot C_4H_9$	.8622, 16°	} Radziszewski. Ber. 9, 260.
"	"	.875, 0°	
"	"	.864, 15°	} Balbiano. Ber. 10, 296.
"	"	.794, 99° 3.	
Isobutylbenzene	"	.8577, 16°	} Riess. Z. C. 14, 3. Radziszewski. Ber. 9, 260.
" $\alpha$	"	.89, 15°	
" $\beta$	"	.8726, 16°	
Methyldiethylbenzene	$C_6H_3 \cdot C_2H_5 \cdot C_2H_5$ . 1.3.5.	.8790, 20°	} Jacobsen. B. S. C. 24, 74.
Dimethylpropylbenzene. Laurene.	$C_6H_3 \cdot (C_2H_5)_2 \cdot C_3H_7$	.887, 10°	
Metaethylpropylbenzene	$C_6H_4 \cdot C_2H_5 \cdot C_3H_7$ . 1.3.	.8588, 19°	} Renard. Ann. (6), 1, 223.
Amylbenzene	$C_6H_5 \cdot C_5H_{11}$	.8751, 0°	
"	"	.8731, 21°	} Lippmann and Louguinine. J. 20, 667. Dafert. M. C. 4, 617.
"	$C_6H_5 \cdot C(CH_3)_2 \cdot C_2H_5$	.8728, 0°	
"	$C_6H_5 \cdot (C_2H_5)_4 \cdot (CH_3)_3$	.8602, 22°	} Essner. Ber. 14, 2582. Schramm. A. C. P. 218, 389.
Isoamylbenzene	$C_6H_5 \cdot CH_2 \cdot CH_2 \cdot CH(CH_3)_2$	.859, 12°	
Orthoisoamylmethylbenzene.	$C_6H_4 \cdot CH_3 \cdot C_5H_{11}$ . 1.2.	.8945	} Tollens and Fittig. A. C. P. 131, 303. Pabst. B. S. C. 25, 337.
Paraisoamylmethylbenzene.	" 1.4.	.8643, 9°	
Parapropylisopropylbenzene.	$C_6H_4 \cdot (C_3H_7)_2$ . 1.4.	.8713, 0°	} Bigot and Fittig. J. 20, 667. Paterno and Spica. Ber. 10, 1746.
Isohexylbenzene	$C_6H_5 \cdot C_6H_{13}$	.8568, 16°	
Amyldimethylbenzene	$C_6H_3 \cdot (C_2H_5)_2 \cdot C_5H_{11}$	.8951, 9°	} Schramm. A. C. P. 218, 391. Bigot and Fittig. J. 20, 667.
Normal octylbenzene	$C_6H_5 \cdot C_8H_{17}$	.849, 15°	
"	"	.852, 14°	} Schweinitz. Ber. 19, 642. Ahrens. Ber. 19, 2718.
Diisoamylbenzene	$C_6H_4 \cdot (C_5H_{11})_2$	.8868, 0°	
			} A. Austin. B. S. C. 32, 13.

## 5th. Miscellaneous Aromatic Hydrocarbons.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allylbenzene -----	$C_6H_5.C_3H_5$ -----	.9180, 15° ----	Perkin. C. N. 36, 211.
Isopropylvinylbenzene-----	$C_6H_4.C_3H_7.C_2H_3$ -----	.8902, 15° ----	" "
Isopropylallylbenzene-----	$C_6H_4.C_3H_7.C_3H_5$ -----	.890, 15° ----	" "
Isopropylbutenylbenzene-----	$C_6H_4.C_3H_7.C_4H_7$ -----	.8875, 15° ----	" "
Phenylacetylene-----	$C_2H.C_6H_5$ -----	.94658, 0° ----	} Weger. A. C. P. 221, 61.
"-----	"-----	.80832, 141° 6'----	
"-----	"-----	.9295, 20° ----	Brühl. A. C. P. 235, 1.
Ethylphenylacetylene-----	$C_2.C_2H_5.C_6H_5$ -----	.923, 21° ----	Morgan. J. C. S. (3), 1, 163.
Cinnamene. (Styrolene)-----	$C_2H_3.C_6H_5$ -----	.928, 15° ----	E. Kopp. J. P. C. 37, 283.
"-----	"-----	.924-----	Blyth and Hofmann. A. C. P. 53, 294.
"-----	"-----	.876-----	} Scharling. A. C. P. 97, 186.
"-----	"-----	.896-----	
"-----	"-----	.912, 15° ----	Perkin. J. C. S. 32, 660.
"-----	"-----	.911-----	} From different sources. Krakau. Ber. 11, 1260.
"-----	"-----	.912-----	
"-----	"-----	.915-----	
"-----	"-----	.925-----	
"-----	"-----	.926-----	
"-----	"-----	.7926, 143° ----	Schiff. G. C. I. 13, 177.
"-----	"-----	.9251, 0° ----	} Weger. A. C. P. 221, 61.
"-----	"-----	.7914, 146° 2'----	
"-----	"-----	.90595, 17° ----	Nasini and Bernheimer. G. C. I. 15, 50.
"-----	"-----	.9084-----	} Gladstone. J. C. S. 45, 241.
"-----	"-----	.9409, 11° ----	
"-----	"-----	.9074, 20° ----	Brühl. A. C. P. 235, 1.
Metacinnamene -----	$(C_8H_8)_n$ -----	1.054, 13° ----	Scharling. A. C. P. 97, 186.
Dicinnamene-----	$C_{16}H_{16}$ -----	1.027, 0° ----	} Erdmann. A. C. P. 216, 189.
"-----	"-----	1.016, 15° ----	
Phenylbutylene-----	$C_4H_7.C_6H_5$ -----	.9015, 15° 5'----	Aronheim. B. S. C. 19, 258.
"-----	"-----	.8864, 12° 1'----	Nasini. Bei. 9, 331.
Phenylpentylene-----	$C_5H_9.C_6H_5$ -----	.8453, 23° ----	Dafert. M. C. 4, 625.
Phenylisopentylene-----	"-----	.878, 16° ----	Schramm. A. C. P. 218, 394.
Tetraphenylethane -----	$C_2H_2(C_6H_5)_4$ -----	1.179-----	} Schröder. Ber. 14, 2516.
"-----	"-----	1.184-----	
Phenyltolylethane-----	$C_2H_4.C_6H_5.C_7H_7$ -----	.98-----	Bandrowski. B. S. C. 23, 79.
Ditolylethane-----	$C_2H_4(C_7H_7)_2$ -----	.974, 20° ----	Anschütz. A. C. P. 235, 315.
Dixylethane-----	$C_2H_4(C_8H_9)_2$ -----	.966, 20° ----	Anschütz. A. C. P. 235, 326.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diphenylpropane	$C_8 H_{16} (C_6 H_5)_2$	.9956, 0°	Silva. Ber. 12, 2270.
"	"	.9205, 100°	
Tetrahydrotoluene	$C_7 H_{12}$	.797, 18°	Renard. Ann. (6), 1, 223.
Tetrahydroxylene	$C_8 H_{14}$	.814, 0°	Wreden. A. C. P. 163, 337.
"	"	.8158	Renard. Ann. (6), 1, 223.
Hexhydrobenzene	$C_8 H_{12}$	.76, 0°	Wreden. J. R. C. 5, 350.
Hexhydrotoluene	$C_7 H_{14}$	.772, 0°	Wreden. Ber. 10, 713.
"	"	.758, 20°	
"	"	.742, 20°	Renard. Ann. (6), 1, 223.
"	"	.7741, 0°	Lossen and Zander. A. C. P. 225, 109.
"	"	.7587, 19°	
"	"	.6896, 96°.5	
"	"	.7956, 4°	
Hexhydroxylene. (B. 137°.6.)	$C_8 H_{16}$	.7956, 4°	Schiff. Ber. 13, 1407.
" (B. 121°.5)	"	.764, 19°	Renard. Ann. (6), 1, 223.
Hexhydroisoxylene.	"	.781, 0°	Wreden. Ber. 10, 712.
" (B. 118°)	"	.765, 20°	
"	"	.777, 0°	Wreden. J. C. S. (2), 12, 258.
"	"	.7814, 0°	Lossen and Zander. A. C. P. 225, 109.
"	"	.7665, 19°.3	
"	"	.6781, 118°	
"	"	.787, 20°	
Hexhydrocumene	$C_9 H_{18}$	.787, 20°	Renard. Ann. (6), 1, 223.
Hexhydroseudocumene	"	.7812, 0°	Konowaloff. Ber. 20, ref. 571.
"	"	.7667, 20°	
Hexhydrocymene	$C_{10} H_{20}$	.8116, 17°	Renard. Ann. (6), 1, 223.
$\beta$ . Benzylene	$C_7 H_6$	1.106, 35°	Gladstone and Tribe. J. C. S. 47, 448.
Diphenyl	$C_{12} H_{10}$	1.160	Schröder. Ber. 14, 2516.
"	"	1.169	
"	"	.9961, 70°.5	Schiff. A. C. P. 223, 247.
Triphenylbenzene	$C_6 H_5 (C_6 H_5)_3$	1.205	Schröder. Ber. 14, 2516.
"	"	1.206	
Phenyltoluene	$C_6 H_4 \cdot CH_3, C_6 H_5 \cdot 1.4$	1.015, 27°	Carnelley. J. C. S. (2), 14, 18.
Benzylethylbenzene	$C_6 H_4 \cdot C_2 H_5, C_7 H_7 \cdot 1.4$	.985, 18°.9	Walker. Ber. 5, 686.
Metabenzyltoluene	$C_6 H_4 \cdot CH_3, C_7 H_7 \cdot 1.3$	.997, 17°.5	Senff. A. C. P. 220, 223.
Parabenzyltoluene	" 1.4	.995, 17°.5	Zincke. A. C. P. 161, 93.
Dibenzyltoluene	$C_8 H_9, C H_3 (C_7 H_7)_2$	1.049	Weber and Zincke. J. C. S. (2), 13, 155.
Phenylxylene	$C_6 H_5 (C H_3)_2 C_6 H_5$	1.01, 0°	Barbier. J. C. S. (2), 13, 62.
Benzylcymene	$C_{10} H_{13}, C_7 H_7$	.987, 0°	Mazzara. Ber. 12, 384.
Dipentenylbenzene	$C_{22} H_{38}$	.9601, 23°	Dafert. M. C. 4, 625.
Benzylidenetolylene ?	$C_{14} H_{12}$	1.0032, 18°	Lippmann. Ber. 19, ref. 744.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ditolyl -----	$C_{14}H_{14}$ -----	.9172, 121° --	Schiff. A. C. P. 223, 247.
Dibenzyl -----	"-----	1.002, 14° --	Limpricht. J. 19, 593.
"-----	"-----	.9945, 10° 5' --	Fittig. A. C. P. 139, 178.
"-----	"-----	1.0423, 52° 3' --	Schiff. A. C. P. 223, 247.
Dixylene-----	$C_{16}H_{16}$ -----	.9984, 22° --	Lippmann. Ber. 19, ref. 744.
Naphthalene. l.-----	$C_{10}H_8$ -----	.9774, 79° 2' --	Kopp. A. C. P. 95, 307.
" "-----	"-----	.9628, 99° 2' --	Alluard. J. 12, 472.
" s.-----	"-----	1.15173, 19° --	Vohl.
"-----	"-----	1.153, 18° --	Watts' Dictionary.
"-----	"-----	1.048-----	Ure. Gm. H.
"-----	"-----	1.321-----	Schröder. Ber. 12, 1611.
"-----	"-----	1.341-----	
" l.-----	"-----	.8779, 218° --	Ramsay. J. C. S. 39, 65.
"-----	"-----	.9777, 79° 2' --	Schiff. A. C. P. 223, 247.
"-----	"-----	.982, 79° --	Lossen and Zander. A. C. P. 225, 109.
"-----	"-----	.8674, 217° 1' --	
"-----	"-----	.96208, 98° 4' --	Nasini and Bernheimer. G. C. I. 15, 50.
Methylnaphthalene-----	$C_{10}H_7 \cdot C H_3$ -----	1.0287, 11° 5' --	Fittig and Remsen. A. C. P. 155, 114.
"-----	"-----	1.0042, 22° --	Reingruber. A. C. P. 206, 376.
Dimethylnaphthalene-----	$C_{10}H_6 (C H_3)_2$ -----	1.0176, 20° --	Giovanozzi. J. C. S. 42, 853.
"-----	"-----	1.0283, 0° --	Cannizzaro and Carnelutti. J. C. S. 44, 80. Nasini and Bernheimer. G. C. I. 15, 50.
"-----	"-----	1.10199, 12° --	
"-----	"-----	1.01803, 16° 4' --	
"-----	"-----	1.01058, 27° 7' --	
"-----	"-----	.97411, 77° 7' --	
Ethylnaphthalene-----	$C_{10}H_7 \cdot C_2 H_5$ -----	1.0184, 10° --	Fittig and Remsen. A. C. P. 155, 118.
"-----	"-----	1.0204, 0° --	Carnelutti. Ber. 13, 1672.
"-----	"-----	1.0123, 11° 9' --	
Isopropylnaphthalene-----	$C_{10}H_7 \cdot C_3 H_7$ -----	.990, 0° --	Roux. Ann. (6), 12, 319.
Amylnaphthalene-----	$C_{10}H_7 \cdot C_5 H_{11}$ -----	.973, 0° --	Roux. Ann. (6), 12, 321.
Naphthalene tetrahydride-----	$C_{10}H_8 \cdot H_4$ -----	.981, 12° --	Graebe. B. S. C. 18, 205.
"-----	"-----	.995, 0° --	Wreden and Znato-wicz. Ber. 9, 1607.
Naphthalene hexhydride-----	$C_{10}H_8 \cdot H_6$ -----	.952, 0° --	"-----
"-----	"-----	.9419, 0° --	Lossen and Zander. A. C. P. 225, 109.
"-----	"-----	.7809, 200° --	
"-----	"-----	.94837, 16° 4' --	Nasini and Bernheimer. Two samples. G. C. I. 15, 50.
"-----	"-----	.95807, 18° 4' --	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Naphthalene octohydride	$C_{10}H_8 \cdot H_8$	.910, 0°	Wreden and Znato- wicz. Ber. 9, 1607.
Naphthalene decahydride	$C_{10}H_8 \cdot H_{10}$	.857, 0°	" "
Naphthalene dodecahy- dride.	$C_{10}H_8 \cdot H_{12}$	.802, 0°	" "
Dimethylnaphthalene hexhydride.	$C_{12}H_{12} \cdot H_6$	.92194, 19°.8	Nasini and Bern- heimer. G. C. I. 15, 50.
$\alpha$ . Benzyl-naphthalene	$C_{10}H_7 \cdot C_7H_7$	1.166	Miquel. Ber. 9, 1034.
"	"	1.165, 0°	Vincent and Roux. B. S. C. 40, 163.
$\beta$ . Benzyl-naphthalene	"	1.176, 0°	" "
Acenaphtene	$C_{10}H_6 \cdot C_2H_4$	1.0300, 103°	Schiff. A. C. P. 223, 247.
Anthracene	$C_{14}H_{10}$	1.147	Reichenbach. Watts' Dict.
Phenanthrene	"	1.0630, 100°.5	Schiff. A. C. P. 223, 247.
Phenanthrene tetrahy- dride.	$C_{14}H_{10} \cdot H_4$	1.067, 10°.2	Græbe. J. C. S. (2), 14, 70.
Stilbene	$C_{14}H_{12}$	.9707, 119°.2	Schiff. A. C. P. 223, 247.
Retene. Solid	$C_{18}H_{18}$	1.104	} 16° Ekstrand. A. C. P. 185, 78.
" "	"	1.110	
" "	"	1.132	
" "	"	1.152	
" "	"	1.162	
" Fused	"	1.063	
" "	"	1.067	
" "	"	1.074	
" "	"	1.077	
" "	"	1.087	
" "	"	1.093	

## 6th. Terpenes.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Oil of turpentine	$C_{10}H_{16}$	.8902, 0°	Frankenheim. J. 1, 68.
" "	"	.8555	} 20° { Four different sam- ples. Gladstone. J. C. S. 17, 1.
" "	"	.8600	
" "	"	.8614	
" "	"	.8644	
" " B. 168°.2	"	.7283, 168°.2	Schiff. Bei. 9, 559.
From Abies Regiæ-Ama- liæ.	"	.868	Buchner and Theil. J. 17, 536.
From Pinus abies	"	.856, 20°	Wöhler. Gm. H.
" " "	"	.880, 15°	Blanchet and Sell. Gm. H.
From Pinus maritima	"	.864, 16°	Berthelot. J. 6, 519.
" " " B. 179°.3	"	.8639, 0°	} Flawitzky. Ber. 12, 2357.
" " "	"	.8486, 20°	
From Pinus picca	"	.859, 6°	Flückiger. J. 8, 643.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
From <i>Pinus pumilio</i> -----	$C_{10}H_{16}$ -----	.875, 17°-----	Buchner. J. 13, 479.
From <i>Pinus sylvestris</i> . B. 171°.	"-----	.86529, 15°-----	Tilden. J. C. S. 33, 80.
" " " B. 156°.	"-----	.8746, 0°-----	} Flawitzky. Ber. 11, 1846.
" " " "	"-----	.8621, 16°-----	
" " " "	"-----	.8547, 24°.5	} Flawitzky. Ber. 20, 1956.
" " " "	"-----	.8764, 0°-----	
" " " "	"-----	.8600, 20°-----	{ Schiff. G. C. I. 13, 177.
Terpene ?-----	"-----	.7421 } 156°.1	
"-----	"-----	.7422 }-----	} Kanonnikoff. Bei. 7, 592.
" ?-----	"-----	.8587, 20°-----	
"-----	"-----	.8711, 10°.2	Gladstone. J. C. S. 49, 623.
Isoterpene-----	"-----	.8443, 20°-----	Kanonnikoff. Bei. 7, 592.
"-----	"-----	.8627, 0°-----	} Flawitzky. Ber. 20, 1961.
"-----	"-----	.8480, 20°-----	
Thuja terpene. B. 160°	"-----	.852, 15°-----	Jahns. Ber. 16, 2930.
From <i>Sequoia</i> . B. 155°	"-----	.8522, 15°-----	Lunge and Stein- kauler. Ber. 14, 2204.
Terebilene. B. 134°	"-----	.843-----	Watts' Dictionary.
Australene. B. 157°	"-----	.8631, 16°-----	Atterberg. Ber. 10, 1203.
Terebenthene. B. 157°	"-----	.871, 17°.5-----	Atterberg. Ber. 14, 2531.
"-----	"-----	.8767, 0°-----	} Riban. B. S. C. 21, 173.
"-----	"-----	.8601, 20°-----	
"-----	"-----	.8436, 40°-----	
"-----	"-----	.8270, 60°-----	
"-----	"-----	.8105, 80°-----	
"-----	"-----	.7939, 100°-----	} Barbier. C. R. 96, 1066.
"-----	"-----	.8812, 0°-----	
"-----	"-----	.8815, 0°-----	
"-----	"-----	.8724, 12°-----	} Yoshida. J. C. S. 47, 779.
" From camphor oil	"-----	.8641, 15°-----	
Terebene-----	"-----	.8718-----	Pierre. J. 4, 52.
"-----	"-----	.8645, 5°-10°-----	} Regnault. P. A. 62, 50.
"-----	"-----	.8605, 10°-15°-----	
"-----	"-----	.8564, 15°-20°-----	} Gladstone. J. C. S. 17, 1.
" B. 160°-----	"-----	.8588, 20°-----	
"-----	"-----	.8767, 0°-----	} Riban. B. S. C. 21, 173.
"-----	"-----	.8600, 20°-----	
"-----	"-----	.8433, 40°-----	
"-----	"-----	.8267, 60°-----	
"-----	"-----	.8100, 80°-----	
"-----	"-----	.7933, 100°-----	} Orlovsky. B. S. C. 21, 321.
" B. 156°-----	"-----	.8264, 15°-----	
Isoterebenthene. B. 175°	"-----	.8432, 22°-----	Berthelot. J. 6, 523.
"-----	"-----	.8586, 0°-----	} Riban. C. R. 79, 314.
"-----	"-----	.8427, 20°.28	
"-----	"-----	.8273, 40°.19	
"-----	"-----	.8131, 58°.32	
"-----	"-----	.7964, 79°.24	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoterebentene -----	$C_{10}H_{16}$ -----	.7793, 100° ---	Riban. C. R. 79, 314.
Terpinene. Laevorotatory-----	“-----	.8672, 0° -----	Bouchardat and Lafont. C. R. 102, 50.
Terpinylene. B. 177° -----	“-----	.8526, 15° -----	Tilden. C. N. 37, 166.
Terpinene. B. 178 -----	“-----	.93, 0° -----	Walitzky. Ber. 15, 1086.
“-----	“-----	.855 -----	Wallach. A. C. P. 230, 260.
Sylvestrene. B. 175° -----	“-----	.8612, 16° -----	Atterberg. Ber. 10, 1206.
“-----	“-----	.8598, 17°.5-----	Atterberg. Ber. 14, 2531.
“-----	“-----	.8658, 14° -----	Gladstone. Bei. 9, 249.
Austrapyrolene. B. 177°-----	“-----	.847 -----	Watts' Dictionary.
From oil of neroli. B. 173°-----	“-----	.8466, 20° -----	Gladstone. J. C. S. 17, 1.
From oil of orange -----	“-----	.835 -----	Soubeiran and Capitaine.
“ “ “ B. 174°-----	“-----	.8460 } 20° {	Gladstone. J. C. S. 17, 1.
“ “ “-----	“-----	.8468 }-----	“ “
From oil of petit grain-----	“-----	.8470, 20° -----	“ “
From Citrus lumia -----	“-----	.853, 18° -----	Luca. J. 13, 479.
From Citrus bigaradia -----	“-----	.8520, 10° -----	}-----
“ “ “-----	“-----	.8517, 12° -----	
From Citrus medica -----	“-----	.8514, 15° -----	Berthelot. J. 6, 521.
“ “ “-----	“-----	.8466, 20° -----	Gladstone. J. C. S. 17, 1.
Oil of citron-----	“-----	.8597, 5°—10°-----	}-----
“ “-----	“-----	.8558, 10°—15°-----	
“ “-----	“-----	.8518, 15°—20°-----	
Citron terpene -----	“-----	.8593 } 9°.9 {	}-----
“ “-----	“-----	.8595 }-----	
“ “-----	“-----	.7279 }-----	
“ “-----	“-----	.7285 } 168° {	
“ “-----	“-----	.7286 }-----	
From oil of lemon -----	“-----	.84 }-----	}-----
“ “ “-----	“-----	.86 }-----	
“ “ “-----	“-----	.8380 } 0°-- {	Frankenheim. Two samples. J. 1, 68.
“ “ “-----	“-----	.8661 }-----	}-----
“ “ “ B. 173°-----	“-----	.8468, 20° -----	
Citrene. B. 165°-----	“-----	.8569 -----	Gladstone. J. C. S. 17, 1.
From oil of bergamot -----	“-----	.856 -----	Blanchet and Sell. Gm. H.
“ “ “-----	“-----	.8464 } 20° {	Ohme. A. C. P. 31, 316.
“ “ “-----	“-----	.8466 }-----	}-----
Hesperidene-----	“-----	.8483 -----	
From oil of angelica -----	“-----	.8487 -----	Gladstone. J. C. S. 17, 1.
“ “ “ B. 175°-----	“-----	.833, 0° -----	Müller. Ber. 14, 2483.
“ “ “ B. 158°-----	“-----	.8609 }-----	}-----
“ “ “ B. 173°-----	“-----	.8504 } 16°.5 {	
“ “ “ B. 176°-----	“-----	.8481 }-----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
$\beta$ Terebangeline. B. 166	$C_{10}H_{16}$	.870, 0°	Naudin. C. R. 96, 1153.
From oil of anise	"	.8580, 20°	Gladstone. J. C. S. 17, 1.
From oil of bay	"	.908, 15°	Blas. J. 18, 569.
" " "	"	.8508, 20°	Gladstone. J. C. S. 17, 1.
From oil of birch tar	"	.870, 20°	Sobrero. Watts' Dict.
From oil of calamus	"	.8793, 0°	Kurbatow. A. C. P. 173, 1.
From oil of camphor	"	.8733, 20°	Yoshida. J. C. S. 47, 779.
From oil of caraway	"	.8466, 20°	Gladstone. J. C. S. 17, 1.
Carvene	"	.861, 15°	Völekkel. J. 6, 512.
"	"	.8530	Gladstone. J. C. S. 17, 1.
"	"	.8545	
"	"	.8530, 9°.8	} Schiff. G. C. I. 13, 177.
"	"	.7127	
"	"	.7132	
"	"	.7133	
"	"	.8529, 20°	Kanonnikoff. Bei. 7, 592.
"	"	.849, 15°	Flückiger. Ber. 17, ref. 358.
From oil of cascarrilla	"	.8467, 20°	Gladstone. J. C. S. 17, 1.
From oil of copal	"	.951, 10°	Schibler. J. 12, 516.
From oil of cummin	"	.8772, 0°	} Warren. J. 18, 515.
" " "	"	.8657, 15°	
From oil of dill	"	.8467, 20°	Gladstone. J. C. S. 17, 1.
From oil of elder	"	.8468, 20°	" "
From elemi	"	.849, 11°	Deville. J. 2, 448.
" " "	"	.852, 24°	Stenhouse. A. C. P. 35, 304.
From oil of erechthidis	"	.8380, 18°.5	Beilstein and Wiegand. Ber. 15, 2854.
From oil of Erigeron canadense.	"	.8464, 18°	" "
From Eucalyptus amygdalina.	"	.8642, 20°	Gladstone. J. C. S. 17, 1.
From oil galbanum	"	.8842, 9°	Mössmer. J. 14, 687.
From Illicium religiosum	"	.855	Eykman. Ber. 14, 1721.
From kauri gum	"	.863, 18°	Rennie. Ber. 14, 1719.
From laurel turpentine	"	.8618, 20°	Gladstone. J. C. S. 20, 1.
From oil of marjoram	"	.8463, 18°.5	Beilstein and Wiegand. Ber. 15, 2854.
From oil of mint	"	.8600, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.8646, 17°.3	Gladstone. J. C. S. 49, 623.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
From oil of peppermint	$C_{10}H_{16}$	.8602, 20°	Gladstone. J. C. S. 17, 1.
From menthol. B. 168°.6	"	.8254, 0°	} Atkinson and Yoshida. J. C. S. 41, 49.
" " "	"	.8178, 10°	
" " "	"	.8111, 20°	
" " "	"	.8001, 40°	
" " "	"	.7924, 60°	
From oil of myrtle	"	.8690, 20°	Gladstone. J. C. S. 17, 1.
From oil of nutmeg	"	.8518	} 20° " "
" " " B. 167°	"	.8527	
" " " B. 164°	"	.8454, 25°	
" " " B. 178°	"	.8480, 27°	
From oil of parsley	"	.8732, 20°	Gladstone. J. C. S. 17, 1.
From oil of parsnip	"	.865, 12°	Gerichten. Ber. 9, 259.
From Ptychotis ajowan	"	.854, 12°	Stenhouse. J. 9, 624.
From oil of rosemary	"	.8805, 20°	Gladstone. J. C. S. 17, 1.
From oil of sage. B. 155°	"	.8635*	} 15° { Three isomers. Sigura and Muir. J. C. S. 33, 292.
" " " B. 167°	"	.8866	
" " " B. 165°	"	.8653	
" " " B. 170°	"	.8653	
" " " "	"	.8667	
" " " "	"	.8632, 24°.5	Gladstone. J. C. S. 49, 623.
From Satureja hortensis	"	.855, 15°	Jahns. Ber. 15, 819.
From oil of thyme	"	.8635, 20°	Gladstone. J. C. S. 17, 1.
Thymene	"	.868, 20°	Lallemand. J. 9, 616.
"	"	.8635, 20°	Kanonnikoff. Bei. 7, 592.
From oil of wormwood	"	.8565, 20°	Gladstone. J. C. S. 17, 1.
Cajeputene. B. 165°	"	.850, 15°	Schmidl. J. 13, 481.
Isocajeputene. B. 177°	"	.857, 16°	Schmidl. J. 13, 482.
Camphene	"	.8481, 47°.7	} Riban. B. S. C. 24, 9.
"	"	.8387, 58°.9	
"	"	.8211, 79°.7	
"	"	.8062, 97°.7	
"	"	.8345, 99°.84	
Camphilene	"	.87	Watts' Dictionary.
Caoutchin	"	.855, 0°	} Bouchardat. B. S. C. 24, 109.
"	"	.842, 20°	
"	"	.842, 20°	
Cicutene	"	.87038, 18°	Williams. J. 13, 495. Van Ankm. J. 21, 794.
Cinaëbene	"	.878	Hirzel. J. 7, 592.
Cynene. B. 174°.5	"	.825, 16°	Völckel. A. C. P. 89, 358.
"	"	.8500, 15°	} Hell and Stürcke. Ber. 17, 1972.
"	"	.8238, 50°	
"	"	.7851, 100°	

\* Misprinted 0.8435. Corrected in later paper.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cynene. B. 182°	$C_{10}H_{16}$	.85384, 16°	Wallach and Brass. A. C. P. 225, 291.
From cyneol. B. 179°	"	.85652	" "
" " "	"	.85959	
Fellandrene	"	.8558, 10°	Pesci. G. C. I. 16, 225.
Gaultherilene	"	.8510, 20°	Gladstone. J. C. S. 17, 1.
Geraniene	"	.842	} 20° { Jacobsen. Z. C. 14, 171.
"	"	.843	
Licarene	"	.835, 18°	Morin. J. C. S. 42, 737.
Macene	"	.8529, 17°.5	Schacht. J. 15, 461.
Olibene	"	.863, 12°	Kurbatow. Z. C. 14, 201.
Safrene	"	.8345, 0°	Grimaux and Ruotte. J. 22, 783.
Tolene	"	.858, 10°	E. Kopp. J. 1, 737.
Polymer of isoprene	"	.866, 0°	} Bouchardat. Ber. 8, 904.
"	"	.854, 21°	
Polymer of valerylene	"	.836, 15°	" "
From oil of calamus	$C_{15}H_{24}$	.9180	} 20° { Gladstone. J. C. S. 17, 1.
" " "	"	.9275	
" " "	"	.942, 0°	Kurbatow. A. C. P. 173, 1.
From oil of cascarilla	"	.9212, 20°	Gladstone. J. C. S. 17, 1.
From oil of cedar	"	.9231, 18°	Gladstone. Bei. 9, 249.
From oil of cloves	"	.918, 18°	Ettling. Watts' Dict.
" " "	"	.9016, 14°	Williams. J. 11, 442.
" " "	"	.9041, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.905, 15°	Church. J. C. S. (2), 13, 115.
From oil of copaiva	"	.91	Posselt. J. 2, 455.
" " "	"	.881	} Soubeiran and Capitaine. Gm. H.
" " "	"	.885	
" " "	"	.8978, 24°	Levy. Ber. 18, 3206.
From oil of cubebs	"	.915	} Schmidt.
" " "	"	.930	
" " "	"	.938	
" " "	"	.9062, 20°	Gladstone. J. C. S. 17, 1.
" " "	"	.9289, 0°	Oglialore. Ber. 8, 1357.
Cedrene	"	.984, 14°.5	Walter. Ann. (3), 1, 501.
"	"	.915, 15°	Muir. J. C. S. 37, 13.
"	"	.9231, 18°	Gladstone. J. C. S. (2), 10, 1.
From Drybalanops camphora.	"	.900	} 20° { Lallemand. J. 12, 503.
" " "	"	.921	
From gurgun balsam	"	.9044, 15°	Werner. J. 15, 461.
From oil of hemp	"	.9292, 0°	Valente. J. C. S. 40, 284.
From Laurus nobilis	"	.925, 15°	Blas. J. 18, 569.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
From <i>Ledum palustre</i> -----	$C_{15}H_{24}$ -----	.9849, 0°-----	Rizza. Ber. 20, ref. 562.
“ “ “-----	“-----	.9237, 19°-----	
From maracaibo balsam-----	“-----	.921, 10°-----	Strauss. J. 21, 795.
Metatemplene-----	“-----	1.037, 4°-----	Flückiger. J. 8, 646.
From <i>Myrtus pimenta</i> -----	“-----	.98, 8°-----	Oeser. J. 17, 534.
From oil of patchouli-----	“-----	.9211-----	Gladstone. J. C. S. 17, 1.
“ “ “-----	“-----	.9255-----	
“ “ “-----	“-----	.9278-----	
“ “ “-----	“-----	.946, 0°-----	Montgolfier. Ber.
“ “ “-----	“-----	.987, 13°.5-----	10, 234.
From oil of rosewood-----	“-----	.9042, 20°-----	Gladstone. J. C. S. 17, 1.
From oil of sage-----	“-----	.9198, 0°-----	Sigiura and Muir. J. C. S. 33, 297.
“ “-----	“-----	.9137, 12°-----	
“ “-----	“-----	.9072, 24°-----	
“ “-----	“-----	.8970, 41°-----	
From oil of sandal wood-----	“-----	.9190-----	Gladstone. J. C. S. (2), 10, 1.
Sesquiterpene-----	“-----	.921, 16°-----	Wallach. A. C. P. 238, 85.
From oil of vitivert-----	“-----	.9332-----	Gladstone. J. C. S. (2), 10, 1.
From copaiva oil-----	$C_{20}H_{32}$ -----	.892, 17°-----	Brix. Ber. 14, 2267.
From minjak-lagam oil-----	“-----	.923, 15°-----	Haussner. Ber. 16, 1887.
From oil of poplar-----	“-----	.9002-----	Piccard. C. C. (3), 6, 4.
From tar-cumene-----	“ ?-----	.8850, 22°-----	Jacobsen. A. C. P. 184, 203.
Diterebene-----	“-----	.94-----	Watts' Dictionary.
Metaterebentene-----	“-----	.913, 20°-----	Berthelot. J. 6, 524.
Colophene-----	“-----	.9391, 20°-----	Gladstone. J. C. S. 17, 1.
“-----	“-----	.94, 9°-----	Deville. P. A. 51, 439.
Difellandrene-----	“-----	.9523, 10°-----	Pesci. G. C. I. 16, 225.
Heveéne-----	“-----	.921, 21°-----	Bouchardat. A. C. P. 37, 30.
Tetraterebentene-----	$C_{40}H_{64}$ ?-----	.977, 0°-----	Riban. C. R. 79, 391.

## 7th. Unclassified Hydrocarbons.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Heptanaphtene*	$C_7 H_{14}$	.7778, 0°	Milkowsky. Ber. 18, ref. 186.
"	"	.7624, 17° 5	
Octonaphtene	$C_8 H_{16}$	.7649, 0°	Markownikoff. Ber. 18, ref. 186.
"	"	.7503, 18°	
Isoctonaphtene	"	.7765	Putochin. Ber. 18, ref. 186.
"	"	.7768 } 0°	
"	"	.7637, 17° 5	
Nononaphtene	$C_9 H_{18}$	.7808, 0°	Markownikoff and Ogloblin. Ber. 16, 1877.
"	"	.7808, 0°	
"	"	.7652, 26°	Konowaloff. Ber. 18, ref. 186.
"	"	.795, 0°	
Dekanaphtene	$C_{10} H_{20}$	.795, 0°	Markownikoff and Ogloblin. Ber. 16, 1877.
Endekanaphtene	$C_{11} H_{22}$	.8119, 0°	" "
Dodekanaphtene	$C_{12} H_{24}$	.8055, 14°	" "
Tetradekanaphtene	$C_{14} H_{28}$	.8390, 0°	" "
Pentadekanaphtene	$C_{15} H_{30}$	.8294, 17°	" "
Nononaphylene	$C_9 H_{16}$	.8068, 0°	Konowaloff. Ber. 18, ref. 186.
Menthene	$C_{10} H_{18}$	.851, 21°	Walter. A. C. P. 32, 288.
"	"	.814, 15°	Moriya. J. C. S., March, 1881.
"	"	.8226, 0°	Atkinson and Yo- shida. J. C. S. 41, 49.
"	"	.8145, 10°	
"	"	.8073, 20°	
"	"	.7909, 40°	
"	"	.7761, 60°	
From oil of calamus	"	.8793, 0°	Kurbatow. J. C. S. (2), 12, 259.
From turpentine chlorhy- drate.	"	.852, 19°	Montgolfier. Ber. 12, 376.
Cymhydrene	$C_{10} H_{20}$	.8046, 12°	Gladstone. J. C. S. 49, 616.
Terpilene hydride	"	.8179, 0°	Montgolfier. C. R. 89, 103.
" "	"	.8060, 17° 5	
Ethyl camphene	$C_{10} H_{15} \cdot C_2 H_5$	.8709, 20°	Spitzer. Ber. 11, 1817.
Isobutyl camphene	$C_{10} H_{15} \cdot C_4 H_9$	.8614, 20°	Spitzer. Ber. 11, 1818.
Camphin	$C_{18} H_{32}$	.827, 25°	Claus. J. P. C. 25, 269.
Diterebenthyl	$C_{20} H_{30}$	.9688, 18°	Renard. C. R. 105, 865.
Diterebenthylene	$C_{20} H_{28}$	.9821, 12°	Renard. C. R. 106, 856.
Dicamphene hydride	$C_{20} H_{34}$	.9574, 19°	Montgolfier. C. R. 87, 840.

\* According to Konowaloff, the "naphthenes" are identical with the hexhydrides of the benzene series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Didecene -----	$C_{20}H_{36}$ -----	.9362, 12° ----	Renard. C. R. 106, 1086.
Caoutchene -----	$C_4H_8$ -----	.65, -2° -----	Boucharlat. A. C. P. 37, 30.
Tropilidene -----	$C_7H_8$ -----	.9129, 0° -----	Ladenburg. A. C. P. 217, 133.
From copper camphorate.	$C_8H_{14}$ -----	.798 -----	Moitessier. J. 19, 410.
From decomposition of phenol.	$C_{10}H_{12}$ -----	1.012, 17°.5, s.	Roscoe. J. C. S. 47, 669.
Eucalyptene -----	$C_{12}H_{18}$ -----	.836, 12° -----	Cloëz. J. 23, 588.
Anthemene -----	$C_{13}H_{20}$ -----	.942, 15° -----	Naudin. B. S. C. 41, 483.
Paranicene -----	$C_{10}H_{12}$ -----	1.24 -----	St. Evre. J. 1, 532.
Lekene -----	?	.93917 -----	Beilstein and Wiegand. Ber. 16, 1548.
Könlite -----	$(C_6H_6)_n$ -----	.88 -----	Trommsdorf. A. C. P. 21, 126.
Hartite -----	$(C_3H_5)_n$ -----	1.046 -----	Haidinger. P. A. 54, 261.
From petroleum -----	$(C_7H_{14})_n$ -----	1.096, 15° -----	Prunier. Ann. (5), 17, 5.
Carbopetrocene -----	$(C_{10}H_{12})_n$ or $(C_{12}H_{20})_n$ -----	1.235, 10° ----	" "

## XLVI. COMPOUNDS CONTAINING C, H, AND O.

## 1st. Alcohols of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl alcohol -----	$CH_4O$ -----	.798, 20° -----	Dumas and Peligot. Ann. (2), 58, 5.
" " -----	"-----	.807, 9° -----	Deville.
" " -----	"-----	.813 -----	Regnault.
" " -----	"-----	.82704, 0° -----	Pierre. Ann. (3), 15, 325.
" " -----	"-----	.7938, 25° -----	Kopp. A. C. P. 55, 166.
" " -----	"-----	.81796, 0° -----	Kopp. P. A. 72, 53.
" " -----	"-----	.80307, 16°.9 -----	
" " -----	"-----	.8065, 15° -----	Mendelejeff. J. 13, 7.
" " -----	"-----	.8052, 9°.5 -----	Delfs. J. 7, 26.
" " -----	"-----	.8142, 0° -----	Kopp. A. C. P. 94, 257.
" " -----	"-----	.7997, 16°.4 -----	
" " -----	"-----	.7973, 15° -----	Graham.
" " -----	"-----	.7995, 15° -----	Duclaux. Ann. (5), 13, 86.
" " -----	"-----	.8574, 21° -----	Linnemann. J. 21, 631.
" " -----	"-----	.81571, 10° -----	Dupré. P. A. 148, 236.
" " -----	"-----	.7964, 20° -----	Landolt.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl alcohol	$\text{C}_2\text{H}_5\text{O}$	.7997, 15°	Grodzki and Krömer. Z. A. C. 14, 103.
" "	"	.7984, 15°	Krämer and Grodzki. Ber. 9, 1929.
" "	"	.8098, 0°	Vincent and Delachanal. J. 1880, 396.
" "	"	.8014, 14°	De Heen. Bei. 5, 105.
" "	"	.7475 } 61° 8.	{ Schiff. G. C. I. 13,
" "	"	.7477 }	{ 177.
" "	"	.7953, 20°	Brühl. Bei. 4, 781.
" "	"	.8111, 0°	Zander. A. C. P.
" "	"	.7483, 66° 2	{ 224, 88.
" "	"	.810, 15°	Regnault and Villejean. C. R. 99, 82.
" "	"	.7961, 18°	Gladstone. Bei. 9, 249.
" "	"	.7923, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.7931, 20°	Traube. Ber. 19, 879.
" "	"	.8612, 0°	Pagliani and Battelli. Bei. 10, 222.
" "	"	.78909, 22° 94	} Values given for every 10° from 80° to 238° 5. Ramsay and Young. P. T. 178, 313.
" "	"	.7135, 100°	
" "	"	.6494, 150°	
" "	"	.5525, 200°	
" "	"	.3642, 238° 5	
Ethyl alcohol*	$\text{C}_2\text{H}_5\text{O}$	.7924, 17° 9	Gay Lussac.
" "	"	.7915, 18°	Dumas and Boullay. P. A. 12, 93.
" "	"	.8095, 0°	Darling.
" "	"	.7996, 15°	Kopp. A. C. P. 55, 166.
" "	"	.8150, 5°—10°	} Regnault. P. A. 62, 50.
" "	"	.8113, 10°—15°	
" "	"	.8072, 15°—20°	
" "	"	.81087 } 0°	
" "	"	.8095 }	
" "	"	.79821, 14°	} Kopp. P. A. 72, 62,
" "	"	.7990, 14° 8	
" "	"	.8151, 0°	Pierre. Ann. (3), 15, 325.
" "	"	.7938, 15° 5	Fownes. P. T. 1847, 249.
" "	"	.7897 } 21°	} Wackenroder. J. 1, 682.
" "	"	.7905 }	
" "	"	.79381, 15° 6	Drinkwater. J. 1, 682.
" "	"	.809, 5°	Delffs. J. 7, 26.
" "	"	.8194, 19°	Wetherill. J. P. C. 60, 202.
" "	"	.7947, 15°	Pouillet. J. 12, 439.
" "	"	.7958, 15°	Mendeleeff. J. 13, 7.
" "	"	.8083, 0°	} Mendeleeff. J. 14, 20.
" "	"	.7157, 99° 9	

\* For this compound there are so many determinations of specific gravity that absolute completeness with regard to them has not been attempted by the compiler.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl alcohol	$C_2H_6O$	.6796, 130°.9	Mendelejeff. J. 14, 20.
"	"	.7946 } 15°	Baumhauer. J. 13, 393.
"	"	.7947 } 15°	
"	"	.80625, 0°	Mendelejeff. J. 18, 469.
"	"	.80207, 5°	
"	"	.79788, 10°	
"	"	.79367, 15°	
"	"	.78945, 20°	
"	"	.78522, 25°	
"	"	.78096, 30°	Linnemann. J. 21, 413.
"	"	.8086, 19°	
"	"	.8090, 17°	Linnemann. A.C.P. 160, 195.
"	"	.822, 20°	Pierre and Puchot. Ann. (4), 22, 260.
"	"	.79481, 11°	Erlenmeyer. A.C.P. 162, 374.
"	"	.815, 0° 5°	Pierre. C. N. 27, 93.
"	"	.80214, 1°	
"	"	.7946, 16°.03	Winkelmann. P. A. 150, 592.
"	"	.7839, 78°	Ramsay. J. C.S. 35, 463.
"	"	.8120, 0°	Vincent and Delachanal. J. 1880, 396.
"	"	.7995, 14°	De Heen. Bei. 5, 105.
"	"	.8019, 20°	{ Bedson and Williams. Ber. 14, 2550.
"	"	.7976, 25°	
"	"	.7381 } 78°.2	Schiff. G. C. I. 13, 177.
"	"	.7382 } 78°.2	
"	"	.7402 } 78°.3	
"	"	.7405 } 78°.3	
"	"	.7968, 20°	Nasini. G. C. I. 13, 135.
"	"	.8000, 20°	Brühl. Bei. 4, 781.
"	"	.79603, 17°.86	{ Also intermediate values. Drecker. P. A. (2), 20, 870.
"	"	.77616, 40°.90	
"	"	.7882, 25°.3	Schall. Ber. 17, 2555.
"	"	.7899, 23°.4	
"	"	.79326, 15°	Squibb. C. N. 51, 33.
"	"	.7906, 20°	Winkelmann. P. A. (2), 26, 105.
"	"	.79175, 0°	Pagliani and Battelli. Bei. 10, 222.
"	"	.70606, 110°	{ Intermediate values given. Ramsay and Young. P. T. 1886, 129.
"	"	.5570, 200°	
"	"	.3109, 242°.9	
Propyl alcohol	$C_3H_8O$	.8198, 0°	Pierre and Puchot. Ann. (4), 22, 276.
"	"	.8125, 9°.6	
"	"	.7797, 50°.1	
"	"	.7494, 84°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl alcohol	$C_3H_8O$	.813, 13°	Chancel. A. C. P. 151, 302.
" "	"	.812, 16°	Chapman and Smith. J. C. S. 22, 194.
" "	"	.823, 0°	Saytzeff. Z. C. 13, 107.
" "	"	.8205, 0°	Rossi. A. C. P. 159, 79.
" "	"	.8066, 15°	Linnemann. A. C. P. 161, 26.
" "	"	.8198, 0°	} Pierre. C. N. 27, 93.
" "	"	.80825, 15°	
" "	"	.8044, 20°	Brühl. Ber. 13, 1529.
" "	"	.8091, 14°	DeHeen. Bei. 5, 105.
" "	"	.8203, 0°	} Naccari and Pagliani. Bei. 6, 88. Values given at several intermediate t°s.
" "	"	.8127, 9° 71	
" "	"	.8001, 25° 46	
" "	"	.7898, 38° 18	
" "	"	.7773, 53° 10	
" "	"	.7646, 67° 46	
" "	"	.7550, 77° 69	
" "	"	.7385, 94° 40	
" "	"	.8177, 0°	
" "	"	.7369, 97° 4	
" "	"	.8190, 20°	Zander. A. C. P. 214, 181.
" "	"	.7365	Pagliani. Bei. 7, 450.
" "	"	.7366	} 97° 1 { Schiff. G. C. I. 13, 177.
" "	"	.7367	
" "	"	.8049, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.8051, 20°	Traube. Ber. 19, 881.
Isopropyl alcohol	"	.791, 15°	Linnemann. J. 18, 488.
" "	"	.7915, 16° 5	Siersch. A. C. P. 144, 141.
" "	"	.7876, 16°	Linnemann. A. C. P. 161, 18.
" "	"	.7887, 20°	Brühl. A. C. P. 203, 1.
" "	"	.797, 15°	Duclaux. Ann. (5), 13, 89.
" "	"	.7996, 0°	} Zander. A. C. P. 214, 181.
" "	"	.7231, 82° 8	
" "	"	.7413	} 81° 3 { Schiff. G. C. I. 13, 177.
" "	"	.7414	
" "	"	.8076, 20°	Traube. Ber. 19, 882.
Hydrate of isopropyl alcohol.	$(C_3H_8O)_3 \cdot H_2O$	.800, 15°	Linnemann. A. C. P. 136, 40.
" " "	$(C_3H_8O)_3 \cdot 2H_2O$	.832, 15°	" " "
Butyl alcohol. B. 117° 5	$C_4H_{10}O$	.826, 0°	Saytzeff. Z. C. 13, 108.
" "	"	.8239, 0°	} Lieben and Rossi. A. C. P. 158, 137.
" "	"	.8105, 20°	
" "	"	.7994, 40°	
" "	"	.7738, 98° 7	
" "	"	.7735, 98° 9	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Butylalcohol	$C_4H_{10}O$	.8112, 15°	{ Two samples. Linnemann. Ann. (4), 27, 268.
"	"	.8135, 22°	
"	"	.8152, 14°	DeHeen. Bei. 5, 105.
"	"	.806, 15°	Pierre. C. N. 27, 93.
"	"	.8099, 20°	Two lots. Brühl. A. C. P. 203, 1.
"	"	.8096, 20°	
"	"	.8233, 0°	Zander. A. C. P. 224, 88.
"	"	.7247, 117°.5	{ Schiff. G. C. I. 13, 177.
"	"	.7269 } 113°.7	
"	"	.7270 }	
Isobutyl alcohol. B. 108°	"	.8032, 18°.5	Wurtz. A. C. P. 93, 107.
"	"	.817, 0°	Pierre and Puchot. J. 21, 434.
"	"	.809, 11°	
"	"	.774, 55°	
"	"	.732, 100°	Chapman and Smith. J. C. S. 22, 161.
"	"	.8055, 16°.8	
"	"	.8003, 18°	Linnemann. A. C. P. 160, 195.
"	"	.8025, 19°	Linnemann. Ann. (4), 27, 268.
"	"	.8167 }	Menschutkin. A. C. P. 195, 351.
"	"	.8168 } 0°	
"	"	.8020 }	Brühl. Ber. 13, 1520.
"	"	.8062 } 20°	
"	"	.8162, 0°	Naccari and Pagliani. Bei. 6, 89. Values given for several intermediate t°s.
"	"	.8052, 14°.50	
"	"	.7927, 30°.71	
"	"	.7800, 46°.56	
"	"	.7608, 68°.97	
"	"	.7497, 80°.86	
"	"	.7295, 101°.97	
"	"	.8064, 15°	Duclaux. Ann. (5), 13, 90.
"	"	.7265, 106°.6	Schiff. G. C. I. 13, 177.
"	"	.8062, 20°	Landolt. Bei. 7, 846.
"	"	.79888, 26°.15	Schall. Ber. 17, 2555.
"	"	.77844, 52°.2	
"	"	.8024, 20°.5	Gladstone. Bei. 9, 249.
"	"	.8031, 20°	Winkelmann. P. A. (2), 26, 105.
"	"	.8029, 20°	Traube. Ber. 19, 883.
Methylethylcarbinol.	"	.85, 0°	De Luynes. Ann. (4), 2, 424.
" B. 99°.	"	.827, 0°	Lieben. A. C. P. 150, 114.
"	"	.810, 22°	
Trimethylcarbinol.	"	.8075, 0°	Butlerow. Z. C. 14, 273.
" B. 82°.5	"	.7788, 30°	
"	"	.7792, 37°	Linnemann. Ann. (4), 27, 268.
"	"	.7864, 20°	Brühl. A. C. P. 203, 1.
"	"	.7823, 24°	
"	"	.7813, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylcarbinol.	$C_4 H_{10} O$	.7802, 26°	Brühl. A. C. P. 203, 1.
B. 82° 5.			
Hydrate of trimethylcarbinol.	$(C_4 H_{10} O)_2 \cdot H_2 O$	.8276, 0°	Butlerow. Z. C. 14, 273.
Normal amyl alcohol.	$C_5 H_{12} O$	.8296, 0°	} Lieben and Rossi. A. C. P. 159, 70.
" " " B. 137.	"	.8168, 20°	
" " " "	"	.8065, 40°	
" " " "	"	.7835, 99° 15	
" " " "	"	.8282, 0°	
" " " "	"	.7117, 137° 85	
" " " "	"	.8299, 0°	} Zander. A. C. P. 224, 88.
Amyl alcohol.* B. 131° 5.	"	.8184, 15°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.8137, 15°	Cahours. A. C. P. 30, 288.
" " "	"	.8271, 0°	Kopp. A. C. P. 55, 166.
" " "	"	.8185, 15°	Pierre. J. 1, 62.
" " "	"	.8253, 0°	Rieckher. J. 1, 698.
" " "	"	.8144, 15° 9	} Kopp. P. A. 72, 227.
" " "	"	.8127 } 16° 4	
" " "	"	.8145 }	
" " "	"	.818, 14°	Delffs. J. 7, 26.
" " "	"	.8248, 0°	Kopp. A. C. P. 94, 257.
" " "	"	.8113, 18° 7	} Schiff.
" " "	"	.819, 18°	
" " "	"	.8142, 15°	Mendelejeff. J. 13, 7.
" " "	"	.8148	} { From two sources. Schorlemmer. J. 19, 527.
" " "	"	.8199 } 14°	
" " "	"	.826, 0°	Pierre and Puchot. Ann. (4), 22, 336.
" " "	"	.8204, 15°	Graham.
" " "	"	.8148, 15°	Duclaux. Ann. (5), 13, 91.
" " "	"	.8135, 20°	Landolt.
" " "	"	.8244, 0°	} Two products. Er-lenmeyer and Hell. A. C. P. 160, 257.
" " "	"	.8144, 15°	
" " "	"	.8102, 21° 5	
" " "	"	.8263, 0°	
" " "	"	.8123, 19° 7	
" " "	"	.8253, 0°	} Pierre. C. N. 27, 93.
" " "	"	.8146, 15°	
" " "	"	.8255, 0°	Pierre and Puchot. B. S. C. 20, 370.
" " Ordinary	"	.817	} Ley. Ber. 6, 1362.
" " Less active	"	.816, 15°	
" " More "	"	.808, 15°	
" " "	"	.8123, 20°	Brühl. Bei. 4, 781.
" " "	"	.8075, 14°	De Heen. Bei. 5, 105.
" " "	"	.8238, 0°	Balbano. Ber. 9, 1437.
" " "	"	.8104, 20°	} Two lots. Brühl. A. C. P. 203, 1.
" " "	"	.8103, 20°	
" " "	"	.8256, 0°	
" " "	"	.8085, 23°	

\* Ordinary, inactive, and unspecified.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl alcohol	$C_5 H_{12} O$	.7221	} 123°.2 Schiff. Ber. 14, 2768.
" "	"	.7223	
" "	"	.7154, 130°.5	Schiff. G. C. I. 13, 177.
" "	"	.8063, 26°.1	} Schall. Ber. 17, 2555.
" "	"	.7729, 66°	
" "	"	.8114, 20°	Winkelmann P. A. (2), 26, 105.
" "	"	.8121, 20°	Traube. Ber. 19, 883.
" "	"	.8252, 0°	Pagliani and Battelli. Bei. 10, 222.
Methylpropylcarbinol.	"	.8249	} 0° { Wurtz. Z. C. 11, 490.
" B. 119°	"	.8260	
" "	"	.833, 0°	Le Bel. Z. C. 14, 471.
" "	"	.8239, 0°	} Bieloheubek. Ber. 9, 925.
" "	"	.8102, 20°	
" "	"	.827, 0°	} { WagnerandSaytzeff. A. C. P. 179, 320.
" "	"	.815, 18°	
Methylisopropylcarbinol.	"	.8308, 0°	Winogradow. A. C. P. 191, 125.
" B. 112°	"	.8219, 19°	} Wischnegradsky. A. C. P. 190, 340.
" "	"	.833, 0°	
" "	"	.819, 19°	} { WagnerandSaytzeff. A. C. P. 175, 368.
Diethylcarbinol. B. 116°.5	"	.832, 0°	
" "	"	.819, 16°	} { WagnerandSaytzeff. A. C. P. 179, 320.
" "	"	.831, 0°	
" "	"	.816, 18°	} Wurtz. A. C. P. 125, 114.
Dimethylethylcarbinol.	"	.829, 0°	
" B. 102°.5.	"	.828, 0°	Ermolaïen. Z. C. 14, 275.
" "	"	.8258, 0°	} Flawitzky. A. C. P. 179, 349.
" "	"	.810, 19°	
" "	"	.827, 0°	} Wischnegradsky. A. C. P. 190, 334.
" "	"	.812, 19°	
" "	"	.827, 17°	Münde. Ber. 7, 1370.
" "	"	.7241, 101°.6	Schiff. G. C. I. 13, 177.
Normal hexyl alcohol.	$C_6 H_{14} O$	.820, 17°	Pelouze and Cahours. J. 16, 527.
" B. 157°.	"	.813, 0°	Buff. J. 21, 336.
" "	"	.819	Franchimont and Zincke. C. N. 24, 263.
" "	"	.8333, 0°	} Lieben and Janecek. J. R. C. 5, 156.
" "	"	.8204, 20°	
" "	"	.8107, 40°	} Frentzel. Ber. 16, 745.
" "	"	.813, 17°	
" "	"	.8312	} 0° { Zander. A. C. P. 224, 88.
" "	"	.8327	
" "	"	.6958	} 157° {
" "	"	.6982	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal hexyl alcohol	$C_6H_{14}O$	.8349, 0°	Gartenmeister. A. C. P. 233, 249.
Methyldiethylcarbinol	"	.8237, 20°	Reformatsky. J. P. C. (2), 36, 340.
"	"	.8194, 25°	
"	"	.8143, 30°	
"	"	.8104, 35°	
Methylpropylcarbylcarbinol. B. 147°.	"	.8396, 0°	Two lots. Lieben and Zeisel. M. C. 4, 32.
"	"	.8244, 23°.7	
"	"	.8375, 0°	
"	"	.8257, 17°.6	
Methylbutylcarbinol, or secondary hexyl alcohol. B. 136°.	"	.8327, 0°	Wanklyn and Erlennmeyer. J. 16, 521. Twosamples. Hecht. A. C. P. 165, 146. Wislicenus. A. C. P. 219, 310.
"	"	.8209, 16°	
"	"	.7482, 99°	
"	"	.8266 } 0°	
"	"	.8306 }	
Methylisobutylcarbinol	"	.8271, 0°	Kuwschinow. Ber. 20, ref. 629.
"	"	.8183, 17°	
Ethylpropylcarbinol.	"	.8335, 0°	Völker. Ber. 8, 1019.
" B. 134°	"	.8188, 20°	
"	"	.83433, 0°	
Isohexyl or caproyl alcohol. B. 150°.	"	.81825, 20°	Oechsner de Coninck. C. R. 82, 93.
" " "	"	.833, 0°	
" " "	"	.754, 100°	Faget. J. 6, 504.
" " "	"	.8295, 15°	Köbig. A. C. P. 195, 102.
Dimethylisopropylcarbinol. B. 117°.	"	.8364, 0°	Prianichnikow. Z. C. 14, 275.
"	"	.8387, 0°	Pawlow. A. C. P. 196, 122.
"	"	.8232, 19°	
Methylethylpropyl alcohol.	"	.829, 15°	Romburgh. J. C. S. 52, 228.
Trimethylcarbylmethylcarbinol, or pinacolyl alcohol. B. 120°.5.	"	.8347, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Normal heptyl alcohol. B. 175°.5.	$C_7H_{16}O$	.792, 16°.5	Wills. J. 6, 508.
" " "	"	.819, 23°	Städeler. J. 10, 361.
" " "	"	.838, 0°	
" " "	"	.830, 16°	Cross. J. C. S. 32, 123.
" " "	"	.824, 27°	
" " "	"	.8342, 0°	Zander. A. C. P. 224, 88.
" " "	"	.6876, 175°.8	
" " "	"	.8356, 0°	Gartenmeister. A. C. P. 233, 249.
Isoheptyl alcohol. ?	"	.8291, 13°.5	Four products from different sources. Schorlemmer. A. C. P. 136, 257.
" " B. 163°-168°	"	.795, 15°	
" " "	"	.8479, 16°	
" " "	"	.8286, 19°.5	
Dipropylcarbinol. B. 150°	"	.814, 25°	Kurtz. A. C. P. 161, 205.
"	"	.81882, 20°	Ustinoff and Saytzeff. J. P. C. (2), 34, 470.
"	"	.81064, 30°	
"	"	.80677, 35°	
Diisopropylcarbinol. B. 131°-132°.	"	.8323, 17°	Münde. Ber. 7, 1370.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylisobutylcarbinol. B. 147°·5.	C <sub>7</sub> H <sub>16</sub> O	.827, 0°	E. Wagner. B. S. C. 42, 330.
Methylamylcarbinol. B. 149°.	"	.8185, 17°·5	Rohn. A. C. P. 190, 310.
Triethylcarbinol. B. 141°	"	.8593, 0°	Nahapetian. Z. C. 14, 274.
"	"	.83892, 20°	{ Barataeff and Sayt- zeff. J. P. C. (2), 84, 465.
"	"	.82992, 30°	
Methylethylpropylcarbi- nol.	"	.8233, 20°	Sokolow. Ber. 21, ref. 56.
Normal octyl alcohol. B. 196°·5.	C <sub>8</sub> H <sub>18</sub> O	.830, 16°	Zinke. Z. C. 12, 55.
" " "	"	.8375, 0°	Zander. A. C. P. 224, 88.
" " "	"	.6807, 195°·5	
" " "	"	.8369, 0°	
Methylhexylcarbinol, or capryl alcohol.	"	.823, 17°	Gartenmeister. A. C. P. 233, 249.
"	"	.826, 16°	Bouis. J. 7, 581.
"	"	.823, 16°	Pelouze and Ca- hours. J. 16, 529.
"	"	.6589, 181°	Neison. J. C. S. (2), 13, 207.
"	"	.8193, 20°	Ramsay. J. C. S. 35, 463.
"	"	.6781	Brühl. A. C. P. 203, 1.
"	"	.6782	
"	"	.817	
"Oethylene hydrate"	"	.811, 0°	{ Schiff. G. C. I. 13, 177.
" " "	"	.793, 23°	
Primary isoöctyl alcohol. " " " B. 179°·5.	"	.841, 0°	Duclaux. Ann. (5), 13, 92.
" " " " "	"	.833, 12°	
" " " " "	"	.828, 20°	
" " " " "	"	.821, 30°	
" " " " "	"	.814, 40°	
" " " " "	"	.807, 50°	
" " " " "	"	.867, 100°	
" " " " "	"	.820, 15°	
Secondary isoöctyl alcohol. " " " B. 161°·5.	"	.811, 30°	Clermont. A. C. P. 149, 38.
" " " " "	"	.801, 40°	
" " " " "	"	.793, 100°	Williams. J. C. S. 35, 125.
Methyldipropylcarbinol	"	.82357, 20°	
" " "	"	.81506, 30°	
" " "	"	.81080, 35°	
Diethylpropylcarbinol	"	.83794, 20°	Gortaloff and Sayt- zeff. J. P. C. (2), 33, 202.
Isodibutol. B. 147°	"	.8417, 0°	Sokolow. Ber. 21, ref. 56.
Nonyl alcohol. B. 187°	C <sub>9</sub> H <sub>20</sub> O	.835, 18°·5	Butlerow. J. C. S. 34, 122.
Normal nonyl alcohol	"	.8415, 0°	Lemoine. B. S. C. 41, 161.
" " "	"	.8346, 10°	Kraft. Ber. 19, 2221.
" " "	"	.8279, 20°	
Ethyldipropylcarbinol	"	.83363, 20°	
"	"	.82583, 30°	Tschebotareff and Saytzeff. J. P. C. (2), 33, 193.
"	"	.82190, 35°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylhexylcarbinol.	$C_9 H_{20} O$	.839, 0°	Wagner. Ber. 17, ref. 316.
“ “ “ B. 195°	“	.825, 20°	
Normal decyl alcohol	$C_{10} H_{22} O$	.8389, 7°	Krafft. Ber. 16, 1714.
“ “ “	“	.8297, 20°	
“ “ “	“	.7734, 98°.7	
Decyl alcohol. B. 200°	“	.858, 18°.5	Lemoine. B. S. C. 41, 161.
Isodecyl alcohol. B. 203°	“	.8569, 0°	Borodin. J. 17, 338.
Propylhexylcarbinol.	“	.839, 0°	E. Wagner. B. S. C. 42, 330.
“ “ “ B. 210°	“	“	“
Methylnonylcarbinol.	$C_{11} H_{24} O$	.8268, 19°	Giesecke. Z. C. 13, 431.
“ “ “ B. 228°	“	“	“
Normal dodecyl alcohol	$C_{12} H_{26} O$	.8309, 24°	Krafft. Ber. 16, 1714.
“ “ “	“	.8201, 40°	
“ “ “	“	.7781, 99°	
Normal tetradecyl alcohol.	$C_{14} H_{30} O$	.8236, 38°	“ “
“ “ “	“	.8153, 50°	
“ “ “	“	.7813, 98°.9	
Isomer of myristic alcohol. B. 270°—275°.	“	.8368, 15°	Perkin, Jr. J. C. S. 43, 77.
“ “ “	“	.8301, 30°	
“ “ “	“	.8279, 35°	
Normal hexdecyl alcohol	$C_{16} H_{34} O$	.8176, 49°.5	Krafft. Ber. 16, 1714.
“ “ “	“	.8105, 60°	
“ “ “	“	.7837, 98°.7	
“ “ “ Cetyl alcohol	“	.8185, 49°.5	“ “
Normal octodecyl alcohol.	$C_{18} H_{38} O$	.8124, 59°	
“ “ “	“	.8048, 70°	
“ “ “	“	.7849, 99°.1	“

## 2d. Oxides of the Paraffin Series.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethyl oxide	$C H_3, C_2 H_5, O$	.7252, 0°	Dobriner. A. C. P. 243. 1.
“ “ “	“	.7127, 10°.8	
Ethyl oxide, or ether	$(C_2 H_5)_2 O$	.7119, 24°.8	Gay Lussac.
“ “ “	“	.713, 20°	Dumas and Boullay. Ann. (2), 36, 294.
“ “ “	“	.733, 12°.5	Muncke. M. St. P. Sav. Et. 1, 1831, 249.
“ “ “	“	.73568, 0°	Kopp. P. A. 72, 231.
“ “ “	“	.72895, 6°.9	
“ “ “	“	.7297, 5°—10°	Regnault. P. A. 62, 50.
“ “ “	“	.7241, 10°—15°	
“ “ “	“	.7185, 15°—20°	
“ “ “	“	.73574, 0°	Pierre. C. R. 27, 213.
“ “ “	“	.728, 7°	Delffs. J. 7, 26.

\* All of Dobriner's ethers represent normal paraffins.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Ethyl oxide, or ether	$(C_2 H_5)_2 O$	.73644, 0°	Intermediate values given. Mendelejeff. A. C. P. 119, 1.	
" " "	"	.63987, 78° 3		
" " "	"	.60896, 99° 9		
" " "	"	.55958, 131° 6		
" " "	"	.51735, 157°		
" " "	"	.7271, 10° 2		Matthiessen and Hockin.
" " "	"	.7204, 15° 8		
" " "	"	.6956, 34° 5		Ramsay. J. C. S. 35, 463.
" " "	"	.7157, 20°		Brühl. Ber. 13, 1530.
" " "	"	.7197, 15°		Buchan. C. N. 51, 94.
" " "	"	.73128, 4°	Squibb. C. N. 51, 67 and 76.	
" " "	"	.71888, 15°		
" " "	"	.73590, 0°		
" " "	"	.7304, 5°	Oudemans. Ber. 19, ref. 2.	
" " "	"	.7248, 10°		
" " "	"	.7192, 15°		
" " "	"	.7135, 20°		
" " "	"	.7077, 25°		
" " "	"	.7019, 30°		
" " "	"	.6960, 35°		
" " "	"	.6704, 50°		
" " "	"	.6105, 100°		
" " "	"	.5179, 150°		
" " "	"	.3030, 193°	Also values for every 5° from 0° to 193°. Ramsay and Young. P. T. 178, 85.	
" " "	"	.2463, at critical t°		Ramsay and Young. P. M. 1887, 458.
Methyl propyl oxide	$C H_3 \cdot C_3 H_7 \cdot O$	.7471, 0°	Dobriner. A. C. P. 243, 1.	
" " "	"	.70415, 38° 9		
Ethyl propyl oxide	$C_2 H_5 \cdot C_3 H_7 \cdot O$	.7386, 20°	Brühl. Bei. 4, 779.	
" " "	"	.7545, 0°	Dobriner. A. C. P. 243, 1.	
" " "	"	.6871, 63° 6		
Ethyl isopropyl oxide	"	.7447, 0°	Markownikoff. A. C. P. 138, 374.	
Methyl butyl oxide	$C H_3 \cdot C_4 H_9 \cdot O$	.7635, 0°	Dobriner. A. C. P. 243, 1.	
" " "	"	.6901, 70° 3		
Propyl oxide	$(C_3 H_7)_2 O$	.7633, 0°	Zander. A. C. P. 214, 181.	
" " "	"	.6743, 90° 7		
Isopropyl oxide	"	.7435, 0°	" "	
" " "	"	.6715, 69°		
Ethyl butyl oxide	$C_2 H_5 \cdot C_4 H_9 \cdot O$	.7694, 0°	Lieben and Rossi. A. C. P. 158, 137.	
" " "	"	.7522, 20°		
" " "	"	.7367, 40°		
" " "	"	.761, 0°		
" " "	"	.7680, 0°	Saytzeff.	
" " "	"	.6785, 91° 4	Dobriner. A. C. P. 243, 1.	
" " "	"	.7507, 0°	Wurtz. J. 7, 574.	
Ethyl isobutyl oxide	$C H_3 \cdot C_5 H_{11} \cdot O$	.6871, 91°	Schiff. Bei. 9, 559.	
Methyl amyl oxide	$C_2 H_5 \cdot C_5 H_{11} \cdot O$	.8036, 14° 7	Mendelejeff. J. 13, 7.	
Ethyl isoamyl oxide	"	.764, 18°	Reboul and Truchot. J. 20, 582.	
" " "	"	.759, 21°	" "	
Tertiary ethyl amyl oxide	"	.7785, 0°	Kondakoff. Ber. 20, ref. 549.	
" " "	"	.751, 18°		
" " "	"	.7773, 0°		
Propyl butyl oxide	$C_3 H_7 \cdot C_4 H_9 \cdot O$	.6638, 117° 1	Dobriner. A. C. P. 243, 1.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Butyl oxide	$(C_4 H_9)_2 O$	.784, 0°	Lieben and Rossi. A. C. P. 165, 109. Dobriner. A. C. P. 243, 1. Puchot. Ann. (5), 28, 521-528. Four samples.
" " "	"	.7685, 20°	
" " "	"	.7555, 40°	
" " "	"	.7865, 0°	
" " "	"	.6575, 140°·9	
Isobutyl oxide	"	.7697, 0°	
" " "	"	.7294, 46°·4	
" " "	"	.7040, 74°·3	
" " "	"	.766, 0°	
" " "	"	.724, 48°·75	
" " "	"	.770, 0°	Kessler. A. C. P. 175, 55.
" " "	"	.784, 42°	
Secondary butyl oxide	"	.7678, 0°	Schorlemmer. J. C. S. 19, 357.
" " "	"	.756, 21°	
Ethyl hexyl oxide	$C_2 H_5 \cdot C_6 H_{13} \cdot O$	.7752, 16°·5	Reboul and Truchot. J. 20, 582.
" " "	"	.7638, 30°	
" " "	"	.7344, 63°	
" " "	"	.776, 13°	Lieben. A. C. P. 178, 14.
Diethyl-ethyl oxide	"	.7865, 0°	
" " "	"	.7702, 20°	
" " "	"	.7574, 40°	Dobriner. A. C. P. 243, 1.
Methyl heptyl oxide	$C H_3 \cdot C_7 H_{15} \cdot O$	.7953, 0°	
" " "	"	.6667, 149°·8	Cross. J. C. S. 31, 123.
Ethyl heptyl oxide	$C_2 H_5 \cdot C_7 H_{15} \cdot O$	.7949, 0°	
" " "	"	.65065, 166°·6	
" " "	"	.790 } 16°	Dobriner. A. C. P. 243, 1.
" " "	"	.791 } 16°	
Methyl octyl oxide	$C H_3 \cdot C_8 H_{17} \cdot O$	.8014, 0°	Wills. J. 6, 510.
" " "	"	.65386, 173°	
Methyl capryl oxide	"	.890, 16°·5	Riecker. J. 1, 698. Wurtz. J. 9, 654.
Amyl oxide	$(C_5 H_{11})_2 O$	.779	
" " "	"	.7994, 0°	Dobriner. A. C. P. 243, 1.
Propyl heptyl oxide	$C_3 H_7 \cdot C_7 H_{15} \cdot O$	.7987, 0°	
" " "	"	.6420, 187°·6	Möslinger. Ber. 9, 1003.
Ethyl octyl oxide	$C_2 H_5 \cdot C_8 H_{17} \cdot O$	.794, 17°	
" " "	"	.8008, 0°	Dobriner. A. C. P. 243, 1.
" " "	"	.6390, 189°·2	
Ethyl capryl oxide	"	.791, 16°	Wills. J. 6, 510.
Butyl heptyl oxide	$C_4 H_9 \cdot C_7 H_{15} \cdot O$	.8023, 0°	
" " "	"	.6327, 205°·7	Dobriner. A. C. P. 243, 1.
Propyl octyl oxide	$C_3 H_7 \cdot C_8 H_{17} \cdot O$	.8039, 0°	
" " "	"	.6300, 207°	" "
Butyl octyl oxide	$C_4 H_9 \cdot C_8 H_{17} \cdot O$	.8069, 0°	
" " "	"	.6277, 225°·7	Wills. J. 6, 510.
Amyl capryl oxide	$C_5 H_{11} \cdot C_8 H_{17} \cdot O$	.608, 20°	
Normal heptyl oxide	$(C_7 H_{15})_2 O$	.8152, 0°	Dobriner. A. C. P. 243, 1.
" " "	"	.6055, 261°·9	
Heptyl octyl oxide	$C_7 H_{15} \cdot C_8 H_{17} \cdot O$	.8182, 0°	" "
" " "	"	.6038, 278°·8	
Normal octyl oxide	$(C_8 H_{17})_2 O$	.8035	Möslinger. Ber. 9, 1001.
" " "	"	.8050, 17°	
" " "	"	.82035, 0°	Dobriner. A. C. P. 243, 1.
" " "	"	.5983, 291°·7	



## 3d. The Fatty Acids.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Formic acid	$C H_2 O_2$	1.2353	Liebig. Gm. H.
" "	"	1.2227, 0°	Kopp. P. A. 72, 248.
" "	"	1.2067, 13°.7	
" "	"	1.2211, 20°	
" "	"	1.2211	Landolt. P. A. 117, 353.
" "	"	1.2165 } 20°	
" "	"	1.24482, 0°	Semenoff. Ann. (4), 6, 115.
" "	"	1.2188, 20°	Petterson. U. N. A. 1879.
" "	"	1.2415, 0°	Brühl. Bei. 4, 781.
" "	"	1.1175, 100°.8	
" "	"	1.2191, 20°	Zander. A. C. P. 224, 88.
" "	"	1.2182, 22°	Winkelmann. P. A. (2), 26, 105.
" "	"	1.1170, 100°.3	Lüdeking. P. A. (2), 27, 72.
" "	"	1.2190, 20°	Schiff. Ber. 19, 560.
" "	"	1.22734, 15°	Traube. Ber. 19, 884.
Acetic acid	$C_2 H_4 O_2$	1.0630, 16°	Perkin. J. C. S. 49, 777.
" "	"	1.0622	Mollerat. Ann. (1), 68, 88.
" "	"	1.0635, 15°	Sebille-Auger. Watts' Dict.
" "	"	1.100, 8°.5, s.	Mohr. A. C. P. 31, 277.
" "	"	1.0650, 13°.1	
" "	"	1.0647, 5°-10°	Persoz. Watts' Dict.
" "	"	1.0591, 10°-15°	
" "	"	1.0535, 15°-20°	Regnault. P. A. 62, 50.
" "	"	1.08005, 0°	
" "	"	1.06195, 17°	Kopp. P. A. 72, 253.
" "	"	1.0635, 10°	
" "	"	1.0607, 15°	Delfs. A. C. P. 92, 277.
" "	"	1.0563	Mendelejeff. J. 13, 7.
" "	"	1.0565 } 15°.5	{ Roscoe. J. C. S. 15, 270.
" "	"	1.0514, 20°	
" "	"	1.0514, 20°	Landolt. P. A. 117, 353.
" "	"	1.05533, 15°	Oudemans. Z. C. 1866, 750.
" "	"	1.0626, 20°	Linnemann. A. C. P. 160, 216.
" "	"	1.0502	Landolt. Ber. 9, 907.
" "	"	1.0490, 18°	Kohlrausch. P. A. 159, 240.
" "	"	.9325, 113°	Ramsay. J. C. S. 35, 463.
" "	"	1.0635, 15°	Duclaux. Ann. (5), 13, 95.
" "	"	1.1149, 0°, s.	Petterson. U. N. A. 1879.
" "	"	1.0576, 12°.79	
" "	"	1.0543, 15°.97	
" "	"	1.0503, 19°.03	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic acid	$C_2H_4O_2$	1.0559, 20°	Bedson and Williams. Ber. 14, 2550.
" "	"	1.0495, 20°	Brühl. Bei. 4, 781.
" "	"	1.0701, 0°	Zander. A. C. P. 224, 88.
" "	"	.9372, 118°.1	
" "	"	1.0532, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	1.0465, 22°	Lüdeking. P. A. (2), 27, 72.
" "	"	1.05704, 15°	Perkin. J. C. S. 49, 777.
Propionic acid	$C_3H_6O_2$	1.0161, 0°	Kopp. A. C. P. 95, 307.
" "	"	.9911, 25°.2	
" "	"	.9963, 20°	Landolt. P. A. 117, 353.
" "	"	.992, 18°	Linnemann. J. 21, 433.
" "	"	.9961, 19°	Linnemann. A. C. P. 160, 195.
" "	"	1.0143, 0°	Pierre and Puchot. B. S. C. 18, 453.
" "	"	.9607, 49°.6	
" "	"	.9062, 99°.8	
" "	"	.9946, 20°	Brühl. Ber. 13, 1530.
" "	"	1.0199, 0°	Zander. A. C. P. 214, 181.
" "	"	.8657, 140°.7	
" "	"	1.0133, 0°	Zander. A. C. P. 224, 88.
" "	"	.8589	
" "	"	.8599	
" "	"	.9939, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9902, 25°	Lüdeking. P. A. (2), 27, 72.
" "	"	.9956, 20°	Traube. Ber. 19, 885.
" "	"	1.0089, 0°	Renard. C. R. 103, 158.
" "	"	.9904, 18°	
" "	"	.99833, 15°	Perkin. J. C. S. 49, 777.
Butyric acid. B. 163°	$C_4H_8O_2$	.9675, 25°	Chevreur.
" "	"	.963, 15°	Pelouze and Gélis. P. A. 59, 625.
" "	"	.98165, 0°	Pierre. C. R. 27, 213.
" "	"	.9673, 15°	Mendelejeff. J. 13, 7.
" "	"	.9610, 20°	Landolt. P. A. 117, 353.
" "	"	.9850, 13°.5	Bulk. A. C. P. 139, 62.
" "	"	.9580, 14°	Linnemann. A. C. P. 160, 195.
" "	"	.9601, 14°	Linnemann. Ann. (4), 27, 268.
" "	"	.974, 15°	Graham. A. C. P. 123, 99.
" "	"	.9587, 20°	Brühl. A. C. P. 203, 1.
" "	"	.9594, 20°	Landolt. Bei. 7, 845.
" "	"	.8141, 161°.5	Schiff. G. C. I. 13, 177.

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Butyric acid	$C_4H_8O_2$	.9746	} Zander. A. C. P. 224, 88.
" "	"	.9781	
" "	"	.8099	
" "	"	.8120	
" "	"	.9603, 20°	
" "	"	.9549, 25°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9809, 0°	Lüdeking. P. A. (2), 27, 72.
" "	"	.9624, 20°	Gartenmeister. A. C. P. 233, 249.
Isobutyric acid. B. 154°	"	.98862, 0°	Traube. Ber. 19, 885.
" "	"	.9789, 15°	} Kopp. P. A. 72, 258.
" "	"	.973, 7°	
" "	"	.9598, 0°	} Delffs. A. C. P. 92, 277.
" "	"	.9208, 50°	
" "	"	.8965, 100°	
" "	"	.9503, 20°	
" "	"	.9697, 0°	
" "	"	.9160, 52°.6	} Markownikoff. A. C. P. 138, 368.
" "	"	.8665, 99°.8	
" "	"	.8220, 139°.8	
" "	"	.9490, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	.9515, 20°	Pierre and Puchot. B. S. C. 19, 72.
" "	"	.8087, 153°	Brühl. Ber. 13, 1529.
" "	"	.9651, 0°	Brühl. A. C. P. 200, 180.
" "	"	.8054, 154°	Schiff. G. C. I. 13, 177.
" "	"	.9519, 20°	Zander. A. C. P. 224, 88.
Normal valeric acid.	$C_5H_{10}O_2$	.9577, 0°	} Traube. Ber. 19, 886.
" " " B. 185°	"	.9415, 20°	
" "	"	.9284, 40°	} Lieben and Rossi. A. C. P. 159, 58.
" "	"	.9034, 99°.3	
" "	"	.945, 17°.5	
" "	"	.7569, 195°	Cahours and Demarçay. C. R. 89, 331.
" "	"	.9608, 0°	Ramsay. J. C. S. 35, 463.
" "	"	.9448, 20°	Kehrer and Tollens. A. C. P. 206, 239.
" "	"	.9562, 0°	Zander. A. C. P. 224, 88.
" "	"	.7828, 185°.4	} Gartenmeister. A. C. P. 233, 249.
" "	"	.9568, 0°	
Isovaleric acid.* B. 175°	"	.941, 14°	} Chevreul.
" "	"	.932, 28°	
" "	"	.944, 10°	Trommsdorf. A. C. P. 6, 176.
" "	"	.930, 12°.5	Trautwein. Gm. H.
" "	"	.937, 16°.5	Dumas and Stas. J. P. C. 21, 267.
" "	"	.9403, 15°	Personne. J. 7, 653.
" "	"	.9555, 0°	} Kopp. A. C. P. 95, 307.
" "	"	.9378, 19°.6	

\* Including ordinary and unspecified valeric acid.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isovaleric acid	$C_8H_{10}O_2$	.935, 15°	Delffs. A. C. P. 92, 277.
" "	"	.9558, 15°	Mendelejeff. J. 13, 7.
" "	"	.9313, 20°	Landolt. P. A. 117, 353.
" "	"	.95357, 0°	Frankland and Duppa. J. 20, 396.
" "	"	.9470, 0°	Pierre and Puchot. B. S. C. 19, 72.
" "	"	.8972, 54°.65	
" "	"	.8542, 99°.9	
" "	"	.8095, 147°.5	
" "	"	.9465, 0°	
" "	"	.9285, 20°.2	From different sources. Erlennmeyer and Hell. A. C. P. 160, 257.
" "	"	.9468, 0°	
" "	"	.9295, 19°.7	
" "	"	.9462, 0°	
" "	"	.9299, 18°.8	
" "	"	.917, 15°	Ley. Ber. 6, 1362.
" "	"	.93087, 17°.4	Schmidt and Sachtleben.
" "	"	.9345, 15°	Poetsch. A. C. P. 218, 56.
" "	"	.9297, 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.941, 16°	Renard. Ann. (6), 1, 223.
" "	"	.9318, 20°	Traube. Ber. 19, 886.
Ethylmethylacetic acid, or active valeric acid. B. 172°.5.	}	.9505, 0°	{ Erlennmeyer and Hell. A. C. P. 160, 257.
		.9331, 19°.5	
" " "	"	.938, 24°	Saur. A. C. P. 188, 275.
" " "	"	.917, 15°	Ley. Ber. 6, 1362.
" " "	"	.941, 21°	Pagenstecher. A. C. P. 195, 118.
" " "	"	.948, 14°.5	Lescoeur. J. C. S. 31, 589.
" " "	"	.9405, 17°	Schmidt. Ber. 12, 257.
Trimethyl acetic acid	"	.944, 0°	Butlerow. Ber. 7, 728.
" "	"	.905, 50°	
Normal caproic acid. B. 205°	$C_8H_{12}O_2$	.922, 26°	Chevreur.
" " "	"	.931, 15°	Fehling. A. C. P. 53, 406.
" " "	"	.9449, 0°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	.9294, 20°	
" " "	"	.9172, 40°	
" " "	"	.8947, 99°.1	
" " "	"	.9428, 0°	
" " "	"	.928, 20°	Lieben. A. C. P. 170, 89.
" " "	"	.9164, 40°	
" " "	"	.933, 23°	Cahours and Demarcay. C. R. 89, 331.
" " "	"	.9446, 0°	Zander. A. C. P. 224, 88.
" " "	"	.7589, 205°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.9449	
" " "	"	.9453	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isocaproic acid. B. 199°	$C_6H_{12}O_2$	.9252, 20°	Landolt. P. A. 117, 353.
" " "	"	.9237, 20°	Brühl. Bei. 4, 781.
Diethylacetic acid. B. 190°	"	.925, 27°	Sticht. J. 21, 522.
" " "	"	.945	Schnapp. Ber. 10, 1954.
" " "	"	.9355, 0°	Saytzeff. Ber. 11, 512.
" " "	"	.9196, 18	" " "
Methylpropylacetic acid. B. 193°	"	.9414, 0°	" " "
" " "	"	.9279, 18°	" " "
" " "	"	.9231, 25°	Liebermann and Scheibler. Ber. 16, 1823.
" " "	"	.9286, 15°	Liebermann and Kleemann. Ber. 17, 918.
Methylisopropylacetic acid	"	.928, 15°	Romburgh. J. C. S. 52, 232.
Methylethylpropionic acid	"	.930, 15°	Romburgh. J. C. S. 52, 228.
Oenanthic acid. B. 223°	$C_7H_{14}O_2$	.9167, 24°	Städeler. J. 10, 360.
" " "	"	.9179, 18°	Landolt. P. A. 117, 353.
" " "	"	.9175, 20°	" " "
" " "	"	.9212, 24°	Franchimont. A. C. P. 165, 237.
" " "	"	.9345, 0°	Grimshaw and Schorlemmer. A. C. P. 170, 137.
" " "	"	.9278, 8°.5	" " "
" " "	"	.9208, 16°	" " "
" " "	"	.9110, 28°	" " "
" " "	"	.9359, 0°	" " "
" " "	"	.9348, 9°	" " "
" " "	"	.9235, 28°	" " "
" " "	"	.916, 21°	Mehlis. A. C. P. 185, 362.
" " "	"	.935, 0°	" " "
" " "	"	.9198, 20°	Lieben and Janecek. J. R. C. 5, 156.
" " "	"	.9084, 40°	" " "
" " "	"	.924, 21°	Cahours and Demarçay. C. R. 89, 331.
" " "	"	.9160, 20°	Brühl. Bei. 4, 781.
" " "	"	.9313, 0°	Zander. A. C. P. 224, 88.
" " "	"	.7429, 223°.2	" " "
" " "	"	.9333, 0°	Gartenmeister. A. C. P. 233, 249.
Isoheptylic acid. B. 211°.5	"	.9305, 0°	" " "
" " "	"	.9138, 21°	Hecht. A. C. P. 209, 315.
" " "	"	.8496, 100°	" " "
Isoamylacetic acid. B. 217°	"	.9260, 15°	Poetsch. A. C. P. 218, 56.
Caprylic acid. B. 236°.5	$C_8H_{16}O_2$	.911, 20°	Fehling. A. C. P. 53, 401.
" " "	"	.905, 21°	Perrot. J. 10, 353.
" " "	"	.901, 18°	Fischer. A. C. P. 118, 307.
" " "	"	.923, 17°	Cahours and Demarçay. C. R. 89, 331.
" " "	"	.9270, 0°	Zander. A. C. P. 224, 88.
" " "	"	.7264, 236°.5	" " "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Caprylic acid	$C_8H_{16}O_2$	.9288, 0°	Gartenmeister. A. C. P. 233, 249.
Isoöctylic acid. B. 219°	"	.926, 0°	Williams. J. C. S. 35, 125.
" "	"	.911, 20°	
" "	"	.903, 30°	
" "	"	.893, 40°	
" "	"	.885, 50°	
" "	"	.846, 100°	
Dipropylacetic acid. B. 219° 5.	"	.9215, 0°	Burton. A. C. J. 3, 389.
Pelargonic acid. B. 253°	$C_9H_{18}O_2$	.903, 21°	Perrot. J. 10, 353.
" "	"	.9065, 17°	Franchimont and Zincke. C. N. 25, 57.
" "	"	.90656	From six different sources. Bergmann. Arch. Pharm. 22, 331.
" "	"	.90638	
" "	"	.90630	
" "	"	.90639	
" "	"	.90621	
" "	"	.90609	
" "	"	.9109, 12° 5	
" "	"	.9068, 17° 5	
" "	"	.9433, 99° 3	
" "	"	.9082, 0°	
Isononylic acid. B. 245°	"	.90325, 18°	Gartenmeister. A. C. P. 233, 249. Kullhem. A. C. P. 173, 319.
Rutylic acid	$C_{10}H_{20}O_2$	.930, 37°, l.	Fischer. A. C. P. 118, 307.
Lauric acid	$C_{12}H_{24}O_2$	.883, 20°, s.	Görgey. A. C. P. 66, 306.
Stearic acid	$C_{18}H_{36}O_2$	1.01, 0°, s.	Saussure. Watts' Dict.
" "	"	.854, l.	Kopp. J. 8, 43. Schiff. A. C. P. 223, 247.
" "	"	1.00, 9°	
" "	"	.8521, 69° 5	

## 4th. Anhydrides of the Fatty Acids.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic anhydride	$C_4H_8O_3$	1.073, 20° 5	Gerhardt. J. 5, 451.
" "	"	1.0969, 0°	Kopp. A. C. P. 94, 257. Schlagdenhauffen. Mendelejeff. J. 13, 7. Nasini. Ber. 14, 1513. Brühl. Bei. 4, 782. Linnemann. J. 21, 433. Perkin. J. C. S. (2), 13, 11. Gerhardt. J. 5, 452.
" "	"	1.0799, 15° 2	
" "	"	1.075, 15°	
" "	"	1.0793, 15°	
" "	"	1.0787, 20°	
" "	"	1.0816, 20°	
Propionic anhydride	$C_6H_{10}O_3$	1.01, 18°	
" "	"	1.0169, 15°	
Butyric anhydride	$C_8H_{14}O_3$	.978, 12° 5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyric anhydride	$C_8 H_{14} O_3$	.9574, 16°.5	Toennies and Staub. Ber. 17, 851.
Valeric anhydride	$C_{10} H_{18} O_3$	.934, 15°	Watts' Dictionary.
Oenanthic anhydride	$C_{14} H_{26} O_3$	.91, 14°	Malerba. J. 7, 444.
"	"	.932, 21°	Mehlis. A. C. P. 185, 371.

5th. Ethers of the Series  $C_n H_{2n} O_2$ .

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl formate	$C H_3. C H O_2$	.9984, 0°	Kopp. P. A. 72, 261.
"	"	.9776, 15°.3	
"	"	.9766, 16°	
"	"	.9928, 0°	
"	"	.9797, 15°	Volhard. A. C. P. 176, 135.
"	"	.9482, 33°	Kraemer and Grodzki. Ber. 9, 1928.
"	"	.9767, 14°	Ramsay. J. C. S. 35, 463.
"	"	.9566, 32°.3	De Heen. Bei. 5, 105.
"	"	.99839, 0°	Schiff. G. C. I. 13, 177.
"	"	.95196, 32°.3	Elsässer. A. C. P. 218, 302.
Ethyl formate	$C_2 H_5. C H O_2$	.9157, 18°	Gehler. See Böttger.
"	"	.912	Liebig. Quoted by Kopp.
"	"	.94474, 0°	Kopp. P. A. 72, 266.
"	"	.92546, 15°.7	
"	"	.9394, 0°	" "
"	"	.9188, 17°	
"	"	.93565, 0°	Pierre. C. R. 27, 213.
"	"	.917	Löwig. J. 14, 599.
"	"	.8649, 55°	Ramsay. J. C. S. 35, 463.
"	"	.9064, 20°	Brühl. Ber. 13, 1530.
"	"	.9214, 14°	De Heen. Bei. 5, 105.
"	"	.9367, 0°	Several intermediate values given. Nac- cari and Pagliani. Bei. 6, 89.
"	"	.9238, 10°.84	
"	"	.9122, 20°.03	
"	"	.8959, 32°.79	
"	"	.8865, 40°.02	
"	"	.8740, 49°.76	
"	"	.8707, 51°.94	
"	"	.8730	
"	"	.8731	
"	"	.93757, 0°	
"	"	.86667, 54°.4	{ Schiff. G. C. I. 13, 177.
"	"	.9194	Elsässer. A. C. P. 218, 302.
"	"	.9152	
"	"	.9445, 0°	Winkelmann. P. A. (2), 26, 105.
"	"		Gartenmeister. A. C. P. 233, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl formate	$C_3 H_7. C H O_2$	.9197, 0°	Pierre and Puchot. Z. C. 12, 660.
" "	"	.877, 38°.5	
" "	"	.836, 72°.5	
" "	"	.9188, 0°	
" "	"	.8761, 38°.5	
" "	"	.835, 72°.5	Pierre and Puchot. Ann. (4), 22, 288.
" "	"	.9026, 14°	De Heen. Bei. 5, 105.
" "	"	.91838, 0°	Elsässer. A. C. P. 218, 302.
" "	"	.82146, 81°	
" "	"	.9023 } 20°	Winkelmann. P. A. (2), 26, 105.
" "	"	.9125 }	
" "	"	.9250, 0°	Gartenmeister. A. C. P. 233, 249.
" "	"	.8270, 81°	
Butyl formate	$C_4 H_9. C H O_2$	.9108, 0°	" "
" "	"	.7972, 106°.9	
Isobutyl formate	"	.8845, 0°	Pierre and Puchot. Ann. (4), 22, 319.
" "	"	.850, 34°	
" "	"	.8224, 59°.8	
" "	"	.7962, 83°.4	
" "	"	.8650, 14°	
" "	"	.7784, 98°	De Heen. Bei. 5, 105.
" "	"	.88543, 0°	Schiff. G. C. I. 13, 177.
" "	"	.78287, 97°.9	
Normal amyl formate	$C_5 H_{11}. C H O_2$	.9018, 0°	Elsässer. A. C. P. 218, 302.
" " " "	"	.7692, 130°.4	
Isoamyl formate	"	.884, 15°	Gartenmeister. A. C. P. 233, 249.
" " " "	"	.8945, 0°	
" "	"	.8743, 21°	Delfs. J. 7, 26.
" "	"	.8809, 15°	
" "	"	.8816, 14°	Kopp. A. C. P. 96.
" "	"	.7554, 123°.5	
" "	"	.8802, 20°	Mendelejeff. J. 13, 7.
" "	"	.894378, 0°	
" "	"	.77027, 123°.3	De Heen. Bei. 5, 105.
" "	"	.8495, 17°	
Normal hexyl formate	$C_6 H_{13}. C H O_2$	.8977, 0°	Schiff. G. C. I. 13, 177.
" " " "	"	.7484, 153°.6	
" " " "	"	.8937, 0°	Brühl. Bei. 4, 782.
" " " "	"	.7308, 176°.7	
Normal heptyl formate	$C_7 H_{15}. C H O_2$	.8929, 0°	Elsässer. A. C. P. 218, 302.
" " " "	"	.7156, 198°.1	
Normal octyl formate	$C_8 H_{17}. C H O_2$	.919, 22°	Frentzel. Ber. 16, 745.
" " " "	"	.8977, 0°	
Methyl acetate	$C H_3. C_2 H_3 O_2$	.9328, 0°	Gartenmeister. A. C. P. 233, 249.
" " " "	"	.9085, 21°	
" " " "	"	.9562, 0°	" "
" " " "	"	.93755, 15°.6	
" " " "	"	.86684, 0°	Kopp. P. A. 72, 271.
" " " "	"	.940	
" " " "	"	.9039, 20°	Pierre. C. R. 27, 213.
" " " "	"	.9319, 14°	
" " " "	"		Grodzki and Kraemer. Z. A. C. 14, 103.
" " " "	"		Brühl. Ber. 13, 1530.
" " " "	"		De Heen. Bei. 5, 105.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl acetate	$C_2H_5, C_2H_3O_2$	.8825 } 55° {	Schiff. G. C. I. 13,
" "	"	.8826 } 177.	
" "	"	.95774, 0°	Elsässer. A. C. P.
" "	"	.88086, 57°.5	218, 302.
" "	"	.9424, 0°	Winkelmann. P. A.
" "	"	.9238, 19°.2	(2), 26, 105.
" "	"	.9643, 0°	Henry. C. R. 101,
" "	"	.8873, 57°.3	250.
Ethyl acetate	$C_2H_5, C_2H_3O_2$	.866, 7°	Gartenmeister. Bei.
" "	"	.89, 15°	9, 766.
" "	"	.9051, 0°	Thénard. Gm. H.
" "	"	.91046, 0°	Liebig.
" "	"	.89277, 15°.7	Frankenheim. P. A.
" "	"	.8926, 15°.9	72, 427.
" "	"	.90691, 0°	Kopp. P. A. 72, 276.
" "	"	.906, 17°.5	Pierre. C. R. 27,
" "	"	.903, 17°	213.
" "	"	.932, 20°	Marsson. J. 4, 514.
" "	"	.9055, 17°.5	Becker. J. 5, 563.
" "	"	.8922, 15°	Gocsmann. J. 5,
" "	"	.8981, 15°	563.
" "	"	.903, 0°	Marsson. J. 6, 501.
" "	"	.868, 24°	Delffs. J. 7, 26.
" "	"	.9068, 15°	Mendelejeff. J. 13, 7.
" "	"	.9007, 20°	Pierre and Puchot.
" "	"	.9026, 14°	Ann. (4), 22, 261.
" "	"	.8220, 74°.3	Léblanc. Ann. (3),
" "	"	.9227, 0°	10, 198.
" "	"	.9076, 12°.80	Linnemann. A. C.
" "	"	.8914, 26°.24	P. 160, 195.
" "	"	.8730, 41°.13	Brühl. Ber. 13, 1530.
" "	"	.8594, 51°.75	DeHeen. Bei. 5, 105.
" "	"	.8466, 61°.87	Schiff. Ber. 14, 2766.
" "	"	.8309, 73°.74	
" "	"	.9004	
" "	"	.9012	Several intermedi-
" "	"	.8306 } 75°.5	ate values given.
" "	"	.8294 } Naccari and Pug-	
" "	"	.92388, 0°	liani. Bei. 6, 89.
" "	"	.82673, 77°.1	
" "	"	.9007 } 20°	W. I. Clark. Ber.
" "	"	.9047 } 16, 1227.	
" "	"	.9253, 0°	Schiff. G. C. I. 13,
Propyl acetate	$C_3H_7, C_2H_3O_2$	.910, 0°	177.
" "	"	.8635, 42°.5	Elsässer. A. C. P.
" "	"	.8137, 84°.6	218, 302.
" "	"	.910, 0°	Winkelmann. P. A.
" "	"	.8627, 42°.5	(2), 26, 105.
" "	"	.8128, 84°.6	Gartenmeister. Bei.
			9, 766.
			Pierre and Puchot.
			Z. C. 12, 660.
			Pierre and Puchot.
			Ann. (4), 22, 289.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl acetate	$C_3H_7, C_2H_3O_2$	.913, 0°	Rossi. A. C. P. 159, 79.
" "	"	.8992, 15°	Linnemann. A. C. P. 161, 30.
" "	"	.8856, 20°	Brühl. Ber. 13, 1530.
" "	"	.8871, 14°	De Heen. Bei. 5, 105.
" "	"	.7916 } 101°·8	{ Schiff. G. C. I. 13, 177.
" "	"	.7918 }	
" "	"	.909092, 0°	{ Elsässer. A. C. P. 218, 302.
" "	"	.794388, 100°·8	
" "	"	.9093, 0°	Gartenmeister. A. C. P. 233, 249.
Butyl acetate	$C_4H_9, C_2H_3O_2$	.9000, 0°	Lieben and Rossi. A. C. P. 158, 137.
" "	"	.8817, 20°	
" "	"	.8659, 40°	
" "	"	.8768, 23°	
" "	"	.9016, 0°	Linnemann. Ann. (4), 27, 268.
" "	"	.7683, 124°·5	Gartenmeister. A. C. P. 233, 249.
Isobutyl acetate	"	.8845, 16°	Wurtz. J. 7, 575.
" "	"	.892, 0°	Lieben. J. 21, 443.
" "	"	.89096, 0°	Chapman and Smith. J. C. S. 22, 160.
" "	"	.8747, 16°	
" "	"	.83143, 50°	
" "	"	.9052, 0°	
" "	"	.8668, 37°·1	
" "	"	.8328, 68°·9	
" "	"	.8096, 89°·4	
" "	"	.7972, 99°·75	
" "	"	.7589, 112°·7	
" "	"	.892100, 0°	
" "	"	.77080, 116°·3	{ Elsässer. A. C. P. 218, 302.
Normal amyl acetate	$C_5H_{11}, C_2H_3O_2$	.8963, 0°	Lieben and Rossi. A. C. P. 159, 70.
" "	"	.8792, 20°	
" "	"	.8645, 40°	
" "	"	.8948, 0°	
" "	"	.7461, 147°·6	Gartenmeister. A. C. P. 233, 249.
Methylpropylcarbyl acetate.	"	.9222, 0°	Wurtz. Z. C. 11, 490.
Diethylcarbyl acetate	"	.909, 0°	{ Wagner and Saytzeff. A. C. P. 175, 366.
" "	"	.893, 16°	
Amyl acetate	"	.8572, 21°	Kopp. A. C. P. 94, 297.
" "	"	.8765, 0°	
" "	"	.8837, 0°	Kopp. A. C. P. 94, 257.
" "	"	.8692, 15°·1	
" "	"	.863, 10°	Delffs. J. 7, 26.
" "	"	.8762, 15°	Mendelejeff. J. 13, 7.
" "	"	.8733 } 15°	Schorlemmer. J. 19, 527.
" "	"	.8752 }	
" " Inactive	"	.8838, 0°	Balbiano. Ber. 9, 1437.
" "	"	.8561, 14°	De Heen. Bei. 5, 105
" "	"	.8561, 20°	Brühl. Bei. 4, 782.
" "	"	.7429 } 138°·5	{ Schiff. G. C. I. 13, 177.
" "	"	.7430 }	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tertiary amyl acetate	$C_5 H_{11} C_2 H_3 O_2$	.8909, 0°	Flawitzky. A. C. P.
" " "	"	.8738, 19°	179, 349.
Normal hexyl acetate	$C_8 H_{18} C_2 H_3 O_2$	.8890, 17°	Franchimont and Zincke. C. N. 24, 263.
" " "	"	.8902, 0°	Gartenmeister. A.
" " "	"	.7267, 169°.2	C. P. 233, 249.
Secondary hexyl acetate	"	.8778, 0°	{ Wanklyn and Er- lenmeyer. J. 16, 522.
" " "	"	.8310, 50°	
Methyl-diethylcarbyl ace- tate.	"	.8824, 20°	Reformatsky. J. P. C. (2), 36, 340.
" " "	"	.8772, 25°	
" " "	"	.8735, 30°	
Ethylpropylcarbyl ace- tate.	"	.8679, 35°	Buff. J. 21, 336.
" " "	"	.8525, 0°	
Methylisobutylcarbyl ace- tate.	"	.8805, 0°	Kuwschinow. Ber. 20, ref. 629.
Methylpropylethol ace- tate.	"	.8717, 25°	Lieben and Zeisel. M. C. 4, 33.
Normal heptyl acetate	$C_7 H_{15} C_2 H_3 O_2$	.874, 16°	Cross. J. C. S. 32, 123.
" " "	"	.8891, 0°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.7134, 191°.3	
Isoheptyl acetate	"	.8605, 16°	Three products.
" " "	"	.8707, 16°.5	Schorlemmer. A.
" " "	"	.8868, 19°	C. P. 136, 271.
Dipropylcarbyl acetate	"	.8742, 0°	{ Ustinoff and Saytz- eff. J. P. C. (2), 34, 470.
" " "	"	.8587, 20°	
Methylisoamylcarbyl ace- tate.	"	.8595, 23°	Rohn. A. C. P. 190, 312.
Normal octyl acetate	$C_8 H_{17} C_2 H_3 O_2$	.8717, 16°	Zincke. J. 22, 370.
" " "	"	.8847, 0°	Gartenmeister. A. C. P. 233, 249.
" " "	"	.6981, 210°	
Methyldipropylcarbyl ace- tate.	"	.8738, 0°	{ Gortloff and Saytzeff. J. P. C. (2), 33, 702.
" " "	"	.8554, 20°	
"Octylene acetate"	"	.822, 0°	Clermont. J. 17, 517.
" " "	"	.803, 26°	
Ethyl-dipropylcarbyl ace- tate.	$C_9 H_{19} C_2 H_3 O_2$	.8795, 0°	{ Tschebotareff and Saytzeff. J. P. C. (2), 33, 193.
" " "	"	.8675, 20°	
Isomer of myristic acetate	$C_{16} H_{32} O_2$	.8559, 15°	Perkin, Jr. J. C. S. 43, 77.
" " "	"	.8476, 30°	
" " "	"	.8448, 35°	
Cetyl acetate	$C_{16} H_{33} C_2 H_3 O_2$	.858, 20°	Dollfus. J. 17, 518.
Methyl propionate	$C H_3 C_3 H_5 O_2$	.9578, 4°	Kahlbaum. Ber. 12, 344.
" " "	"	.8954, 14°	De Heen. Bei. 5, 105.
" " "	"	.8422	{ Schiff. G. C. I. 13, 177.
" " "	"	.8423 } 78°.5	
" " "	"	.93725, 0°	Elsässer. A. C. P. 218, 302.
" " "	"	.836798, 79°.9	
" " "	"	.922, 15°	Israel. A. C. P. 231, 197.
" " "	"	.9403, 0°	Gartenmeister. Bei. 9, 766.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl propionate	$C_2H_5 \cdot C_3H_5O_2$	.9231, 0°	Kopp. A. C. P. 95, 307.
"	"	.8949, 26°.3	
"	"	.9139, 0°	Pierre and Puchot.
"	"	.8625, 45°.1	
"	"	.816, 83°	Ann. (4), 22, 351.
"	"	.8964, 16°	Linnemann. A. C. P.
"	"	.8945, 17°	160, 195.
"	"	.9175, 14°	DeHeen. Bei. 5, 105.
"	"	.7961	{ Schiff. G. C. I. 13,
"	"	.7963	
"	"	.9109, 0°	Several intermediate values given. Naccari and Pagliani. Bei. 6, 89.
"	"	.8968, 12°.60	
"	"	.8832, 24°.57	
"	"	.8637, 41°.54	
"	"	.8514, 52°.05	
"	"	.8365, 64°.46	
"	"	.8247, 74°.46	
"	"	.8020, 92°.96	
"	"	.91238, 0°	
"	"	.79868, 93°.3	
"	"	.91224, 0°	Elsässer. A. C. P. 218, 302.
"	"	.886	Weger. Ber. 16, 2912.
"	"	.8910	
"	"	.8900, 19°	Three samples. Israel. A. C. P. 231, 197.
"	"	.9022, 0°	
Propyl propionate	$C_3H_7 \cdot C_3H_5O_2$	.9022, 0°	Pierre and Puchot.
"	"	.8498, 51°.27	
"	"	.7944, 100°.6	Ann. (4), 22, 293.
"	"	.7839, 108°.34	Linnemann. A. C. P. 161, 32.
"	"	.8885, 13°	
"	"	.8821, 14°	DeHeen. Bei. 5, 105.
"	"	.7680	Schiff. G. C. I. 13, 177.
"	"	.7683	
"	"	.90192, 0°	Elsässer. A. C. P. 218, 302.
"	"	.772008, 122°.2	
"	"	.9023, 0°	Gartenmeister. A. C. P. 233, 249.
Butyl propionate	$C_4H_9 \cdot C_3H_5O_2$	.8828, 15°	Linnemann. Ann. (4), 27, 268.
"	"	.8953, 0°	Gartenmeister. A. C. P. 233, 249.
"	"	.7489, 145°.4	
Isobutyl propionate	"	.8926, 0°	Pierre and Puchot. Ann. (4), 22, 324.
"	"	.8437, 49°.2	
"	"	.7896, 100°.15	
"	"	.7698, 116°.5	
"	"	.887595, 0°	
"	"	.74424, 136°.8	
Amyl propionate	$C_5H_{11} \cdot C_3H_5O_2$	.8700, 14°	DeHeen. Bei. 5, 105.
"	"	.7295, 160°	Schiff. G. C. I. 13, 177.
"	"	.887672, 0°	
"	"	.73646, 160°.2	Elsässer. A. C. P. 218, 302.
"	"	.8846, 0°	
Normal heptyl propionate	$C_7H_{15} \cdot C_3H_5O_2$	.6946, 208°	Gartenmeister. A. C. P. 233, 249.
"	"	.8833, 0°	
Normal octyl propionate	$C_8H_{17} \cdot C_3H_5O_2$	.6860, 226°.4	" "
"	"	.92098, 0°	
Methyl butyrate	$C_4H_7 \cdot C_4H_7O_2$	.9045, 15°.5	Kopp. P. A. 72, 280.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl butyrate	$C_4H_8O_2$	1.02928, 0°	Pierre. C. R. 27, 213.
" "	"	.9091, 0°	Kopp. A. C. P. 95, 307.
" "	"	.8793, 30°.3	
" "	"	.9475, 4°	Kahlbaum. Ber. 12, 344.
" "	"	.8962, 20°	Brühl. Ber. 13. 1530]
" "	"	.91939, 0°	
" "	"	.80261, 102°.3	} Elsässer. A. C. P. 218, 302.
" "	"	.9194, 0°	
			Gartenmeister. A. C. P. 233, 249.
Methyl isobutyrate	"	.9056, 0°	} Pierre and Puchot. B. S. C. 19, 72.
" "	"	.8625, 38°.65	
" "	"	.815, 78°.6	
" "	"	.911181, 0°	
" "	"	.80397, 92°.3	Elsässer. A. C. P. 218, 302.
Ethyl butyrate	$C_6H_{12}O_2$	.9003, 18°	Linnemann. A. C. P. 190, 195.
" "	"	.8990, 17°	} Brühl. Ber. 14, 2800.
" "	"	.8892, 20°	
" "	"	.7703	} Schiff. G. C. I. 13, 177.
" "	"	.7705	
" "	"	.90193, 0°	Pierre. C. R. 27, 213.
" "	"	.8894, 15°	Mendelejeff. J. 13, 7.
" "	"	.8942, 0°	Frankland and Duppa. J. 18, 306.
" "	"	.89957, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.76940, 119°.9	
" "	"	.9004, 0°	Gartenmeister. A. C. P. 233, 249.
Ethyl isobutyrate	"	.90412, 0°	} Kopp. P. A. 72, 287.
" "	"	.89065, 13°	
" "	"	.890, 0°	} Pierre and Puchot. B. S. C. 19, 72.
" "	"	.871, 18°.8	
" "	"	.831, 55°.6	
" "	"	.7794, 100°.1	
" "	"	.7681, 110°.1	Schiff. G. C. I. 13, 177.
" "	"	.890367, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.77725, 110°.1	
Propyl butyrate	$C_7H_{14}O_2$	.8789, 15°	Linnemann. A. C. P. 161, 33.
" "	"	.89299, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.745694, 142°.7	
Propyl isobutyrate	"	.8872, 0°	} Pierre and Puchot. Ann. (4), 22, 295.
" "	"	.8402, 47°.24	
" "	"	.7842, 100°.25	
" "	"	.7525, 128°.75	
" "	"	.884317, 0°	} Elsässer. A. C. P. 218, 302.
" "	"	.74647, 133°.9	
Isopropyl butyrate	"	.8787, 0°	} Silva. Z. C. 12, 508.
" "	"	.8652, 13°	
Butyl butyrate	$C_8H_{16}O_2$	.8885, 0°	} Lieben and Rossi. A. C. P. 158, 137.
" "	"	.8717, 20°	
" "	"	.8579, 40°	
" "	"	.8760, 12°	
" "	"	.8878, 0°	} Gartenmeister. A. C. P. 233, 249.
" "	"	.7264, 165°.7	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyl butyrate	$C_4H_9, C_4H_7O_2$	.881778, 0°	} Elsässer. A. C. P. 218, 302.
" "	" "	.71630, 156° 9'	
" "	" "	.8798, 0°	} Grunzweig. B. S. C. 18, 125.
" "	" "	.86635, 16°	
" "	" "	.81838, 98° 4'	
Isobutyl isobutyrate	" "	.8719, 0°	} Pierre and Puchot. Ann. (4), 22, 326.
" "	" "	.8238, 50° 8'	
" "	" "	.7753, 99° 8'	
" "	" "	.7439, 128° 3'	} Elsässer. A. C. P. 218, 302.
" "	" "	.874957, 0°	
" "	" "	.73281, 146° 6'	} Grunzweig. B. S. C. 18, 125.
" "	" "	.87519, 0°	
" "	" "	.86064, 15°	} Grunzweig. B. S. C. 18, 125.
" "	" "	.81192, 98° 4'	
Normal amyl butyrate	$C_5H_{11}, C_4H_7O_2$	.8832, 0°	} Gartenmeister. A. C. P. 233, 249.
" " "	" "	.7092, 184° 8'	
Amyl butyrate	" "	.8683, 15°	} Mendelejeff. J. 13, 7. Delfs. J. 7, 26.
" "	" "	.852, 15°	
" "	" "	.882306, 0°	} Elsässer. A. C. P. 218, 302.
" "	" "	.71148, 178° 6'	
" "	" "	.873, 10°	} DeHeen. Bei. 10, 313.
Amyl isobutyrate	" "	.8769, 0°	
" "	" "	.8264, 55° 4'	} Pierre and Puchot. Ann. (4), 22, 343.
" "	" "	.7839, 100° 2'	
" "	" "	.7446, 139° 5'	} Elsässer. A. C. P. 218, 302.
" "	" "	.875965, 0°	
" "	" "	.70662, 168° 8'	} Gartenmeister. A. C. P. 233, 249.
Normal hexyl butyrate	$C_6H_{13}, C_4H_7O_2$	.8825, 0°	
" " "	" "	.6963, 205° 1'	} " "
Normal heptyl butyrate	$C_7H_{15}, C_4H_7O_2$	.8827, 0°	
" " "	" "	.6869, 225° 2'	} " "
Normal octyl butyrate	$C_8H_{17}, C_4H_7O_2$	.8794, 0°	
" " "	" "	.6751, 242° 2'	} Dollfus. J. 17, 518. Cahours and Demarçay. C. R. 89, 331.
Cetyl butyrate	$C_{16}H_{33}, C_4H_7O_2$	.856, 20°	
Methyl valerate	$C_4H_9, C_5H_9O_2$	.895, 17°	} Gartenmeister. Bei. 9, 766.
" " "	" "	.9097, 0°	
" " "	" "	.7767, 127° 3'	} Kopp. A. C. P. 96.
Methyl isovalerate	" "	.8960, 0°	
" " "	" "	.8806, 16°	} Kopp. P. A. 72, 291.
" " "	" "	.901525, 0°	
" " "	" "	.88687, 15°	} Pierre and Puchot. Ann. (4), 22, 349/
" " "	" "	.88662, 15° 3'	
" " "	" "	.9005, 0°	} Renard. Ann. (6), 1, 223.
" " "	" "	.8581, 41° 5'	
" " "	" "	.8343, 64° 3'	} Schmidt and Sacht- leben. J. C. S. 36, 139.
" " "	" "	.7945, 100° 1'	
" " "	" "	.8908, 16°	} Brühl. Bei. 4, 782. Elsässer. A. C. P. 218, 302.
" " "	" "	.885465, 17°	
" " "	" "	.8795, 20°	} Lieben and Rossi. A. C. P. 165, 109.
" " "	" "	.90065, 0°	
" " "	" "	.77518, 116° 7'	} " "
Ethyl valerate	$C_2H_5, C_5H_9O_2$	.894, 0°	
" " "	" "	.8765, 20°	} " "
" " "	" "	.8616, 40°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl valerate	$C_2H_5 \cdot C_5H_9O_2$	.878, 18° 5	Cahours and Demarçay. C. R. 89, 331.
" "	"	.8939, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.7443, 144° 7	Otto. A. C. P. 25, 62.
Ethyl isovalerate	"	.894, 13°	Berthelot. J. 7, 441.
" "	"	.869, 14°	"
" "	"	.8829, 0°	Kopp. A. C. P. 96.
" "	"	.8659, 18°	
" "	"	.886, 0°	Pierre and Puchot. Ann. (4), 22, 353.
" "	"	.832, 55° 7	
" "	"	.7843, 99° 63	Brühl. Bei. 4, 782.
" "	"	.7582, 122° 5	
" "	"	.8661, 20°	Elsässer. A. C. P. } 218, 302.
" "	"	.88514, 0°	
" "	"	.74764, 134° 3	Renard. Ann. (6), 1, 223.
" "	"	.8743, 16°	
" "	"	.8882, 0°	Frankland and Duppa. J. 20, 396.
" "	"	.87166, 18°	
Ethyl trimethylacetate	"	.8773, 0°	Friedel and Silva. J. C. S. (2), 11, 1127.
" "	"	.8535, 25°	Butlerow. B. S. C. 23, 27.
" "	"	.875, 0°	
Ethyl methylethylacetate	"	.877, 15°	Israel. A. C. P. 231, 197.
Propyl valerate	$C_3H_7 \cdot C_5H_9O_2$	.8888, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.7264, 167° 05	
Propyl isovalerate	"	.8862, 0°	Pierre and Puchot. Ann. (4), 22, 297.
" "	"	.8387, 50° 8	
" "	"	.7906, 100° 15	Elsässer. A. C. P. } 218, 302.
" "	"	.7755, 113° 7	
" "	"	.880915, 0°	Silva. Z. C. 12, 508.
" "	"	.727405, 155° 9	
Isopropyl isovalerate	"	.8702, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.8538, 17°	
Butyl valerate	$C_4H_9 \cdot C_5H_9O_2$	.8847, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.7095, 185° 8	
Isobutyl isovalerate	"	.8884, 0°	Pierre and Puchot. Ann. (4), 22, 330.
" "	"	.8438, 49° 7	
" "	"	.7966, 100°	Elsässer. A. C. P. } 218, 302.
" "	"	.7428, 155° 8	
" "	"	.873599, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.70549, 168° 7	
Normal amyl valerate	$C_5H_{11} \cdot C_5H_9O_2$	.8812, 0°	Gartenmeister. Bei. 9, 766.
" "	"	.6982, 203° 7	
Amyl isovalerate	"	.8793, 0°	Kopp. A. C. P. 94, 257.
" "	"	.8645, 17° 7	
" "	"	.8596, 15°	Mendelejeff. J. 13, 7.
" "	"	.874, 0°	
" "	"	.832, 50° 67	Pierre and Puchot. Ann. (4), 22, 346.
" "	"	.787, 100°	
" "	"	.740, 149° 5	Balbiano. Ber. 9, 1437.
" "	Inactive	.8700, 0°	
" "	"	.8633, 16°	Renard. Ann. (6), 1, 223.
" "	"	.859, 15°	Ley. Ber. 6, 1362.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl isovalerate	$C_5 H_{11} C_5 H_9 O_2$	.8658, 20°	Brühl. Bei. 4, 782.
" "	"	.863, 10°	De Heen. Bei. 11, 318.
Normal hexyl valerate	$C_6 H_{13} C_6 H_9 O_2$	.8797, 0°	Gartenmeister. Bei. 9, 766.
" " "	"	.6823, 223°·8	
Normal heptyl valerate	$C_7 H_{15} C_6 H_9 O_2$	.8786, 0°	" "
" " "	"	.6708, 243°·6	
Normal octyl valerate	$C_8 H_{17} C_6 H_9 O_2$	.8784, 0°	" "
" " "	"	.6618, 260°·2	
Octyl isovalerate	"	.8624, 16°	Zincke. J. 22, 371.
Cetyl isovalerate	$C_{16} H_{33} C_5 H_9 O_2$	.852, 20°	Dollfus. J. 17, 518.
Methyl caproate	$C H_3 C_6 H_{11} O_2$	.8977, 18°	Fehling. A. C. P. 53, 399.
" " "	"	.889, 19°	Cahours and Demarcay. C. R. 89, 331.
" " "	"	.9039, 0°	Gartenmeister. Bei. 9, 766.
" " "	"	.7536, 149°·6	
Ethyl caproate	$C_2 H_5 C_6 H_{11} O_2$	.882, 18°	Lerch. A. C. P. 49, 212.
" " "	"	.8765, 17°·5	Franchimont and Zincke. A. C. P. 163, 193.
" " "	"	.8898, 0°	Lieben and Rossi. A. C. P. 165, 118.
" " "	"	.8732, 20°	
" " "	"	.8594, 40°	Lieben. A. C. P. 170, 89.
" " "	"	.8898, 0°	
" " "	"	.8728, 20°	Cahours and Demarcay. C. R. 89, 331.
" " "	"	.8596, 40°	
" " "	"	.878, 19°	Gartenmeister. Bei. 9, 766.
" " "	"	.8888, 0°	
" " "	"	.7269, 166°·6	Lieben and Rossi. A. C. P. 165, 118.
" " "	"	.887, 0°	
Ethyl isocaproate	"	.8705, 20°	Frankland and Duppa. J. 18, 308.
" " "	"	.8566, 40°	
Ethyl diethylacetate	"	.8822, 0°	Saytzeff. Ber. 11, 512.
" " "	"	.8826, 0°	
" " "	"	.8686, 18°	Lieben and Zeisel. M. C. 4, 26.
" " "	"	.8816, 0°	
Ethylmethylpropylacetate	"	.8670, 18°	Gartenmeister. Bei. 9, 766.
" " "	"	.8841, 0°	
Propyl caproate	$C_3 H_7 C_6 H_{11} O_2$	.8844, 0°	" "
" " "	"	.7097, 185°·5	
Butyl caproate	$C_4 H_9 C_6 H_{11} O_2$	.8824, 0°	Franchimont and Zincke. C. N. 24, 263.
" " "	"	.6978, 204°·3	
Hexyl caproate	$C_6 H_{13} C_6 H_{11} O_2$	.865	Romburgh. J. C. S. 52, 228.
" " "	"	.867, 15°	
Methylethylpropyl methylethylpropionate.	"	.867, 15°	Gartenmeister. Bei. 9, 766.
Normal heptyl caproate	$C_7 H_{15} C_6 H_{11} O_2$	.8769, 0°	
" " "	"	.6594, 259°·4	" "
Normal octyl caproate	$C_8 H_{17} C_6 H_{11} O_2$	.8748, 0°	
" " "	"	.6509, 275°·2	Cahours and Demarcay. C. R. 89, 331.
Methyl oenanthate	$C H_3 C_7 H_{13} O_2$	.889, 19°	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl oenanthate	$C_7 H_{13} O_2$	.8981, 0°	Gartenmeister. Bei.
" "	"	.7325, 172°.1	9, 766.
Methyl isoöenanthate	"	.8840, 15°	Poetsch. A. C. P.
" "	"	.8790, 15°	218, 56.
" "	"		Hecht. A. C. P.
Ethyl oenanthate	$C_8 H_{15} O_2$	.874, 24°	209, 324.
" "	"	.8785, 16°	Franchimont. A. C.
" "	"		P. 165, 237.
" "	"	.871, 21°	Grimshaw and
" "	"		Schorlemmer. A.
" "	"		C. P. 170, 137.
" "	"	.877, 16°.5	Mehlis. A. C. P.
" "	"		185, 366.
" "	"		Cahours and Demarçay. C. R. 89, 331.
" "	"	.8879, 0°	
" "	"	.8716, 20°	Lieben and Janecek.
" "	"	.8589, 40°	J. R. C. 5, 156.
" "	"	.87163	
" "	"	.87199	15°
" "	"	.86477	
" "	"	.86487	25°
" "	"	.8861, 0°	
" "	"	.7105, 187°.1	Gartenmeister. Bei.
Ethyl isoöenanthate	"	.8720, 15°	9, 766.
" "	"		Poetsch. A. C. P.
" "	"		218, 56.
" "	"	.8685, 15°	Hecht. A. C. P. 209,
" "	"	.8570, 27°	324.
Propyl oenanthate	$C_9 H_{17} O_2$	.8824, 0°	Gartenmeister. Bei.
" "	"	.6965, 206°.4	9, 766.
Propyl isoöenanthate	"	.8635, 19°	Hecht. A. C. P. 209,
" "	"		324.
Isopropyl isoöenanthate	"	.859, 19°	Hecht. A. C. P. 209,
" "	"		325.
Butyl oenanthate	$C_{10} H_{19} O_2$	.8807, 0°	Gartenmeister. Bei.
" "	"	.6839, 225°.1	9, 766.
Normal heptyl oenanthate	$C_{15} H_{31} O_2$	.870, 16°	Cross. J. C. S. 32,
" "	"		123.
" "	"	.86522, 15°	Perkin. J. P. C.
" "	"	.85933, 25°	(2), 32, 523.
" "	"	.8807, 0°	Gartenmeister. Bei.
" "	"	.6839, 225°.1	9, 766.
Normal octyl oenanthate	$C_{17} H_{35} O_2$	.8757, 0°	" "
" "	"	.6419, 290°.4	
Methyl caprylate	$C_{11} H_{23} O_2$	.882	Fehling. A. C. P.
" "	"		53, 399.
" "	"	.887, 18°	Cahours and Demarçay. C. R. 89, 331.
" "	"		Gartenmeister. Bei.
" "	"	.8942, 0°	9, 776.
" "	"	.7163, 192°.9	
Ethyl caprylate	$C_{13} H_{27} O_2$	.8738, 15°	Fehling. A. C. P. 53,
" "	"		399.
" "	"	.8728, 16°	Zincke. J. 22, 373.
" "	"	.878, 17°	Cahours and Demarçay. C. R. 89, 331.
" "	"		Gartenmeister. Bei.
" "	"	.8842, 0°	9, 766.
" "	"	.6980, 205°.8	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl caprylate -----	$C_3 H_7. C_8 H_{15} O_2$ -----	.8805, 0° ----	Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.8867, 224°.7	
Butyl caprylate -----	$C_4 H_9. C_8 H_{15} O_2$ -----	.8797, 0° ----	“ “
“ “ -----	“ “ -----	.6745, 240°.5	
Normal heptyl caprylate -----	$C_7 H_{15}. C_8 H_{15} O_2$ -----	.8754, 0° ----	“ “
“ “ -----	“ “ -----	.6405, 289°.8	
Normal octyl caprylate -----	$C_8 H_{17}. C_8 H_{15} O_2$ -----	.8625, 16° ----	Zinke. J. 22, 371. Gartenmeister. Bei. 9, 766.
“ “ -----	“ “ -----	.8755, 0° ----	
“ “ -----	“ “ -----	.6318, 305°.9	Zinke and Franchi- mont. A.C.P. 164, 333.
Methyl pelargonate -----	$C H_3. C_9 H_{17} O_2$ -----	.8765, 17°.5	
Ethyl pelargonate -----	$C_2 H_5. C_9 H_{17} O_2$ -----	.86	Cabours. J. 3, 401. Delfs. J. 7, 26.
“ “ -----	“ “ -----	.8725, 15°.5	
“ “ -----	“ “ -----	.8655, 17°.5	Zinke and Franchi- mont. A.C.P. 164, 333.
“ “ -----	“ “ -----	.86307	
“ “ -----	“ “ -----	.86231	With acid from six sources. Berg- mann. Arch. Pharm. 22, 331.
“ “ -----	“ “ -----	.86503	
“ “ -----	“ “ -----	.86402	
“ “ -----	“ “ -----	.86376	
“ “ -----	“ “ -----	.86209	
“ “ -----	“ “ -----	.87033, 15°	
“ “ -----	“ “ -----	.86407, 25°	Perkin. J. P. C. (2), 32, 523.
Ethyl isononylate -----	“ “ -----	.86406, 17°	
Ethyl rutylate -----	$C_2 H_5. C_{10} H_{19} O_2$ -----	.862	Rowney. J. 4, 443.
Ethyl laurate -----	$C_2 H_5. C_{12} H_{23} O_2$ -----	.86, 20°	Görgey. J. 1, 561.
“ “ -----	“ “ -----	.8671, 19°	Delfs. J. 7, 26.
Ethyl myristate -----	$C_2 H_5. C_{14} H_{27} O_2$ -----	.864	Playfair. A.C.P. 37, 153.

## 6th. Aldehydes of the Acetic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic aldehyde. B. 20°.8.	$C_2 H_4 O$ -----	.7900, 18° ----	Liebig. A. C. P. 14, 132.
“ “ -----	“ -----	.79442, 5°.1	Kopp. P. A. 72, 235.
“ “ -----	“ -----	.79388, 5°.6	
“ “ -----	“ -----	.80092, 0° ----	
“ “ -----	“ -----	.80551, 0° ----	Pierre. C. R. 27, 213.
“ “ -----	“ -----	.796, 15° ----	Guckelberger. J. 1, 848.
“ “ -----	“ -----	.8217, 5°—10°	Regnault. P. A. 62, 50.
“ “ -----	“ -----	.8173, 10°—15°	
“ “ -----	“ -----	.8130, 15°—20°	
“ “ -----	“ -----	.7771, 21°	Ramsay. J. C. S. 35, 463.
“ “ -----	“ -----	.807, 0°	Wurtz.
“ “ -----	“ -----	.7932, 10°	Landolt.
“ “ -----	“ -----	.7799, 20°	Brühl. Bei. 4, 782.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetic aldehyde	$C_2 H_4 O$	.79509, 10°	Perkin. J. P. C. (2), 32, 523.
" "	"	.79138, 13°	
" "	"	.78761, 16°	
" "	"	.81312, 5°	
" "	"	.80561, 0°	
" "	"	.80058, 4°	
" "	"	.79520, 8°	Perkin. J. C. S. 51, 808.
" "	"	.78826, 13°	
Paraldehyde. B. 124°	$(C_2 H_4 O)_3$	.998, 15°	Kekulé and Zincke. Z. C. 13, 560.
"	"	.9943	20° { Two lots. Brühl. A. C. P. 203, 1. Schiff. G. C. I. 13, 177.
"	"	.9971	
"	"	.8737	
"	"	.8739	
"	"	.9909, 19°	Gladstone. Bei. 9, 249.
"	"	.9982	Louguinine. Ber. 19, ref. 2.
"	"	.99925, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	.99003, 25°	
Isomerofaldehyde. B. 110°	$(C_2 H_4 O)_n$	1.033, 0°	Bauer. J. 13, 436.
Propionic aldehyde.	$C_3 H_6 O$	.790, 15°	Guckelberger. J. 1, 848.
" " B. 49° 5.	"	.8284, 0°	Michaelson. J. 17, 336.
" " "	"	.804, 17°	Rossi. A. C. P. 159, 79.
" " "	"	.832, 0°	Pierre and Puchot. Ann. (4), 22, 298.
" " "	"	.8192, 9° 7	
" " "	"	.7898, 32° 6	
" " "	"	.8074, 21°	Linnemann. A. C. P. 161, 23.
" " "	"	.8066, 20°	Brühl. Ber. 13, 1527.
" " "	"	.80648, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.79664, 25°	
Butyric aldehyde. B. 75°	$C_4 H_8 O$	.821, 22°	Chancel. C. R. 19, 1440.
" " "	"	.8341, 0°	Michaelson. J. 17, 336.
" " "	"	.8170, 20°	Brühl. A. C. P. 203, 1.
" " "	"	.80, 15°	Guckelberger. J. 1, 849.
Isobutyric aldehyde. B. 63°	"	.8226, 0°	Pierre and Puchot. Z. C. 13, 255.
" " "	"	.7919, 27° 75	
" " "	"	.7638, 50° 4	
" " "	"	.7950, 20°	Urech. Ber. 12, 1744.
" " "	"	.803, 20°	Linnemann. Ann. (4), 27, 268.
" " "	"	.7938, 20°	Brühl. A. C. P. 203, 1.
" " "	"	.8057, 0°	Fossek. M. C. 4, 662.
" " "	"	.7898, 20°	
" " "	"	.79722, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.78787, 26°	
Polymer of isobutyric aldehyde.	$(C_4 H_8 O)_n$	.969, 24°	Urech. Ber. 12, 1744.
Isovaleric aldehyde. B. 92° 5.	$C_5 H_{10} O$	.818	Trautwein.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isovaleric aldehyde	$C_5 H_{10} O$	.820, 22°	Chancel. J. P. C. 36, 447.
"	"	.8009, 20°	Personne. J. 7, 654.
"	"	.8224, 0°	Kopp. A. C. P. 94, 257.
"	"	.8057, 17°.4	
"	"	.8209, 0°	Pierre and Puchot. Ann. (4), 22, 340.
"	"	.778, 43°.4	
"	"	.7485, 71°.9	A. Schröder. Z. C. 14, 510.
"	"	.768, 12°.5	
"	"	.7984, 20°	Brühl. Bei. 4, 782.
"	"	.8061, 25°	Gladstone. Bei. 9, 249.
"	"	.7998, 20°	Landolt. P. A. 122, 556.
"	"	.80405, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	.79607, 25°	
Polymer of valeral. B. 215°	$(C_5 H_{10} O)_n$	.90	Wanklyn. J. 22, 530.
Isomer of capraldehyde. B. 180°—185°	$C_6 H_{12} O$	.842, 15°	Fittig. J. 13, 319.
Oenanthaldehyde, or oenanthol. B. 154°.	$C_7 H_{14} O$	.8271, 7°	Bussy. J. P. C. 37, 92.
"	"	.827, 17°	Williamson. J. 1, 565.
"	"	.823, 16°	Cross. J. C. S. 32, 123.
"	"	.8495, 20°	Brühl. A. C. P. 203, 1.
"	"	.8231, 15°	Perkin, Jr. Ber. 15, 2802.
"	"	.8128, 30°	
"	"	.8099, 35°	Perkin. J. P. C. (2), 32, 523.
"	"	.82264, 15°	
"	"	.81578, 25°	Fittig. J. 13, 319.
"	"	.835, 14°	
Isomer of oenanthol. B. 161°—164°.	"	.835, 14°	
Caprylic aldehyde. B. 178°	$C_8 H_{16} O$	.818, 19°	Bouis. J. 8, 524.
"	"	.820	Limpricht. A. C. P. 93, 242.
Euodyl aldehyde. B. 213.	$C_{11} H_{22} O$	.8497, 15°	Williams. J. 11, 443.
Isomer of myristic aldehyde.	$C_{14} H_{28} O$	.8274, 30°	Perkin, Jr. J. C. S. 43, 71.
"	"	.8258, 35°	
Derivative of the foregoing compound.	$C_{21} H_{40} O$	.8744, 15°	Perkin, Jr. J. C. S. 43, 72.
"	"	.8665, 30°	
"	"	.8687, 35°	

## 7th. Ketones of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethyl ketone, or acetone. B. 56°.5.	$C_2H_5 \cdot CO \cdot C_2H_5$ ----	.7921, 18° ----	Liebig. Gm. H.
“ “ “ ----	“ ----	.8144, 0° ----	Kopp. P. A. 72, 239.
“ “ “ ----	“ ----	.79045, 13°.9 } .790, 15° ----	
“ “ “ ----	“ ----	.8008, 15° ----	Linnemann. A. C. P. 143, 349.
“ “ “ ----	“ ----	.7938, 18° ----	Mendelejeff. J. 13, 7.
“ “ “ ----	“ ----	.7975, 15° ----	Linnemann. A. C. P. 161, 18.
“ “ “ ----	“ ----	.7998, 15° ----	Grodzki and Krämer. Z. A. C. 14, 103.
“ “ “ ----	“ ----	.81858, 0° ----	} Thorpe. J. C. S. 37, 371.
“ “ “ ----	“ ----	.75369, 56°.53 }	
“ “ “ ----	“ ----	.7920, 20° ----	Brühl. Ber. 13, 1527.
“ “ “ ----	“ ----	.8125, 0° ----	Zander. A. C. P. 214, 181.
“ “ “ ----	“ ----	.7489, 56°.3 }	
“ “ “ ----	“ ----	.7506, 56° ----	Schiff. G. C. I. 13, 177.
“ “ “ ----	“ ----	.79652, 15° ----	} Perkin. J. P. C. (2), 32, 523.
“ “ “ ----	“ ----	.78669, 25° ----	
Methyl ethyl ketone, or methyl acetone. B. 78°.	$C_2H_5 \cdot CO \cdot C_2H_5$ ----	.838, 19° ----	Fittig. J. 12, 341.
“ “ “ ----	“ ----	.8125, 13° ----	Frankland and Duppa. J. 18, 309.
“ “ “ ----	“ ----	.824, 0° ----	Popoff. J. 20, 399.
“ “ “ ----	“ ----	.8063, 15°.3 ----	Grimm. Z. C. 14, 174.
“ “ “ ----	“ ----	.8045, 19°.8 ----	Schramm. Ber. 16, 1581.
Diethyl ketone, or propione. B. 104°.	$C_2H_5 \cdot CO \cdot C_2H_5$ ----	.811, 11°.5 ----	Genther. J. 20, 455.
“ “ “ ----	“ ----	.8145, 0° ----	} Chapman and Smith. J. 20, 453.
“ “ “ ----	“ ----	.8015, 15° ----	
“ “ “ ----	“ ----	.813, 20° ----	Smith. B. S. C. 18, 321.
“ “ “ ----	“ ----	.829, 0° ----	} Wagner and Saytzeff. A. C. P. 179, 323.
“ “ “ ----	“ ----	.811, 19° ----	
“ “ “ ----	“ ----	.8335, 0° ----	Chancel. C. R. 99, 1055.
Methyl propyl ketone. B. 103°.	$C_2H_5 \cdot CO \cdot C_3H_7$ ----	.8078, 18°.5 ----	Grimm. Z. C. 14, 174.
“ “ “ ----	“ ----	.827, 0° ----	Friedel. J. 11, 295.
“ “ “ ----	“ ----	.842, 19° ----	Fittig. J. 12, 341.
“ “ “ ----	“ ----	.8132, 13° ----	} Frankland and Duppa. J. 18, 307.
“ “ “ ----	“ ----	.8040, 22° ----	
“ “ “ ----	“ ----	.815, 17°.5 ----	Popoff. A. C. P. 161, 285.
“ “ “ ----	“ ----	.828, 0° ----	} Wagner and Saytzeff. A. C. P. 179, 323.
“ “ “ ----	“ ----	.810, 19° ----	
“ “ “ ----	“ ----	.8264, 0° ----	Chancel. C. R. 99, 1055.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl propyl ketone	$C_4H_8O$	.81238	Perkin. J. P. C. (2), 32, 523.
" " "	"	.81233 } 15°	
" " "	"	.80447 } 25°	
" " "	"	.80423 } 25°	
Methyl isopropyl ketone. B. 95°.	"	.8099, 13°	Frankland and Duppa. J. 18, 309.
" " "	"	.815, 15°	Münch. A. C. P. 180, 337.
" " "	"	.822, 0°	Wischnegradsky. A. C. P. 190, 341.
" " "	"	.804, 19°	
" " "	"	.8123, 0°	Winogradow. A. C. P. 191, 125.
" " "	"	.8051, 19°	
Ketone from amylene bromide. B. 76°—81°.	$C_5H_{10}O$	.832, 0°	Bouchardat. Ber. 14, 2261.
Ethyl propyl ketone. B. 123°.	$C_5H_{10}O$	.818, 17°.5	Popoff. A. C. P. 161, 285.
" " "	"	.833, 21°.8	Oechsner de Coninck. C. R. 82, 93.
Methyl butyl ketone. " " " B. 128°	$C_5H_{10}O$	.8298, 0°	Wanklyn and Erlenmeyer. J. 16, 522.
" " " " " " " B. 128°	"	.7846, 50°	
Methyl isobutyl ketone. B. 114°.	"	.833, 0°	Friedel. J. 11, 295.
Methyl secondary butyl ketone. B. 118°.	"	.81892, 0°	Frankland and Duppa. J. 20, 395.
" " " " " " " B. 118°.	"	.811, 0°	G. Wagner. Ber. 18, ref. 180.
" " " " " " " B. 118°.	"	.8181, 14°.5	Wislicenus. A. C. P. 219, 308.
Methyl tertiary butyl ketone, or pinacolin. B. 106°.	$C_5H_{10}O$	.7999, 16°	Fittig. J. 12, 347.
" " " " " " " B. 106°.	"	.830, 0°	} Two preparations. Butlerow. A. C. P. 174, 127.
" " " " " " " B. 106°.	"	.791, 50°	
" " " " " " " B. 106°.	"	.823, 0°	
" " " " " " " B. 106°.	"	.787, 50°	
" " " " " " " B. 106°.	"	.7217, 105°	
Ketone from hexylene. B. 125°.	$C_6H_{12}O$	.8343, 11°	Schiff. Bei. 9, 559. L. Henry. C. R. 97, 260.
Dipropyl ketone, or butyrone. B. 144°.	$C_6H_{12}O$	.830	Chancel. Ann. (3), 12, 146.
" " " " " " " B. 144°.	"	.819, 20°	E. Schmidt. Ber. 5, 597.
" " " " " " " B. 144°.	"	.82, 20°	Kurtz. A. C. P. 161, 207.
" " " " " " " B. 144°.	"	.83048, 4°	} Perkin. J. C. S. 49, 323.
" " " " " " " B. 144°.	"	.82165, 15°	
" " " " " " " B. 144°.	"	.81452, 25°	
Diisopropyl ketone. B. 125°.	"	.8254, 17°	Münch. A. C. P. 180, 331.
Methyl amyl ketone. B. 155°—156°.	$C_7H_{14}O$	.813, 20°	E. Schmidt. Ber. 5, 597.
" " " " " " " B. 155°—156°.	"	? .898, 12°	Geuther. J. P. C. (2), 6, 160.
Methyl isoamyl ketone. " " " " " " " B. 182°.5	"	.828	} Popoff. J. 18, 314.
" " " " " " " B. 182°.5	"	.829	
" " " " " " " B. 144°.	"	.8747, 17°	Grimshaw. A. C. P. 166, 163.
" " " " " " " B. 144°.	"	.8175, 17°.2	Rohn. A. C. P. 190,

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylisopropyl acetone	$C_7H_{14}O$	.815, 20°	Romburgh. J. C. S. 52, 232.
Methyldiethylcarbyl ketone, or diethyl acetone. B. 138°.	"	.8171, 22°	Frankland and Duppa. J. 18, 306.
Methyl amyl pinacolin.	"	.842, 0°	Wischnegradsky. A. C. P. 178, 103.
" " " B. 132°	"	.825, 21°	
Ethyl butyl pinacolin.	$C_{12}H_{24}O$	.831, 0°	" "
" " " B. 126°	"	.810, 21°	
Methyl hexyl ketone.	$C_8H_{16}O$	.817, 23°	Städeler. J. 10, 361. Brühl. A. C. P. 203, 1.
" " " B. 171°	"	.8185, 20°	
" " " " " "	"	.6843	{ Schiff. G. C. 1. 13, 177.
" " " " " "	"	.6844	
" " " B. 209°	"	.8430, 15°	
" " " " " "	"	.8351, 0°	Béhal. B. S. C. 47, 34.
Methyl butyrene. B. 180°	$C_8H_{16}O$	.827, 16°	Limpricht. J. 11, 296.
Isopropyl isobutyl ketone. B. 160°.	$C_9H_{18}O$	.865, 14°	Williams. C. N. 39, 41.
Ethyl amyl pinacolin.	$C_{12}H_{24}O$	.845, 0°	Wischnegradsky. A. C. P. 178, 103.
" " " B. 151°	"	.829, 21°	
Diisobutyl ketone, or valerone. B. 181°.	$C_8H_{16}O$	.833, 20°	E. Schmidt. Ber. 5, 597.
Methyl octyl ketone. B. 211°.	$C_9H_{18}O$	.8294, 17°.7	Jourdan. Ber. 13, 434.
" " " " " "	"	.8379, 3°.5	Krafft. Ber. 15, 1687.
" " " " " "	"	.8247, 20°	
Diamyl ketone, or caprone. B. 220°.	$C_9H_{18}O$	.822, 20°	E. Schmidt. Ber. 5, 597.
" " " " " "	"	.828, 20°	Limpricht. J. 11, 296.
Methyl nonyl ketone, or methyl caprinol. B. 224°.	{ $C_{10}H_{20}O$	.8295, 17°.5	{ Gorup-Besanez and Grimm. Z. C. 13, 290.
" " " " " "		.8281, 18°.7	
" " " " " "		.8268, 20°.5	
Dihexyl ketone, or oenanthone. B. 264°.	$C_{12}H_{24}O$	.825, 30°	v. Uslar and Seekamp. J. 11, 299.
" " " " " "	"	.8870, 15°	Poetsch. A. C. P. 218, 56.
Methyl diheptylcarbyl ketone. B. 302°.	$C_{15}H_{30}O$	.826, 17°	Jourdan. Ber. 13, 434.
Laurone. M. 69°	$C_{12}H_{24}O$	.8036, 69°	Krafft. Ber. 15, 1711.
" " " " " "	"	.8024, 70°.7	
" " " " " "	"	.7888, 90°.9	
Myristone. M. 76°.3	$C_{14}H_{28}O$	.8018, 76°.3	" "
" " " " " "	"	.7986, 80°.8	
" " " " " "	"	.7922, 90°.9	
Palmitone. M. 82°.8	$C_{16}H_{32}O$	.7997, 82°.8	" "
" " " " " "	"	.7947, 90°.9	
" " " " " "	"	.7979, 88°.4	
Stearone. M. 88°.4	$C_{18}H_{36}O$	.7932, 95°	" "

## 8th. Oxides, Alcohols, and Ethers of the Olefines.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylene oxide-----	$C_2H_4 \cdot O$ -----	.8945, 0°-----	Wurtz. J. 16, 486.
Propylene oxide-----	$C_3H_6 \cdot O$ -----	.859, 0°-----	Oser. J. 13, 448.
Butylene oxide.	$C_4H_8 \cdot O$ -----	.8344, 0°-----	Eltekow. J. C. S.
B. 56°·5.	"-----		44, 566.
Isobutylene oxide.	"-----	.8311, 0°-----	Eltekow. Ber. 16,
B. 51°·5.			397.
Amylene oxide. B. 95°	$C_5H_{10} \cdot O$ -----	.824, 0°-----	Bauer. J. 13, 451.
Trimethylethylene oxide.	"-----	.8293, 0°-----	Eltekow. Ber. 16,
B. 75°·5.			397.
Methylpropylethylene oxide.	$C_6H_{12} \cdot O$ -----	.8236, 13°·8	L. Henry. Ann. (5),
B. 110°.			29, 553.
d. Hexylene oxide.	"-----	.8739, 0°-----	Lipp. Ber. 18, 3284.
B. 103°—104°.			
Octylene oxide. B. 145°	$C_8H_{16} \cdot O$ -----	.831, 15°-----	De Clermont. Z. C.
			13, 411.
Diamylene oxide.	$C_{10}H_{20} \cdot O$ -----	.9402, 0°-----	Schneider. A. C. P.
B. 185°.			157, 221.
Diethylene dioxide.	$C_4H_8O_2$ -----	1.0482, 0°-----	Wurtz. J. 15, 423.
B. 102°.			
Ethylene ethylidene di- oxide. B. 82°·5.	"-----	1.0002, 0°-----	Wurtz. J. 14, 656.
Ethylene glycol. B. 197°	$C_2H_4 \cdot (OH)_2$ -----	1.125, 0°-----	Wurtz. Ann. (3),
" "-----	"-----	.9444, 195°-----	55, 410.
" "-----	"-----	1.11678, 15°-----	Ramsay. J. C. S.
" "-----	"-----	1.11208, 25°-----	35, 463.
" "-----	"-----	1.1072, 20°-----	Perkin. J. P. C.
Trimethylene glycol.	$C_3H_6 \cdot (OH)_2$ -----	1.053, 19°-----	(2), 32, 523.
B. 216°.			Brühl. Bei. 4, 782.
" "-----	"-----	1.0536, 18°-----	Reboul. C. R. 79,
" "-----	"-----		169.
" "-----	"-----	1.0625, 0°-----	Freund. J. C. S. 42,
" "-----	"-----	.9028, 214°-----	156.
Propylene glycol. B. 188°	"-----	1.051, 0°-----	Zander. A. C. P.
" "-----	"-----	1.038, 23°-----	214, 181.
" "-----	"-----	1.054, 0°-----	Wurtz. J. 10, 464.
" "-----	"-----		
" "-----	"-----	1.047, 19°-----	Belohoubek. Ber.
" "-----	"-----		12, 1873.
" "-----	"-----	1.0527, 0°-----	Loebisch and Looss.
" "-----	"-----	.8899, 188°·5-----	J. C. S. 42, 377.
Butylene glycol. B. 183°·5	$C_4H_8 \cdot (OH)_2$ -----	1.048, 0°-----	Zander. A. C. P.
Dimethylethyleneglycol.	"-----		214, 181.
B. 207°·5.			Wurtz. J. 12, 499.
Ethylethylene glycol.	"-----	1.0259, 0°-----	Wurtz. C. R. 97,
" " B. 191°·5	"-----		473.
" "-----	"-----	1.0189, 0°-----	{ Grabowsky and
Isobutylene glycol. B. 177°	"-----	1.0059, 17°·5-----	Saytzeff. A. C.
" "-----	"-----		P. 179, 333.
" "-----	"-----	1.0129, 0°-----	Nevolé. C. R. 83,
" "-----	"-----	1.0003, 20°-----	67.



NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Amylene glycol. B. 177°	$C_5 H_{10} (O H)_2$	.987, 0°	Wurtz. J. 11, 424.
Ethylmethylene glycol. B. 187°.	"	.9945, 0°	{ Wagner and Sayt- zeif. A. C. P. 179, 309.
glycol. B. 187°.	"	.9800, 19°	
Isopropylethylene gly- col. B. 206°.	"	.9987, 0°	Flavitsky. A. C. P. 179, 353.
Methylpropylethylene glycol. B. 207°.	"	.9843, 21°.5	
Dimethylbutyleneglycol.	$C_6 H_{12} (O H)_2$	.9669, 0°	Wurtz. J. 17, 516.
" " B. 220°	"	.9759, 0°	Sorokin. B. S. C. 31, 72.
Pseudoxyethylene glycol.	"	.9604, 24°	
" " " "	"	.9638, 0°	Wurtz. J. 17, 513.
" " " "	"	.9202, 65°	
δ. Hexylene glycol	"	.9809, 0°	
Pinakone. B. 177°	"	.96, 15°	Lipp. Ber. 18, 3283. Linnemann. J. 18, 315.
" " " "	"	.96718, 15°	Perkin. J. P. C. (2), 32, 523.
" " " "	"	.96087, 25°	
Octylene glycol.	$C_8 H_{16} (O H)_2$	.932, 0°	De Clermont. J. 17, 517.
" " B. 235°-240°	"	.920, 29°	
Butyrone pinakone	$C_{14} H_{28} (O H)_2$	.87, 20°	Kurtz. A. C. P. 161, 205.
Diethylene alcohol	$C_4 H_{10} O_3$	1.132, 0°	Wurtz. J. 16, 489.
Triethylene alcohol	$C_6 H_{14} O_4$	1.138	" "
Methylenedimethylether, or methylal.	$C H_2 (O C H_3)_2$	.8551	Malaguti. Ann. (2), 70, 394.
" " "	"	.8604, 20°	Brühl. A. C. P. 203, 1.
" " "	"	.854, 20°	Arnhold. A. C. P. 240, 192.
Methylene diethyl ether.	$C H_2 (O C_2 H_5)_2$	.851, 0°	Greene. J. Am. C. S. 1, 523.
" " "	"	.8275, 16°.5	L. Henry. C. R. 101, 599.
" " "	"	.834, 20°	Arnhold. A. C. P. 240, 192.
Methylene dipropyl ether.	$C H_2 (O C_3 H_7)_2$	.8345, 20°	" "
Methylene diisopropyl ether.	"	.831, 20°	" "
Methylene diisobutyl ether.	$C H_2 (O C_4 H_9)_2$	.825, 20°	" "
Methylenediisoamylether	$C H_2 (O C_5 H_{11})_2$	.835, 20°	" "
Methylene dioctyl ether.	$C H_2 (O C_8 H_{17})_2$	.846, 20°	" "
Ethylene monethyl ether.	$C_2 H_4 O H O C_2 H_5$	.926, 13°	Demole. Ber. 9, 746.
Ethylene diethyl ether	$C_2 H_4 (O C_2 H_5)_2$	.7993, 0°	Wurtz. J. 11, 423.
Ethidene dimethyl ether, or dimethyl acetal.	$C_2 H_4 (O C H_3)_2$	.8555, 0°	Wurtz. J. 9, 597.
" " "	"	.8674, 1°	Alsberg. J. 17, 485.
" " "	"	.8787, 0°	
" " "	"	.8590, 14°	
" " "	"	.8503, 22°	
" " "	"	.8497, 23°	
" " "	"	.8476, 25°	
" " "	"	.8554, 15°	Kraemer and Grodz- ki. Ber. 9, 1930.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethidene dimethyl ether, or dimethyl acetal.	$C_2 H_4 \cdot (O C H_3)_2$	.8655, 22°	Bachmann. A. C. P. 218, 49.
“ “ “	“	.8013, 62°.	Schiff. G. C. I. 13, 177.
“ “ “	“	.85730, 15°	Perkin. J. P. C. (2), 32, 523.
“ “ “	“	.84764, 25°	
Ethidene methylethylether, or methylethylacetal	$C_2 H_4 \cdot (O C H_3)(O C_2 H_5)$	.8535, 0°	Wurtz. J. 9, 597.
“ “ “	“	.8433, 22°	Bachmann. A. C. P. 218, 49.
“ “ “	“	.8655, 22°	Bachmann. A. C. P. 218, 53.
Ethidene diethyl ether, or acetal.	$C_2 H_4 \cdot (O C_2 H_5)_2$	.842, 21°	Döbereiner.
“ “ “	“	.823, 20°	Liebig. A. C. P. 5, 25.
“ “ “	“	.821, 22°.4	Stas. J. 1, 697.
“ “ “	“	.8314, 20°	Brühl. A. C. P. 203, 1.
“ “ “	“	.829, 13°	Engel and Girard. C. R. 90, 692.
“ “ “	“	.7863	{ Schiff. G. C. I. 13, 177.
“ “ “	“	.7865	
“ “ “	“	.826, 14°	
“ “ “	“	.8210, 22°	Bachmann. A. C. P. 218, 49.
“ “ “	“	.83187, 15°	Perkin. J. P. C. (2), 32, 523.
“ “ “	“	.82334, 25°	
Ethidene dipropyl ether, or propyl acetal. B. 147°	$C_2 H_4 \cdot (O C_3 H_7)_2$	.825, 22°.5	Girard. Ber. 13, 2232.
Ethidene diisobutyl ether, or isobutylacetal. B. 169°	$C_2 H_4 \cdot (O C_4 H_9)_2$	.816, 22°	“ “
Ethidene diamyl ether, or diamyl acetal.	$C_2 H_4 \cdot (O C_5 H_{11})_2$	.8347, 15°	Alsberg. J. 17, 485.
	“	.8012, 22°	Bachmann. A. C. P. 218, 49.
Propidene dipropyl ether.	$C_3 H_6 \cdot (O C_3 H_7)_2$	.8495, 0°	Schudel. J. C. S. 46, 1283.
Butidene diethyl ether, or isobutyl acetal.	$C_4 H_8 \cdot (O C_2 H_5)_2$	.9957, 12°.4	Oeconomides. Ber. 14, 1201.
Dimethyl valeral	$C_5 H_{10} \cdot (O C H_3)_2$	.852, 10°	Alsberg. J. 17, 486.
Diethyl valeral	$C_5 H_{10} \cdot (O C_2 H_5)_2$	.835, 12°	“ “
Diamyl valeral	$C_5 H_{10} \cdot (O C_5 H_{11})_2$	.849, 7°	Alsberg. J. 17, 485.
Ethidene oxymethylate	$C_4 H_8 O \cdot (O C H_3)_2$	.853, 12°.5	Laatsch. A. C. P. 218, 13.
Ethidene oxyethylate	$C_4 H_8 O \cdot (O C_2 H_5)_2$	.891, 14°	“ “
Ethidene oxypropylate	$C_4 H_8 O \cdot (O C_3 H_7)_2$	.895, 14°	“ “
Ethidene oxyisobutylate	$C_4 H_8 O \cdot (O C_4 H_9)_2$	.879, 11°	“ “
Ethidene oxyisoamylate	$C_4 H_8 O \cdot (O C_5 H_{11})_2$	.874, 11°	“ “
Ethylene diacetate	$C_2 H_4 \cdot (C_2 H_3 O_2)_2$	1.128, 0°	Wurtz. J. 12, 485.
“ “	“	1.1561, 20°	Brühl. Bei. 4, 782.
“ “	“	1.11076, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	1.10183, 25°	
Ethylene dipropionate	$C_2 H_4 \cdot (C_3 H_5 O_2)_2$	1.05440, 15°	
“ “	“	1.04566, 25°	“ “
Ethylene dibutyrate	$C_2 H_4 \cdot (C_4 H_7 O_2)_2$	1.024, 0°	Wurtz. J. 12, 486.
Propylene diacetate	$C_3 H_6 \cdot (C_2 H_3 O_2)_2$	1.109, 0°	Wurtz. J. 10, 464.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene diacetate-----	$C_3 H_6 \cdot (C_2 H_3 O_2)_2$ ----	1.070, 19° ----	Reboul. C. R. 79, 169.
Propylene divalerate-----	$C_3 H_6 \cdot (C_5 H_9 O_2)_2$ ----	.98, 12° ----	Reboul. J. C. S. 36, 127.
$\beta$ . Butylene monacetate --	$C_4 H_8 \cdot O H \cdot (C_2 H_3 O_2)$	1.055, 0° ----	Wurtz. C. R. 97, 478.
Hexylene diacetate-----	$C_6 H_{12} \cdot (C_2 H_3 O_2)_2$ ----	1.014, 0° ----	Wurtz. J. 17, 516.
Pseudo-hexylene diacetate	" " "-----	1.009, 0° ----	Wurtz. J. 17, 513.
Ethidene diacetate-----	$C_2 H_4 \cdot (C_2 H_3 O_2)_2$ ----	1.060, 12° ----	Schiff. Ber. 9, 306.
" "-----	" "-----	1.073, 15° ----	Franchimont. J. C. S. 44, 452.
" "-----	" "-----	1.073, 15° ----	Rübencamp. A. C. P. 225, 267.
" "-----	" "-----	1.07, 10° ----	Geuther. J. 17, 329.
Ethidene acetate propionate. " "-----	$C_2 H_4 \cdot \left. \begin{matrix} (C_2 H_3 O_2) \\ (C_3 H_5 O_2) \end{matrix} \right\}$	$\left. \begin{matrix} 1.046 \\ 1.042 \end{matrix} \right\} 15^\circ$ ----	{ Two preparations. Rübencamp. A. C. P. 225, 267.
Ethidene dipropionate-----	$C_2 H_4 \cdot (C_3 H_5 O_2)_2$ ----	1.020, 15° ----	Rübencamp. A. C. P. 225, 267.
Ethidene acetate butyrate. " "-----	$C_2 H_4 \cdot \left. \begin{matrix} (C_2 H_3 O_2) \\ (C_4 H_7 O_2) \end{matrix} \right\}$	$\left. \begin{matrix} 1.016, 15^\circ \\ 1.013, 15^\circ \end{matrix} \right\}$ ----	{ Two preparations. Rübencamp. A. C. P. 225, 267.
Ethidene dibutyrate-----	$C_2 H_4 \cdot (C_4 H_7 O_2)_2$ ----	.9855, 15° ----	Rübencamp. A. C. P. 225, 267.
Ethidene acetate valerate. " "-----	$C_2 H_4 \cdot \left. \begin{matrix} (C_2 H_3 O_2) \\ (C_5 H_9 O_2) \end{matrix} \right\}$	.991, 15° ----	" "
Ethidene divalerate-----	$C_2 H_4 \cdot (C_5 H_9 O_2)_2$ ----	.947, 15° ----	" "
Ethidene oxyformate-----	$C_6 H_{10} O_5$ -----	1.134, 21° ----	Geuther. A. C. P. 226, 228.
Ethidene oxyacetate-----	$C_8 H_{14} O_5$ -----	1.071, 16° ----	" "
Ethidene oxypropionate-----	$C_{10} H_{18} O_5$ -----	1.027, 26° ----	" "
Ethidene oxybutyrate-----	$C_{12} H_{22} O_5$ -----	.994, 20° ----	" "

## 9th. Ethers of Carbonic Acid.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl carbonate-----	$(C H_3)_2 \cdot C O_3$ -----	1.069, 22° ----	Counciler. Ber. 13, 1698.
" "-----	"-----	1.065, 17° ----	B. Röse. Ber. 13, 2418.
" "-----	"-----	1.060-----	Schreiner. Ber. 13, 2080.
Methyl ethyl carbonate. B. 104°.	$C H_3 \cdot C_2 H_5 \cdot C O_3$ ----	1.0372-----	" "
" " " B. 115°.	"-----	1.0016-----	" "
Ethyl carbonate-----	$(C_2 H_5)_2 \cdot C O_3$ -----	.975, 19° ----	Ettling. A. C. P. 19, 17.
" "-----	"-----	.9998, 0° ----	Kopp. A. C. P. 95, 307.
" "-----	"-----	.9780, 20° ----	
" "-----	"-----	.9762, 20° ----	Brühl. A. C. P. 203, 1.
" "-----	"-----	.9735-----	Schreiner. Ber. 13, 2080.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl propyl carbonate	$C_2 H_5. C_3 H_7. C O_3$	.9516, 20°	Pawlewski. Ber. 17, 1607.
Propyl carbonate	$(C_3 H_7)_2. C O_3$	.968, 22°	Cahours. C. R. 77, 746.
" "	"	.949, 17°	Röse. Ber. 13, 2418.
Butyl carbonate	$(C_4 H_9)_2. C O_3$	.9407, 0°	Lieben and Rossi. A. C. P. 165, 109.
" "	"	.9244, 20°	
" "	"	.9111, 40°	
Isobutyl carbonate	"	.919, 15°	Röse. Ber. 13, 2418.
Isoamyl carbonate	$(C_5 H_{11})_2. C O_3$	.9144	Medlock. J. 2, 430.
" "	"	.9065, 15°.5	Bruce. J. 5, 605.
" "	"	.912, 15°	Röse. Ber. 13, 2418.
Ethyl orthocarbonate	$(C_2 H_5)_4. C O_4$	.925	Bassett. J. 17, 477.
Propyl orthocarbonate	$(C_3 H_7)_4. C O_4$	.911, 8°	Röse. Ber. 13, 2419.
Isobutyl orthocarbonate	$(C_4 H_9)_4. C O_4$	.900, 8°	" "

## 10th. Acids and Ethers of the Oxalic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oxalic acid	$C_2 H_2 O_4$	2.00, 9°	Husemann. B. D. Z.
" "	$C_2 H_2 O_4. 2 H_2 O$	1.507	Richter.
" "	"	1.622	Playfair and Joule. M. C. S. 2, 401.
" "	"	1.629	Buignet. J. 14, 15.
" "	"	1.63, 9°	Husemann. B. D. Z.
" "	"	1.680	Schröder. Ber. 10, 851.
" "	"	1.531	Rüdorff. Ber. 12, 251.
" "	"	1.57	W. C. Smith. Am. J. P. 53, 145.
" "	"	1.653, 18°.5	Wilson. F. W. C.
Succinic acid	$C_4 H_8 O_4$	1.55	Richter.
" "	"	1.529, 9°, sublimed.	Husemann. B. D. Z.
" "	"	1.552, 9°, cryst.	
" "	"	1.567	
Ethyl oxalic acid	"	1.2175, 20°	Anschütz. Ber. 16, 2412.
Pyrotartaric acid	$C_5 H_8 O_4$	1.408	Schröder. Ber. 13, 1070.
" "	"	1.413	
Methylisopropylmalonic acid.	$C_7 H_{12} O_4$	.990, 15°	Romburgh. J. C. S. 52, 232.
Sebacic acid	$C_{10} H_{18} O_4$	1.1317, fused	Carlet. J. 6, 429.
Methyl oxalate	$C_4 H_6 O_4$	1.1566, 50°	Kopp. A. C. P. 95, 307.
" "	"	1.1479, 54°	Weger. A. C. P. 221, 61.
" "	"	1.0039, 163°.3	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethyl oxalate	$C_5 H_8 O_4$	1.27, 12°	Chancel. J. 3, 470.
" " "	"	1.15565, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.94693, 173°.7	
Ethyl oxalate	$C_6 H_{10} O_4$	1.0929, 7°.5	Dumas and Boullay. P. A. 12, 430.
" " "	"	1.086, 12°	Delfs. J. 7, 26.
" " "	"	1.1010, 5°—10°	{ Regnault. P. A. 62, 50.
" " "	"	1.0953, 10°—15°	
" " "	"	1.0898, 15°—20°	
" " "	"	1.1016, 0°	Kopp. A. C. P. 94, 257.
" " "	"	1.0815, 18°.2	Mendelejeff. J. 13, 7.
" " "	"	1.0824, 15°	
" " "	"	1.0793, 20°	Brühl. A. C. P. 203, 1.
" " "	"	1.1023	{ Weger. A. C. P. 221, 61.
" " "	"	1.1029	
" " "	"	1.1030	
" " "	"	1.08563, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	1.07609, 25°	
Propyl oxalate	$C_8 H_{14} O_4$	1.018, 22°	Cahours. Les Mondes, 32, 280.
" " "	"	1.0384, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.80601, 213°.5	
Butyl oxalate	$C_{10} H_{18} O_4$	1.002, 14°	Cahours. C. C. 5, 20.
" " "	"	1.0099, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.780, 243°.4	
Ethyl heptyl oxalate	$C_{11} H_{20} O_4$	.99542, 0°	{ " "
" " "	"	.75493, 263°.71	
Amyl oxalate	$C_{12} H_{22} O_4$	.963, 11°	Delfs. J. 7, 26.
Propyl heptyl oxalate	"	.981435, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.72669, 284°.4	
Propyl octyl oxalate	$C_{13} H_{24} O_4$	.97245, 0°	{ " "
" " "	"	.71512, 291°.1	
Methyl malonate	$C_5 H_8 O_4$	1.135, 22°	Osterland. J. C. S. (2), 13, 142.
" " "	"	1.16028, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	1.15110, 25°	
" " "	"	1.1753, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.95686, 180°.7	
Ethyl malonate	$C_7 H_{12} O_4$	1.068, 18°	Conrad and Bischoff. A. C. P. 204, 127.
" " "	"	1.06104, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	1.05248, 25°	
" " "	"	1.07607, 0°	{ Wiens. Königs- berg Inaug. Diss. 1887.
" " "	"	.86227, 198°.4	
Ethyl propyl malonate	$C_8 H_{14} O_4$	1.04977, 0°	{ " "
" " "	"	.83542, 211°	
Propyl malonate	$C_9 H_{16} O_4$	1.02705, 0°	{ " "
" " "	"	.79966, 228°.3	
Butyl malonate	$C_{11} H_{20} O_4$	1.0049, 0°	{ " "
" " "	"	.800073, 251°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl succinate	$C_6 H_{10} O_4$	1.1179, 20°	Fehling. A. C. P. 49, 195.
" "	"	1.1162, 18°	} Weger. A. C. P. 221, 61.
" "	"	.91200, 195°.2	
" "	"	1.12611, 15°	
" "	"	1.11718, 25°	
Methyl ethyl succinate	$C_7 H_{12} O_4$	1.0925, 0°	} Weger. A. C. P. 221, 61.
" " "	"	.86482, 203°.2	
Ethyl succinate	$C_8 H_{14} O_4$	1.036	D'Arcet. Ann. (2), 58, 291.
" "	"	1.0718, 0°	} Kopp. A. C. P. 95, 307.
" "	"	1.0475, 25°.5	
" "	"	1.0592	} 0°
" "	"	1.0600	
" "	"	.82726, 215°.4	} Weger. A. C. P. 221, 61.
" "	"	1.04645, 15°	
" "	"	1.03832, 25°	} Perkin. J. P. C. (2), 32, 523.
Ethyl propyl succinate	$C_9 H_{16} O_4$	1.03866, 0°	
" " "	"	.81476, 231°.1	
Propyl succinate	$C_{10} H_{18} O_4$	1.0189, 0°	} " "
" " "	"	.78183, 247°.1	
Isopropyl succinate	"	1.009, 0°	} Silva. C. R. 69, 416.
" " "	"	.997, 18°.5	
Ethyl butyl succinate	"	1.02178, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" " "	"	.78572, 247°	
Propyl butyl succinate	$C_{11} H_{20} O_4$	1.0106, 0°	} " "
" " "	"	.77587, 258°.7	
Isobutyl succinate	$C_{12} H_{22} O_4$	.97374, 15°	} Perkin. J. P. C. (2), 32, 523.
" " "	"	.96670, 25°	
Ethyl heptyl succinate	$C_{13} H_{24} O_4$	.98503, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" " "	"	.73134, 291°.4	
Isoamyl succinate	$C_{14} H_{26} O_4$	.9612, 13°	Guareschi and Del Zanna. Ber. 12, 1699.
Heptyl succinate	$C_{15} H_{34} O_4$	.951846, 0°	} Wiens. Königsberg Inaug. Diss. 1887.
" " "	"	.68174, 350°.1	
Ethyl methylmalonate	$C_8 H_{14} O_4$	1.021, 22°	Conrad and Bischoff. A. C. P. 204, 202.
" "	"	1.02132, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.01295, 25°	
Methyl dimethylsuccinate	"	1.0568, 16°	Barinstein. A. C. P. 242, 126.
Methyl ethylsuccinate	"	1.051, 34°	Polko. A. C. P. 242, 113.
Ethyl pyrotartrate	$C_9 H_{16} O_4$	1.025, 21°	Reboul. Ber. 9, 1129.
" " "	"	1.01835, 15°	} Perkin. J. P. C. (2), 32, 523.
" " "	"	1.01126, 25°	
Ethyl ethylmalonate	"	1.008, 18°	Conrad and Bischoff. A. C. P. 204, 135.
" "	"	1.01235, 15°	} Perkin. J. P. C. (2), 32, 523.
" "	"	1.00441, 25°	
Ethyl dimethylmalonate	"	.9965, 15°	Thorne. Ber. 14, 1644.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl dimethylmalonate	$C_9 H_{16} O_4$	1.00153, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.99356, 25°	
Ethyl adipate	$C_{10} H_{18} O_4$	1.001, 20°.5	Malaguti. A. C. P. 56, 306.
Ethyl methylethylmalonate.	"	.994, 15°	Conrad and Bischoff. Ber. 13, 595.
Ethyl propylmalonate	"	.99309, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.98541, 25°	
Ethyl isopropylmalonate	"	.997, 20°	Conrad and Bischoff. Ber. 13, 595.
" " "	"	.99271, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.98521, 25°	
Ethyl dimethylsuccinate	"	.9976, 17°	Levy and Engländer. A. C. P. 242, 201.
" " "	"	1.0134, 17°	Barnstein. A. C. P. 242, 126.
Ethyl ethylsuccinate	"	1.030, 21°	Polko. A. C. P. 242, 113.
Ethyl diethylmalonate	$C_{11} H_{20} O_4$	.990, 16°	Conrad and Bischoff. A. C. P. 204, 139.
" " "	"	1.0041, 0°	Shukowski. Ber. 21, ref. 57.
" " "	"	.9901, 15°	
" " "	"	.99167, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.98441, 25°	
Ethyl isobutylmalonate	"	.983, 15°	Conrad and Bischoff. Ber. 13, 595.
Ethyl secondary-butylmalonate.	"	.988, 15°	Romburgh. Ber. 20, ref. 376.
Ethyl methylisopropylmalonate.	"	.990, 15°	Romburgh. Ber. 20, ref. 469.
Methyl suberate	$C_{10} H_{18} O_4$	1.014, 18°	Laurent. Ann. (2), 66, 162.
Ethyl suberate	$C_{12} H_{22} O_4$	1.003, 18°	Laurent. Ann. (2), 166, 160.
" " "	"	.991, 15°	Hell. B. S. C. 19, 365. Perkin. J. P. C. (2), 32, 523.
" " "	"	.98519, 15°	
" " "	"	.97826, 25°	Hell and Wittekind. Ber. 7, 319.
Ethyl tetramethylsuccinate.	"	1.012, 0°	
" " "	"	1.0015, 13°.5	Neison. J. C. S. (3), 1, 316.
Methyl sebate	"	.985, 60°, 1.	
Ethyl sebate	$C_{14} H_{26} O_4$	.965, 16°	Neison. J. C. S. (3), 1, 318.
" " "	"	.96824, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	.96049, 25°	
Butyl sebate	$C_{18} H_{34} O_4$	.9417, 0°	Gehring. C. R. 104, 1289.
" " "	"	.9329, 15°	
Amyl sebate	$C_{20} H_{38} O_4$	.951, 18°	Neison. C. N. 32, 298.
Ethyl dioctylmalonate	$C_{28} H_{54} O_4$	.896, 18°	Conrad and Bischoff. Ber. 13, 595.
Ethyl acetomalonate	$C_9 H_{14} O_5$	1.080, 23°	Ehrlich. B. S. C. 23, 73.
Ethyl acetosuccinate	$C_{10} H_{16} O_5$	1.079, 21°	Conrad. B. S. C. 23, 73.
" " "	"	1.08809, 15°	Perkin. J. P. C. (2), 32, 523.
" " "	"	1.08049, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl acetoglutarate	$C_{11} H_{18} O_5$	1.0505, 14°	Wislicenus and Limpach. A. C. P. 192, 130.
Ethyl $\beta$ methylacetosuccinate.	"	1.061, 27°	Hardtmuth. A. C. P. 192, 142.
Ethyl $\alpha$ methylacetoglutarate.	$C_{12} H_{20} O_5$	1.043, 20°	Wislicenus and Limpach. A. C. P. 192, 133.
Ethyl dimethylacetosuccinate.	"	1.057, 27°	Hardtmuth. A. C. P. 192, 142.
Ethyl $\beta$ ethylacetosuccinate.	"	1.064, 16°	Thorne. J. C. S. 39, 337.
Ethyl lactosuccinate	$C_{11} H_{18} O_6$	1.119, 0°	Wurtz and Friedel. J. 14, 378.
Ethyl succinosuccinate	$C_{12} H_{16} O_6$	1.4057, 18°	Hermann. J. C. S. 42, 712.
Ethyl ethidenemalonate	$C_9 H_{14} O_4$	1.0435, 15°	Kommenos. A. C. P. 218, 158.

## 11th. Acids and Ethers of the Glycollic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Glycollic acid	$C_2 H_4 O_3$	1.197, 13°	Cloëz. J. 5, 497.
Lactic acid	$C_3 H_6 O_3$	1.215, 10°	Gay Lussac and Pelouze. P. A. 29, 111.
" "	"	1.2485, 15°	Mendelejeff. J. 13, 7.
" "	"	1.2403, 20°	Brühl. Bei. 4, 782.
Methyl glycollic acid	"	1.180	Heintz. J. 12, 359.
Ethyl oxyisobutyric acid	$C_6 H_{12} O_3$	1.0211, 0°	Helland Waldbauer. Ber. 10, 450.
" " "	"	1.0101, 16°	
Amyl glycollic acid	$C_7 H_{14} O_3$	1.003	Siemens. J. 14, 451.
Methyl glycollate	$C_3 H_6 O_3$	1.1862	Schreiner. Bei. 3, 350.
Ethyl glycollate	$C_4 H_8 O_3$	1.1074	" "
" "	"	1.0333	Fahlberg. J. P. C. (2), 7, 340.
Propyl glycollate	$C_5 H_{10} O_3$	1.0837	Schreiner. Bei. 3, 350.
Methyl methylglycollate	$C_4 H_8 O_3$	1.0845	" "
Ethyl methylglycollate	$C_5 H_{10} O_3$	1.0746	" "
Propyl methylglycollate	$C_6 H_{12} O_3$	1.0592	" "
Methyl ethylglycollate	$C_5 H_{10} O_3$	1.0105	" "
Ethyl ethylglycollate	$C_6 H_{12} O_3$	.978	Schreiber. Z. C. 13, 168.
" "	"	.9960	Schreiner. Bei. 3, 350.
Propyl ethylglycollate	$C_7 H_{14} O_3$	.9896	" "



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl propylglycollate	$C_6 H_{12} O_3$	.9845	Schreiner. Bei. 3, 350.
Ethyl propylglycollate	$C_7 H_{14} O_3$	.9758	" "
Propyl propylglycollate	$C_8 H_{16} O_3$	.9678	" "
Methyl lactate	$C_4 H_8 O_3$	1.1176	" "
Ethyl lactate	$C_5 H_{10} O_3$	1.0542, 0°	Wurtz and Friedel. J. 14, 373.
" "	"	1.042, 13°	
" "	"	1.0540	
Ethyl methyl lactate	$C_6 H_{12} O_3$	1.0030	" "
Ethyl ethyl lactate	$C_7 H_{14} O_3$	.9203, 0°	Wurtz. J. 12, 294.
" "	"	.9540	Schreiner. Bei. 3, 350.
Ethyl oxyisobutyrate	$C_6 H_{12} O_3$	.9931, 13°	Frankland and Duppa. P.T. 1866, 309.
" "	"	1.0750	Schreiner. Bei. 3, 350.
Ethyl methyloxybutyrate	$C_7 H_{14} O_3$	.9768, 13°	Frankland and Duppa. J. 18, 381.
" "	"	1.0100	Schreiner. Bei. 3, 350.
Ethyl ethyloxybutyrate	$C_8 H_{16} O_3$	.980, 19°	Duvillier. Ann. (5), 17, 533.
" "	"	.9540	Schreiner. Bei. 3, 350.
Methyl diethyloxyacetate	$C_7 H_{14} O_3$	.9896, 16°.5	Frankland and Duppa. P.T. 1866, 309.
Ethyl diethyloxyacetate	$C_8 H_{16} O_3$	.9613, 18°.7	" "
" "	"	.98	L. Henry. B. S. C. 19, 212.
Amyl diethyloxyacetate	$C_{11} H_{22} O_3$	.93227, 13°	Frankland and Duppa. P.T. 1866, 309.
Ethyl amyloxyacetate	$C_9 H_{18} O_3$	.9449, 13°	Frankland and Duppa. J. 18, 382.
Ethyl ethyl amyloxyacetate	$C_{11} H_{22} O_3$	.9399, 13°	Frankland and Duppa. P.T. 1866, 309.
Ethyl diamyloxyacetate	$C_{14} H_{28} O_3$	.9137, 13°	Frankland and Duppa. J. 18, 383.
Ethyl acetoglycollate	$C_6 H_{10} O_4$	1.0093, 17°	Heintz. J. 15, 292.
Ethyl acetolactate	$C_7 H_{12} O_4$	1.0458, 17°	Wislicenus. J. 15, 300.
Ethyl propionoglycollate	"	1.0052, 22°	Senf. Ber. 14, 2416.
Ethyl butyroglycollate	$C_8 H_{14} O_4$	1.0288, 22°	" "
Ethyl isobutyroglycollate	"	1.0240, 22°.5	" "
Ethyl butyrolactate	$C_9 H_{16} O_4$	1.024, 0°	Wurtz. J. 12, 295.
" "	"	1.028, 0°	Wurtz. J. 13, 273.
Lactyl ethyl lactate	$C_8 H_{14} O_5$	1.134, 0°	Wurtz and Friedel. J. 14, 377.
Ethyl diethylglyoxylate	$C_8 H_{16} O_4$	.994, 18°	Schreiber. Z. C. 13, 168.
Oxybutyric lactone	$C_4 H_6 O_2$	1.1441, 0°	Saytzeff. Ber. 14, 2688.
" "	"	1.1286, 16°	
" "	"	1.1302, 20°	
" "	"	1.1295, 10°	Frühling. Ber. 15, 2622.
" "	"		Henry. C. R. 101, 1158.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylbutyric lactone-----	$C_6 H_{10} O_2$ -----	1.0348, 16° ---	Chanlaroff. A. C. P. 226, 339.
Heptolactone-----	$C_7 H_{12} O_2$ -----	.9818, 4° -----	Amthor. Ber. 14, 1718.
“ -----	“ -----	.992, 16° -----	Young. A. C. P. 216, 41.

## 12th. Acids and Ethers of the Pyruvic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyruvic, pyroracemic, or acetyl-formic acid.	$C_3 H_4 O_3$ -----	1.288, 18° ---	Völckel. J. 6, 426.
“ “ -----	“ -----	1.2792 -----	Berzelius.
“ “ -----	“ -----	1.2403 -----	Claisen and Shadwell. Ber. 11, 1567.
“ “ -----	“ -----	1.2600 -----	
“ “ -----	“ -----	1.2415 -----	
Propionyl-formic acid-----	$C_4 H_6 O_3$ -----	1.2000, 17°.5--	Claisen and Moritz. Ber. 13, 2122.
$\beta$ . Acetyl-propionic, or laevulinic acid.	$C_5 H_8 O_3$ -----	1.135, 15° -----	Conrad. Ber. 11, 2178.
Methyl pyruvate -----	$C_4 H_6 O_3$ -----	1.154, 0° -----	Oppenheim. B. S. C. 19, 254.
Methyl acetacetate-----	$C_5 H_8 O_3$ -----	1.037, 9° -----	Brandes. J. 19, 306.
Ethyl acetacetate-----	$C_6 H_{10} O_3$ -----	1.03, 5° -----	Geuther. J. 18, 303.
“ “ -----	“ -----	1.0256, 20° -----	Brühl. A. C. P. 203, 1.
“ “ -----	“ -----	1.030, 15° -----	Elion. Ber. 17, ref. 568.
“ “ -----	“ -----	1.0465, 0° --	Schiff. Ber. 19, 560.
“ “ -----	“ -----	.9880, 55°.8	
“ “ -----	“ -----	.9644, 79°.2	
“ “ -----	“ -----	.9029, 135°.5	
“ “ -----	“ -----	.8458, 180°	
“ “ -----	“ -----	1.03174, 15°	
“ “ -----	“ -----	1.02853, 25°	
Isobutyl acetacetate-----	$C_8 H_{14} O_3$ -----	.979, 0° -----	Perkin. J. P. C. (2), 32, 523.
“ “ -----	“ -----	.932, 23° -----	
Amyl acetacetate -----	$C_9 H_{16} O_3$ -----	.954, 10° -----	Emmerling and Oppenheim. Ber. 9, 1097.
Methyl methylacetacetate	$C_6 H_{10} O_3$ -----	1.020, 9° -----	Conrad. A. C. P. 186, 231.
Ethyl methylacetacetate--	$C_7 H_{10} O_3$ -----	.995, 14° -----	Brandes. J. 19, 306.
Methyl laevulinate -----	$C_6 H_{10} O_3$ -----	1.0684, 0° --	Grote, Kehler, and Tollens. A. C. P. 206, 221.
“ “ -----	“ -----	1.0519, 20° -----	
Ethyl laevulinate-----	$C_7 H_{12} O_3$ -----	1.0325, 0° --	“ “
“ “ -----	“ -----	1.0156, 20° -----	
Propyl laevulinate-----	$C_8 H_{14} O_3$ -----	1.0103, 0° --	“ “
“ “ -----	“ -----	.9937, 20° -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl ethylacetacetate	$C_7 H_{12} O_3$	1.009, 6°	Geuther. J. 18, 303.
Ethyl ethylacetacetate	$C_8 H_{14} O_3$	.998, 12°	" " "
" " "	"	.981, 16°	James. A. C. P. 226, 202.
" " "	"	.9834, 16°	Frankland and Duppa.
Propyl ethylacetacetate	$C_9 H_{16} O_3$	.981, 0°	Burton. A. C. J. 3, 385.
Amyl ethylacetacetate	$C_{11} H_{20} O_3$	.987, 26°	Conrad. A. C. P. 186, 232.
Ethyl dimethylacetacetate	$C_8 H_{14} O_3$	.9913, 16°	Frankland and Duppa. J. 18, 309.
Ethyl propionylpropionate	"	.9948, 0°	} Hellon and Oppenheim. Ber. 10, 701 and 861.
" " "	"	.9827, 15°	
" " "	"	.9870, 15°	
Ethyl methylethylacetate.	$C_9 H_{16} O_3$	.974, 22°	Israel. A. C. P. 231, 197.
Ethyl isopropylacetacetate	"	.98046, 0°	Saur. A. C. P. 188, 275.
Ethyl methylpropylacetacetate.	$C_{10} H_{18} O_3$	.9575, 17°	Frankland and Duppa. J. 20, 395.
Ethyl isobutylacetacetate.	"	.951, 17°.5	Jones. A. C. P. 226, 288.
Ethyl ethylpropionylpropionate.	"	.966, 15°	Rohn. A. C. P. 190, 307.
Ethyl dipropylacetacetate	$C_{12} H_{22} O_3$	.9585, 0°	Israel. A. C. P. 231, 197.
Ethyl heptylacetacetate	$C_{13} H_{24} O_3$	.9324	Burton. A. C. J. 3, 386.
Ethyl octylacetacetate	$C_{14} H_{26} O_3$	.9354, 18°.5	Jourdan. Ber. 13, 434.
Ethyl diisobutylacetate.	"	.947, 10°	Guthzeit. A. C. P. 204, 3.
Ethyl diheptylacetacetate	$C_{20} H_{38} O_3$	.8907, 17°.5	Mixer. Ber. 7, 501.
Ethyl acetopyruvate	$C_7 H_{10} O_4$	1.124, 21°	Jourdan. J. C. S. 38, 314.
Ethyl diacetylacetate	$C_8 H_{12} O_4$	1.044, 15°	Claisen and Stylos. Ber. 20, 2189.
" " "	"	1.1, 15°	Elion. Ber. 13, 1369.
" " "	"	1.064, 15°	Elion. Ber. 16, 2762.
Ethyl carbacetacetate	$C_8 H_{10} O_3$	1.136, 27°	James. A. C. P. 226, 202.
Ethyl ethylideneacetate.	$C_8 H_{12} O_3$	1.0225, 15°	Duisberg. Ber. 15, 1387.
Ethyl amyldeneacetate.	$C_{11} H_{18} O_3$	.9612, 15°	Claisen and Matthews. A. C. P. 218, 173.
Ethyl ethoxymethylacetate.	$C_9 H_{16} O_4$	.976, 22°	Matthews. Ber. 16, 1872.
Ethyl ethoxyethylacetate.	$C_{10} H_{18} O_4$	.957, 22°	Isbert. A. C. P. 234, 195.
			Isbert. A. C. P. 234, 194.

## 13th. Acids and Ethers of the Acrylic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylacrylic acid	$C_4H_6O_2$	1.0153, 20°	Brühl. Ber. 14, 2800.
$\beta$ . Crotonic, or quartenylic acid.	"	1.018, 25°	Geuther. J. P. C. (2), 3, 442.
Pyrotrebic acid	$C_6H_{10}O_2$	1.01	Rabourdin. A. C. P. 52, 395.
" "	"	1.006, 26°	Mielck. A. C. P. 180, 52.
Methylethylacrylic acid	"	.9812, 25°	Lieben and Zeisel. M. C. 4, 71.
Hydrosorbic acid	"	.969, 19°	Barringer and Fittig. Z. C. 13, 425.
Amyldecaotic acid	$C_{10}H_{18}O_2$	.9096, 0°	Borodin. ?
Moringic acid	$C_{15}H_{26}O_2$	.908, 12°	Walter. C. R. 22, 1143.
Oleic acid	$C_{18}H_{34}O_2$	.808, 19°	Chevreul.
Methyl acrylate. B. 80°.3.	$C_4H_6O_2$	.977, 0°	Kahlbaum. Ber. 13, 2349.
" "	"	.961, 19°.2	
" "	"	.97388, 0°	
" "	"	.87194, 80°.3	Weger. A. C. P. 221, 61.
Liquid polymer of methyl acrylate. "	$(C_4H_6O_2)_n$	1.140, 0°	Kahlbaum. Ber. 13, 2349.
" "	"	1.125, 18°	
Solid polymer of methyl acrylate. " "	"	1.2223, 15°.6	" "
" "	"	1.2222, 18°.2	
Ethyl acrylate. B. 98°.5.	$C_5H_8O_2$	.9252, 0°	Caspary and Tollens. B. S. C. 20, 368.
" "	"	.9126, 15°	
" "	"	.93928, 0°	Weger. A. C. P. 221, 61.
" "	"	.81970, 98°.5	
Propyl acrylate. B. 122°.9.	$C_6H_{10}O_2$	.91996, 0°	" "
" "	"	.7847, 122°.9	
Methyl crotonate	$C_5H_8O_2$	.9806, 4°	Kahlbaum. Ber. 12, 344.
Ethyl crotonate	$C_6H_{10}O_2$	.9188	Brühl. A. C. P. 235, 1.
" "	"	.9199	
" "	"	.9237	
" "	"	.92680, 15°	
" "	"	.91846, 25°	Perkin. J. P. C. (2), 32, 523.
Ethyl $\beta$ crotonate	"	.927, 19°	
Ethyl angelate	$C_7H_{12}O_2$	.9347, 0°	Geuther. J. P. C. (2), 3, 444.
Ethyl tiglate	"	.926, 21°	Beilstein and Wiegand. Ber. 17, 2261.
" "	"	.9425, 0°	Geuther and Fröhlich. Z. C. 13, 549.
Ethyl ethylcrotonate	$C_8H_{14}O_2$	.9203, 13°	Beilstein and Wiegand. Ber. 17, 2261.
Ethyl oleate	$C_{19}H_{36}O_2$	.879, 18°	Frankland and Duppa. J. 18, 384.
Ethyl oleate	$C_{20}H_{38}O_2$	.871, 18°	Laurent. Ann. (2), 65, 294.
			" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl oleate-----	$C_{20}H_{38}O_2$ -----	.87589	Perkin. J. P. C. (2), 32, 523.
" "-----	"-----	.87525	
" "-----	"-----	.87041	
" "-----	"-----	.86991	
Methyl elaidate-----	$C_{19}H_{36}O_2$ -----	.872, 18°-----	Laurent. Ann. (2), 65, 294.
Ethyl elaidate-----	$C_{20}H_{38}O_2$ -----	.869, 18°-----	" "

## 14th. Derivatives of the Acrylic Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acrolein, or acrylaldehyde	$C_3H_4O$ -----	.8410, 20°-----	Brühl. Bei. 4, 780.
Metacrolein-----	$(C_3H_4O)_n$ -----	1.03, 8°-----	Geuther. J. 17, 334.
Acropinacone-----	$C_6H_{10}O_2$ -----	.99, 17°-----	Linnemann. J. 18, 317.
Acrolein ethylate-----	$C_5H_{10}O_2$ -----	.936, 4°-----	Taubert. J. C. S. 31, 296.
Acrolein diacetate-----	$C_7H_{10}O_4$ -----	1.076, 22°-----	Hübner and Geu- ther. J. 13, 307.
Crotonaldehyde-----	$C_4H_6O$ -----	1.033, 0°-----	Roscoe and Schor- lemmer's Treatise.
Diacetate from crotonalde- hyde.	$C_8H_{12}O_4$ -----	1.05, 14°-----	Lagermark and El- tehoff. Ber. 12, 694.
Tiglic aldehyde, or guajol.	$C_5H_8O$ -----	.871, 15°-----	Völckel. J. 7, 611.
β. Angelicalactone-----	$C_5H_6O_2$ -----	1.1084, 0°-----	Wolff. A. C. P. 229, 257.
Methylethylacrolein-----	$C_6H_{10}O$ -----	.8577, 20°-----	Lieben and Zeisel. M. C. 4, 18.
Amyldecylaldehyde-----	$C_{10}H_{18}O$ -----	.862, 0°-----	Borodin. Ber. 5, 480. Gäss and Hell. Ber. 8, 372.
"-----	"-----	.848, 20°-----	
"-----	"-----	.861, 0°-----	
"-----	"-----	.851, 14°-----	
Hexylpentylacrylic alde- hyde. " "-----	$C_{14}H_{26}O$ -----	.8494, 15°-----	Perkin, Jr. Ber. 15, 2804.
" "-----	"-----	.8416, 30°-----	
" "-----	"-----	.8392, 35°-----	
" "-----	"-----	.8504, 15°-----	Perkin, Jr. J. C. S. 44, 81.
Hexylpentylacrylic alco- hol. " "-----	$C_{14}H_{28}O$ -----	.8520, 15°-----	Perkin, Jr. Ber. 15, 2810.
" "-----	"-----	.8444, 30°-----	
" "-----	"-----	.8418, 35°-----	
Hexylpentylacrylic ace- tate. " "-----	$C_{16}H_{30}O_2$ -----	.8680, 15°-----	Perkin, Jr. Ber. 15, 2809.
" "-----	"-----	.8597, 30°-----	
" "-----	"-----	.8568, 35°-----	

## 15th. Acids and Ethers, Malic-Tartaric Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Malic acid	$C_4 H_6 O_5$	1.559, 4°	Schröder. Ber. 12, 1611.
Tartaric acid	$C_4 H_6 O_6$	1.75	Richter.
" "	"	1.764	Schiff. J. 12, 41.
" "	"	1.739	Buignet. J. 14, 15.
" "	"	1.754	Schröder. Ber. 10, 851.
" "	"	1.77	W. C. Smith. Am. J. P. 53, 145.
" "	"	1.7617	Wiedemann and Lüdeking. P. A. (2), 25, 151.
" " Amorphous	"	1.6321	
" "	"	1.7594, 7°	Perkin. J. C. S. 51, 366.
Racemic acid	$C_4 H_6 O_6$	1.7732, 7°	" "
" "	$C_4 H_6 O_6 \cdot H_2 O$	1.75	Pasteur. J. 2, 309.
" "	"	1.69	Buignet. J. 14, 15.
" "	"	1.6873, 7°	Perkin. J. C. S. 51, 366.
Laevotartaric acid	"	1.7496	Pasteur. Ann. (3), 28, 72.
Methyl maleate	$C_8 H_8 O_4$	1.1529, 14°	Anschütz. Ber. 12, 2283.
" "	"	1.16029, 11° 8'	Knops. V. H. V. 1887, 17.
" "	"	1.15532, 16° 6'	
" "	"	1.15172, 20°	
" "	"	1.15060, 21°	
" "	"	1.14562, 26°	
" "	"	1.14211, 29° 4'	
" "	"	1.13827, 33°	" "
Ethyl maleate	$C_8 H_{12} O_4$	1.06917, 20°	" "
Propyl maleate	$C_{10} H_{16} O_4$	1.02899, 20°	" "
Ethyl fumarate	$C_8 H_{12} O_4$	1.106, 11°	Henry. A. C. P. 156, 178.
" "	"	1.0522, 17° 5'	Anschütz. Ber. 12, 2282.
" "	"	1.05199, 20°	Knops. V. H. V. 1887, 17.
Propyl fumarate	$C_{10} H_{16} O_4$	1.02732, 14° 3'	" "
" "	"	1.02447, 17° 4'	
" "	"	1.02203, 20°	
" "	"	1.02127, 20° 8'	
" "	"	1.01691, 25° 5'	
" "	"	1.01352, 29° 1'	
" "	"	1.00978, 33°	" "
Methyl tartrate	$C_6 H_{10} O_6$	1.3403, 15°	Anschütz and Pic- tet. Ber. 13, 1177.
Ethyl tartrate	$C_6 H_{14} O_6$	1.1989	Landolt. Ber. 9, 910.
" "	"	1.2097, 14°	Anschütz and Pic- tet. Ber. 13, 1177.
" "	"	1.2097, 15°	Perkin. J. C. S. 51, 363.
" "	"	1.2019, 25°	

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Ethyl racemate-----	$C_8 H_{14} O_6$ -----	1.2098, 15°	Perkin. J. C. S. 51, 363.
“ “-----	“-----	1.2019, 25°	
Propyl tartrate-----	$C_{10} H_{18} O_6$ -----	1.1392, 17°	
Isopropyl tartrate-----	$C_{10} H_{18} O_6$ -----	1.1300, 20°	Pictet. Ber. 13, 1177. Pictet. Ber. 15, 2242.

## 16th. Acids and Ethers, Citric Acid Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Citric acid-----	$C_6 H_8 O_7$ -----	1.617-----	Richter.
“ “-----	“-----	1.542-----	Schiff. J. 12, 41.
“ “-----	“-----	1.553-----	Buignet. J. 14, 15.
“ “-----	“-----	1.557-----	W. C. Smith. Am. J. P. 53, 145.
Itaconic acid-----	$C_5 H_6 O_4$ -----	1.578-----	Schröder. Ber. 13, 1070.
“ “-----	“-----	1.632-----	
Citraconic acid-----	“-----	1.616-----	“ “
“ “-----	“-----	1.618-----	
Citraconic anhydride-----	$C_5 H_4 O_3$ -----	1.247-----	Watts' Dictionary.
“ “-----	“-----	1.25360, 12°·4	
“ “-----	“-----	1.24894, 16°·6	} Knops. V. H. V. 1887, 17.
“ “-----	“-----	1.24518, 20°	
“ “-----	“-----	1.24405, 21°	
“ “-----	“-----	1.23920, 25°·4	
“ “-----	“-----	1.23501, 29°·2	
“ “-----	“-----	1.23073, 33°	
Triethyl citrate-----	$C_{12} H_{20} O_7$ -----	1.142, 21°	Malaguti. A. C. P. 21, 267.
“ “-----	“-----	1.1369, 20°	Conen. Ber. 12, 1653.
Tetraethyl citrate-----	$C_{14} H_{24} O_7$ -----	1.1022, 20°	“ “
Ethyl aconitate-----	$C_{12} H_{18} O_6$ -----	1.074, 14°	Watts' Dictionary.
“ “-----	“-----	1.1064-----	Conen. Ber. 12, 1653.
Ethyl itaconitate-----	“-----	1.0505, 15°	Conrad and Guthzeit. A. C. P. 222, 255.
Methyl itaconate-----	$C_7 H_{10} O_4$ -----	1.1299, 14°·7	Anschütz. Ber. 14, 2787.
“ “-----	“-----	1.13195, 12°	} Knops. V. H. V. 1887, 17.
“ “-----	“-----	1.12410, 18°	
“ “-----	“-----	1.12182, 20°	
“ “-----	“-----	1.11882, 22°·5	
“ “-----	“-----	1.11421, 27°·1	
“ “-----	“-----	1.10847, 32°·4	
Polymer of methyl itaconate.	$(C_7 H_{10} O_4)_n$ -----	1.3126, 20°	“ “
Ethyl itaconate-----	$C_9 H_{14} O_4$ -----	1.051, 15°	Anschütz. Ber. 14, 2787.
“ “-----	“-----	1.04613, 20°	Knops. V. H. V. 1887, 17.
Polymer of ethyl itaconate	$(C_9 H_{14} O_4)_n$ -----	1.2549, 20°	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl citraconate	$C_7 H_{10} O_4$	1.1168, 15°	Perkin. Ber. 14, 2541.
" "	"	1.1050, 30°	
" "	"	1.1172, 13°.8	O. Strecker. Ber. 14, 2785.
" "	"	1.1164, 15°.5	Gladstone. Bei. 9, 249.
" "	"	1.11043, 20°	Knops. V. H. V. 1887, 17.
Ethyl citraconate	$C_9 H_{14} O_4$	1.1050, 15°	Perkin. Ber. 14, 2543.
" "	"	1.038, 30°	
" "	"	1.040, 18°.5	Watts' Dictionary.
" "	"	1.047, 15°	Petri. Ber. 14, 2785.
" "	"	1.048, 16°.5	Gladstone. Bei. 9, 249.
" "	"	1.06241, 20°	Knops. V. H. V. 1887, 17.
Methyl mesaconate	$C_7 H_{10} O_4$	1.1254, 15°	Perkin. Ber. 14, 2543.
" "	"	1.1138, 30°	
" "	"	1.1293, 11°.8	O. Strecker. Ber. 14, 2785.
" "	"	1.1246, 16°	Gladstone. Bei. 9, 249.
" "	"	1.12966, 11°.9	Knops. V. H. V. 1887, 17.
" "	"	1.12462, 16°.4	
" "	"	1.12097, 20°	
" "	"	1.12011, 20°.8	
" "	"	1.11648, 24°.3	
" "	"	1.11180, 28°.6	
" "	"	1.10702, 33°	
Ethyl mesaconate	$C_9 H_{14} O_4$	1.043, 20°	Pebal. J. 404.
" "	"	1.051, 15°	Perkin. Ber. 14, 2543.
" "	"	1.039, 30°	
" "	"	1.043, 20°	Petri. Ber. 14, 2785.
" "	"	1.050, 16°	Gladstone. Bei. 9, 249.
" "	"	1.04674, 20°	Knops. V. H. V. 1887, 17.
Methyl crotaconate	$C_7 H_{10} O_4$	1.14, 15°	Claus. A. C. P. 191, 78.
Ethyl acetocitrate	$C_{14} H_{22} O_8$	1.1459, 15°	Ruhemann. Ber. 20, 802.
Ethyl terebate	$C_9 H_{14} O_4$	1.111, 16°	Roser. A. C. P. 220, 255.



## 17th. Glycerin and its Derivatives.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Glycerin, or glycerol	$C_3H_5(OH)_3$	1.27, 10°	Chevreul.
"	"	1.28, 15°	Pelouze. Ann. (2), 63, 19.
"	"	1.260, 15°.5	Watts' Dictionary.
"	"	1.115, 12°.5	Sokoloff. A. C. P. 106, 95.
"	"	1.2636, 15°	Mendelejeff. J. 13, 7.
"	"	1.26949, 6°.7	} Mendelejeff. A. C. P. 114, 165.
"	"	1.26244, 16°.6	
"	"	1.2609	
"	Cryst.	1.261, 15°.5	Roos. C. N. 33, 39.
"	"	1.2688, 0°	Emo. Bei. 6, 663.
"	"	1.2590, 20°	Brühl. Bei. 4, 782.
"	"	1.262, 17°.5	Strohmer. Ber. 17, ref. 206.
"	"	1.2653, 15°	Gerlach. Ber. 17, ref. 522.
"	"	1.26241, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.25881, 25°	
Hexyl glycerin	$C_6H_{11}(OH)_3$	1.0936, 0°	Orloff. A. C. P. 233, 359.
Triethyl diglycerin	$C_{12}H_{26}O_5$	1.00, 14°	Reboul and Lourenço. J. 14, 675.
Glycerin ether	$(C_3H_5)_2O_3$	1.0907, 18°	Gegerfeldt. J. 24, 401.
"	"	1.16, 16°	Zotta. A. C. P. 174, 87.
"	"	1.1453, 0°	Silva. J. C. S. 40, 1122.
Glycide	$C_3H_8O_2$	1.165, 0°	Hanriot. Ann. (5), 17, 62.
Ethyl glycide	$C_5H_{10}O_2$	1.00	Reboul. J. 13, 465.
"	"	.94, 12°	Henry. B. S. C. 18, 232.
Amyl glycide	$C_8H_{16}O_2$	.90, 20°	Reboul. J. 13, 463.
Aceto-glyceral	$C_5H_{10}O_3$	1.081, 0°	Harnitzky and Menschutkin. J. 18, 506.
Valero-glyceral	$C_8H_{16}O_3$	1.027, 0°	"
Trimethylin	$C_6H_{14}O_3$	.9483, 0°	Alsberg. J. 17, 495.
Diethylin	$C_7H_{16}O_3$	.92	Berthelot. J. 7, 450.
Triethylin	$C_9H_{20}O_3$	.8955, 15°	Alsberg. J. 17, 495.
Triglycerin tetrethylin	$C_{17}H_{36}O_7$	1.022, 14°	Reboul and Lourenço. J. 14, 675.
Ethylamylin	$C_{10}H_{22}O_3$	.92	Reboul. J. 13, 465.
Monamylin	$C_8H_{18}O_3$	.98, 20°	Reboul. J. 13, 464.
Diamylin	$C_{13}H_{28}O_3$	.907, 9°	Reboul. J. 13, 465.
Monoallylin	$C_6H_{12}O_3$	1.1160, 0°	} Tollens. A. C. P. 156, 149.
"	"	1.1013, 25°	
Diformin	$C_5H_8O_5$	1.304, 15°	Van Romburgh. Ber. 14, 2827.
Monacetin	$C_5H_{10}O_4$	1.20	Berthelot. J. 6, 455.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diacetin	$C_7 H_{12} O_5$	1.184	Berthelot. J. 6, 455.
"	"	1.148, 23°	Laufer. J. 1876, 243
Triacetin	$C_9 H_{14} O_6$	1.174	Berthelot. J. 7, 449.
Epiacetin	$C_5 H_8 O_3$	1.129, 20°	Breslauer. J. P. C. (2), 20, 188.
Polymer of epiacetin	$(C_5 H_8 O_3)_n$	1.204, 20°	"
Monobutyryn	$C_7 H_{14} O_4$	1.088	Berthelot. J. 6, 455.
Dibutyryn	$C_{11} H_{20} O_5$	1.081	"
"	"	1.084	"
Tributyryn	$C_{15} H_{26} O_6$	1.056	Berthelot. J. 7, 449.
Monovalerin	$C_8 H_{16} O_4$	1.100	Berthelot. J. 6, 454.
Divalerin	$C_{13} H_{24} O_5$	1.059	"
Cocinin	$C_{42} H_{80} O_6$	.92, 8° <sub>s</sub>	Brandes.
Tristearin	$C_{57} H_{110} O_6$	.987, 10°	Kopp. A. C. P. 93, 194.
"	"	.9872	} Three modifica- tions. Duffy. J. 5, 510.
"	"	.9877	
"	"	.9867	
"	"	.9600, 51° <sub>5</sub>	
"	"	1.0101, 15°	
"	"	1.0178	
"	"	1.0179	
"	"	1.009, 51° <sub>5</sub>	
"	"	.9931, 65° <sub>5</sub>	
"	"	.9746, 68° <sub>2</sub>	
" Liquid	"	.9245, 65° <sub>5</sub>	
Monolein	$C_{21} H_{40} O_4$	.947	Berthelot. J. 6, 454.
Di olein	$C_{39} H_{72} O_5$	.921, 21°	"
Ethyl glycerate	$C_5 H_{10} O_4$	1.193, 6°	Henry. Ber. 4, 701.
Benzoetin	$C_{10} H_{12} O_4$	1.228	Berthelot. J. 6, 455.
Glycerin salicylate	$C_{10} H_{12} O_5$	1.3655	Göttig. Ber. 10, 1818.
Glycerin cinnamate	"	1.2704	Kahlbaum. Ber. 16, 1491.
"	"	1.2708	"

## 18th. The Allyl Group.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl alcohol	$C_3 H_5. O H$	.8581, 0°	} Tollens and Hen- ninger. A. C. P. 156, 134. Additional values are given. Tollens. A. C. P. 158, 104. Dittmar and Steuart. P. R. S. G. 10, 64. Thorpe. J. C. S. 37, 371. Zander. A. C. P. 214, 181. Schiff. G. C. I. 13, 177.
"	"	.8478, 27°	
"	"	.8709, 0°	
"	"	.81832, 62°	
"	"	.7846, 97°	
"	"	.8569, 15° <sub>5</sub>	
"	"	.86990, 0°	
"	"	.77998, 96° <sub>6</sub>	
"	"	.8724, 0°	
"	"	.7830, 96° <sub>5</sub>	
"	"	.7809, 94° <sub>4</sub>	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl alcohol	$C_3 H_5 \cdot O H$	.8540, 20°	Brühl. A. C. P. 200, 139.
" "	"	.8563, 23°	Gladstone. Bei. 9, 249.
" "	"	.85778, 15°	Perkin. J. P. C. (2), 32, 523.
" "	"	.85067, 25°	
Ethylvinyl alcohol	$C_4 H_7 \cdot O H$	.834, 0°	Nevolé. J. C. S. 32, 868.
" "	"	.818, 21°	
" "	"	.827, 0°	Lieben. J. C. S. 32, 868.
" "	"	.81, 22°	
Ethylvinylcarbinol	$C_5 H_{10} O$	.856, 0°	E. Wagner. B. S. C. 42, 330.
Methyl isocrotyl alcohol	$C_6 H_{12} O$	.8604 } 0°	Wurtz. J. 17, 515.
" " "	"	.8625 }	
" " "	"	.842, 16°.2	Crow. C. N. 36, 264.
" " " ?	"	.891, 10°	Destrem. Ann. (5), 27, 50.
Allyldimethylcarbinol	"	.8438, 0°	Saytzeff. A. C. P. 185, 151.
" "	"	.8307, 18°	
Diallyl monohydrate	"	.8367, 0°	Wurtz. J. 17, 515.
Allyldiethylcarbinol	$C_8 H_{16} O$	.8891, 0°	{ Schirokoff and Saytzeff. A. C. P. 196, 114.
" "	"	.8711, 20°	
Allylmethylpropylcarbinol.	"	.8436, 0°	Semljanizin. Ber. 12, 2375.
" "	"	.8345, 20°	
Isopropylallyldimethylcarbinol.	$C_9 H_{18} O$	.829, 17°.8	Dieff. J. P. C. (2), 27, 369.
Allyldipropylcarbinol	$C_{10} H_{20} O$	.8602, 0°	P. and A. Saytzeff. Ber. 11, 1939.
" "	"	.8427, 24°	
Allyldiisopropylcarbinol	"	.8671, 0°	Lebedinsky. J. P. C. (2), 23, 23.
Propargyl alcohol	$C_3 H_4 O$	.9628, 21°	Henry. B. S. C. 18, 236.
" "	"	.9715, 20°	Brühl. Bei. 4, 780.
Diallylcarbinol	$C_7 H_{12} O$	.8758, 0°	M. Saytzeff. A. C. P. 185, 129.
" "	"	.8644, 12°	
" "	"	.8478, 32°	
Diallylmethylcarbinol	$C_8 H_{14} O$	.8638, 0°	Sorokin. A. C. P. 185, 169.
" "	"	.8523, 13°	
Diallylethylcarbinol	$C_9 H_{16} O$	.8776, 0°	Smirensky. Ber. 14, 2688.
" "	"	.8637, 17°	
Diallylpropylcarbinol	$C_{10} H_{18} O$	.8707, 0°	P. and A. Saytzeff. Ber. 11, 1259.
" "	"	.8564, 20°	
Diallylisopropylcarbinol	"	.8647, 0°	Rjabinin and Saytzeff. Ber. 12, 689.
" "	"	.8512, 20°	
Vinyl ethyl oxide	$C_2 H_3 \cdot C_2 H_5 \cdot O$	.7625, 17°.5	Wislicenus. A. C. P. 192, 109.
Methyl allyl oxide	$C H_3 \cdot C_3 H_5 \cdot O$	.77, 11°	Henry. B. S. C. 18, 232.
Ethyl allyl oxide	$C_2 H_5 \cdot C_3 H_5 \cdot O$	.7651, 20°	Brühl. Bei. 4, 780.
Allyl oxide	$(C_3 H_5)_2 \cdot O$	.8223, 0°	Zander. A. C. P. 214, 181.
" "	"	.7217, 94°.3	
Methyl propargyl oxide	$C H_3 \cdot C_3 H_3 \cdot O$	.83, 12°.5	Henry. B. S. C. 18, 232.
Ethyl propargyl oxide	$C_2 H_5 \cdot C_3 H_3 \cdot O$	.8326, 20°	Brühl. Bei. 4, 780.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl propargyl oxide	$C_5 H_{11} \cdot C_3 H_3 \cdot O$	.84, 12°	Henry. B. S. C. 18, 232.
Diallylcarbyl methyl oxide.	$C_7 H_{11} \cdot C H_3 \cdot O$	.8258, 0°	Rjabinin. Ber. 12, 2374.
“ “ “	“ “ “	.8096, 20°	
Diallylcarbyl ethyl oxide.	$C_7 H_{11} \cdot C_2 H_5 \cdot O$	.8218, 0°	
“ “ “	“ “ “	.8023, 20°	“ “
Isopropylallyldimethylcarbyl methyl oxide.	$C_9 H_{17} \cdot C H_3 \cdot O$	.8027, 4°	Kononowitsch. Ber. 18, ref. 105.
Allyl formate	$C_4 H_6 O_2$	.9322, 17° 5'	Tollens, Weber, and Kempf. J. 21, 450.
Allyl acetate	$C_5 H_8 O_2$	.8220, 103°	Schiff. G. C. I. 13, 177.
“ “	“	.9276, 20°	Brühl. Bei. 4, 780.
“ “	“	.9258, 24° 5'	Gladstone. Bei. 9, 249.
Ethylvinyl acetate	$C_6 H_{10} O_2$	.896, 0°	Nevolé. J. C. S. 32, 868.
“ “	“	.892, 0°	Lieben. J. C. S. 32, 868.
Methylisocrotyl acetate	$C_8 H_{14} O_2$	.912	Wurtz. J. 17, 514.
Allyldimethylcarbyl acetate.	“	.9007, 0°	M. and A. Saytzeff. A. C. P. 185, 151.
“ “ “	“	.8832, 18° 5'	
Allyldipropylcarbyl acetate.	$C_{12} H_{22} O_2$	.8903, 0°	Saytzeff. Ber. 11, 1939.
“ “ “	“	.8733, 21°	
Propargyl acetate	$C_5 H_6 O_2$	1.0031, 12°	Henry. J. C. S. (2), 11, 1123.
“ “	“	1.0052, 20°	Brühl. Bei. 4, 780.
Diallylcarbyl acetate	$C_9 H_{14} O_2$	.9167, 0°	M. Saytzeff. A. C. P. 185, 129.
“ “	“	.8997, 17° 5'	
Diallylmethylcarbyl acetate.	$C_{10} H_{18} O_2$	.8997, 0°	Sorokin. A. C. P. 185, 169.
“ “ “	“	.8733, 21°	
Allylacetic acid	$C_5 H_8 O_2$	.98656, 12°	Perkin. J. C. S. 49, 205.
“ “	“	.98416, 15°	
“ “	“	.97670, 25°	
Ethyl allylacetate	$C_7 H_{12} O_2$	.9222, 0°	Wurtz. J. 21, 446.
Allyloctylic acid	$C_{11} H_{20} O_2$	.91020, 25°	Perkin. J. C. S. 49, 205.
“ “	“	.89930, 45°	
Ethyl allyloctylate	$C_{13} H_{24} O_2$	.88271, 15°	“ “
“ “	“	.87658, 25°	
Diallylacetic acid	$C_8 H_{12} O_2$	.9495, 25°	Wolf. Ber. 10, 1957.
“ “	“	.9578, 13°	Reboul. J. C. S. 32, 594.
“ “	“	.95756, 12°	Perkin. J. C. S. 49, 205.
“ “	“	.95547, 15°	
“ “	“	.94913, 25°	
Ethyl methoxydiallylacetate.	$C_{11} H_{18} O_3$	.96066, 20°	Barataeff. J. P. C. (2), 35, 2.
Allyl acetacetate	$C_7 H_{10} O_3$	.99272, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	.98542, 25°	
Ethyl allylacetacetate	$C_9 H_{14} O_3$	.9938, 13° 5'	Gladstone. Bei. 9, 249.
“ “	“	.982, 20°	Zeidler. B. S. C. 23, 73.
Ethyl diallylacetacetate	$C_{12} H_{18} O_3$	.948, 25°	Wolf. Ber. 10, 1956.
Ethyl diallyloxyacetate	$C_{10} H_{15} O_3$	.9873, 0°	Saytzeff. Ber. 9, 77
“ “	“	.9718, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl oxalate-----	$C_8 H_{10} O_4$ -----	1.055, 15°.5--	Hofmann and Ca- hours. J. 9, 585.
Ethyl allylmalonate-----	$C_{10} H_{16} O_4$ -----	1.018, 16° ----	Conrad and Bischoff. Ber. 13, 595.
“ “ -----	“ -----	1.01475, 14° --	Gladstone. Bei. 9, 249.
“ “ -----	“ -----	1.01397, 15° } 1.00620, 25° }	Perkin. J. P. C. (2), 32, 523.
Ethyl diallylmalonate-----	$C_{13} H_{20} O_4$ -----	.996, 14° ----	
“ “ -----	“ -----	.99328, 20° --	Matwejeff. Ber. 21, 181.
“ “ -----	“ -----	1.00620, 6°.5 } .99940, 15° }	Perkin. J. C. S. 49, 205.
“ “ -----	“ -----	.99252, 25° }	
Butallylmethylcarbin oxide.	$C_8 H_{12} O_2$ -----	1.0099, 21° --	Kablukow. Ber. 21, ref. 54.
Butallylmethyl pinakone.	$C_{12} H_{22} O_2$ -----	.9632, 0° ----	Kablukow. Ber. 21, ref. 55.
“ “ -----	“ -----	.9452, 24° -- }	Dieff. J. P. C. (2), 35, 20.
Derivative of tetrabrom- diallylcarbin acetate.	$C_{13} H_{20} O_7$ -----	1.18013, 0° ----	

## 19th. Erythrite, Mannite, and the Carbohydrates.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Erythrite or erythrol-----	$C_4 H_6 (O H)_4$ -----	1.590 -----	Lamy. J. 5, 676.
“ “ -----	“ -----	1.449 } 1.452 } 4° -- }	Schröder. Ber. 12, 1561.
Anhydride of erythrol-----	$C_4 H_6 O_2$ -----	1.1323, 0° -- }	
“ “ -----	“ -----	1.1132, 18° -- }	Przybytek. Ber. 17, 1091.
Mannite or mannitol-----	$C_6 H_8 (O H)_6$ -----	1.521 -----	Prunier. Ann. (5), 15, 22.
“ “ -----	“ -----	1.485 } 1.486 } 4° -- }	Schröder. Ber. 12, 1561.
“ “ -----	“ -----	1.489 }	
Dulcite or dulcitol-----	“ -----	1.466, 15° ----	Eichler. J. 9, 665.
Sorbite-----	$(C_6 H_{14} O_6)_2 \cdot H_2 O$ --	1.654, 15° ----	Pelouze. J. 5, 655.
Pinite-----	$C_6 H_{12} O_5$ -----	1.520 -----	Berthelot. J. 8, 675.
Quercite-----	“ -----	1.5845 -----	Prunier. Bei. 2, 68.
Cane sugar, or saccharose.	$C_{12} H_{22} O_{11}$ -----	1.606 -----	Brisson. P. des C.
“ “ “-----	“ -----	1.600 -----	Schübler and Renz.
“ “ “-----	“ -----	1.593 -----	Filhol.
“ “ “-----	“ -----	1.596 -----	Plavfuir and Joule. M. C. S. 2, 401.
“ “ “-----	“ -----	1.5578 -----	Brix. J. 7, 618.
“ “ “-----	“ -----	1.63 -----	Dubrunfaut.
“ “ “-----	“ -----	1.5951, 15° ----	Maumené. B. S. C. 22, 33.
“ “ “-----	“ -----	1.588, 4° ----	Schröder. Ber. 12, 561.
“ “ “-----	“ -----	1.589 -----	W. C. Smith. Am. J. P. 53, 148.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Cane sugar, or saccharose.	$C_{12}H_{22}O_{11}$	1.58046, 17°.5	Gerlach.
“ “ “ Fused, vitreous.	“	1.996, 14°.5	Morin. J. Ph. C. (4), 28, 34.
“ “ “ Molten	“	1.6	Quinke. P. A. 138, 141.
“ “ “	“	1.5984	} Wiedemann and Lüdeking. P. A. (2), 25, 151.
“ “ “ Barley sugar.	“	1.5122	
“ “ “	“	1.5928	Zehnder. P. A. (2), 29, 260.
Milk sugar, or lactose	“	1.534	Filhol.
“ “ “	“	1.53398, 4°	Playfair and Joule. J. C. S. 1, 138.
“ “ “	“	1.525, 4°	Schröder. Ber. 12, 561.
“ “ “	“	1.533	W. C. Smith. Am. J. P. 53, 148.
Melezitose	$C_{12}H_{22}O_{11} \cdot H_2O$	1.540, 17°.5	Alekhine. J.C.S. 50, 684.
Glucose	$C_6H_{12}O_6 \cdot H_2O$	1.3861	} Payen and Persoz.
“	“	1.391	
“	“	1.54	} 11°
“	“	1.57	
“ Fused	“	1.3	Quinke. P. A. 138, 141.
Inosite. Anhydrous	$C_6H_{12}O_6$	1.752	Tanret and Villiers. Ann. (5), 23, 392.
“	$C_6H_{12}O_6 \cdot 2H_2O$	1.1154, 5°	Vohl. J. 11, 489.
“	“	1.535, 8°	} Tanret and Villiers. C. R. 86, 486.
“	“	1.524, 15°	
Bergenite	$C_8H_{10}O_5 \cdot H_2O$	1.5445	Morelli. Ber. 14, 2694.
Starch	$(C_6H_{10}O_5)_n$	1.505	Payen.
“	“	1.530	Dietrich. Z. A. C. 5, 51.
“	“	1.56	Kopp. A. C. P. 35, 38.
“ Arrowroot	“	1.5045, air dried	} Flückiger. Z. C. 10, 445.
“ Potato	“	1.5029, “	
“ “	“	1.6330, dried at 100°.	
Dextrin	“	1.03843	O'Sullivan. J. 27, 880.
Inulin	“	1.470	Dragendorff. J. 22, 748.
“	“	1.462	Dubrunfaut.
“	“	1.3491	Kiliani. A. C. P. 205, 151.
Cellulose	“	1.525	Weltzien's "Zusammenstellung."
Gum	“	1.487, air dried	} Flückiger. Z. C. 10, 445.
“	“	1.525, dried at 100°.	
“ Gum-arabic	“	1.355	} Guérin-Varry. P.A. 29, 50.
“ “ tragacanth	“	1.384	
“ Senegal	“	1.436	
“ Bassora	“	1.359	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Graminin	$6 C_6 H_{10} O_5 \cdot H_2 O$	1.522, 12°	Ekstrand and Johanson. Ber. 21, 594.
Phlein	"	1.480	
Octaceto-diglucose	$C_{12} H_{14} (C_2 H_3 O_2)_8 O_{11}$	1.27, 16°	Demole. Ber. 12, 1936.
Octaceto-saccharose	"	1.27, 16°	" "

## 20th. Miscellaneous Non-Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetopropyl alcohol	$C_5 H_{10} O_2$	1.00514, 15°	Perkin, Jr. J. C. S. 51, 830.
" "	"	1.00197, 20°	
" "	"	.99896, 25°	
Acetobutyl alcohol	$C_6 H_{12} O_2$	1.0143, 0°	Lipp. Ber. 18, 3281.
" "	"	.99771, 4°	Perkin, Jr. J. C. S. 51, 719.
" "	"	.98947, 15°	
" "	"	.98270, 25°	
Methyl orthoformate	$C_4 H_{10} O_3$	.974, 23°	Deutsch. Ber. 12, 115.
Ethyl orthoformate	$C_7 H_{16} O_3$	.8964	Williamson.
Propyl orthoformate	$C_{10} H_{22} O_3$	.879, 23°	Deutsch. Ber. 12, 115.
Isobutyl orthoformate	$C_{13} H_{28} O_3$	.861	" "
Isoamyl orthoformate	$C_{16} H_{34} O_3$	.864	" "
Diethoxy ether	$C_5 H_{18} O_3$	.8924, 21°	Lieben. J. 20, 546.
Derivative of isobutylaldehyde.	$C_8 H_{14} O$	.9575, 0°	Oeconomides. Ber. 14, 2581.
" "	$C_{10} H_{20} O_2$	.9415, 0°	" "
Derivative of valeral	$C_{10} H_{18} O$	.9027, 17°	Borodin. J. 17, 339.
" "	$C_{20} H_{38} O_3$	.895	Borodin. Ber. 5, 480.
" "	"	.900	
Derivative of oenanthol	$C_{28} H_{50} O$	.8831, 15°	Perkin. Ber. 15, 2805.
" "	"	.8751, 30°	
" "	"	.8723, 35°	
"Acetyl valeryl"	$C_7 H_{12} O_2$	.8804, 15°.5	Olewinsky. J. 14, 463.
Diacetone alcohol	$C_6 H_{12} O_2$	.9306, 25°	Heintz. A. C. P. 178, 349.
Methoxymethyl ethyl acetone.	$C_7 H_{14} O_2$	.855, 20°	James. J. C. S. 49, 50.
Dimethoxyl diethyl acetone.	$C_9 H_{18} O_3$	.886, 15°	" "
From diethylacetone.	$C_{20} H_{34} O_2$	.934, 12°	Geuther. J.P.C. (2), 6, 160.
Ethyl diacetone carbonate	$C_{10} H_{18} O_3$	.9738, 20°	Frankland and Duppa. J. 18, 306.
Mesityl oxide	$C_8 H_{10} O$	.848, 23°	Fittig. J. 12, 344.
" "	"	.8528, 19°	Gladstone. Bei. 9, 249.
" "	"	.8578, 20°	Brühl. A. C. P. 235, 1.
Homologue of mesityl oxide.	$C_8 H_{14} O$	.8547, 15°.4	Schramm. Ber. 16, 1581.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phorone	$C_9 H_{14} O$	.932	12° Fittig. J. 12, 344.
"	"	.939	
"	"	.9614, 20°	Schwanert. J. 15, 464.
"	"	.9645, 15°	Schulze. Ber. 15, 64.
"	"	.885, 20°	Brühl. A. C. P. 235, 1.
"	"	.8793, 27°	
"	"	.8785, 28°	
"	"	.8776, 29°	
Aldol	$C_4 H_8 O_2$	1.1208, 0°	Wurtz. B. S. C. 18, 436.
"	"	1.1094, 16°	
"	"	1.0819, 49°.6	
Derivative of aldol	$C_8 H_{16} O_4$	1.0941	Wurtz. C. R. 97, 1526.
"	"	1.0951	
"	"	1.0953	
Diacetate from the above compound.	$C_{12} H_{20} O_6$	1.095, 0°	"
Derivative of laevulinic ether.	$C_{14} H_{22} O_7$	1.097, 15°	Conrad and Guthzeit. Ber. 17, 2286.
Diethyl glycollic ether	$C_{20} H_{36} O_{10}$	1.01, 19°	Geuther. J. 20, 455.
Propidene acetic acid	$C_5 H_8 O_2$	.9922, 15°	Kommenos. A. C. P. 218, 167.
Acetyl trimethylene	$C_5 H_8 O$	.90471, 15°	Perkin, Jr. J. C. S. 51, 832.
"	"	.90083, 20°	
"	"	.89706, 25°	
Ethyl acetyltrimethylene-carboxylate.	$C_8 H_{12} O_3$	1.03436, 4°	Perkin, Jr. J. C. S. 47, 801.
"	"	1.03256, 6°.5	
"	"	1.02549, 15°	
"	"	1.01884, 25°	
"	"	1.0425, 25°.2	Gladstone. Ber. 19, 2563.
"	"	1.05174	15° } Two preparations. Perkin, Jr. J. C. S. 51, 826.
"	"	1.05152	
"	"	1.04810, 20°	
"	"	1.04390, 25°	
"	"	1.04703	
"	"	1.04753	
"	"	1.03930, 25°	
Ethyl trimethylenedicarboxylate.	$C_9 H_{14} O_4$	1.0708, 7°	Gladstone. J. C. S. 51, 852.
"	"	1.06455, 15°	Perkin. J. C. S. 51, 852.
"	"	1.05657, 25°	
"	"	1.06463, 15°	Perkin, Jr. J. C. S. 47, 801.
"	"	1.05664, 25°	
Ethyl trimethylenetricarboxylate.	$C_{12} H_{18} O_6$	1.127, 15°	Conrad and Guthzeit. Ber. 17, 1186.
Tetramethylenemonocarboxylic acid.	$C_5 H_8 O_2$	1.05480, 15°	Perkin. J. C. S. 51, 1.
"	"	1.05116, 20°	
"	"	1.04761, 25°	
Ethyl tetramethylenedicarboxylate.	$C_{10} H_{18} O_4$	1.0484, 14°	Gladstone. Bei. 9, 249.
"	"	1.05328, 9°	Perkin. J. C. S. 51, 1.
"	"	1.04817, 15°	
"	"	1.04051, 25°	
Ethyl acetyltetramethylenedicarboxylate.	$C_9 H_{14} O_3$	1.0668, 13°	Gladstone. Bei. 9, 249.
Methylpentamethylene-monocarboxylic acid.	$C_7 H_{12} O_2$	1.02054, 15°	Two lots. Perkin. J. C. S. 53, 195 and 199.
"	"	1.01739, 20°	
"	"	1.01438, 25°	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylpentamethylene- monocarboxylic acid. }	$C_7 H_{12} O_2$ -----	1.0256, 4° ---	Two lots. Perkin. J. C. S. 53, 195 and 199.
“ “	“-----	1.0208, 10° ---	
“ “	“-----	1.0172, 15° ---	
“ “	“-----	1.0139, 20° --- 1.0109, 25° ---	
Methylpentamethylene methyl ketone. }	$C_8 H_{14} O$ -----	.9222, 4° ---	Perkin. J. C. S. 53, 200.
“ “	“-----	.9174, 10° ---	
“ “	“-----	.9136, 15° ---	
“ “	“-----	.9100, 20° --- .9070, 25° ---	
Methylhexamethylene- monocarboxylic acid. }	$C_8 H_{14} O_2$ -----	1.0079, 4° ---	Perkin. J. C. S. 53, 209.
“ “	“-----	1.0038, 10° ---	
“ “	“-----	.99982, 15° ---	
“ “	“-----	.9966, 20° --- .9940, 25° ---	
Methyldehydrohexone	$C_6 H_{10} O$ -----	.92272, 4° ---	Perkin. J. C. S. 51, 719.
“ “	“-----	.91278, 15° ---	
“ “	“-----	.90502, 25° ---	
Ethyl methyldehydro- hexanecarboxylate. }	$C_9 H_{14} O_3$ -----	1.06457, 15° ---	Three lots. Perkin. J. C. S. 51, 711 and 713.
“ “	“-----	1.05840, 25° ---	
“ “	“-----	1.06840, 15° ---	
“ “	“-----	1.06470, 20° ---	
“ “	“-----	1.06137, 25° ---	
“ “	“-----	1.0744, 9° ---	
“ “	“-----	1.0696, 15° --- 1.0660, 20° --- 1.0626, 25° ---	
Ethyl methenyltricarbox- ylate.	$C_{10} H_{16} O_6$ -----	1.10, 19° ---	Conrad. Ber. 12, 1236.
Ethyl ethenyltricarboxy- late.	$C_{11} H_{18} O_6$ -----	1.089, 17° ---	Bischoff. A. C. P. 214, 39.
Methyl diethyl- $\beta$ -methyl- ethenyltricarboxylate.	“-----	1.079, 15° ---	Bischoff. A. C. P. 214, 56.
Ethyl $\beta$ -methylene- tricarboxylate.	$C_{12} H_{20} O_6$ -----	1.092, 16° ---	Bischoff. Ber. 13, 2165.
Ethyl $\alpha$ $\beta$ -dimethylene- nyltricarboxylate.	$C_{13} H_{22} O_6$ -----	1.0745, 15° ---	Bischoff and Rach. A. C. P. 234, 54.
Ethyl butenyltricarboxy- late.	“-----	1.065, 17° ---	Polko. A. C. P. 242, 113.
Ethyl isobutenyltricar- boxylate.	“-----	1.064, 17° ---	Barnstein. A. C. P. 242, 126.
“ “	“-----	1.0805, 18° ---	Levy and Englän- der. A. C. P. 242, 210.
Ethyl propylene- tricarboxylate.	$C_{14} H_{24} O_6$ -----	1.052, 13° ---	Waltz. A. C. P. 214, 58.
Ethyl dicarboxylgluta- conate.	$C_{15} H_{22} O_6$ -----	1.131, 15° ---	Conrad and Guth- zeit. Ber. 15, 2842.
Ethyl isallylenetetra- carboxylate.	$C_{15} H_{24} O_8$ -----	1.102, 15° ---	Bischoff. Ber. 13, 2164.
Ethyl dimethylacetylene- tetracarboxylate.	$C_{16} H_{26} O_6$ -----	1.114, 15° ---	Bischoff and Rach. A. C. P. 234, 54.
Methylisopropenylcarbi- nol.	$C_5 H_{10} O$ -----	.8571, 0° ---	Kondakoff. Ber. 18, ref. 660.
“ “	“-----	.8419, 20° .5 ---	
Pyruvic acetate	$C_5 H_8 O_3$ -----	1.053, 11° ---	Henry. B. S. C. 19, 219.
Ethyl pyruvyl ether	$C_5 H_{10} O_2$ -----	.92, 18° ---	Henry. Ber. 14, 2272.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Parasorbic acid	$C_6 H_8 O_2$	1.068, 15°	Hofmann. J. C. S. 12, 322.
Derivative of mannite	$C_8 H_8 O$	.9396, 0°	Fauconnier. J. C. S. 48, 743.
Methyl mucate	$C_8 H_{14} O_8$	1.48	Malaguti. Ann. (2), 63, 86.
" "	"	1.50	
Ethyl mucate	$C_{10} H_{18} O_8$	1.17	" "
" "	"	1.32	
Valerylene diacetate	$C_9 H_{16} O_4$	.963	Guthrie and Kolbe. J. 12, 365.
Conylene diacetate	$C_{12} H_{20} O_4$	.988, 18°.2	Wertheim. J. 16, 438.
Amenyl valerone	$C_{14} H_{26} O$	.836, 7°	Geuther, Fröhlich, and Loos. Ber. 13, 1356.
Linoleic acid	$C_{18} H_{32} O_2$	.9206, 14°	Schüler. J. 10, 359.
Ricinoleic acid	$C_{18} H_{34} O_3$	.940, 15°	Saalmüller. J. 1, 562.
" "	"	.9502, 15°	Norton and Richardson. A. C. J. 10, 57.
Distillate from linoleic acid.	$C_{20} H_{36} O_2$	.9108, 15°	" "
Distillate from ricinoleic acid.	"	.912	" "
Furfurane	$C_4 H_4 O$	.9644, 0°	Henninger. Ann. (6), 7, 209.
"	"	.9444, 15°	
Dihydrofurfurane	$C_4 H_6 O$	.9663	" "
"	"	.9684	
"	"	.9503, 15°	
Erythrol. (Crotonylene glycol).	$C_4 H_8 O_2$	1.06165, 0°	" "
"	"	1.04653, 20°	
Furfurol	$C_5 H_4 O_2$	1.1648, 15°.6	Stenhouse. J. 1, 732.
"	"	1.1636, 13°.5	Stenhouse. J. 3, 513.
"	"	1.168, 15°.5	Fownes. P. T. 1845, 253.
"	"	1.134	Völckel. J. 5, 652.
"	"	1.150	
"	"	1.1006, 27°	Stenhouse. P. M. (3), 18, 124.
"	"	.9310, 162°	Ramsay. J. C. S. 35, 463.
"	"	1.0025	{ Schiff. G. C. I. 13, 177.
"	"	1.0026	
"	"	1.1344, 19°	Gladstone. Bei. 9, 249.
"	"	1.1594, 20°	Brühl. A. C. P. 235, 1.
Ethylfurfurcarbinol	$C_7 H_{10} O_2$	1.066, 0°	Pawlinoff and Wagner. Ber. 17, 1967.
"	"	1.053, 15°.5	
Furfurbutylene	$C_8 H_{10} O$	.9509, 14°.5	Toennies and Staub. Ber. 17, 852.
Fucusol	$C_5 H_4 O_2$	1.150, 13°.5	Stenhouse. J. 3, 513.
Ethyl pyromucate	$C_7 H_8 O_2$	1.297, 20°	Malaguti. J. P. C. 41, 224.
Triethylpropylphycite	$C_9 H_{20} O_4$	.976, 0°	Wolff. A. C. P. 150, 56.
"	"	.96051, 16°.5	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acid from petroleum	$C_{11}H_{20}O_2$	.982, 0°	Hell and Medinger. Ber. 7, 1218.
" " "	"	.969, 23°	
Ethyl ether of the above	$C_{13}H_{24}O_2$	.939, 0°	
" " " acid.	"	.919, 27°	" "
From epichlorhydrin and chlorocarbonic ether.	$C_6H_{10}O_3$	.9931, 21° 5'	Kelly. Ber. 11, 2226.

## 21st. Phenols.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenol	$C_6H_5.OH$	1.062, 20°	Runge. P.A. 32, 308.
"	"	1.065, 18°	Laurent. Ann. (3), 3, 195.
"	"	1.0627	Scrugham. J. C. S. 7, 237.
"	"	1.0808, 0°, 1. }	Kopp. A. C. P. 95, 307.
"	"	1.0597, 32°. 9 }	
"	"	1.0554	Duclos. A.C.P. 109, 135.
"	"	1.068	Church. J. C. S. 16, 76.
"	"	1.0667, 38°	Graebe.
"	"	1.0709, 38°	Zotta. A. C. P. 174, 87.
"	"	1.066, cryst.	Hamberg. Ber. 4, 751.
"	"	1.05433, 40°	} Adrieenz. Ber. 6, 443.
"	"	1.04663, 50°	
"	"	1.03804, 60°	
"	"	1.02890, 70°	
"	"	1.01950, 80°	
"	"	1.01015, 90°	
"	"	1.00116, 100°	
"	"	1.0558, 46°	
"	"	1.0463, 56°	
"	"	1.0567, 46°	
"	"	1.0470, 56°	
"	"	1.0560, 46°	
"	"	1.0467, 56°	
"	"	1.0559, 46°	
"	"	1.0476, 56°	
"	"	.8789, 186°	Ramsay. J. C. S. 35, 463.
"	"	1.0591, 40°	} Bedson and Wil- liams. Ber. 14, 2551.
"	"	1.0545, 45°	
"	"	1.0722, 20°	Landolt. P. A. 122, 558.
"	"	1.0702, 20°	Brühl. Bei. 4, 782.
"	"	1.05810, 4°	Flink. Bei. 8, 262.
"	"	1.0598, 21°	Gladstone. Bei. 9, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenol	$C_6H_5.OH$	1.0906, 0°	Pinette. A. C. P. 243, 32.
"	"	1.0387, 15°	
"	"	.9217, 182°	
Diphenol. Pyrocatechin	$C_6H_4(OH)_2$	1.2	Schröder. Ber. 12, 561.
"	"	1.348	
" Resorcin	"	1.3	Calderon. J. R. C. 5 313.
"	"	1.2717, 15°	
"	"	1.276	Schröder. Ber. 12, 561.
"	"	1.289	
"	"	1.1795, 100°	Schiff. A. C. P. 223, 247.
" Hydroquinone	"	1.4	Schröder. Ber. 12, 561.
"	"	1.324	
Triphenol. Pyrogallol	$C_6H_3(OH)_3$	1.443	" "
"	"	1.463	
Orthokresol	$C_6H_4.CH_3.OH$	1.039, 23°	Gladstone. Bei. 9, 249.
"	"	1.0578, 0°	Pinette. A. C. P. 243, 32.
"	"	1.0053, 65°	
"	"	.8867, 190°	
Metakresol	"	1.0330, 19°	Gladstone. Bei. 9, 249.
"	"	1.0498, 0°	Pinette. A. C. P. 243, 32.
"	"	.8744, 202°	
Parakresol. ?	"	1.033, 23°	v. Rad. J. 22, 448.
"	"	1.0522, 0°	Pinette. A. C. P. 243, 32.
"	"	.9962, 65°	
"	"	.8728, 201°	
Ethylphenol	$C_6H_4.C_2H_5.OH$	1.049, 14°	Auer. Ber. 17, 669.
Orthopropylphenol	$C_6H_4.C_3H_7.OH$	1.015, 0°	Spica. Ber. 12, 295.
"	"	.9370, 100°	
Parapropylphenol	"	1.0091, 0°	" "
"	"	.9324, 100°	
Orthoisopropylphenol	"	1.01243, 0°	Fileti. G. C. I. 16, 113.
"	"	.92765, 100°	
Xylenol. 1.3.4	$C_6H_3.CH_3.CH_3.OH$	1.036, 0°	Wurtz. J. 21, 460.
"	"	.9700, 81°	
"	"	1.0362, 0°	Jacobsen. Ber. 11, 24.
" ?	"	1.0233, 23°	Wroblevsky. J. 21, 459.
" ?	"	.9709, 81°	Wurtz. J. 21, 460.
" 1.3. ?	"	1.0366, 0°	Lako. J. 1876, 454.
"	"	1.0242, 15°	
"	"	1.0123, 30°	
"	"	1.0020, 45°	
"	"	.9903, 59°	
"	"	.9673, 100°	
Phloretol	$C_8H_{10}O$	1.0374, 12°	Hlasiwetz. J. 10, 329.
Isopropylkresol	$C_6H_3.C_3H_7.CH_3.OH$	1.00122, 0°	Spica. J. C. S. 44, 460.
"	"	.91971, 100°	
Propylkresol. Carvacrol	"	.98558, 15°	Jacobsen. Ber. 11, 1060.
"	"	.981, 15°	Jahns. Ber. 15, 817.
" Thymol	"	1.0285, s.	Stenhouse. J. 9, 624.
"	"	1.01068, 0°	Two preparations. Pisatiand Pater- no. Ber. 8, 71.
"	"	1.009136, 0°	
"	"	.92424, 100°	

NAME.	FORMULA.	SP. GRAVITY	AUTHORITY.
Propylkresol. Thymol	$C_6H_5, C_3H_7, CH_3, OH$	1.069	Rüdorff. Ber. 12, 252.
" " "	"	1.0101, 4°	Schiff. Ber. 13, 1408.
" " "	"	.989, 25° 5'	Haines. J. 9, 623.
" " "	"	.988, 0°	Febve. Ber. 14, 1720.
" " "	"	1.029	Schröder. Ber. 14, 2516.
" " "	"	1.034	
" " "	"	.96895, 24° 4'	Nasini and Bernheimer. G. C. I. 15, 50.
" " "	"	.92838, 77° 3'	
" " "	"	.9499, 49° 3'	
" " "	"	.9941, 0°, 1.	Schiff. A. C. P. 223, 247.
" " "	"	.9401, 16° 5'	
" " "	"	.7923, 231° 8'	
Orthobutenylphenol	$C_6H_4, C_4H_7, OH$	1.0171	Pinette. A. C. P. 243, 32.
Guaiacol. 1.2	$C_6H_4, OCH_3, OH$	1.1171, 13°	Perkin. C. N. 39, 39.
" " "	"	1.119, 22°	Hlasiwetz. A. C. P. 106, 366.
" " "	"	1.125, 16°	Sobrero.
" " "	"	1.119, 17° 5'	Völckel. J. 7, 610.
Kreosol. 1.3.4	$C_6H_5, OCH_3, CH_3, OH$	1.0894, 13°	Gorup-Besanez.
Orcin	$C_6H_5, CH_3, (OH)_2, H_2O$	1.283	Hlasiwetz. A. C. P. 106, 354.
" " "	"	1.296 } 4°	
" " "	"	1.283	Schröder. Ber. 12, 1611.

## 22d. Aromatic Alcohols.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzyl alcohol	$C_6H_5, CH_2OH$	1.059	Cannizzaro. J. 7, 585.
" " "	"	1.0628, 0°	Kopp. A. C. P. 94, 257.
" " "	"	1.0507, 15° 4'	
" " "	"	1.0465, 19°	Kraut. A. C. P. 152, 134.
" " "	"	1.0429, 20°	Brühl. Bei. 4, 781.
" " "	"	1.0412, 22°	Gladstone. Bei. 9, 249.
Benzylcarbinol	$C_6H_5, CH_2, CH_2OH$	1.0337, 21°	Radziszewski. Ber. 9, 373.
Phenylpropyl alcohol	$C_6H_5, CH_2, CH_2, CH_2OH$	1.008, 18°	Rühelmer. A. C. P. 172, 126.
" " "	"	1.0079, 20°	Brühl. Bei. 4, 781.
Orthoxylyl alcohol	$C_6H_4, CH_3, CH_2OH$	1.08, s.	Colson. Ann. (6), 6, 86.
" " "	"	1.023, 40°, 1.	Radziszewski and Wispek. Ber. 15, 1747.
Metaxylyl alcohol	"	.9157, 17°	
" " "	"	1.036, 0°	Colson. Ann. (6), 6, 86.
Ethylphenylcarbinol	$C_6H_4, CHOH, CH_3$	1.016, 0°	Wagner. Ber. 17, ref. 317.
" " "	$C_6H_5$	.994, 23°	
Cymyl alcohol. 1.4	$C_6H_4, C_3H_7, CH_2OH$	.9775, 15°	Kraut. A. C. P. 192, 224.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Saligenin -----	$C_6H_4 \cdot OH \cdot CH_2OH$	1.1613, 25°	Beilstein and Seelheim. J. 14, 765.
Methylsaligenin. 1.2-----	$C_6H_4 \cdot OCH_3 \cdot CH_2OH$	1.1200, 23°	} Cannizzaro and Koerner. B. S. C. 18, 132.
“ “ -----	“	1.0532, 100°	
Anisic alcohol. 1.4 -----	“	1.1093, 26°	
“ “ -----	“	1.0507, 100°	“ “
Acetophenone alcohol-----	$C_6H_5O_2$	1.013	Emmerling and Engler. Ber. 6, 1006.
Cinnamic alcohol-----	$C_9H_{10}O$	1.0402, 24°.8	Nasini. Bei. 9, 331.
“ “ -----	“	1.04017, 24°.8	} Nasini and Bernheimer. G. C. I. 15, 50.
“ “ -----	“	1.03024, 36°.1	
“ “ -----	“	1.0027, 77°.3	} Gladstone. Bei. 9, 249.
“ “ -----	“	1.0318, 13°	
“ “ -----	“	1.0440, 20°	
“ “ -----	“	1.0354, 31°	} Brühl. A. C. P. 235, 1.
“ “ -----	“	1.0346, 32°	
“ “ -----	“	1.0338, 33°	
Ethylphenylacetylene alcohol.	$C_{10}H_{12}O$	.985, 19°	Morgan. J. C. S. (3), 1, 163.
Orthoxylene glycol -----	$C_6H_4(C_2H_4O)_2$	1.133, 75°	Colson. Ann. (6), 6, 86.
Metaxylene glycol-----	“	1.161, 18°, sur-fused.	} “ “
“ “ -----	“	1.135, 53°	
Paraxylene glycol-----	“	1.094, 135°	“ “
Mesitylene glycol -----	$C_6H_3 \cdot CH_3 \cdot (CH_2OH)_2$	1.23, 15°	Robinet and Colson. C. R. 96, 1863.

## 23d. Aromatic Oxides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenyl ether-----	$C_6H_5 \cdot O \cdot C_6H_5$	1.0904	Gladstone and Tribe. J. C. S. 41, 6.
“ “ -----	“	1.0744, 24°	} Gladstone. Bei. 9, 249.
“ “ -----	“	1.0712, 25°	
Phenylmethyloxiide. Anisol.	$C_6H_5 \cdot O \cdot CH_3$	.991, 15°	Cahours. J. 2, 403.
“ “ “ “	“	.8607	} Schiff. G. C. I. 13, 177.
“ “ “ “	“	.8608	
“ “ “ “	“	.98784, 21°.8	
“ “ “ “	“	1.0110, 0°	} Pinette. A. C. P. 243, 32.
“ “ “ “	“	.8604, 154°.3	
Phenylethyloxiide. Phenetol.	$C_6H_5 \cdot O \cdot C_2H_5$	.8196	} Schiff. G. C. I. 13, 177.
“ “ “ “	“	.8198	
“ “ “ “	“	.973, 15°	Rensen and Orndorff. A. C. J. 9, 393.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenylethyl oxide. Phenetol.	$C_6 H_5, O. C_2 H_5$	.9822, 0°	Pinette. A. C. P. 243, 32.
Phenyl propyl oxide	$C_6 H_5, O. C_3 H_7$	.8169, 170°.3	
" " "	"	.968, 20°	Cahours. Les Mondes, 32, 280.
" " "	"	.9639, 0°	
Phenyl isopropyl oxide	"	.7889, 190°.5	Pinette. A. C. P. 243, 32.
" " "	"	.958, 0°	
Phenyl butyl oxide	$C_6 H_5, O. C_4 H_9$	.947, 12°.5	Silva. Z. C. 13, 250.
" " "	"	.9500, 0°	Pinette. A. C. P. 243, 32.
Phenyl isobutyl oxide	"	.7664, 210°.3	
Phenyl n. heptyl oxide	$C_6 H_5, O. C_7 H_{15}$	.9388, 16°	Riess. J. C. S. 24, 221.
" " "	"	.9319, 0°	Pinette. A. C. P. 243, 32.
Phenyl n. octyl oxide	$C_6 H_5, O. C_8 H_{17}$	.7075, 266°.8	
" " "	"	.9221, 0°	" "
Benzyl ether	$C_7 H_7, O. C_7 H_7$	.6941, 282°.8	
Kresyl ether	"	1.0359, 16°	Lowe. J. C. S. 51, 701.
Orthokresyl methyl oxide	$C_7 H_7, O. C H_3$	1.0352, 16°	Gladstone. Bei. 9, 249.
" " "	"	.9957, 0°	Pinette. A. C. P. 243, 32.
Metakresyl methyl oxide	"	.8321, 171°.3	
Parakresyl methyl oxide	"	.9891, 0°	" "
" " "	"	.8255, 177°.2	
Orthokresyl ethyl oxide	$C_7 H_7, O. C_2 H_5$	.8236, 175°.5	Schiff. Bei. 9, 559.
" " "	"	.9868, 0°	Pinette. A. C. P. 243, 32.
Metakresyl ethyl oxide	"	.8241, 175°	
Parakresyl ethyl oxide	"	.9679, 0°	" "
" " "	"	.7941, 184°.8	
Orthokresyl propyl oxide	$C_7 H_7, O. C_3 H_7$	.97123, 5°	Staedel. Ber. 14, 898.
" " "	"	.9650, 0°	Pinette. A. C. P. 243, 32.
Metakresyl propyl oxide	"	.7888, 192°	
Parakresyl propyl oxide	"	.8744, 0°	Fuchs. J. 22, 457.
" " "	"	.9662, 0°	Pinette. A. C. P. 243, 32.
" " "	"	.7884, 189°.9	
Orthokresyl butyl oxide	$C_7 H_7, O. C_4 H_9$	.9517, 0°	" "
" " "	"	.7675, 204°.1	
Metakresyl butyl oxide	"	.9484, 0°	" "
" " "	"	.7628, 210°.6	
Parakresyl butyl oxide	"	.9497, 0°	" "
" " "	"	.7635, 210°.4	
Orthokresyl n. heptyl oxide	$C_7 H_7, O. C_7 H_{15}$	.9437, 0°	" "
" " "	"	.7493, 223°	
Metakresyl n. heptyl oxide	"	.9407, 0°	" "
" " "	"	.7422, 229°.2	
Parakresyl n. heptyl oxide	"	.9419, 0°	" "
" " "	"	.7410, 229°.5	
Orthokresyl n. octyl oxide	$C_7 H_7, O. C_8 H_{17}$	.9243, 0°	" "
" " "	"	.7016, 277°.5	
Metakresyl n. octyl oxide	"	.9202, 0°	" "
" " "	"	.6927, 283°.2	
Parakresyl n. octyl oxide	"	.9228, 0°	" "
" " "	"	.6905, 283°.3	
Orthokresyl n. octyl oxide	$C_7 H_7, O. C_8 H_{17}$	.9231, 0°	" "
" " "	"	.6905, 292°.9	
Metakresyl n. octyl oxide	"	.9194, 0°	" "
" " "	"	.6818, 298°.9	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Parakresyl n. octyl oxide	$C_7 H_7 \cdot O \cdot C_8 H_{17}$	.9199, 0°	Pinette. A. C. P. 243, 32.	
“ “	“ “	.6808, 298°		
Ethyl phenetol	$C_6 H_4 \cdot C_2 H_5 \cdot O \cdot C_2 H_5$	.986, 14°	Auer. Ber. 17, 669.	
Phloryl ethyl oxide	$C_8 H_9 \cdot O \cdot C_2 H_5$	.9323, 18°	Sigel. A. C. P. 170, 345.	
Styryl ethyl oxide	“	.931, 21°.9	Thorpe. J. 22, 412.	
Orthopropylphenyl methyl oxide.	$C_6 H_4 \cdot C_3 H_7 \cdot O \cdot CH_3$	.9694, 0°	Spica. Ber. 12, 295.	
“ “		.9168, 100°		
Parapropylphenyl methyl oxide. “ “		.9636, 0°		
“ “		.9125, 100°		
Isopropylphenyl methyl oxide.	“	.962, 0°	Paterno and Spica. Ber. 10, 84.	
Isopropylphenyl ethyl oxide.	$C_6 H_4 \cdot C_3 H_7 \cdot O \cdot C_2 H_5$	.94377, 0°	Spica. J. C. S. 38, 167.	
“ “		.86369, 100°		
Orthoisopropylphenyl ethyl oxide. “ “	“	.94438, 0°	Fileti. G. C. I. 16, 113.	
“ “	“	.85913, 100°		
Butyl anisol	$C_6 H_4 \cdot C_4 H_9 \cdot O \cdot CH_3$	.9368, 27°	Studer. Ber. 14, 2187.	
Methyl thymol	$C_{10} H_{13} \cdot O \cdot C H_3$	.941, 18°	Engelhardt and Latschinoff. J. 22, 466.	
“ “	“	.953898, 0°	} Two samples. Pisati and Paterno. Ber. 8, 71.	
“ “	“	.869281, 100°		
“ “	“	.954314, 0°		
“ “	“	.870459, 100°		
“ “	“	.9531, 0°		
Ethyl thymol	$C_{10} H_{13} \cdot O \cdot C_2 H_5$	.7635, 216°.2	Pinette. A. C. P. 243, 32.	
“ “		“		.98866, 0°
“ “	“	.85758, 100°	Spica. J. C. S. 44, 460.	
“ “	“	.9334, 0°	Pinette. A. C. P. 243, 32.	
“ “	“	.7400, 226°.9		
Propyl thymol	$C_{10} H_{13} \cdot O \cdot C_3 H_7$	.9276, 0°	“ “	
“ “		“		.7215, 243°
Butyl thymol	$C_{10} H_{13} \cdot O \cdot C_4 H_9$	.9230, 0°	“ “	
“ “		“		.7108, 258°.3
Normal heptyl thymol	$C_{10} H_{13} \cdot O \cdot C_7 H_{15}$	.9097, 0°	“ “	
“ “	“	.6712, 306°.7	“ “	
Normal octyl thymol	$C_{10} H_{13} \cdot O \cdot C_8 H_{17}$	.9026, 0°	“ “	
“ “	“	.6608, 319°.8	“ “	
Metaxylyl ethyl oxide	$C_6 H_4 \cdot C H_3 \cdot C H_2 \cdot O \cdot C_2 H_5$	.9302, 17°	Radziszewski and Wispek. Ber. 15, 1746.	
Paraxylyl ethyl oxide	“	.9304, 17°	Radziszewski and Wispek. Ber. 15, 1745.	
Diphenylcarbyl ethyl oxide.	$(C_6 H_5)_2 C H \cdot O \cdot C_2 H_5$	1.029, 20°	Linnemann.	
Benzyl anisol	$C_6 H_4 \cdot C_7 H_7 \cdot O \cdot C H_3$	1.073, 0°	Paterno. B. S. C. 18, 77.	
“ “		“		.993, 100°
Phenylvinyl ethyl oxide	$C_{10} H_{12} O$	.9812, 0°	Erlenmeyer. Ber. 14, 1868.	
Orthovinyllanisöl	$C_6 H_4 \cdot C_2 H_3 \cdot O \cdot C H_3$	1.0095, 15°	Perkin. J. C. S. 33, 211.	
“ “		“		1.000, 30°
Paravinyllanisöl	“	1.002, 15°	“ “	
“ “		“		.9956, 30°
Orthoallyllanisöl	$C_6 H_4 \cdot C_3 H_5 \cdot O \cdot C H_3$	.9972, 15°	“ “	
“ “		“		.9884, 30°
“ “		“		.9793, 45°



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Anethol. 1.4 -----	$C_6H_4 \cdot C_3H_5 \cdot O \cdot CH_3$	.984, 20° -----	Landolph. C. R. 82, 227.
“ Natural -----	“	.9858, 30° -----	Perkin.
“ Artificial -----	“	.9852, 30° -----	
“ “ -----	“	.9761, 45° -----	
“ -----	“	.9887, 21° 3' -----	
“ -----	“	.99132, 14° 9' -----	Nasini and Bernheimer. G.C.I. 15, 50.
“ -----	“	.98556, 21° 6' -----	
“ -----	“	.97595, 34° 4' -----	
“ -----	“	.94041, 77° 3' -----	
“ -----	“	.9869, 21° -----	Gladstone. J.C.S. 49, 623.
“ Artificial -----	“	.9870, 21° -----	
Orthobutenylanisöl -----	$C_6H_4 \cdot C_4H_7 \cdot O \cdot CH_3$	.9817, 15° -----	Perkin. J. C. S. 33, 211.
“ -----	“	.9740, 30° -----	
Parabutenylanisöl -----	“	.9733, 30° -----	“ “
Phenyl allyl oxide -----	$C_6H_5 \cdot O \cdot C_3H_5$	.9825, 17° 6' -----	Nasini. Bei. 9, 331.
Kresyl allyl oxide. 1.4 -----	$C_7H_7 \cdot O \cdot C_3H_5$	.9869, 10° -----	“ “
Phenyl propargyl oxide -----	$C_6H_5 \cdot O \cdot C_3H_3$	1.246, 0° -----	Henry. Ber. 16, 1378.
Veratrol. 1.2 -----	$C_6H_4(OCH_3)_2$	1.086, 15° -----	Merck. J. 11, 256.
Dimethylresorcin. 1.3 -----	“	1.075, 0° -----	Coninck. Ber. 13, 1992.
“ -----	“	1.0803, 0° -----	Schiff. Ber. 19, 560.
“ -----	“	1.0317, 55° 8' -----	
“ -----	“	1.0104, 79° 2' -----	
“ -----	“	.9566, 135° 5' -----	
“ -----	“	.8752, 215° -----	
Methylene diphenate -----	$C_6H_2(O C_6H_5)_2$	1.1136, 18° -----	Henry. Ann. (5), 30, 269.
“ “ -----	“	1.092, 20° -----	Arnhold. A. C. P. 240, 192.
Methylene diorthokresylate.	$C_6H_2(O C_7H_7)_2$	1.019, 50°, l. -----	“ “
Methylene dimetakresylate.	“	1.052, 50°, l. -----	“ “
Methylene diparakresylate	“	1.034, 50°, l. -----	“ “
Methylene dibenzylate -----	“	1.053, 20° -----	“ “
Methylene dithymylate -----	$C_6H_2(O C_{10}H_{13})_2$	.979, 50°, l. -----	“ “
Ethylene diphenate -----	$C_2H_4(O C_6H_5)_2$	1.018, 11° -----	Henry. Ber. 16, 1378.

## 24th. Aromatic Acids and their Paraffin Ethers.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzoic acid	$C_6 H_5 \cdot C O O H$	1.29, cryst.	Kopp.
" "	"	1.201, 21°, s.	} Mendelejeff. J. 11, 274.
" "	"	1.206, 25°, 8, 1.	
" "	"	1.227, 27°, 1.	} Kopp. J. 8, 35. Rüdorff. Ber. 12, 251.
" "	"	1.0838, 121°.4	
" "	"	1.337, sublimed	} Schröder. Ber. 12, 561.
" "	"	1.288	
" "	"	1.291	
" "	"	1.297	
" "	"	1.0800, 121°.4	Schiff. A. C. P. 223, 247.
Methyl benzoate	$C_8 H_8 O_2$	1.10, 17°	Dumas and Peligot. Ann. (2), 58, 50.
" "	"	1.1026, 0°	} Kopp. A. C. P. 94, 257.
" "	"	1.0876, 16°.3	
" "	"	1.0921, 12°.3	Mendelejeff. J. 13, 7.
" "	"	1.0862, 20°	Brühl. Bei. 4, 782.
" "	"	1.100, 10°	De Heen. Bei. 10, 313.
" "	"	1.103, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Ethyl benzoate	$C_9 H_{10} O_2$	1.0539, 10°.5	Dumas and Boullay. P. A. 12, 430.
" "	"	1.06, 18°	Deville. Ann. (3), 3, 188.
" "	"	1.049, 14°	Delffs. J. 7, 26.
" "	"	1.0657, 0°	} Kopp. A. C. P. 94, 257.
" "	"	1.0556, 10°.5	
" "	"	1.0517, 14°.1	Mendelejeff. J. 13, 7.
" "	"	1.048, 20°	Naumann. Ber. 10, 2016.
" "	"	1.0473, 20°	Brühl. Bei. 4, 782.
" "	"	1.0502, 16°	Linnemann. A. C. P. 160, 195.
" "	"	1.160, 10°	De Heen. Bei. 10, 313.
" "	"	1.050, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Propyl benzoate	$C_{10} H_{12} O_2$	1.0316, 16°	Linnemann. A. C. P. 161, 29.
" "	"	1.0248, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
Isopropyl benzoate	"	1.054, 0°	} Silva. Z. C. 12, 637.
" "	"	1.013, 25°	
Butyl benzoate	$C_{11} H_{14} O_2$	1.000, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	1.002, 10°	De Heen. Bei. 10, 313.
Isobutyl benzoate	"	1.0018, 15°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl benzoate	$C_{12}H_{16}O_2$	1.0039, 0°	Kopp. A. C. P. 94, 257.
" "	"	.9925, 14°.4	
" "	"	1.002, 10°	
" "	"	.9916, 15°	De Heen. Bei. 10, 313.
Hexyl benzoate	$C_{13}H_{18}O_2$	.99846, 17°	Stohmann, Rodatz, and Herzberg. J. P. C. (2), 36, 1.
			Frentzel. Ber. 16, 745.
Salicylic acid	$C_6H_4.OH.CO_2H$	1.2 1.443	Rüdorff. Ber. 12, 251.
" "	"	1.482	Schröder. Ber. 12, 1611.
" "	"	1.485	
Metaoxybenzoic acid	"	1.3 1.473, 4°	" "
Paraoxybenzoic acid	"	1.4 1.460	" "
" "	"	1.476	
Methyl salicylate, oil of Betula lenta.	$C_8H_8O_3$	1.180, 15°	Pettigrew. Am. J. P. 55, 385.
Propyl salicylate	$C_{10}H_{12}O_3$	1.021, 21°	Cahours. Les Mondes, 32, 280.
Methylsalicylic acid. 1.2	$C_6H_4.OCH_3.CO_2H$	1.18, 10°	Cahours. Ann. (3), 10, 327.
" "	"	1.1845, 15°	Mendelejeff. J. 13, 7.
" "	"	1.1969, 0°	Kopp. A. C. P. 94, 257.
" "	"	1.1819, 16°	
" "	"	1.1801, 20°	Landolt. Bei. 7, 847
Anisic acid. 1.4	"	1.364	Schröder. Ber. 12, 1611.
" "	"	1.376	
" "	"	1.385	
Ethylsalicylic acid. 1.2	$C_6H_4.OC_2H_5.CO_2H$	1.097	Baly. J. C. S. 2, 28.
" "	"	1.1843, 10°	Delffs. J. 7, 26.
Ethyl ethylsalicylate	$C_{11}H_{14}O_3$	1.1005	Göttig. Ber. 9, 1473.
Ethyl ethylmetaoxybenzoate.	"	1.0875, 0°	Heintz. A. C. P. 153, 332.
" "	"	1.0725, 20°	
Methyl isopropylsalicylate	"	1.062, 20°	Kraut. J. 22, 566.
Protocatechuic acid	$C_6H_3(OH)_2.CO_2H$	1.541	Schröder. Ber. 12, 1611.
" "	"	1.542	
Gallic acid	$C_6H_2(OH)_3.CO_2H$	1.685	" "
" "	"	1.703	
Phenylacetic, or alpha-toluic acid.	$C_6H_5.CH_2.CO_2H$	1.3, solid	Möller and Strecker. J. 12, 299.
" "	"	1.0778, 83°	
" "	"	1.0334, 135°	
" "	"	1.220	
" "	"	1.236	
" "	"	1.0847, 76°.4	Schröder. Ber. 12, 1611.
Methyl phenylacetate	$C_9H_{10}O_2$	1.044, 16°	Schiff. A. C. P. 223, 247.
Ethyl phenylacetate	$C_{10}H_{12}O_2$	1.031	Radziszewski. Z. C. 12, 358.
Propyl phenylacetate	$C_{11}H_{14}O_2$	1.0142, 18°	" "
Phenylpropionic, or hydrocinnamic acid.	$C_6H_5.C_2H_4.CO_2H$	1.07115, 48°.7	Hodgkinson. J. C. S. 37, 483.
" "	"	.8780, 279°.8	
Methyl phenylpropionate	$C_{10}H_{12}O_2$	1.0455, 0°	Weger. A. C. P. 221, 61.
" "	"	1.018, 49°	
" "	"	1.0473, 0°	Erlenmeyer. J. 19, 366.
" "	"	.83824, 236°.6	
" "	"		Weger. A. C. P. 221, 61.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl phenylpropionate	$C_{11}H_{14}O_2$	1.0343, 0°	Erlenmeyer. J. 19,
" " "	"	.9925, 49°	367.
" " "	"	1.0147, 20	Brühl. Bei. 4, 781.
" " "	"	1.0348, 0°	} Weger. A. C. P.
" " "	"	.80182, 248°.	
Propyl phenylpropionate	$C_{12}H_{16}O_2$	1.0152, 0°	} " "
" " "	"	.77886, 262°.	
Amyl phenylpropionate	$C_{14}H_{20}O_2$	.9807, 0°	} Erlenmeyer. J. 19,
" " "	"	.9520, 49°	
Methyl oxyphenylacetate	$C_9H_{10}O_3$	1.15, 17°.5	Fritzsche. Ber. 12,
			2178.
Ethyl oxyphenylacetate	$C_{10}H_{12}O_3$	1.104, 17°.5	" "
Ethyl oxyphenylpropionate	$C_{11}H_{14}O_3$	1.360, 17°.5	Saarbach. J. P. C.
			(2), 21, 156.
Phthalic acid	$C_6H_4(COOH)_2$	1.585	} Schröder. Ber. 13,
" " "	"	1.593	
Methyl phthalate	$C_{10}H_{10}O_4$	1.2001	} Three preparations. Schmalzigaug. Inaug. Diss. Erlangen, 1883. See also Graebe, Ber. 16, 861.
" " "	"	1.2022	
" " "	"	1.2101	
" " "	"	1.1958	
" " "	"	1.1974	
" " "	"	1.2058	
" " "	"	1.1953	
" " "	"	1.1938	
		1.2031	18°
Ethyl phthalate	$C_{12}H_{14}O_4$	1.1316	} Two preparations. Schmalzigaug. Inaug. Diss. Erlangen, 1883.
" " "	"	1.1321	
" " "	"	1.1294	
" " "	"	1.1295	
Orthophenylene glyoxylic acid.	$C_6H_4.CO.H.CO.H$	1.404	Colson and Gautier. C. R. 102, 689.
Cinnamic, or phenylacrylic acid.	$C_9H_8.CH.CO.H$	1.245	E. Kopp. J. P. C. 37, 280.
" " "	"	1.195	Schabus. J. 3, 392.
" " "	"	1.246	} Schröder. Ber. 12,
" " "	"	1.249	
" " "	"	1.0565, 133°	} Weger. A. C. P.
" " "	"	.90974, 300°	
Methyl cinnamate	$C_{10}H_{10}O_2$	1.106	E. Kopp. C. R. 21, 1376.
" " "	"	1.0415, 36°	} Weger. A. C. P.
" " "	"	.85888, 259°.6	
Ethyl cinnamate	$C_{11}H_{12}O_2$	1.126, 0°	E. Kopp. C. R. 21, 1376.
" " "	"	1.13	Marchand. A. C. P. 32, 269.
" " "	"	1.0656, 0°	} H. Kopp. A. C. P.
" " "	"	1.0498, 20°.2	
" " "	"	1.0653	} Weger. A.C.P. 221, 61.
" " "	"	1.0658	
" " "	"	1.0662	
" " "	"	.82143, 271°	
" " "	"	1.0490, 20°	
" " "	"	1.0465	
Propyl cinnamate	$C_{12}H_{14}O_2$	1.0435, 0°	Brühl. A.C.P. 235, 1, Kahlbaum. Ber. 16, 1491.
" " "	"	.7917, 285°.1	Weger. A.C.P. 221, 61.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl $\alpha$ methylorthoxyphenylacrylate.	$C_{11} H_{11} O_3$	1.1404, 15°	Perkin. J. C. S. 39, 409.
" " " " " "		1.1277, 20°	
" " " " " "		1.1465, 8° 5'	
Methyl $\beta$ methylorthoxyphenylacrylate.	"	1.1486, 15°	Perkin. J. C. S. 39, 409.
" " " " " "		1.1362, 30°	
" " " " " "		1.1556, 9° 5'	
Ethyl $\alpha$ ethylorthoxyphenylacrylate.	$C_{13} H_{16} O_3$	1.084, 15°	Perkin. J. C. S. 39, 409.
" " " " " "		1.074, 30°	
Ethyl $\beta$ ethylorthoxyphenylacrylate.	"	1.090, 15°	" "
" " " " " "		1.090, 10°	
Methyl $\alpha$ methylorthoxyphenylcrotonate.	$C_{12} H_{14} O_3$	1.1112, 15°	Perkin. J. C. S. 39, 409.
" " " " " "		1.1061, 30°	
Methyl $\beta$ methylorthoxyphenylcrotonate.	"	1.1279, 15°	" "
" " " " " "		1.1136, 30°	
Methyl $\alpha$ methylorthoxyphenylangelate.	$C_{13} H_{16} O_3$	1.1044, 15°	" "
" " " " " "		1.0882, 30°	
" " " " " "		1.1100, 15°	
Methyl $\beta$ methylorthoxyphenylangelate.	"	1.1008, 30°	" "
" " " " " "		1.1008, 30°	
Mandelic acid	$C_6 H_5 \cdot CHOH \cdot COOH$	1.355	Schröder. Ber. 12, 1611.
" " " " " "	"	1.367	
Cuminic acid	$C_6 H_4 \cdot C_3 H_7 \cdot COOH$	1.156	" "
" " " " " "	"	1.169	
Quinic acid	$C_7 H_{12} O_6$	1.637, 8° 5'	Watts' Dictionary.
Ethyl veratrate	$C_{11} H_{14} O_4$	1.141, 18°	Will. A. C. P. 37, 198.
Ethyl phenylglyoxylate	$C_{10} H_{10} O_3$	1.121, 17° 5'	Claisen. Ber. 12, 629.
Ethyl phenylacetacetate	$C_{12} H_{14} O_3$	1.0861, 16°	Hodgkinson. J. C. S. 37, 481.
Ethyl benzylacetacetate	$C_{13} H_{16} O_3$	1.036, 15° 5'	Conrad. Ber. 11, 1056.
Ethyl methylbenzylacetacetate.	$C_{14} H_{18} O_3$	1.046, 23°	" "
Ethyl benzylmalonate	$C_{14} H_{18} O_4$	1.077, 15°	Conrad and Bischoff. A. C. P. 204, 203.
Ethyl benzylmethylmalonate.	$C_{15} H_{20} O_4$	1.064, 19°	Conrad and Bischoff. Ber. 13, 595.
Ethyl benzylidenemalonate.	$C_{14} H_{16} O_4$	1.1105, 15°	Claisen and Crismer. A. C. P. 218, 132.
Ethyl benzylacetosuccinate.	$C_{17} H_{22} O_5$	1.088, 15°	Conrad. Ber. 11, 1058.
Monomethyl propylpyrogallate. Picamar.	$C_{10} H_{14} O_3$	1.10	Reichenbach. Pastrovich. M. C. 4, 183.
" " " " " "		1.10288, 15°	

## 25th. Ethers of Aromatic Radicles.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Phenyl acetate	$C_8 H_8 O_2$	1.074	Boughton. J. 18, 530.
Kresyl acetate	$C_9 H_{10} O_2$	1.0499, 23°	Gladstone. Bei. 9, 249.
Benzyl acetate	"	1.057, 16°.5	Conrad and Hodgkinson. A. C. P. 193, 312.
" "	"	1.0400, 21°	} Gladstone. Bei. 9, 249.
" "	"	1.03814, 22°.5	
Paraxylyl acetate	$C_{10} H_{12} O_2$	1.0264, 15°	Jacobsen. Ber. 11, 28.
Ethylphenyl acetate	"	1.0286	Radziszewski. Ber. 9, 873.
" "	"	1.0507, 22°.5	Gladstone. Bei. 9, 249.
Methylphenylcarbonyl acetate.	"	1.05, 17°	Radziszewski. C. C. 5, 261.
Parapropylphenyl acetate.	$C_{11} H_{14} O_2$	1.029, 0°	} Spica. Ber. 12, 295.
" " "	"	.9425, 100°	
Orthoisopropylphenyl acetate.	"	1.02714, 0°	
" " "	"	.93818, 100°	
Paraisopropylphenyl acetate.	"	1.026, 0°	Paterno and Spica. Ber. 10, 84.
Mesityl acetate	"	1.0903, 16°.5	Wispek. Ber. 16, 1577.
Thymyl acetate	$C_{12} H_{16} O_2$	1.009, 0°	} Two preparations. Paterno. J. C. S. (2), 13, 638.
" " "	"	.924, 100°	
" " "	"	1.010, 0°	
Butylphenyl acetate	"	.999, 24°	Studer. Ber. 14, 2187.
Diphenylcarbonyl acetate	$C_{15} H_{14} O_2$	1.49, 22° ?	Linnemann. A. C. P. 133, 20.
Benzyl propionate	$C_{10} H_{12} O_2$	1.036, 16°.5	Conrad and Hodgkinson. A. C. P. 193, 312.
Benzyl butyrate	$C_{11} H_{14} O_2$	1.016, 16°	" "
Benzyl isobutyrate	"	1.016, 18°	Hodgkinson. A. C. P. 193, 320.
" "	"	1.0058, 23°	Gladstone. Bei. 9, 249.
Isomer of benzyl isobutyrate.	"	1.0228, 22°	" "
Benzyl phenylacetate	$C_{15} H_{14} O_2$	1.101	Slawik. J. C. S. (2), 13, 59.
Benzyl benzylacetate	$C_{16} H_{16} O_2$	1.074, 21°	Conrad and Hodgkinson. A. C. P. 193, 312.
Benzyl benzylpropionate.	$C_{17} H_{18} O_2$	1.046, 16°.5	" "
Benzyl benzylbutyrate	$C_{18} H_{20} O_2$	1.027, 17°.5	" "
Benzyl benzylisobutyrate.	"	1.028, 18°	" "
Benzyl dimethylbenzylacetate.	"	1.0285, 18°	Hodgkinson. J. C. S. 33, 495.
Benzyl benzoate	$C_{14} H_{12} O_2$	1.114, 18°.5	Kraut. A. C. P. 152, 159.
" "	"	1.1224, 19°, 1.	Claisen. Ber. 20, 646.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzyl cinnamate -----	$C_{16}H_{14}O_2$ -----	1.098, 14° -----	Scharling. J. 9, 630.
“ “ -----	“ “ -----	1.1145, 16° -----	Busse. Ber. 9, 831.
Cinnamic acetate -----	$C_{11}H_{12}O_2$ -----	.9416, 22° -----	Gladstone. Bei. 9, 249.
Mesitylene diacetate -----	$C_{13}H_{16}O_4$ -----	1.12, 20° -----	Robinet and Colson. C. R. 96, 1863.
Ethyl phenyl carbonate -----	$C_9H_{10}O_3$ -----	1.117, 0° -----	Fatianoff. J. 17, 477.
“ “ “ -----	“ “ -----	1.1134, 0° -----	Pawlewski. Ber. 17, 1205.

## 26th. Aromatic Aldehydes.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Benzaldehyde. Almond oil.	$C_6H_5.COH$ -----	1.075 -----	Chardin-Hardancourt.
“ -----	“ -----	1.038, 15° -----	Guckelberger. J. 1. 850.
“ -----	“ -----	1.043 -----	Wöhler and Liebig.
“ -----	“ -----	1.0636, 0° -----	Kopp. A. C. P. 94, 257.
“ -----	“ -----	1.0499, 14°.6 -----	
“ -----	“ -----	1.0504 -----	Mendelejeff. J. 13, 7.
“ -----	“ -----	1.067 -----	Lippmann and Hawliczek. Ber. 9, 1461.
“ -----	“ -----	1.0471 -----	Landolt.
“ -----	“ -----	1.0474 -----	
“ -----	“ -----	1.0455, 20° -----	Brühl. Bei. 4, 782.
Toluic aldehyde -----	$C_6H_4.CH_3.COH$ -----	1.037, 0° -----	Gundelach. B. S. C. 26, 45.
“ “ -----	“ -----	1.024, 22° -----	
Phenylacetic aldehyde -----	“ -----	1.085 -----	Radziszewski. Ber. 9, 372.
Cuminic aldehyde. Cuminol.	$C_6H_4.C_3H_7.COH$ -----	.9832, 0° -----	Kopp. A. C. P. 94, 257.
“ “ -----	“ -----	.9727, 13°.4 -----	
“ “ -----	“ -----	.9751, 15° -----	Mendelejeff. J. 13, 7.
“ “ -----	“ -----	.9775, 20° -----	Gladstone. Bei. 9, 249.
Paratolylpropyl aldehyde	$C_6H_4.CH_3.CH_2.CH_2.COH$ -----	.9941, 13° -----	v. Richter and Schüchner. Ber. 17, 1931.
Salicylic aldehyde, or salicylol.	$C_6H_4.OH.COH$ -----	1.1731, 13°.3 -----	Piria. A. C. P. 29, 300.
“ “ -----	“ -----	1.1671, 20° -----	Landolt. Bei. 7, 847.
Anisic aldehyde -----	$C_6H_4.OCH_3.COH$ -----	1.09, 20° -----	Cahours. Ann. (3), 14, 484.
“ “ -----	“ -----	1.1228, 18° -----	Rosset. Z. C. 12, 561.
Cinnamic aldehyde -----	$C_9H_8O$ -----	1.0497, 20° -----	Brühl. A. C. P. 235, 1.

## 27th. Aromatic Ketones.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl phenyl ketone	$C_6 H_5 \cdot C O \cdot C H_3$	1.032, 15°	Friedel. J. 10, 270.
Methyl benzyl ketone	$C_7 H_7 \cdot C O \cdot C H_3$	1.010, 18°	Radziszewski. Ber. 3, 199.
Methyl tolyl ketone	"	.9891, 22°	Essner and Gossin. Ber. 17, ref. 429.
Propyl phenyl ketone	$C_6 H_5 \cdot C O \cdot C_3 H_7$	.990, 15°	Schmidt and Fieberg. J. C. S. (2), 12, 75.
" " "	"	.992, 15°	Popoff. Ber. 6, 560.
" " "	"	.9949, 15°	Einhorn. In. Diss. Tübingen, 1880.
Isopropyl phenyl ketone	"	.994, 12°	" "
" " "	"	.972, 30°	
" " "	"	.934, 60°	
Methyl xylyl ketone	$C_8 H_9 \cdot C O \cdot C H_3$	.9962, 19°	Claus and Wollner. Ber. 18, 1856.
Isobutyl phenyl ketone	$C_6 H_5 \cdot C O \cdot C_4 H_9$	.993, 17°.5	Popoff. A. C. P. 162, 151.
Tolyl phenyl ketone	$C_6 H_5 \cdot C O \cdot C_7 H_7$	1.088, 17°.5	Senff. A. C. P. 220, 252.
Acetocinnamone	$C_8 H_7 \cdot C O \cdot C H_3$	1.008	Engler and Leist. B. S. C. 20, 204.
Propionylacetophenone	$C_{11} H_{12} O_2$	1.081, 15°	Stylos. Ber. 20, 2181.
Butyrylacetophenone	$C_{12} H_{14} O_2$	1.061, 15°	" "

## 28th. Camphors, Essential Oils, Etc.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Laurel camphor	$C_{10} H_{16} O$	.986	Watts' Dictionary.
" "	"	.996	
Myristicol	"	.9466, 20°	Gladstone. J. C. S. (2), 10, 1.
Absinthol	"	.973, 24°	Leblanc. A. C. P. 56, 357.
"	"	.9267, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.9128, 22°	Gladstone. Bei. 9, 249.
Citronellol	"	.8742	Two samples Gladstone. J. C. S. (2), 10, 1.
"	"	.875	
From oil of coriander	"	.8970	Grosser. Ber. 14, 2505.
Ericinol	"	.874, 20°	Frohde. J. P. C. 82, 186.
Oil of Mentha pulegium	"	.9271	Watts' Dictionary.
" " "	"	.9390	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oil of Pulegium micranthum.	$C_{10}H_{16}O$	.932, 17°	Butlerow. J. 7, 595.
From oil of tansy	"	.918, 4°	Bruylants. Ber. 11, 451.
Thujol	"	.924, 15°	Jahns. Ber. 16, 2930.
Cajeputol	$C_{10}H_{18}O$	.9160, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.8900, 21°.5	" " "
Cajeputenø hydrate	"	.903, 17°	Schmidl. J. 13, 480.
"	"	.9160, 20°	Kanonnikoff. Bei. 7, 592.
Oil of coriander	"	.871, 14°	Kawalier. J. 5, 624.
"	"	.8719, 15°	Grosser. Ber. 14, 2486.
Cyneol	"	.92067, 16°	Wallach and Brass. A. C. P. 225, 291.
"	"	.9267, 20°	Wallach. A. C. P. 245, 195.
Oil of eucalyptus oleosa	"	.9075, 20°	Gladstone. J. C. S. (2), 10, 1.
Geraniol	"	.8851, 15°	} Jacobsen. Z. C. 14, 171.
"	"	.8813, 21°	
Oil of Licari kanali	"	.868, 15°	Morin. J. C. S. 40, 738.
Oil of Melaleuca ericifolia	"	.8960, 20°	Gladstone. J. C. S. (2), 10, 1.
Oil of Melaleuca linarifolia	"	.8985, 20°	" " "
From menthol	"	.9082	Moriya. C. N. 42, 268.
Menthone	"	.9126, 0°	} Atkinson and Yoshida. J. C. S. 41, 295.
"	"	.9048, 10°	
"	"	.8972, 20°	
"	"	.8819, 40°	
"	"	.8665, 60°	
"	"	.8511, 80°	
"	"	.8355, 100°	
Ngai camphor	"	1.02	Plowman. J. C. S. (2), 12, 582.
From Osmitopsis asteriscoides.	"	.921	Gorup-Besanez. J. 7, 596.
Salviol	"	.984, 15°	Sigiura and Muir. J. C. S. 33, 295.
"	"	.938, 15°	Muir. J. C. S. 37, 13.
Terpane	"	.935, 0°	Bouchardat and Voiry. C. R. 106, 664.
Terpilenol	"	.961, 0°	} Bouchardat and Lafont. B. S. C. 45, 295.
"	"	.950, 15°	
"	"	.9533, 0°	Lafont. B. S. C. 49, 823.
Terpinol*	"	.952, 0°	Bouchardat and Voiry. B. S. C. 47, 870.
"	"	.9296, 10°	Gladstone. J. C. S. 49, 623.

\*List's terpinol (J. 1, 726) is now known to be a mixture.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Terpinol	$C_{10}H_{18}O$	.9357, 20°	Wallach. A. C. P. 245, 196.
Turpentine hydrate	"	.9274, 16°	Tilden. C. N. 37, 166.
"	"	.9339, 0°	Flawitzky. Ber. 12, 2355.
"	"	.9201, 18°	Renard. Ber. 13, 932.
"	"	.9511, 10°	
"	"	.9188	Kanonnikoff. Bei. 7, 592.
"	"	.9335, 0°	Flawitzky. Ber. 20, 1959.
"	"	.9189, 19°.5	
From wormseed oil	"	.9275, 16°	Hell and Stürcke. Ber. 17, 1970.
"	"	.8981, 50°	
"	"	.8553, 100°	
Menthol	$C_{10}H_{20}O$	.9394	Twosamples. Gladstone. J. C. S. (2), 10, 1.
"	"	.9515	
"	"	.89, 15°	Moriya. C. N. 42, 268.
"	"	.8786, 20°	Kanonnikoff. Bei. 7, 592.
Ethyl camphor	$C_{12}H_{20}O$	.946, 22°	Baubigny. J. 19, 624.
Eucalyptol	"	.905, 8°	Cloëz. Z. C. 12, 411.
"	"	.9173, 15°	Poehl. J. R. C. 5, 538.
From wormseed oil	"	.919, 20°	Völckel. J. 6, 513.
Amyl camphor	$C_{15}H_{28}O$	.919, 15°	Baubigny.
Acetyl camphor	$C_{12}H_{18}O_2$	.986, 20°	Baubigny. J. 19, 624.
Methyl borneol	$C_{11}H_{20}O$	.933, 15°	Baubigny.
Ethyl borneol	$C_{12}H_{22}O$	.916, 23°	"
From Achillea ageratum	"	.849, 20°	De Luca. J. C. S. 31, 326.
From Angostura bark	$C_{13}H_{24}O$	.934	Herzog. J. 11, 444.
Patchouli camphor	$C_{15}H_{28}O$	1.051, 4°.5	Gal. Z. C. 12, 220.
Oil of ginger	$C_{80}H_{138}O_5$ (?)	.893	Papousek. J. 5, 624.
Camphorogenol	$C_{10}H_{18}O_2$	.9794, 20°	Yoshida. J. C. S. 47, 779.
Terpilene formate	$C_{11}H_{18}O_2$	.9986, 0°	Two samples. Lafont. B. S. C. 49, 323.
"	"	.9989	
Terpilene acetate	$C_{12}H_{20}O_2$	.9827, 0°	Bouchardat and Lafont. C. R. 102, 318.
Terebenthene acetate	"	.9820, 0°	"
Terebene acetate	"	.977, 0°	Bouchardat and Lafont. C. R. 102, 171.
Camphene acetate	"	1.002, 0°	Lafont. C. R. 104, 1718.
Camphoric acid	$C_{10}H_{18}O_4$	1.191	Schröder. Ber. 13, 1070.
"	"	1.195	
Ethylcamphoric acid	$C_{12}H_{20}O_4$	1.095, 20°.5	Malaguti. Ann. (2), 64, 164.
Ethyl camphorate	$C_{14}H_{24}O_4$	1.029, 16°	Malaguti. A. C. P. 22, 48.
"	"	1.072, 22°	Dehmel. J. R. C. 4, 321.
"	"	1.070, 25°	
Propyl camphorate	$C_{16}H_{28}O_4$	1.058, 24°	"
Ethyl paracamphorate	$C_{14}H_{24}O_4$	1.03, 15°	Chautard. J. 16, 395.
Camphoric anhydride	$C_{10}H_{14}O_3$	1.194, 20°.5	Malaguti. Ann. (2), 64, 160.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl camphocarbonate	$C_{13}H_{20}O_3$	1.052, 15°	Roser. Ber. 18, 3112.
Camphrene	$C_8H_{12}O$	.974, 6°	Chautard. J. 10, 483.
Diethylcamphresic acid	$C_9H_{22}O_7$	1.128, 13°	Schwanert. J. 16, 397.
Ethyl camphresate	$C_{16}H_{26}O_7$	1.0775, 13°	" "

## 29th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Quinone	$C_6H_4O_2$	1.307	Schröder. Ber. 13, 1070.
"	"	1.318	
Phlorol	$C_8H_{10}O$	1.015, 12°	Sigel. A. C. P. 170, 345.
Carvol	$C_{10}H_{14}O$	.953, 15°	Völkkel.
"	"	.9530, 20°	Gladstone. J. C. S. (2), 10, 1.
"	"	.9562, 20°	" "
"	"	.959	Beyer. Ber. 16, 1387.
"	"	.9593	
"	"	.9598	
"	"	.960, 18°.5	
"	"	.7866, 223°	Flückiger.
"	"	.9667, 11°	Schiff. Ber. 19, 560.
Eugenol	$C_{10}H_{12}O_2$	1.076	Gladstone. J. C. S. 49, 623.
"	"	1.0684, 14°	Stenhouse. A. C. P. 95, 106.
"	"	1.066, 15°	Williams. A. C. P. 107, 240.
"	"	1.0778, 0°	Church. J. C. S. (2), 13, 113.
"	"	1.063, 18°.5	
"	"	1.0703, 14°	
"	"	1.066, 17°.5	Wassermann. J. C. S. (2), 1, 706.
Isoeugenol	"	1.080, 16°	Tiemann and Kraaz. Ber. 15, 2066.
Methyl eugenol ?	$C_{11}H_{14}O_2$	1.046, 15°	Tiemann and Kraaz. Ber. 15, 2066.
"	"	1.055, 15°	Church. J. C. S. (2), 13, 115.
Ethyl eugenol	$C_{12}H_{16}O_2$	1.026, 0°	Petersen. Ber. 21, 1060.
"	"	1.0117, 18°.5	
Propyl eugenol	$C_{13}H_{18}O_2$	1.0024, 16°	Wassermann. A. C. P. 179, 376.
Isobutyl eugenol	$C_{14}H_{20}O_2$	.985, 15°	Wassermann. Ber. 10, 237.
Amyl eugenol	$C_{15}H_{22}O_2$	.976, 16°	" "
Allyl eugenol	$C_{13}H_{16}O_2$	1.018, 15°	Wassermann. Ber. 10, 238.
Coumarin	$C_9H_6O_2$	.9207	" "
			Gladstone. Bei. 9, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Safrol	$C_{10}H_{10}O_2$	1.1141, 0°	Grimaux and Ruotte. Z. C. 12, 411.
"	"	1.0956, 18°	J. Schiff. Ber. 17, 1935.
Coerulignol	$C_{10}H_{14}O_2$	1.05645, 15°	Pastrovich. M. C. 4, 189.
Phthalic anhydride	$C_8H_4O_3$	1.527	4° { Schröder. Ber. 12, 1611.
"	"	1.530	
Benzoic anhydride	$C_{14}H_{10}O_3$	1.231	4° { " "
"	"	1.234	
"	"	1.247	
Benzo-oenanthic anhydride.	$C_{14}H_{18}O_3$	1.043	Malerba. J. 7, 444.
Benzo-cinnamic anhydride.	$C_{16}H_{12}O_3$	1.184, 23°	Gerhardt. J. 5, 449.
Benzo-cuminic anhydride	$C_{17}H_{16}O_3$	1.115, 23°	Gerhardt. J. 5, 448.
Pyruvyl benzoate	$C_{10}H_{10}O_3$	1.143, 25°, s.	Romburgh. J. C. S. 44, 63.
Tannic acid	$C_{14}H_{10}O_9$	1.097	W. C. Smith. Am. J. P. 53, 145.
Benzoyl glycollic ether	$C_{11}H_{12}O_4$	1.1509, 20°.4	Andrieff. J. 18, 344.
Propylene ethylphenylkete.	$C_{12}H_{16}O_2$	.988, 22°	Morley and Green. Ber. 17, 3016.
Isomer of benzil	$C_{14}H_{10}O_2$	1.104, 10°	Alexeyeff. J. 17, 335.
Saliretin	$C_{14}H_{14}O_3$	1.1161, 25°	Beilstein and Seelheim. J. 14, 765.
Isobenzpinacone	$C_{26}H_{22}O_2$	1.10, 19°	Linnemann. J. 18, 556.
Derivative of propyl phenylacetate.	$C_{24}H_{20}O_3$	1.039, 17°	Hodgkinson. J. C. S. 37, 482.
Derivative of ethyl phenylacetate.	$C_{18}H_{20}O_2$	1.0628, 20°	" "
$\alpha$ Naphtol	$C_{10}H_8O$	1.224, 4°	Schröder. Ber. 12, 1611.
"	"	1.09539, 98°.7	Nasini and Bernheimer. G. C. I. 15, 50.
$\beta$ Naphtol	"	1.217, 4°	Schröder. Ber. 12, 1611.
"	"	1.23	Brügelmann. Ber. 17, 2359.
Naphtol	"	.9048, at boiling point.	Ramsay. J. C. S. 39, 65.
Methyl $\alpha$ naphtol	$C_{11}H_{10}O$	1.09636, 13°.9	} Nasini and Bernheimer. G. C. I. 15, 50.
"	"	1.07931, 34°.5	
"	"	1.04661, 77°.7	
Propyl $\alpha$ naphtol	$C_{13}H_{14}O$	1.04471, 18°.4	" "
Methyl $\alpha$ naphtyl oxide	$C_{10}H_7O.C_2H_5$	1.0974, 15°	Staedel. Ber. 14, 898.
Methyl naphtyl ketone	$C_{10}H_7.C_2O.C_2H_5$	1.124, 0°	Roux. Ann. (6), 12, 336.
Anthraquinone	$C_{14}H_8O_2$	1.438	} Schröder. Ber. 13, 1070.
"	"	1.426	
"	"	1.425	
"	"	1.419	
Phenanthrenequinone	"	1.404	} " "
"	"	1.405	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Asarone -----	$C_{12}H_{16}O_3$ -----	1.165, 18° --	Butlerow and Rizza. B. S. C. 43, 114.
" -----	" -----	1.0743, 60° -----	
" -----	" -----	1.0655, 95° -----	
Salicin. Natural -----	$C_{13}H_{18}O_7$ -----	1.4338, 26° -----	Piria. Ann. (3), 44, 368.
" Artificial -----	" -----	1.4257 -----	
Santonin -----	$C_{15}H_{18}O_3$ -----	1.247, 20°.5 -----	Trommsdorf. A. C. P. 11, 190.
" -----	" -----	1.1866 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Metasantonin. M. 136° --	" -----	1.1649 } -----	" "
" " 160°.5 -----	" -----	1.1975 } -----	
Santonid -----	" -----	1.1967 -----	" "
Metasantonid -----	" -----	1.046 -----	" "
Parasantonid -----	" -----	1.1957 -----	" "
" -----	" -----	1.2015, 20° -----	Nasini. Ber. 14, 1513.
Santonie acid -----	$C_{15}H_{20}O_4$ -----	1.251 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Parasantonie acid -----	" -----	1.2684 -----	" "
Methyl santonate -----	$C_{16}H_{22}O_4$ -----	1.1967 -----	" "
Methyl parasantonate -----	" -----	1.1777 -----	" "
Ethyl santonate -----	$C_{17}H_{24}O_4$ -----	1.1481 -----	" "
Ethyl parasantonate -----	" -----	1.153 -----	" "
Propyl santonate -----	$C_{18}H_{26}O_4$ -----	1.1185 -----	" "
" " -----	" -----	1.125, 20° -----	Nasini. G. C. I. 13, 165.
Propyl parasantonate -----	" -----	1.153 -----	Carnelutti and Na- sini. Ber. 13, 2210.
Isobutyl santonate -----	$C_{19}H_{28}O_4$ -----	1.1181 -----	" "
Allyl santonate -----	$C_{18}H_{24}O_4$ -----	1.1434 -----	" "
Styracin -----	$C_{18}H_{16}O_2$ -----	1.154 -----	Schröder. Ber. 13, 1070.
" -----	" -----	1.159 -----	
Pimarie acid -----	$C_{20}H_{30}O_2$ -----	1.047, 18° -----	Siewert. J. 12, 510.
Sylvic acid -----	" -----	1.1611, 18° -----	" "
Tropilene -----	$C_7H_{10}O$ -----	1.01, 0° -----	Ladenburg. Ber. 14, 2130.
" -----	" -----	1.0091, 0° -----	Ladenburg. A. C. P. 217, 139.
Cinacrol -----	$C_{10}H_{18}O_2$ -----	1.05 -----	Hirzel. Watts' Dic- tionary.
" -----	" -----	1.15 -----	
Colophonone -----	$C_{11}H_{18}O$ -----	.84 -----	Schiel. J. 13, 489.
Apiol -----	$C_{12}H_{14}O_4$ -----	1.015 -----	Lindenborn. Ber. 9, 1478.
Calophyllum resin -----	$C_{14}H_{18}O_4$ -----	1.12, cryst. -----	Levy. C. R. 18, 244.
Antiar resin -----	$C_{16}H_{24}O$ -----	1.032 -----	Mulder. A. C. P. 28, 307.
Tannin from Persea lingue -----	$C_{17}H_{17}O_9$ -----	1.352, 10° -----	Arata. Ber. 14, 2251.
From Sequoia gigantea -----	$C_{18}H_{20}O_3$ -----	1.045 -----	Lunge and Stein- kauler. Ber. 14, 2205.
Turmerol -----	$C_{19}H_{28}O$ -----	.9016, 17° -----	Jackson and Menke. A. C. J. 4, 371.
Guyaquillite -----	$C_{20}H_{26}O_3$ -----	1.092 -----	Dana's Mineralogy.
Hartin -----	$C_{20}H_{34}O_2$ -----	1.115, 19° -----	Schrötter. P. A. 59, 45.
Resin from rosewood -----	$C_{21}H_{21}O_6$ -----	1.2662, 15° -----	Terreil and Wolff. J. C. S. 38, 559.
Cardol -----	$C_{21}H_{31}O_2$ -----	.978, 23° -----	Städeler. J. 1, 577.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ivaol-----	$C_{26}H_{40}O$ -----	.9346, 15°----	Planta-Reichenau. Z. C. 13, 618.
Cholesterin-----	$C_{26}H_{44}O$ -----	1.03, melted----	Hlasiwetz. A. C. P. 103, 354.
“-----	“-----	1.046 }-----	Mehu. J. C. S. (2), 13, 247.
“-----	“-----	1.047 } 20° {-----	
Waldivine-----	$C_{36}H_{48}O_{20} \cdot 5H_2O$ -----	1.46-----	Tanret. J. Ph. C. (5), 3, 61.
Cochlearin-----	$C_6H_7O_2?$ -----	1.248-----	Maurach. Watts' Dictionary.
Aloisol-----	$C_6H_8O_3?$ -----	.877, 15°-----	Robiquet. Watts' Dictionary.
Xanthil-----	$C_4H_{10}O_3?$ -----	.894-----	Couërbe.
Picrolichenin-----	?-----	1.176-----	Alms. A. C. P. 1, 61.
Phycic acid-----	?-----	.896-----	Lamy. J. 5, 675.

## XLVII. COMPOUNDS CONTAINING C, H, AND N.

## 1st. Cyanides and Carbamines of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl cyanide, or aceto- nitril. “ “-----	$CH_3 \cdot CN$ -----	.8347, 0°---- }-----	Kopp. A. C. P. 98, 367.
“ “ “-----	“-----	.8191, 16°-- }-----	
“ “ “-----	“-----	.8052, 0°---- }-----	
“ “ “-----	“-----	.7155, 81°.2-----	Vincent and Dela- chanal. C. R. 90, 747.
Methyl carbamine-----	“-----	.7557, 14°-----	Schiff. Bei. 9, 559. Gautier. Roscoeand Schorlemmer's Treatise.
Ethyl cyanide, or propio- nitril. “ “-----	$C_2H_5 \cdot CN$ -----	.7017, 97°---- }-----	Ramsay. J. C. S. 35, 463.
“ “ “-----	“-----	.80101, 0°-----	
“ “ “-----	“-----	.70098, 97°.08-----	
“ “ “-----	“-----	.7862, 19°-----	
“ “ “-----	“-----	.7015, 97°-----	Thorpe. J. C. S. 37, 371.
Ethyl carbamine-----	“-----	.787, 15°-----	Gladstone. Bei. 9, 249.
“ “-----	“-----	.7889, 12°.6-----	Schiff. Bei. 9, 559. Pelouze. Watts' Dictionary.
“ “-----	“-----	.795, 12°.5-----	Frankland and Kolbe. J. 1, 552. Dumas. J. 1, 594.
Propyl cyanide, or buty- ronitril. “-----	$C_3H_7 \cdot CN$ -----	.795, 12°.5-----	
Isopropyl carbamine-----	“-----	.7596, 0°-----	Gautier. B. S. C. 11, 224.
Butyl cyanide, or valero- nitril. “-----	$C_4H_9 \cdot CN$ -----	.8164, 0°-----	Lieben and Rossi. A. C. P. 153, 137.
Isobutyl cyanide, or iso- valeronitril. “-----	“-----	.810-----	Schlieper. A. C. P. 59, 15
“ “ “-----	“-----	.813, 15°-----	Guckelberger. J. 1, 852.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isobutyl cyanide, or isovaleronitril.	$C_4 H_9 \cdot C N$	.8226, 0°	Erlenmeyer and Hell. A. C. P. 160, 257.
" " "	"	.8146, 10°	
" " "	"	.8060, 20°	
" " "	"	.6921, 129° 3	
" " "	"	.8010, 18°	Gladstone. Bei. 9, 249.
Isobutyl carbamine	"	.7873, 4°	Gautier. Z. C. 12, 415.
Isomyl cyanide, or capronitril.	$C_6 H_{11} \cdot C N$	.8061, 20°	Frankland and Kolbe. J. 1, 559.
" " "	"	.8040, 18°	Gladstone. Bei. 9, 249.
" " "	"	.6861, 154°	Schiff. Bei. 9, 559.
Oenanthonitril	$C_6 H_{13} \cdot C N$	.895, 22°	Mehlis. A.C.P. 185, 368.
Heptyl cyanide	$C_7 H_{15} \cdot C N$	.8201, 13° 3	Felletár. J. 21, 634.
Octyl cyanide	$C_8 H_{17} \cdot C N$	.786, 16°	Eichler. Ber. 12, 1888.
Isooctyl cyanide	"	.8187, 14°	Felletár. J. 21, 634.
Lauronitril	$C_{11} H_{23} \cdot C N$	.8350, 0°	Krafft and Stauffer. Ber. 15, 1728.
"	"	.8273, 15°	
"	"	.7675, 98° 9	
Myristonitril	$C_{13} H_{27} \cdot C N$	.8281, 19°	" "
"	"	.8241, 25°	
"	"	.7724, 99°	
Palmitonitril	$C_{15} H_{31} \cdot C N$	.8224, 31°	" "
"	"	.8186, 40°	
"	"	.7761, 98° 9	
Stearonitril	$C_{17} H_{35} \cdot C N$	.8178, 41°	" "
"	"	.8149, 45°	
"	"	.7790, 99° 2	

## 2d. Amines of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylamine	$N \cdot (C H_3)_3$	.673, 0°	Blennard. Roscoe and Schorlemmer's Treatise.
Ethylamine	$N H_2 \cdot C_2 H_5$	.6964, 8°	Wurtz. J. 3, 446.
Diethylamine	$N H \cdot (C_2 H_5)_2$	.7262, 0°	Oudemans. Bei. 6, 353. Values given for every 5°.
"	"	.7159, 10°	
"	"	.7055, 20°	
"	"	.6949, 30°	
"	"	.6844, 40°	
"	"	.6735, 50°	
"	"	.6680, 55°	
"	"	.7092, 19°	Gladstone. Bei. 9, 249.
"	"	.6684	Schiff. Ber. 19, 560.
"	"	.6686	
Triethylamine	$N \cdot (C_2 H_5)_3$	.7277, 20°	Brühl. Bei. 4, 779.
"	"	.7317, 19°	Gladstone. Bei. 9, 249.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Triethylamine	N. (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub>	.6621, 89°	Schiff. Ber. 19, 560.
Propylamine	N H <sub>2</sub> . C <sub>3</sub> H <sub>7</sub>	.7283, 0°	Silva. Z. C. 12, 638.
"	"	.7134, 21°	
"	"	.7186, 20°	
"	"	.6883, 49°.	Linnemann. A. C. P. 161, 18.
Isopropylamine	"	.690, 18°	Schiff. Ber. 19, 560.
Dipropylamine	"	.756, 0°	Siersch. J. 21, 682.
			Vincent. Ber. 19, ref. 680.
Diisopropylamine	N H. (C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub>	.722, 22°	Siersch. J. 21, 682.
Tripropylamine	N. (C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub>	.7699, 0°	Zander. A. C. P. 214, 181.
"	"	.6426, 156°.5	Vincent. Ber. 19, ref. 680.
"	"	.771, 0°	
Butylamine	N H <sub>2</sub> . C <sub>4</sub> H <sub>9</sub>	.7553, 0°	Lieben and Rossi. A. C. P. 93, 124.
"	"	.7333, 26°	Linnemann and Zotta. Ann. (4), 27, 275.
"	"	.7401, 20°	
Isobutylamine	"	.7357, 15°	Linnemann. Ann. (4), 27, 268.
"	"	.6865, 67°.7	Schiff. Ber. 19, 560.
Trimethylcarbinolamine	"	.6987, 15°	Linnemann. Ann. (4), 27, 268.
"	"	.7187, 0°	Rudneff. Ber. 12, 1023.
"	"	.7054, 8°	
"	"	.6931, 15°	
"	"	.7155, 0°	
"	"	.7078, 7°.8	
"	"	.7004, 15°	Brauner. A. C. P. 192, 72.
Tributylamine	N. (C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub>	.791, 0°	Lieben and Rossi. A. C. P. 165, 109.
"	"	.7782, 20°	
"	"	.7677, 40°	
Triisobutylamine	"	.785, 21°	Sachtleben. Ber. 11, 734.
Amylamine	N H <sub>2</sub> . C <sub>5</sub> H <sub>11</sub>	.7503, 18°	Wurtz. J. 3, 451.
"	"	.815, 0°	Wurtz. J. 19, 425.
"	"	.7517, 22°.5	Plimpton. J. C. S. 39, 33.
" Active	"	.7725	Plimpton. J. C. S. 39, 331.
" Inactive	"	.7678	
"	"	.6848, 94°.8	Schiff. Bei. 9, 559.
Dimethylethylcarbinolamine.	"	.755, 0°	Wurtz. J. 19, 425.
"	"	.7611, 0°	Rudneff. J. C. S. 38, 545.
"	"	.7475, 15°	
Diamylamine	N H. (C <sub>5</sub> H <sub>11</sub> ) <sub>2</sub>	.7825, 0°	Silva. Z. C. 10, 157.
" Active	"	.7878, 0°	Plimpton. J. C. S. 39, 331.
" Inactive	"	.7776, 14°	
Triamylamine. Active	N. (C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub>	.7964, 13°	" "
" Inactive	"	.7882, 13°	
Hexylamine	N H <sub>2</sub> . C <sub>6</sub> H <sub>13</sub>	.763, 17°	Pelouze and Cahours. J. 16, 527.
Secondary hexylamine	"	.7638	Uppenkamp. Ber. 8, 57.
Octylamine	N H <sub>2</sub> . C <sub>8</sub> H <sub>17</sub>	.786	Squire. J. 7, 485.



## 3d. The Aniline Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amidobenzene, or aniline.	$C_6 H_5. H_2 N$	1.020, 16°	Hofmann. A. C. P. 47, 50.
"	"	1.028	Fritzche. J. P. C. 20, 453.
"	"	1.0361, 0°	Kopp. A. C. P. 98, 367.
"	"	1.0251, 13° 7'	
"	"	1.018, 15° 5'	Städeler and Arndt. J. 17, 425.
"	"	1.024, 17° 5'	Lucius.
"	"	1.026, 15°	Kern. Ber. 10, 199.
"	"	.8527, 183°	Ramsay. J. C. S. 35, 463.
"	"	1.0379, 0°	} Thorpe. J. C. S. 37, 371.
"	"	.87274, 183° 7'	
"	"	1.02478, 16° 3'	Johst. P. A. (2), 20, 56.
"	"	1.0216, 20°	Brühl.
"	"	1.0131, 25° 7'	Schall. Ber. 17, 2555.
"	"	.9484, 100° 9'	
"	"	1.016, 13°	Gladstone. Bei. 9, 249.
"	"	1.0322, 7° 5'	} Schiff. Bei. 9, 559.
"	"	.8751, 183° 1'	
"	"	.92256, 130° 9'	} Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.91858, 135° 1'	
"	"	.90708, 147° 2'	
"	"	.90632, 148°	
"	"	.89272, 162°	
"	"	.89233, 162° 6'	
"	"	.88077	
"	"	.88097	
"	"	.87443, 181° 6'	
"	"	.87424, 181° 8'	
"	"	.87384	
"	"	.87356	
"	"	1.0216, 20°	
"	"	1.02204, 20°	Knops. V. H. V. 1887, 17. Weegmann. Z. P. C. 2, 213.
Methylaniline	$C_6 H_5. C H_3. H N$	.976, 15°	Hofmann. Ber. 7, 526.
Benzylamine	$C_6 H_5. C H_2. H_2 N$	.990, 14°	Limpricht. J. 20, 510.
Orthotoluidine	$C_6 H_4. C H_3. H_2 N$	1.0002, 16° 3'	Rosenstiehl. J. 21, 745.
"	"	1.003, 20° 2'	} Three preparations. Beilstein and Kuhlberg. Z. C. 12, 523.
"	"	1.002, 22°	
"	"	.998, 25° 5'	
"	"	1.046	Rüdorff. Ber. 12, 251.
"	"	.8302, 197°	Ramsay. J. C. S. 35, 463.
"	"	.9986, 20°	Brühl. Bei. 4, 780.
"	"	1.0038, 15°	Hirsch. Ber. 18, 1511.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Orthotoluidine	$C_6H_4.CH_3.H_2N$	.89397, 142° 7.	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 657.
"	"	.89292, 143° 2.	
"	"	.87527, 163° 2.	
"	"	.87456, 163° 9.	
"	"	.86064 } 178° 4	
"	"	.86078 } 186° 9	
"	"	.85214 } 186° 9	
"	"	.85185 } 186° 9	
"	"	.84453, 198°	
"	"	.84348 } 199°	
Metatoluidine	"	.84320 } 199°	Lorenz. C. N. 30, 166.
"	"	.998, 25°	
"	"	.88528 } 149°	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 658.
"	"	.88561 } 149°	
"	"	.86525, 169°	
"	"	.86283, 171°	
"	"	.85231, 184°	
"	"	.85121, 185°	
"	"	.84869, 191°	
"	"	.84293, 193°	
"	"	.88523 } 201°	
"	"	.83537 } 201°	
"	"	.83385 } 203°	
"	"	.83351 } 203°	
Paratoluidine	"	.88313, 143°	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 658.
"	"	.88269, 143° 2.	
"	"	.86131 } 168°	
"	"	.86130 } 168°	
"	"	.85025, 178° 4.	
"	"	.84858, 181°	
"	"	.83814 } 192° 6	
"	"	.83850 } 192° 6	
"	"	.83171 } 200°	
"	"	.83178 } 200°	
"	"	.82995, 201° 5.	
Dimethylaniline	$C_6H_5.(CH_3)_2.N$	.9553	Hofmann. C. N. 27, 1.
"	"	.9645, 15°	Kern. Ber. 10, 199.
"	"	.7941, 190°	Ramsay. J. C. S. 35, 463.
"	"	.9575, 20°	Brühl. A. C. P. 235, 1.
Ethylaniline	$C_6H_5.C_2H_5.HN$	.954, 18°	Hofmann. J. 2, 398.
Ethylamidobenzene. 1.2	$C_6H_4.C_2H_5.H_2N$	.983, 22°	Beilstein and Kuhlberg. A. C. P. 156, 206.
" 1.4	"	.975, 22°	" "
Methyltoluidine. 1.2	$C_6H_4.CH_3.CH_3.HN$	.973, 15°	Monnet, Reverdin, and Nölting. Ber. 11, 2278.
Xylidine. 1.2.4	$C_6H_3.(CH_3)_2.H_2N$	.9942, 20°	Wroblevsky. Ber. 12, 1227.
"	"	1.0755, 17° 5.	Jacobsen. Ber. 17, 160.
"	"	.991, 15°	Nölting and Forel. Ber. 18, 2671.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Xylidine. 1.3.4	$C_6 H_3 (C H_3)_2 H_2 N$	.985, 18° .5	Tawildarow. Z. C. 13, 418.
" "	"	.9184, 25°	Hofmann. Ber. 9, 1295.
" "	"	.86651	} Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 662.
" "	"	.86687	
" "	"	.84874, 182°	
" "	"	.83473, 197°	
" "	"	.82374, 205°	
" "	"	.81633	
" "	"	.81597	
" "	"	.81454	
" 1.3.5	"	.81436	} 215°.5
" "	"	.9935, 0°	
" "	"	.972, 15°	Wroblevsky. Ber. 10, 1249.
" 1.4.2	"	.980, 15°	Nölting and Forel. Ber. 18, 2678.
"	"	.9867, 19°	Nölting and Forel. Ber. 18, 2680.
			Gladstone. Bei. 9, 249.
Dimethyltoluidine. 1.2	$C_6 H_4. C H_3. (C H_3)_2 N$	.9324	Hofmann. C. N. 27, 1.
" 1.3	"	.9368	" "
" 1.4	"	.988	" "
Propylaniline	$C_6 H_5. C_3 H_7. H N$	.949, 18°	Pictet and Crépeux. Ber. 21, 1106.
Ethyltoluidine. 1.3	$C_6 H_4. C H_3. C_2 H_5 H N$	.869, 20°	Wroblevsky. J. C. S. (2), 13, 455.
" " 1.4	"	.9391, 15°.5	Morley and Abel. J. 4, 497.
Cumidine	$C_6 H_4. C_3 H_7. H_2 N$	.8526	Nicholson. J. 1, 664.
Pseudocumidine. 1.3.5.6	$C_6 H_2 (C H_3)_3 H_2 N$	.9633	Hofmann. C. N. 27, 1.
Diethylaniline	$C_6 H_5 (C_2 H_5)_2 N$	.939, 18°	Hofmann. J. 2, 399.
Isobutylaniline	$C_6 H_5. C_4 H_9. H N$	.9262, 15°	Giannetti. Ber. 14, 1759.
"	"	.940, 18°	Pictet and Crépeux. Ber. 21, 1106.
Dimethylxylidine	$C_6 H_3 (C H_3)_2 (C H_3)_2 N$	.9293	Hofmann. C. N. 27, 1.
Tetramethylaniline	$C_6 H (C H_3)_4 H_2 N$	.978, 24°	Hofmann. Ber. 17, 1912.
Isoamylaniline	$C_6 H_5. C_5 H_{11} H N$	.928, 15°	Pictet and Crépeux. Ber. 21, 1106.
Diethyltoluidine. 1.4	$C_6 H_4. C H_3 (C_2 H_5)_2 N$	.9242, 15°.5	Morley and Abel. J. 7, 498.
Dimethylmesidine. 1.3.5.6	$C_6 H_2 (C H_3)_3 (C H_3)_2 N$	.9076	Hofmann. C. N. 27, 1.
Methylamylaniline	$C_6 H_5. C_3 H_{11} C H_3 N$	.906, 20°	Claus and Rautenberg. Ber. 14, 622.
Dipropylaniline	$C_6 H_5 (C_3 H_7)_2 N$	.9240, 0°	} Zander. A. C. P. 214, 181.
"	"	.7267, 245°.4	
Diisopropylaniline	"	.9338, 0°	
"	"	.7504, 221°	" "
•Trimethyldiethylaniline	$C_6 (C H_3)_3 (C_2 H_5)_2 H_2 N$	.971	Ruttan. Ber. 19, 2384.
Allylaniline	$C_6 H_5. C_3 H_5 H N$	.982, 25°	Schiff. J. 17, 415.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diallylaniline	$C_8 H_5 (C_3 H_5)_2 N$	.9680, 0°	Zander. A. C. P. 214, 181.
"	"	.7667, 244°	
Diphenylamine	$N H. (C_6 H_5)_2$	1.156 } 4°	Schröder. Ber. 12, 561.
"	"	1.161 } 4°	
"	"	.8293, 310°	Ramsay. J. C. S. 35, 463.
Methyldiphenylamine	$N. (C_6 H_5)_2 C H_3$	1.0476, 20°	Brühl. A. C. P. 235, 1.
Dibenzylamine	$N H. (C_7 H_7)_2$	1.083, 14°	Limpricht. J. 20, 510.
Amidobenzylamine	$C_7 H_{10} N_2$	1.08, 20°	Amsel and Hofmann. Ber. 19, 1288.
Metamidodimethylaniline	$C_8 H_{12} N_2$	.995, 25°	Groll. Ber. 19, 200.

## 4th. The Pyridine Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyridine	$C_5 H_5 N$	.9858, 0°	Anderson. J. 10, 397.
"	"	.924, 22°	Thenius. J. 14, 502.
"	"	.8617, 117°	Ramsay. J. C. S. 35, 463.
"	"	.9802, 0°	Richard. Ber. 13, 198.
"	"	.8823 } 115°	Schiff. Ber. 19, 560.
"	"	.8826 } 115°	
"	"	1.0033, 0°	Ladenburg. Ber. 21, 289.
$\alpha$ Picoline	$C_6 H_7 N$	.955, 10°	Anderson. A. C. P. 60, 93.
"	"	.9613, 0°	Anderson. J. 10, 397.
"	"	.933, 22°	Thenius. J. 14, 502.
"	"	.8197, 134°	Ramsay. J. C. S. 35, 463.
"	"	.9560, 0°	Richard. Ber. 13, 198.
"	"	.96161, 0°	Thorpe. J. C. S. 37, 371.
"	"	.83258, 133° 5	
"	"	.94093, 23° 5	Gladstone. Bei. 9, 249.
"	"	.96559, 0°	Lange. Ber. 18, 3486.
"	"	.96477, 4°	Dürkopf and Schlaugk. Ber. 20, 1660.
"	"	.9656, 0°	Ladenburg. C. R. 103, 692.
$\beta$ Picoline	"	.97712, 0°	Hesekiel. Ber. 18, 3091.
"	"	.94965, 30°	
"	"	.9771, 0°	Ladenburg. C. R. 103, 692.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
$\gamma$ Picoline	$C_6 H_7 N$	.9708, 0°	Lange. Ber. 18, 3436.
"	"	.9708, 0°	Ladenburg. C. R. 103, 692.
"	"	.9742, 0°	Ladenburg. Ber. 21, 287.
$\alpha$ Lutidine	$C_7 H_9 N$	.928	Williams. J. 7, 494.
"	"	.9467, 0°	Anderson. J. 10, 397.
"	"	.945, 22°	Thenius. J. 14, 502.
"	"	.9467, 0°	Williams. J. 17, 437.
"	"	.7916, 154°	Ramsay. J. C. S. 35, 463.
"	"	.9377, 0°	Richard. Ber. 13, 198.
"	"	.9545, 0°	Ladenburg and Roth. Ber. 18, 52.
" $\alpha-\gamma$	"	.9503, 0°	Ladenburg and Roth. Ber. 18, 913.
" $\alpha-\alpha$	"	.9424, 0°	Ladenburg. C. R. 103, 692.
$\beta$ Lutidine	"	.9555, 0°	Williams. J. 17, 437.
"	"	.9593, 0°	Coninck. C. R. 91, 296.
$\alpha$ Ethylpyridine	"	.9495	} 0° { Ladenburg. Ber. 20, 1653.
"	"	.9498	
$\gamma$ Ethylpyridine	"	.9522, 0°	} Ladenburg. Ber. 18, 2963.
"	"	.9358, 20°	
$\alpha$ Collidine	$C_8 H_{11} N$	.921	Anderson. J. 7, 490.
"	"	.9439, 0°	Anderson. J. 10, 397.
"	"	.953, 22°	Thenius. J. 14, 502.
"	"	.943	Wurtz. Ber. 12, 1710.
"	"	.7839, 173°	Ramsay. J. C. S. 35, 463.
"	"	.9291, 0°	Richard. Ber. 13, 198.
"	"	.917, 15°	Hantzsch. Ber. 15, 2914.
"	"	.9286, 16°.8	Weidel and Pick. S. W. A. 90, 972.
"	"	.9224, 15°	Mohler. Ber. 21, 1014.
$\beta$ Collidine	"	.9656, 0°	Coninck. C. R. 91, 296.
Aldehyde collidine	"	.9389, 4°	Dürkopf. Ber. 18, 920.
$\alpha$ Isopropylpyridine	"	.9342, 0°	Ladenburg. C. R. 103, 692.
$\gamma$ Isopropylpyridine	"	.9408, 0°	Ladenburg and Schrader. Ber. 17, 1121.
"	"	.9439, 0°	Ladenburg. C. R. 103, 692.
$\gamma$ Propylpyridine	"	.9393, 0°	} Two lots. Ladenburg. Ber. 17, 772.
$\alpha$ Propylpyridine	"	.9411, 0°	
"	"	.9306, 10°	
Parvoline	$C_9 H_{13} N$	.966, 22°	Thenius. J. 14, 502.
"	"	.916, 14°	Engelmann. J. C. S. 50, 259.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Parvoline-----	C <sub>9</sub> H <sub>13</sub> N-----	.94185, 0° --	} { Dürkopf and Schlaugk. Ber. 21, 832.
"-----	"-----	.92894, 16° --	
Coridine-----	C <sub>10</sub> H <sub>15</sub> N-----	.974, 22°-----	Thenius. J. 14, 502.
Rubidine-----	C <sub>11</sub> H <sub>17</sub> N-----	1.017, 22°-----	" "
Viridine-----	C <sub>12</sub> H <sub>19</sub> N-----	1.024, 22°-----	" "
Allyl pyridine-----	C <sub>8</sub> H <sub>9</sub> N-----	.9595, 0°-----	Ladenburg. Ber. 19, 2578.
Piperidine. From piperine	C <sub>5</sub> H <sub>11</sub> N-----	.8810, 0°-----	} Ladenburg and Roth. Ber. 17, 513.
" Synthetic-----	"-----	.8814, 4°-----	
"-----	"-----	.7791-----	} 105°-- Schiff. Ber. 19, 560.
"-----	"-----	.7801-----	
"-----	"-----	.7810-----	
<i>α</i> Methylpiperidine-----	C <sub>6</sub> H <sub>13</sub> N-----	.8601, 0°-----	Ladenburg and Roth. Ber. 18, 47.
"-----	"-----	.860, 0°-----	Ladenburg. C. R. 103, 747.
<i>β</i> Methylpiperidine-----	"-----	.8686, 4°-----	Hesekiel. Ber. 18, 910.
"-----	"-----	.8684, 0°-----	Ladenburg, C. R. 103, 747.
<i>α-α</i> Dimethylpiperidine-----	C <sub>7</sub> H <sub>15</sub> N-----	.8492, 4°-----	Ladenburg and Roth. Ber. 18, 54.
<i>α-γ</i> Dimethylpiperidine-----	"-----	.8615, 0°-----	Ladenburg. C. R. 103, 747.
<i>α</i> Ethylpiperidine-----	"-----	.8674, 0°-----	Ladenburg. Ber. 18, 2963.
<i>γ</i> Ethylpiperidine-----	"-----	.8759, 0°-----	Ladenburg. Ber. 18, 2964.
Methyl- <i>α</i> -ethylpiperidine-----	C <sub>8</sub> H <sub>17</sub> N-----	.8495, 0°-----	Ladenburg. C. R. 103, 747.
<i>α</i> Propylpiperidine. Coniin	"-----	.89-----	Geiger.
" "-----	"-----	.878-----	Blyth. J. 2, 388.
" "-----	"-----	.846, 12°.5-----	Petit. B. S. C. 27, 337.
" "-----	"-----	.886-----	Schorm. Ber. 14, 1767.
" "-----	"-----	.913, 0°-----	} Two preparations. Schiff. A. C. P. 166, 88.
" "-----	"-----	.899, 15°-----	
" "-----	"-----	.842, 90°-----	
" "-----	"-----	.886, 0°-----	
" "-----	"-----	.873, 15°-----	
" "-----	"-----	.911, 90°-----	
" "-----	"-----	.863-----	Ladenburg. Ber. 17, 774.
" "-----	"-----	.875, 0°-----	Ladenburg. Ber. 17, 772.
" "-----	"-----	.8626, 0°-----	Ladenburg. Ber. 19, 2580.
<i>γ</i> Propylpiperidine-----	"-----	.870, 0°-----	Ladenburg. Ber. 17, 772.
<i>α</i> Isopropylpiperidine-----	"-----	.8660, 0°-----	Ladenburg. Ber. 17, 1676.
"-----	"-----	.8676, 0°-----	Ladenburg. C. R. 103, 747.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl- $\alpha$ $\gamma$ -isopropylpiperidine.	$C_9 H_{19} N$	.8593, 0°	Ladenburg. C. R. 103, 747.
Copellidine	$C_8 H_{17} N$	.8653, 0°	Dürkopf. Ber. 18, 920.
"	"	.8546, 15°	
Methylcopellidine	$C_9 H_{19} N$	.8519, 0°	" "
"	"	.8440, 13°	
Dimethylcopellidine	$C_{10} H_{21} N$	.7816, 25°	" "
$\alpha$ Pipecoleine	$C_6 H_{11} N$	.8801, 0°	Ladenburg. Ber. 20, 1646.
$\gamma$ Pipecoline	$C_6 H_{13} N$	.8674, 0°	Ladenburg. Ber. 21, 288.
$\alpha$ Isopropylpiperideine	$C_8 H_{15} N$	.8956, 0°	Ladenburg. Ber. 20, 1647.
Hydrolutidine. $\alpha$ - $\gamma$	$C_7 H_{13} N$	.8615, 0°	Ladenburg and Roth. Ber. 18, 919.
Hydrotropidine	$C_8 H_{15} N$	.9366, 0°	Ladenburg. Ber. 16, 1409.
"	"	.9259, 15°	
$\alpha$ Coniceine	"	.893, 15°	Hofmann. Ber. 18, 10.
Paradiconiine	$C_{16} H_{27} N$	.915, 15°	Schiff. A. C. P. 166, 88.
Quinoline or chinoline	$C_9 H_7 N$	1.081, 10°	Hofmann. A. C. P. 47, 79.
" " "	"	1.1081, 0°	} Skraup. Ber. 14, 1002. Coninck. J. C. S. 44, 89. Gladstone. Bei. 9, 249. Schiff. Ber. 19, 560. Williams. J. 9, 536.
" " "	"	1.0947, 20°	
" " "	"	1.0699, 50°	
" " "	"	1.1055, 0°	
" " "	"	1.0965, 11° 5	
" " "	"	1.096	
" " "	"	1.1021	
" " "	"	.9211, 234°	
Lepidine	$C_{10} H_9 N$	1.072, 15°	Williams. J. 9, 536.
Orthomethylquinoline	"	1.0852, 0°	} Skraup. Ber. 14, 1002.
"	"	1.0734, 20°	
"	"	1.0586, 50°	
Metamethylquinoline	"	1.0639, 0°	} Skraup. Ber. 15, 2255.
"	"	1.0722, 20°	
"	"	1.0576, 50°	
Paramethylquinoline	"	1.0815, 0°	} Skraup. Ber. 14, 1002.
"	"	1.0671, 20°	
"	"	1.0560, 50°	
Dimethylquinoline	$C_{11} H_{11} N$	1.0752, 4°	Berend. Ber. 18, 3165.
" $\alpha$ - $\gamma$	"	1.0611, 15°	Beyer. J. P. C. (2), 33, 402.
Metadipyridyl	$C_{10} H_8 N_2$	1.1757, 0°	} Skraup and Vortmann. M. C. 4, 593.
"	"	1.1635, 20°	
"	"	1.1493, 50°	
Isodipyridinc	$C_{10} H_{10} N_2$	1.08	Ramsay. P. M. (5), 6, 29.
"	"	1.1245, 13°	Cahours and Etard. Ber. 13, 777.
Dipicoline	$C_{12} H_{14} N_2$	1.12	Ramsay. P. M. (5), 6, 31.
"	"	1.077	Anderson.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nicotine	$C_{10}H_{14}N_2$	1.033, 4°	Barral. J. 1, 614.
"	"	1.027, 15°	
"	"	1.018, 30°	
"	"	1.0006, 50°	
"	"	.9424, 101°.5	
"	"	1.01837, 10°.2	
"	"	1.01101, 20°	
"	"	1.00373, 30°	Landolt. A. C. P. 189, 241.
"	"	1.0111, 15°	
Hydronicotine	$C_{10}H_{16}N_2$	.993, 17°	Etard. C. R. 97, 1218.
Dipiperidyl	$C_{10}H_{20}N_2$	.9561, 4°	Liebrecht. Ber. 19, 2591.
$\alpha$ Stilbazoline	$C_{13}H_{19}N$	.9874, 0°	Baurath. Ber. 21, 818.
Dihydro- $\alpha$ -stilbazol	$C_{13}H_{13}N$	1.0465, 0°	" "

## 5th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethyl hydrazin	$C_2H_8N_2$	.801, 11°	Renouf. Ber. 13, 2171.
Ethylene diamine	$C_2H_4(NH_2)_2$	.902	Rhoussopolos and Meyer. J. C. S. 42, 940.
Propylene diamine	$C_3H_6(NH_2)_2$	.878, 15°	Hofmann. Ber. 6, 310.
Pentamethylene diamine	$C_5H_{10}(NH_2)_2$	.9174, 0°	Ladenburg. Ber. 18, 2957.
$\beta$ Methyltetramethylene diamine.	"	.8836, 20°	Oldach. Ber. 20, 1655.
Ethylene cyanide	$C_2H_4(CN)_2$	1.023, 45°	Simpson. J. 14, 654.
Pyrotartronictril	$C_3H_6(CN)_2$	.9961, 11°	Henry. Ber. 18, ref. 330.
Crotonitril	$C_4H_5N$	.8389, 12°	Will and Körner.
"	"	.8491, 0°	Rinne and Tollens. A. C. P. 159, 105.
"	"	.8351, 15°	
Allyl carbamine	$C_3H_5CN$	.812, 0°	
"	"	.794, 17°	
Allylamine	$C_3H_5H_2N$	.864, 15°	Oeser. J. 18, 506.
"	"	.7754, 10°.5	
"	"	.7775, 11°	
"	"	.7693, 17°.5	
"	"	.7684, 19°	
"	"	.7261, 56°	Schiff. Bei. 9, 559.
Triallylamine	$(C_3H_5)_3N$	.8206, 0°	Zander. A. C. P. 214, 181.
"	"	.6826, 155°.5	
Propylallylamine	$C_3H_7C_3H_5HN$	.7708, 18°	Liebermann and Paul. Ber. 16, 523.
Isoamylallylamine	$C_6H_{11}C_3H_5HN$	.7777, 18°	" "



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Pyrrol	$C_4 H_5 N$	1.077	Anderson. J. 10, 399.
"	"	.7276, 183°	Ramsay. J. C. S. 85, 463.
"	"	.9752, 12° 5'	Weidel and Ciamician. Ber. 13, 71.
"	"	.9606	Gladstone. Bei. 9, 249.
Methylpyrrol	$C_5 H_7 N$	.9203, 10°	Bell. Ber. 10, 1866.
Ethylpyrrol	$C_6 H_9 N$	.8881, 16°	Bell. Ber. 9, 936.
"	"	.9042, 10°	Bell. Ber. 10, 1862.
Amylpyrrol	$C_9 H_{15} N$	.8786, 10°	Bell. Ber. 10, 866.
Pyrrolidin	$C_4 H_9 N$	.879, 0°	} Petersen. Ber. 21, 290.
"	"	.871, 10°	
Methylpyrrolidin	$C_5 H_{11} N$	.8654, 0°	Oldach. Ber. 20, 1155.
Methylphenylpyrazol	$C_{10} H_{10} N_2$	1.085	} Claisen and Stylos. Ber. 21, 1143 and 1147.
"	"	1.081	
Ethylphenylpyrazol	$C_{11} H_{12} N_2$	1.064, 15°	Claisen and Stylos. Ber. 21, 1148.
Propylphenylpyrazol	$C_{12} H_{14} N_2$	1.0435, 15°	" "
$\alpha$ Glucosine	$C_6 H_8 N_2$	1.038, 0°	Tanret. B. S. C. 44, 104.
$\beta$ Glucosine	$C_7 H_{10} N_2$	1.012, 0°	" "
"	"	.9826, 12°	Morin. Ber. 21, ref. 188.
Methylglyoxalin	$C_4 H_6 N_2$	1.0363	Wallach and Schulze. Ber. 14, 424.
"	"	1.0359, 28°	Goldschmidt. Ber. 14, 1846.
Ethylglyoxalin	$C_5 H_8 N_2$	.999	Wallach. Ber. 16, 535.
Oxalmethylethylin	"	1.0051, 11°	Radziszewski. Ber. 16, 487.
Propylglyoxalin	$C_6 H_{10} N_2$	.967, 16°	Wallach. Ber. 15, 650.
Oxaethylethylin	"	.9820	Wallach and Stricker. Ber. 13, 512.
"	"	.980	Radziszewski. Ber. 16, 487.
Oxaethylpropylin	$C_7 H_{12} N_2$	.9813	" "
Oxalpropylethylin	"	.9641	" "
Oxalpropylpropylin	$C_8 H_{14} N_2$	.9520	Wallach and Schulze. Ber. 14, 424.
"	"	.951	Radziszewski. Ber. 16, 487.
Amylgyoxalin	"	.940, 18°	Wallach. Ber. 15, 651.
Oxaethylisoamylin	$C_9 H_{16} N_2$	.9291, 19° 6'	Radziszewski and Szul. Ber. 17, 1291.
Oxalpropylisoamylin	$C_{10} H_{18} N_2$	.9149, 18°	" "
Oxalisobutylisoamylin	$C_{11} H_{20} N_2$	.9048, 16° 1'	" "
Oxalisoamylysoamylin	$C_{12} H_{22} N_2$	.9029, 19°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Oxalmethyloenanthylin	$C_{10} H_{18} N_2$	.9282, 16°.5	Karcz. Ber. 20, ref. 474.
Oxalethyloenanthylin	$C_{11} H_{20} N_2$	.9210, 16°.5	" "
Oxalpropyloenanthylin	$C_{12} H_{22} N_2$	.9192, 17°	" "
Benzonitril	$C_6 H_5. C N$	1.0073, 15°	Fehling. A. C. P. 49, 91.
"	"	1.0230, 0°	Kopp. A. C. P. 98, 367.
"	"	1.0084, 16°.8	
"	"	.8330, 192°	
"	"	1.0052, 18°	Gladstone. Bei. 9, 249.
Benzyl cyanide, or <i>a</i> toluic nitril.	$C_7 H_7. C N$	1.0155, 8°	Radziszewski. Ber. 3, 198.
" " "	"	1.0146, 18°	Hofmann. Ber. 7, 519.
Phenylpropionitril	$C_8 H_9. C N$	1.0014, 18°	Hofmann. Ber. 7, 520.
Orthoxylyl cyanide	"	1.0156, 22°	Radziszewski and Wispek. Ber. 18, 1279.
Metaxylyl cyanide	"	1.0022, 22°	" "
Paraxylyl cyanide	"	.9922, 22°	" "
Cumonitril	$C_9 H_{11}. C N$	.765, 14°	Hofmann. J. 1, 595.
Azobenzene	$C_{12} H_{10} N_2$	1.180	Schröder. Ber. 12, 561.
"	"	1.196	
"	"	1.202	
"	"	1.223	
"	"	.8256, 293°	Ramsay. J. C. S. 35, 463.
Phenyl hydrazin	$C_6 H_6 N_2$	1.091, 21°	Fischer. A. C. P. 190, 82.
" " "	"	1.097, 22°.7	Fischer. A. C. P. 236, 198.
Chinaldin	$C_{10} H_9 N$	1.0646, 20°	Küsel. Ber. 19, 2249.
Piperyl hydrazin	$C_5 H_{12} N_2$	.9283, 14°.6	Knorr. A. C. P. 221, 301.
Diethylaniline azylin	$C_{20} H_{23} N_4$	1.107, 15°, s.	Lippmann and Fleissner. Ber. 16, 1417.
Methyl indol	$C_9 H_9 N$	1.0707, 0°	Lipp. Ber. 17, 2511.
Cyanoconicine	$C_9 H_{14} N_2$	.93	E. v. Meyer. B. S. C. 39, 124.
Ptomaine	$C_8 H_{11} N$	.9865, 0°	Coninck. C. R. 106, 859.
"Acetylamme. ?"	$C_2 H_5 N. ?$	.975, 15°	Natanson. J. 9, 527.

## XLVIII. COMPOUNDS CONTAINING C, H, N, AND O.

## 1st. Nitrites and Nitrates of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl nitrite	$C H_3 N O_2$	.991	Strecker. J. 7, 521.
Ethyl nitrite	$C_2 H_5 N O_2$	.886, 4°	Dumas and Boullay. Ann. (2), 37, 19.
" "	"	.947, 15°	Liebig. A. C. P. 30, 143.
" "	"	.898	Mohr. J. 7, 561.
" "	"	.900, 15°.5	Brown. J. 9, 575.
Propyl nitrite	$C_3 H_7 N O_2$	.935, 21°	Cahours. Les Mon- des, 32, 280.
Isopropyl nitrite	"	.856, 0°	} Silva. Z. C. 12, 637.
" "	"	.844, 24°	
Isobutyl nitrite	$C_4 H_9 N O_2$	.89445, 0°	} Chapman and Smith. J. C. S. 22, 153.
" "	"	.8771, 16°	
" "	"	.82568, 50°	
Trimethylcarbyl nitrite	"	.8915, 0°	Bertoni. Ber. 19, ref. 98.
Amyl nitrite	$C_5 H_{11} N O_2$	.8773	Rieckher. J. 1, 699.
" "	"	.9020	} Hilger. Am. Ch. 5, 231.
" "	"	.9026	
" "	"	.8734, 21°	Gladstone. Bei. 9, 249.
Dimethylethylcarbyl ni- trite.	"	.9033, 0°	Bertoni. G. C. I. 16, 512.
Octyl nitrite	$C_8 H_{17} N O_2$	.862, 17°	Eichler. Ber. 12, 1887.
Methylhexylcarbyl nitrite	"	.881, 0°	Bertoni. G. C. I. 16, 512.
Methyl nitrate	$C H_3 N O_3$	1.182, 20°	Dumas and Peligot. Ann. (2), 58, 39.
Ethyl nitrate	$C_2 H_5 N O_3$	1.112, 17°	Millon. Ann. (3), 8, 236.
" "	"	1.1322, 0°	} Kopp. A. C. P. 98, 367.
" "	"	1.1123, 15°.5	
" "	"	1.0948, 17°	Wittstein. J. 18, 470.
" "	"	.9991, 87°	Ramsay. J. C. S. 35, 463.
" "	"	1.1067, 25°	Gladstone. Bei. 9, 249.
Isopropyl nitrate	$C_3 H_7 N O_3$	1.054, 0°	} Silva. Z. C. 12, 637.
" "	"	1.036, 19°	
Isobutyl nitrate	$C_4 H_9 N O_3$	1.0384, 0°	} Chapman and Smith. J. C. S. 22, 153.
" "	"	1.020, 16°	
Amyl nitrate	$C_5 H_{11} N O_3$	.902, 22°	Rieckher. J. 1, 699.
" "	"	.994, 10°	Hofmann. J. 1, 699.
" "	"	1.000, 7°—8°	Chapman and Smith. J. 20, 550.
" "	"	.8698, 147°	Schiff. Bei. 9, 559.
Cetyl nitrate	$C_{16} H_{33} N O_3$	.91	Champion. C. R. 73, 571.

## 2d. Nitro-Derivatives of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitromethane	$C_1 H_3 N O_2$	1.0236, 101°.5	Schiff. Bei. 9, 559.
Nitroethane	$C_2 H_5 N O_2$	1.0582, 13°	Meyer and Stuber. Ann. (4), 28, 138.
"	"	.9829, 114°.5	Schiff. Bei. 9, 559.
"	"	1.0550, 18°	Gladstone. Bei. 9, 249.
Nitroheptane	$C_7 H_{15} N O_2$	.9369, 19°	Beilstein and Kur- batow. Ber. 13, 2029.
Dinitroethane	$C_2 H_4 (N O_2)_2$	1.3503, 23°.5	Meer. Ber. 8, 1080.
Dinitropropane	$C_3 H_6 (N O_2)_2$	1.258, 22°.5	Meer. Ber. 8, 1087.
Dinitrobutane	$C_4 H_8 (N O_2)_2$	1.205, 15°	Chancel. Ber. 16, 1495.
Dinitrohexane	$C_6 H_{12} (N O_2)_2$	1.1381, 0°	} Chancel. C. R. 100, 601.
"	"	1.1333, 5°	
"	"	1.1284, 10°	
"	"	1.1235, 15°	
"	"	1.1185, 20°	
"	"	1.1135, 25°	
"	"	1.1085, 30°	
"	"	1.1034, 35°	
"	"	1.0983, 40°	
Ethyl nitroacetate	$C_4 H_7 N O_4$	1.133, 0°	Forcrand. C. R. 88, 975.
Nitrocapyrylic acid	$C_8 H_{15} N O_4$	1.093, 18°	Wirz. A. C. P. 104, 289.
Ethyl nitrocapyrylate	$C_{10} H_{19} N O_4$	1.031, 18°	Wirz. A. C. P. 104, 290.
Nitrosodiethylamine	$C_4 H_{10} N_2 O$	.951, 17°.5	Geuther. J. 16, 409.
Nitrosodipropylamine	$C_6 H_{14} N_2 O$	.924, 14°	Siersch. J. 20, 537.
"	"	.931, 0°	Vincent. Ber. 19, ref. 680.
Derivative of nitroethane	$C_5 H_7 N O$	1.0102, 15°	Götting. A. C. P. 243, 104.
"	"	.9750, 15°	" "
"	"	1.0	Ssokolow. Ber. 19, ref. 540.

## 3d. Aromatic Nitro-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitrobenzene	$C_6H_5.NO_2$	1.209, 15°	Mitscherlich. P. A. 31, 625.
"	"	1.2002, 0°	Kopp. A. C. P. 98, 867.
"	"	1.1866, 14°.4	
"	"	1.2159, 5°-10°	} Regnault. P. A. 62, 50.
"	"	1.2107, 10°-15°	
"	"	1.2504, 15°-20°	
"	"	1.206, 20°	Naumann. Ber. 10, 2015.
"	"	1.0210, 220°	Ramsay. J. C. S. 35, 463.
"	"	1.2039, 20°	Brühl. Bei. 4, 780.
"	"	1.1740, 25°.5	} Schall. Ber. 17, 2555.
"	"	1.0851, 116°.2	
"	"	1.2121, 7°.5	Gladstone. Bei. 9, 249.
"	"	1.07134, 150°.7	} Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.07033, 153°.3	
"	"	1.06276, 158°.4	
"	"	1.04807, 173°.2	
"	"	1.04477, 186°.6	
"	"	1.03246, 189°.4	
"	"	1.03059, 189°.4	
"	"	1.01794, 200°.1	
"	"	1.00846, 207°.3	
"	"	1.00722, 208°.2	
"	"	1.00713, 208°.2	
Dinitrobenzene	$C_6H_4(NO_2)_2$	1.3690, 98°.1	Schiff. A. C. P. 223, 247.
Nitrotoluene	$C_6H_4.CH_3.NO_2$	1.18, 16°.5	Deville. Ann. (3), 3, 175.
"	"	1.1231, 54°	Schiff. A. C. P. 223, 247.
"	"	1.1649, 15°.5	Gladstone. Bei. 9, 249.
Orthonitrotoluene	"	1.162, 23°	} Beilstein and Kuhlberg. A. C. P. 155, 17.
"	"	1.163, 23°.5	
"	"	1.159	Leeds. Ber. 14, 483.
"	"	1.02509	} 160°
"	"	1.02483	
"	"	.99814, 186°.1	} Taken at different pressures, each t°. being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.99679, 187°.1	
"	"	.98403	
"	"	.98388	
"	"	.97149, 208°.7	
"	"	.97087, 209°.2	
"	"	.96192	
"	"	.96177	
"	"	.96063	
"	"	.96032	
Metanitrotoluene	"	1.168, 22°	Beilstein and Kuhlberg. J. 22, 403.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metanitrotoluene	$C_6H_4 \cdot CH_3 \cdot NO_2$	1.01158	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.01128 } 171°	
"	"	.98775 } 194°.	
"	"	.98737 } 194°.	
"	"	.97227 } 207°.	
"	"	.97189 } 207°.	
"	"	.96027 } 218°.	
"	"	.96008 } 218°.	
"	"	.95099 } 227°	
"	"	.95084 } 227°	
"	"	.94984 } 227°.	
"	"	.94933 } 228°.	
"	"	.94914 } 228°.	
Paranitrotoluene	"	1.00668, 177°.	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	1.00467, 178°.	
"	"	.98378 } 201°	
"	"	.98364 } 201°	
"	"	.96812, 213°	
"	"	.95455, 225°	
"	"	.94531 } 237°.	
"	"	.94513 } 237°.	
"	"	.94342, 239°	
Dinitrotoluene	$C_6H_3 \cdot CH_3 \cdot (NO_2)_2$	1.3208, 70°.	Schiff. A. C. P. 223, 247.
Nitroorthoxylene	$C_6H_3 (CH_3)_2 NO_2$	1.139, 20°	Jacobsen. Ber. 17, 160.
"	"	1.147, 15°	Noelting and Forel. Ber. 18, 2671.
Nitrometaxylene. 1.3.2	"	1.126, 17°.	Tswildarow. Z. C. 13, 418.
"	"	1.126, 24°.	Beilstein and Kuhlberg.
"	"	1.112, 15°	Grevingk. Ber. 17, 2430.
"	1.3.4	1.124, 25°	Beilstein and Kuhlberg.
"	"	1.135, 15°	Grevingk. Ber. 17, 2429.
"	"	.98667, 176°	Taken at different pressures, each t° being the boiling point at the pressure observed. Neubeck. Z. P. C. 1, 655.
"	"	.98254, 179°.	
"	"	.98057, 182°	
"	"	.97535, 186°	
"	"	.95631 } 206°	
"	"	.95642 } 206°	
"	"	.94078, 218°	
"	"	.92964 } 233°	
"	"	.92945 } 233°	
"	"	.91794 } 243°	
"	"	.91823 } 243°	
"	"	.91634, 244°	
Nitroparaxylene	"	1.132, 15°	Noelting and Forel. Ber. 18, 2680.
Nitrocymene	$C_{10}H_{13} \cdot NO_2$	1.0385, 18°	Landolph. C. C. 4, 596.
Dinitrocymene	$C_{10}H_{12} \cdot (NO_2)_2$	1.206, 18°.	" "
"	"	1.204, 21°	
Nitronaphthalene	$C_{10}H_7 \cdot NO_2$	1.321 } 4°	Schröder. Ber. 12, 1611.
"	"	1.341 } 4°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Nitronaphtholene -----	$C_{10}H_7.NO_2$ -----	1.2226, 61° 5'	Schiff. A. C. P. 223, 247.
Orthonitrophenol -----	$C_6H_4.OH.NO_2$ -----	1.443 } 4° -- {	Schröder. Ber. 12, 561.
“ -----	“ -----	1.451 } 4° -- {	“ “
“ -----	“ -----	1.2945, 45° 2'	Schiff. A. C. P. 223, 247.
Paranitrophenol -----	“ -----	1.467 } 4° -- {	Schröder. Ber. 12, 561.
“ -----	“ -----	1.469 } 4° -- {	“ “
“ -----	“ -----	1.2809, 114°	Schiff. A. C. P. 223, 247.
Trinitrophenol, or picric acid. -----	$C_6H_2.OH.(NO_2)_3$ -----	1.813 -----	Rüdorff. Ber. 12, 251.
“ “ -----	“ -----	1.750 } 4° -- {	Schröder. Ber. 12, 561.
“ “ -----	“ -----	1.777 } 4° -- {	“ “
Methyl orthonitrophenate	$C_6H_4.OCH_3.NO_2$ -----	1.268, 20° -----	Post and Mehrrens. Ber. 8, 1552.
Methyl paranitrophenate	“ -----	1.233, 20° -----	“ “
Methyl $\alpha$ dinitrophenate	$C_6H_3.OCH_3.(NO_2)_2$ -----	1.341, 20° -----	“ “
Methyl $\beta$ dinitrophenate	“ -----	1.319, 20° -----	“ “
Methyl trinitrophenate	$C_6H_2.OCH_3.(NO_2)_3$ -----	1.408, 20° -----	“ “
Orthonitrobenzoic acid	$C_6H_4.COOH.NO_2$ -----	1.5588 -----	Post and Frerichs. Ber. 8, 1549.
“ “ -----	“ -----	1.574 } 4° -- {	Schröder. Ber. 12, 1611.
“ “ -----	“ -----	1.576 } 4° -- {	“ “
Metanitrobenzoic acid	“ -----	1.4721 -----	Post and Frerichs. Ber. 8, 1549.
“ “ -----	“ -----	1.492 } 4° -- {	Schröder. Ber. 12, 1611.
“ “ -----	“ -----	1.496 } 4° -- {	“ “
Paranitrobenzoic acid	“ -----	1.5804 -----	Post and Frerichs. Ber. 8, 1549.
Nitroanisol -----	$C_6H_4.OCH_3.NO_2$ -----	1.249, 26° -----	Brunck. J. 20, 619.
Orthonitroisobutylanisol	$C_6H_4.OC_4H_9.NO_2$ -----	1.1046, 20° -----	Riess. Z. C. 14, 39.
Paranitroisobutylanisol	“ -----	1.1361, 20° -----	“ “
Metanitrilaniline -----	$C_6H_4.H_2N.NO_2$ -----	1.430, 4° -----	Schröder. Ber. 12, 561.
Paranitrilaniline -----	“ -----	1.415 } 4° -----	“ “
“ -----	“ -----	1.433 } 4° -----	“ “

## 4th. Miscellaneous Nitrates, Nitrites, and Nitro-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl nitrite -----	$C_3 H_5 N O_2$ -----	.9546, 0° -----	Bertoni. G. C. I. 15, 368.
Allyl nitrate -----	$C_3 H_5 N O_3$ -----	1.09, 10° -----	Henry. B. S. C. 18, 232.
Ethylene nitrosonitrate -----	$C_2 H_4 N O_2 N O_3$ -----	1.472 -----	Kekulé. Ber. 2, 329.
Ethylene mononitrate -----	$C_2 H_4 O H N O_3$ -----	1.31, 11° -----	Henry. Ann. (4), 27, 243.
Ethylene dinitrate -----	$C_2 H_4 (N O_3)_2$ -----	1.4837, 8° -----	" "
" " -----	" " -----	1.48 -----	Champion. Z. C. 14, 470.
$\alpha$ Propylene dinitrite -----	$C_3 H_6 (N O_2)_2$ -----	1.144, 0° -----	Bertoni. G. C. I. 16, 512.
Propylene dinitrate -----	$C_3 H_6 (N O_3)_2$ -----	1.335, 5° -----	Henry. Ann. (4), 27, 243.
Ethylene acetonitrate -----	$C_2 H_4 C_2 H_3 O_2 N O_3$ -----	1.29, 18° -----	" "
Glyceryl trinitrite -----	$C_3 H_5 (N O_2)_3$ -----	1.291, 15°.5 -----	Masson. Ber. 16, 1699.
Nitrolactic acid -----	$C_3 H_5 N O_5$ -----	1.35, 12°.8 -----	Henry. Ann. (4), 28, 415.
Ethyl nitroglycollate -----	$C_4 H_7 N O_5$ -----	1.2112, 15°.2 -----	" "
Ethyl nitrolactate -----	$C_5 H_9 N O_5$ -----	1.1534, 13° -----	" "
Ethyl nitromalonate -----	$C_7 H_{11} N O_5$ -----	1.149, 15° -----	Conrad and Bischoff. Ber. 13, 599.
Ethyl nitrotartrate -----	$C_7 H_{11} N O_7$ -----	1.2778, 16° -----	Henry. Ann. (4), 28, 415.
Ethyl nitromalate -----	$C_8 H_{13} N O_7$ -----	1.2094, 16° -----	" "
Nitroglycerine -----	$C_3 H_5 N_3 O_9$ -----	1.595 -----	} 15° De Vrij. J. 8, 626.
" -----	" -----	1.600 -----	
" -----	" -----	1.5958 -----	Liebe. J. 13, 453.
" -----	" -----	1.60 -----	Sobrero. J. 13, 453.
" -----	" -----	1.60 -----	Champion. Z. C. 14, 350.
" -----	" -----	1.6, 15° -----	Kern. C. N. 31, 153.
" -----	" -----	1.735, s. -----	Beckerhins. J. R. C. 4, 148.
" -----	" -----	1.599, l. -----	} Hay and Masson. J. C. S. 48, 742.
" -----	" -----	1.601, 14°.5 -----	
Nitromannite -----	$C_6 H_8 N_6 O_{18}$ -----	1.604, 0°, cryst. -----	} Sokoloff. Ber. 12, 698.
" -----	" -----	1.446 -----	
" -----	" -----	1.503 -----	
" -----	" -----	1.537 -----	} fused -----
Trinitrolactose -----	$C_{12} H_{19} N_3 O_{17}$ -----	1.479, 0° -----	Gé. Ber. 15, 2239.
Pentanitrolactose -----	$C_{19} H_{17} N_5 O_{21}$ -----	1.684, 0° -----	" "
Acetonitrose -----	$C_{14} H_{19} N O_{12}$ -----	1.3487, 18° -----	Colley. B. S. C. 19, 406.
Acetoethyl nitrate -----	$C_9 H_{14} N_2 O_7$ -----	1.0451, 19° -----	Nadler. J. 13, 403.
Derivative of menthol -----	$C_{10} H_{19} N O_2$ -----	1.061, 15° -----	Moriya. J. C. S. 39, 77.



## 5th. Miscellaneous Amido-Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylhydroxylamine	N H. O H. C <sub>2</sub> H <sub>5</sub>	.8827, 7° 5'	Gürke. Ber. 14, 258.
Ethylenediamine hydrate	(N H <sub>2</sub> ) <sub>2</sub> C <sub>2</sub> H <sub>4</sub> . H <sub>2</sub> O	.970, 15°	Rhoussopolos and Meyer. J. C. S. 42, 940.
Oxypropylpropylamine	N H. C <sub>3</sub> H <sub>7</sub> . C <sub>3</sub> H <sub>6</sub> O H	.9018, 18°	Liebermann and Paal. Ber. 16, 523.
Oxyisoamylamine	N H <sub>2</sub> . C <sub>5</sub> H <sub>11</sub> O	.9265, 14°	Radziszewski and Schramm. Ber. 17, 838.
Dioxyisoamylamine	N H. (C <sub>5</sub> H <sub>11</sub> O) <sub>2</sub>	.9500, 14°	" "
Trioxamylamine	N (C <sub>5</sub> H <sub>11</sub> O) <sub>3</sub>	.879, 22°	J. Erdmann. J. 17, 419.
Formamide	N H <sub>2</sub> . C O H	1.1462, 19°	Gladstone. Bei. 9, 249.
Methylformamide	N H. C H <sub>3</sub> . C O H	1.011, 19°	Linnemann. J. 22, 601.
Ethylformamide	N H. C <sub>2</sub> H <sub>5</sub> . C O H	.967, 2°	Wurtz. J. 7, 567.
"	"	.952, 21°	Linnemann. J. 22, 602.
Diethylformamide	N (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> . C O H	.908, 19°	" "
Acetamide	N H <sub>2</sub> . C <sub>2</sub> H <sub>3</sub> O	1.111 } 14°	Mendius. B. D. Z.
"	"	1.13	
"	"	1.159, 4°	Schröder. Ber. 12, 561.
Ethylacetamide	N H. C <sub>2</sub> H <sub>5</sub> . C <sub>2</sub> H <sub>3</sub> O	.942, 4° 5'	Wurtz. J. 7, 566.
Ethylidiacetamide	N. C <sub>2</sub> H <sub>5</sub> . (C <sub>2</sub> H <sub>3</sub> O) <sub>2</sub>	1.0092, 20°	Wurtz. Ann. (2), 42, 55.
Dimethylacetamide	N (C H <sub>3</sub> ) <sub>2</sub> . C <sub>2</sub> H <sub>3</sub> O	.9405, 20°	Franchimont. R. T. C. 2, 329.
Diethylacetamide	N. (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> . C <sub>2</sub> H <sub>3</sub> O	.9248, 8° 5'	Wallach and Kamensky. A. C. P. 214, 235.
Propionamide	N H <sub>2</sub> . C <sub>3</sub> H <sub>5</sub> O	1.030 } 4°	Schröder. Ber. 12, 561.
"	"	1.037	
Amidoacetic acid, or glycolic acid	C <sub>2</sub> H <sub>5</sub> N O <sub>2</sub>	1.1607	Curtius. B. S. C. 39, 169.
Ethyl diethylglycocollate	C <sub>8</sub> H <sub>17</sub> N O <sub>2</sub>	.919, 15°	Kraut. J. R. C. 4, 198.
Amidocaproic acid, or leucine	C <sub>6</sub> H <sub>13</sub> N O <sub>2</sub>	1.293, 18°	Engel and Vilmain. B. S. C. 24, 279.
" " "	"	1.282	Lippmann. Ber. 17, 2837.
Oxamide	C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub>	1.627 } 4°	Schröder. Ber. 12, 561.
"	"	1.657	
"	"	1.667	
Dimethyloxamide	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub>	1.281 } 4°	Schröder. Ber. 12, 1611.
"	"	1.307	
Diethyloxamide	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	1.164 } 4°	" "
"	"	1.173	
Asparagine	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> . H <sub>2</sub> O	1.519, 14°	Watts' Dictionary.
"	"	1.552	Rüdorf. Ber. 12, 252.
Amidosuccinic, or aspartic acid	C <sub>4</sub> H <sub>7</sub> N O <sub>4</sub>	1.6613, active	} Pasteur. J. 4, 389.
"	"	1.6632, inactive	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allysuccinimide	$C_7 H_9 N O_2$	1.1543, 0°	Moiné. J. C. S. 52, 489.
"	"	1.1432, 12°	
"	"	1.1112, 50°	
"	"	1.0677, 100°	
Ethyl amidoacetate	$C_8 H_{11} N O_2$	1.014, 30°	Duisberg. Ber. 15, 1386.
Ethylamidopropiopropionate.	$C_8 H_{15} N O_2$	.9774, 15°	Israel. A. C. P. 231, 197.
Mucamide	$C_8 H_{12} N_2 O_6$	1.589, 13°.5	Malaguti. C. R. 22, 854.
Benzamide	$N H_2. C_7 H_5 O$	1.338	Schröder. Ber. 12, 1611.
"	"	1.344	
Amidobenzoic acid	$N H_2. C_7 H_5 O_2$	1.506	" "
"	"	1.515	
Amidomethylphenol	$C_7 H_9 N O$	1.108, 26°	Brunck. J. 20, 620.
Dimethylanisidine	$C_9 H_{18} N O$	1.016, 23°	Mühlhäuser. A. C. P. 207, 249.
Ethyl orthoamidophenetol	$C_{10} H_{15} N O$	1.021, 18°.3	Förster. J. P. C. (2), 21, 347.
Methylformanilide	$C_8 H_9 N O$	1.097, 18°	Pictet and Crépieux. Ber. 21, 1106.
Ethylformanilide	$C_9 H_{11} N O$	1.063, 16°	" "
Propylformanilide	$C_{10} H_{13} N O$	1.044, 16°	" "
Isoamylformanilide	$C_{12} H_{17} N O$	1.004, 16°	" "
Acetanilide	$C_8 H_9 N O$	1.099, 10°.5	Williams. J. 17, 424.
"	"	1.205	
"	"	1.216	Schröder. Ber. 12, 1611.
"	"	1.216	
Benzanilide	$C_{18} H_{11} N O$	1.306	" "
"	"	1.321	
Oxethenaniline	$C_8 H_{11} N O$	1.11, 0°	Demole. J. C. S. (2), 12, 77.
$\alpha$ Ethylbenzhydroxamic acid.	$C_9 H_{11} N O_2$	1.209	Gürke. Ber. 14, 258.
$\beta$ Ethylbenzhydroxamic acid.	"	1.185	Gürke. Ber. 14, 259.
Ethyl ethylbenzhydroxamate.	$C_{11} H_{15} N O_2$	1.0258, 17°	Gürke. Ber. 14, 257.
Ethyl $\alpha$ dibenzhydroxamate.	$C_{16} H_{15} N O_3$	1.2433, 18°.4	Gürke. Ber. 14, 258.
Ethyl $\beta$ dibenzhydroxamate.	"	1.2395, 18°.4	" "
Tyrosine	$C_9 H_{11} N O_3$	1.456	Siber. Ber. 17, 2837.
Ceramide, or urea	$C H_5 N_2 O$	1.35	Proust.
"	"	1.30, 12°	Bödeker. B. D. Z.
"	"	1.35	Schabus.
"	"	1.323	Schröder. Ber. 12, 561.
"	"	1.333	
Ethyl carbamide	$C_3 H_8 N_2 O$	1.209	{ Two samples. Leuckart. J. P. C. (2), 21, 11.
"	"	1.213, 18°	
Diethyl carbamide	$C_5 H_{12} N_2 O$	1.040	Schröder. Ber. 13, 1070.
"	"	1.043	
Benzyl phenyl carbamide.	$C_{14} H_{16} N_2 O$	.9168, 18°	Gladstone. Bei. 9, 249.
Ethyl carbamate, or urethane.	$C_3 H_7 N O_2$	.9862, 21°	Wurtz. J. 7, 565.

## 6th. Miscellaneous Cyanogen Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl cyanate-----	$C_2H_5, CN O$ -----	1.1271, 15° ---	Cloëz. J. 10, 386.
Tertiary butyl cyanate---	$C_4H_9, CN O$ -----	.8676, 0° -----	Brauner. Ber. 12, 1875.
Cyanaldehyde-----	$C_2H_3, OCN$ -----	.881, 15° -----	Chautard. C. R. 106, 1168.
Ethyl cyanformate -----	$C_4H_5, N O_2$ -----	1.0139, 13°.5---	Henry. C. R. 102, 768.
Ethyl cyanacetate -----	$C_5H_7, N O_2$ -----	1.0664, 13°.5---	" "
Diisobutryl dicyanide---	$C_{10}H_{14}, N_2 O_2$ -----	.96-----	Moritz. J. C. S. 40, 13.
Ethylene cyanhydrin ---	$C_2H_4, O H. CN$ ---	1.0588, 0° -----	Erlenmeyer. A. C. P. 191, 276.
Ethyl acetylcyanacetate---	$C_7H_9, N O_3$ -----	1.102, 19° -----	Haller and Held. Ber. 15, 2363.
Ethyl methylacetylcyan- acetate.	$C_8H_{11}, N O_3$ -----	.996, 20° -----	Held. B. S. C. 41, 330.
Ethyl ethylacetylcyanac- etate.	$C_9H_{13}, N O_3$ -----	.976, 20° -----	" "
Ethoxyacetoneitril -----	$C_4H_7, N O$ -----	.918, 6° -----	Henry. B. S. C. 20, 186.
"-----	"-----	.9093, 20° -----	Norton and Tschern- niak.
Phenoxyacetoneitril -----	$C_8H_7, N O$ -----	1.09, 17°.5---	Fritzsche. Ber. 12, 2178.
Mandelic nitril-----	"-----	1.124-----	Völckel. P. A. 62, 444.
Hydroxisovaleronitril---	$C_5H_9, N O$ -----	.95612, 0° -----	Lipp. A. C. P. 205, 26.
Hydroxyacrylonitril-----	$C_8H_{15}, N O$ -----	.9048, 17° -----	Erlenmeyer and Sigel. A. C. P. 177, 107.
Triethoxyacetoneitril ---	$C_8H_{15}, N O_3$ -----	1.0030, 15°.5---	Bauer. A. C. P. 229, 163.
Valeracetoneitril -----	$C_{13}H_{24}, N_2 O_3$ -----	.79-----	Schlieper. A. C. P. 49, 19.
Acetoxyacetoneitril-----	$C_4H_5, N O_2$ -----	1.1003, 13°.5---	Henry. C. R. 102, 768.
Acetoxypropionitril-----	$C_5H_7, N O_2$ -----	1.077, 13°.5---	" "
Cyanöil-----	$C_6H_{11}, N O$ -----	1.009-----	Rossignon. A. C. P. 44, 301.

## 7th. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl carbimide	$C_3 H_5 N O$	:8981	Wurtz. J. 7, 564.
Phenyl carbimide	$C_7 H_5 N O$	1.092, 50°	Hofmann. P. R. S. 19, 108.
Ethylmethyl acetoxim	$C_4 H_9 N O$	.9195, 24°	Janny. Ber. 15, 2779.
Trimethylene diethylalkin	$C_7 H_{17} N O$	.9199, 4°	Berend. Ber. 17, 510.
Tetretethylalkin	$C_{11} H_{28} N_2 O$	.9002, 4°	" "
Methylphenylethylalkin	$C_9 H_{13} N O$	1.08065, 0°	Laun. Ber. 17, 676.
Piperpropylalkin	$C_8 H_{17} N O$	.9456, 0°	Laun. Ber. 17, 680.
Hydroxypicoline	$C_6 H_9 N O$	1.008, 13°	Etard. J. C. S. 40, 1046.
Collidine monocarbonic ether.	$C_{11} H_{15} N O_2$	1.0315, 15°	R. Michael. A. C. P. 225, 121.
Collidine dicarbonic ether	$C_{14} H_{19} N O_4$	1.087, 15°	Hantzsch. Ber. 15, 2913.
Nitroxylpiperidine	$C_6 H_{10} N_2 O$	1.0659, 15°.5	Wertheim. J. 16, 440.
Acetpiperidid	$C_7 H_{13} N O$	1.01106, 9°	Wallach and Kamensky. A. C. P. 214, 238.
Acetylcollidine	$C_{10} H_{19} N O$	.9787, 0°	Dürkopf. Ber. 18, 924.
"	"	.9660, 21°	
Parachinanisol	$C_{10} H_9 N O$	1.1665, 0°	Skraup. Ber. 18, ref. 631.
"	"	1.1542, 20°	
"	"	1.1402, 50°	
Base from ethylamine camphorate.	$C_{14} H_{24} N_2 O$	1.0177, 15°	Wallach and Kamensky. A. C. P. 214, 245.
Uric acid	$C_5 H_4 N_4 O_3$	1.855	Schröder. Ber. 13, 1070.
"	"	1.893	
Hippuric acid	$C_9 H_9 N O_3$	1.208, s.	Schabus. J. 3, 410.
Ethyl hippurate	$C_{11} H_{13} N O_3$	1.043, 23°, s.	Stenhouse. A. C. P. 31, 148.
Ethyl glycocholate	$C_{28} H_{47} N O_6$	.901	Springer. A. C. J. 1, 181.
Indigotine	$C_{16} H_{10} N_2 O_2$	1.35	Weltzien's "Zusammenstellung."
Creatine hydrate	$C_4 H_9 N_3 O_2 \cdot H_2 O$	1.34	Watts' Dictionary.
"	"	1.35	
Caffeine	$C_8 H_{10} N_4 O_2 \cdot H_2 O$	1.23, 19°	Pfaff. Watts' Dict.
Piperine	$C_{17} H_{19} N O_3$	1.1931, 18°	Wackenroder. Watts' Dict.
Strychnine	$C_{21} H_{22} N_2 O_2$	1.359, 18°	F. W. Clarke.
"	"	1.13	Blunt. J. C. S. 50, 1047.
Morphine	$C_{17} H_{19} N O_3 \cdot H_2 O$	1.317	Schröder. Ber. 13, 1070.
"	"	1.326	
Morphine butyrate	$C_{21} H_{27} N O_5$	1.215, 13°	Decharme. J. 16, 445.
Morphine oxalate	$C_{36} H_{38} N_2 O_9 \cdot 2 H_2 O$	1.286, 15°	" "
Morphine lactate	$C_{20} H_{25} N O_6$	1.3574	" "
Codeine	$C_{18} H_{21} N O_3 \cdot N_2 O$	1.300	Hunt. J. 8, 566.
"	"	1.311	Schröder. Ber. 13, 1070.
"	"	1.323	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thebaine	$C_{19}H_{21}NO_3$	1.282	Schröder. Ber. 13, 1070.
"	"	1.305	
Laudanine	$C_{20}H_{25}NO_4$	1.255	" "
"	"	1.256	
Papaverine	$C_{21}H_{21}NO_4$	1.308	" "
"	"	1.317	
"	"	1.337	
"	"	1.351	
Cryptopine	$C_{21}H_{23}NO_5$	1.374	" "
Narcotine	$C_{22}H_{23}NO_7$	1.391	
"	"	1.391	
"	"	1.395°	
Pelletierine	$C_9H_{15}NO$	.988, 0°	Tanret. Ber. 13, 1031.
Paraffinic acid	$C_{13}H_{26}NO_5$	1.14, 15°	Champion and Pel- let. B.S.C. 18, 247.

## XLIX. CHLORIDES, BROMIDES, AND IODIDES OF CARBON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbon tetrachloride	$CCl_4$	1.599	Regnault. Ann. (2), 71, 383.
"	"	1.56	Kolbe. A. C. P. 54, 146.
"	"	1.62983, 0°	Pierre. Ann. (3), 33, 210.
"	"	1.567, 12°	Riche.
"	"	1.5947, 20°	Haagen. P. A. 131, 117.
"	"	1.4658, at the boiling p't.	Ramsay. J. C. S. 35, 463.
"	"	1.63195, 0°	} Thorpe. J. C. S. 37, 199.
"	"	1.47999, 76°.74	
"	"	1.6084, 9°.5	} Schiff. G. C. I. 13, 177.
"	"	1.4802, 75°.6	
"	"	1.60500, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.58873, 25°	
Tetrachlorethylene	$C_2Cl_4$	1.619, 20°	Regnault. Ann. (2), 71, 353.
"	"	1.6490, 0°	Pierre. Ann. (3), 33, 230.
"	"	1.612, 10°	Geuther. A. C. P. 107, 212.
"	"	1.6595, 0°	Bourgoin. Ber. 8, 548.
"	"	1.6190, 20°	Brühl. Bei. 4, 780.
"	"	1.6312, 9°.4	} Schiff. G. C. I. 13, 177.
"	"	1.4434	
"	"	1.4489 } 120°	
Hexchlorethane	$C_2Cl_6$	1.619	Regnault. Ann. (2), 71, 374.
"	"	2.011	Schröder. Ber. 13, 1070.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Octochloropropane	$C_3 Cl_8$	1.860	Cahours. J. 3, 496.
Hexchlorobenzene	$C_6 Cl_6$	1.585, 228°	Jungfleisch. J. 20,
"	"	1.437, 317°	36.
"	"	1.569, 236°	M. 226°. B. 326°.
"	"	1.5191, 266°	Jungfleisch. J. 21,
"	"	1.4624, 306°	354.
Thiocarbonyl chloride	$C S Cl_2$	1.46	Kolbe. A. C. P. 45,
"	"	1.5498, 0°	41.
"	"	1.5339, 11°	Claesson. Lund
"	"	1.5241, 17°	Arsskrift 1884-'5.
"	"	1.05085, 15°	Billeter and Strohl.
Carbon tetrabromide	$C Br_4$	3.42, 14°	Ber. 21, 102.
Carbon sulphobromide	$C S_2 Br_4$	2.88, 15°	Bolas and Groves.
Bromo-trichlormethane	$C Cl_3 Br$	2.058, 0°	J. C. S. 24, 780.
"	"	2.017, 19°.5	Hell and Urech.
"	"	1.842, 100°	Ber. 16, 1148.
"	"	2.05496, 0°	Paterno. J. P. C. (2),
"	"	1.82446, 104°.07	5, 99.
Dibrom-tetrachlorethane	$C_2 Cl_4 Br_2$	2.3, 21°	Thorpe. J. C. S. 37,
Dibrom-hexchloropropane.	$C_3 Cl_6 Br_2$	1.974	371.
Carbon tetriodide	$C I_4$	4.32, 20°.2	Malaguti. Ann. (3),
			16, 24.
			Cahours.
			Gustavson. C. R. 78,
			1126.

## L. COMPOUNDS CONTAINING C, CL, AND O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Carbonyl chloride	$C O Cl_2$	1.432, 0°	Emmerling and Lengyel. Z. C.
"	"	1.392, 18°.6	
Trichloroacetyl chloride	$C_2 Cl_4 O$	1.603, 18°	Malaguti. Ann. (3),
"	"	1.6564, 0°	16, 9.
"	"	1.44517, 118°	Thorpe. J. C. S.
Trichloroacetic anhydride	$C_4 Cl_6 O_3$	1.6908, 20°	37, 371.
Tetrachlormethyl formate	$C_2 Cl_4 O_2$	1.724, 12°	Anthoine. J. Ph.
"	"	1.6525, 14°	Ch. (5), 8, 417.
Hexchloroethyl formate	$C_3 Cl_6 O_2$	1.705, 18°	Cahours. J. 1, 676.
Hexchlormethyl acetate	"	1.691, 18°	Hentschel. J. P. C.
Perchloroethyl acetate	$C_4 Cl_8 O_2$	1.79, 25°	(2), 36, 99.
"	"	1.78, 22°	Cloëz. Ann. (3), 17,
			299.
			Cloëz. Ann. (3), 17,
			312.
			Léblanc. Ann. (3),
			10, 202.
			Léblanc. Ann. (3),
			10, 208.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Hexchlormethyl oxide	$C_2 Cl_6 O$	1.594	Regnault. Ann. (2), 71, 408.
Perchlourethyl oxide	$C_4 Cl_{10} O$	1.9, 14°.5	Malaguti. Ann. (3), 16, 14.
Hexchloracetone	$C_3 Cl_6 O$	1.75, 10°	Plantamour.
"	"	1.744, 12°	Cloëz. Ann. (6), 9, 145.
Chloroxethose	$C_4 Cl_6 O$	1.654, 21°	Malaguti. Ann. (3), 16, 20.
Derivative of sodium citrate.	$C_5 Cl_{10} O_2$	1.66	Watts' Dictionary.
By action of $P Cl_5$ on succinyl chloride.	$C_4 Cl_6 O$	1.634	Kauder. J. P. C. (2), 28, 191.

## LI. COMPOUNDS CONTAINING C, H, AND CL.

### 1st. Chlorides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl chloride	$C H_3 Cl$	.99145, 26°.7	} Vincent and Delachanal. Bei. 3, 332.
" "	"	.95231, 0°	
" "	"	.92880, 13°.4	
" "	"	.91969, 17°.9	
" "	"	.90875, 23°.8	
" "	"	.89638, 30°.2	
Ethyl chloride	$C_2 H_5 Cl$	.874, 5°	Thénard.
" "	"	.92138, 0°	Pierre. C. R. 27, 213.
" "	"	.9253, 0°	Darling. J. 21, 328.
" "	"	.9176, 8°	Linnemann. A. C. P. 160, 195.
" "	"	.8510, 12°	Ramsay. J. C. S. 35, 463.
" "	"	.92295, 15°	} Perkin. J. P. C. (2), 31, 481.
" "	"	.91708, 25°	
Propyl chloride	$C_3 H_7 Cl$	.9156, 0°	} Pierre and Fuchot. Ann. (4), 22, 281. Linnemann. A. C. P. 161, 38 and 39. De Heen. Bei. 5, 105. Zander. A. C. P. 214, 181. Schiff. G. C. I. 13, 177. Brühl. Bei. 4, 778. Perkin. J. P. C. (2), 31, 481.
" "	"	.8918, 19°.75	
" "	"	.8671, 39°	
" "	"	.9160, 18°	
" "	"	.8959, 19°	
" "	"	.8877, 14°	
" "	"	.9123, 0°	
" "	"	.8536, 46°.5	
" "	"	.8561, 46°	
" "	"	.8898, 20°	
" "	"	.89296, 15°	} Linnemann. A. C. P. 161, 18.
" "	"	.88125, 25°	
Isopropyl chloride	"	.874, 10°	Linnemann.
" "	"	.8722, 14°	Linnemann. A. C. P. 161, 18.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl chloride	$C_3H_7Cl$	.8825, 0°	Zander. A.C.P. 214, 181.
" "	"	.8326, 36°.5	"
" "	"	.86884, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.85750, 25°	"
Butyl chloride	$C_4H_9Cl$	.880	Gerhard. J. 15, 409.
" "	"	.9074, 0°	Lieben and Rossi.
" "	"	.8874, 20°	A. C. P. 158, 137.
" "	"	.8972, 14°	Linnemann. Ann. (4), 27, 268.
" "	"	.8094, bp	Ramsay. J. C. S. 35, 463.
" "	"	.8794, 14°	DeHeen. Bei. 5, 105.
Isobutyl chloride	"	.8953, 0°	"
" "	"	.8651, 27°.8	Pierre and Puchot.
" "	"	.8281, 59°	Ann. (4), 22, 310.
" "	"	.8798, 15°	Linnemann. A. C. P. 162, 1.
" "	"	.8626, 19°	Gladstone. Bei. 9, 249.
" "	"	.8073, 68°	Schiff. Bei. 9, 559.
" "	"	.88356, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.87393, 25°	"
Trimethylcarbyl chloride	"	.8658, 0°	Puchot. Ann. (5), 28, 549.
" " "	"	.84712, 15°	Perkin. J. P. C. (2), 31, 481.
" " "	"	.85683, 25°	"
Normal pentyl chloride	$C_5H_{11}Cl$	.9013, 0°	"
" " "	"	.8834, 20°	Lieben and Rossi.
" " "	"	.8680, 40°	A. C. P. 159, 70.
" " "	"	.8732, 20°	Lachowicz. A. C. P. 220, 191.
Amyl chloride	"	.8859, 0°	Kopp. A. C. P. 95, 307.
" "	"	.8625, 25°.1	"
" "	"	.89584, 0°	Pierre. C. R. 27, 213.
" "	"	.8750	Two products. Schorlemmer. J. 19, 527.
" "	"	.8777	
" "	"	.7801, bp	Ramsay. J. S. C. 35, 463.
" "	"	.8716, 14°	DeHeen. Bei. 5, 105.
" "	"	.8703, 20°	Lachowicz. A. C. P. 220, 190.
" "	"	.7903, 99°.5	Schiff. Ber. 19, 560.
" "	"	.88006, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	.87164, 25°	"
" " Active	"	.886	Le Bel. B. S. C. 25, 546.
" " Inactive	"	.8928, 0°	Balbiano. Ber. 9, 1437.
Methylpropylcarbyl chloride	"	.912, 0°	Wagner and Saytzeff. A. C. P. 179, 321.
" " "	"	.891, 21°	
Diethylcarbyl chloride	"	.916, 0°	" "
" " "	"	.895, 21°	
Dimethylethylcarbyl chloride	"	.883, 0°	Wurtz. J. 16, 516.
" " "	"	.889, 0°	Wischnegradsky. A. C. P. 190, 334-336.
" " "	"	.870, 19°	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethylethylcarbyl chloride.	$C_5 H_{11} Cl$	.87086, 15°	Perkin. J. P. C. (2), 31, 481.
Hexyl chloride	$C_6 H_{13} Cl$	.86219, 25°	
"	"	.892, 16°	Pelouze and Cahours. J. 16, 525.
"	"	.892, 23°	
"	"	.895, 13°	Geibel and Buff. J. 21, 336.
Secondary hexyl chloride	"	.871, 24°	Cahours and Demarçay. C. R. 80, 1570.
Chloride from tetramethylethane.	"	.8943, 14°	Domac. Ber. 14, 1712.
"	"	.8874, 22°	
"	"	.8759, 34°	
Dimethylisopropylcarbyl chloride.	"	.8966, 0°	Schorlemmer. J. 20, 567.
Pinacolyl chloride	"	.8784, 19°	Pawlow. A. C. P. 196, 122.
"	"	.8991, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Heptyl chloride	$C_7 H_{15} Cl$	.9983, 15°	Petersen. J. 14, 613.
"	"	.890, 20°	Pelouze and Cahours. J. 15, 386.
"	"	.8737, 18°.5	} Two preparations. Schorlemmer. A. C. P. 136, 257.
"	"	.8725, 20°	
"	"	.8965, 19°	Schorlemmer.
"	"	.891, 19°	
"	"	.881, 16°	Cross. J. C. S. 32, 123.
Isoheptyl chloride	"	.8814, 16°.5	Schorlemmer. A. C. P. 136, 257.
"	"	.8780, 18°.5	
"	"	.8757, 22°	
Octyl chloride	$C_8 H_{17} Cl$	.892, 18°	Schorlemmer. J. 15, 386.
"	"	.895, 16°	Pelouze and Cahours. J. 16, 528.
"	"	.8802, 16°	Zincke. A. C. P. 152, 5.
"	"	.850	Cahours and Demarçay. C. R. 80, 1571.
"	"	.87857, 15°	Perkin. J. P. C. (2), 31, 481.
"	"	.87192, 25°	
Isooctyl chloride	"	.8834, 10°.5	Schorlemmer. J. 20, 567.
"	"	.8617, 36°	
Methylhexylcarbyl chloride.	"	.87075, 15°	Perkin. J. P. C. (2), 31, 481.
"	"	.86388, 25°	
Nonyl chloride. B. 196°	$C_9 H_{19} Cl$	.899, 16°	Pelouze and Cahours. J. 16, 529.
"	"	.8962, 14°	Thorpe and Young. A. C. P. 165, 1.
"	"	.911, 23°	Lemoine. B. S. C. 41, 161.
"	"	.908, 25°.8	
Decatyl chloride	$C_{10} H_{21} Cl$	.908, 19°	"
Dodecatyl chloride	$C_{12} H_{25} Cl$	.933, 22°	Pelouze and Cahours. J. 16, 530.
Cetyl chloride	$C_{16} H_{33} Cl$	.8412, 12°	Tüttscheff. J. 13, 406.

2d. Chlorides of the Series  $C_n H_{2n} Cl_2$ .

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene chloride	$C H_2 Cl_2$	1.344, 18°	Regnault. Ann. (2), 71, 378.
"	"	1.360, 0°	Butlerow. J. 22, 343.
"	"	1.377765, 0°	} Thorpe. J. C. S.
"	"	1.30093, 41°.6	} 37, 371.
"	"	1.33771, 15°	} Perkin. J. P. C. (2).
"	"	1.32197, 25°	} 32, 523.
Ethylene chloride	$C_2 H_4 Cl_2$	1.256, 12°	Regnault. Ann. (2), 58, 307.
"	"	1.247, 18°	Liebig. A. C. P. 214.
"	"	1.28034, 0°	Pierre. C. R. 27, 213.
"	"	1.2562, 20°	Haagen. P. A. 131, 117.
"	"	1.26, 14°	Maumené. J. 22, 346.
"	"	1.272, 14°	Gladstone and Tribe. C. N. 29, 212.
"	"	1.1356, 84°	Ramsay. J. C. S. 35, 463.
"	"	1.28082, 0°	} Thorpe. J. C. S. 37,
"	"	1.15635, 83°.5	} 371.
"	"	1.2521, 20°	Brühl. A. C. P. 203, 1.
"	"	1.1576, 83°.2	Schiff. Ber. 15, 2973.
"	"	1.2656, 9°.8	} Schiff. G. C. I. 13,
"	"	1.1576, 83°.3	} 177.
"	"	1.272, 14°	Gladstone. Bei. 9, 249.
"	"	1.25991, 15°	} Perkin. J. P. C. (2),
"	"	1.24800, 25°	} 32, 523.
"	"	1.25014, 20°	Weggmann. Z. P. C. 2, 218.
Ethylidene chloride	"	1.174, 17°	Regnault. Ann. (2), 71, 357.
"	"	1.24074, 0°	Pierre. C. R. 27, 213.
"	"	1.189, 4°.3	Geuther. J. 11, 289.
"	"	1.198, 6°.5	Darling. J. 21, 329.
"	"	1.201, 13°	Gladstone and Tribe. C. N. 29, 212.
"	"	1.1743, 20°	Brühl. A. C. P. 203, 1.
"	"	1.1070, 56°	Ramsay. J. C. S. 35, 463.
"	"	1.20394, 0°	} Two samples.
"	"	1.10923, 59°.9	} Thorpe. J. C. S.
"	"	1.2049, 0°	} 37, 183 and 371.
"	"	1.1895, 9°.8	} Schiff. G. C. I. 13,
"	"	1.11425, 56°.7	} 177.
"	"	1.11555, 56°.5	} Perkin. J. P. C. (2),
"	"	1.18450, 15°	} 32, 523.
"	"	1.17120, 25°	Weggmann. Z. P. C. 2, 218.
"	"	1.17503, 20°	Cahours. J. 3, 496.
Propylene chloride	$C_3 H_6 Cl_2$	1.151	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene chloride	$C_3H_6Cl_2$	1.1656, 14°	Linnemann. A. C. P. 161, 18.
"	"	1.184, 0°	} Friedel and Silva. Z. C. 14, 489.
"	"	1.155, 25°	
"	"	1.182, 0°	
"	"	1.153, 25°	
"	"	1.0470, 97°.5	
Trimethylene chloride	"	1.201, 15°	Schiff. Bei. 9, 559. Reboul. J. C. S. 36, 127.
"	"	1.1896, 17°.6	Freund. Ber. 14, 2270.
Dimethylmethylene chloride. Methylchloracetol.	"	1.117, 0°	Friedel.
"	"	1.06, 16°	Linnemann. A. C. P. 133, 125.
"	"	1.0827, 16°	Linnemann. A. C. P. 161, 18.
"	"	1.1058, 0°	} Friedel and Silva. Z. C. 14, 489.
"	"	1.0744, 25°	
"	"	1.1125, 0°	
"	"	1.0818, 25°	
"	"	1.09620	
"	"	1.09657	} Perkin. J. P. C. (2), 32, 523.
"	"	1.08430	
"	"	1.08476	
Propylidene chloride	"	1.143, 10°	Reboul. C. R. 82, 378.
Isobutylene chloride	$C_4H_8Cl_2$	1.112, 18°	Kolbe. J. 2, 338.
"	"	1.0953, 0°	} Kopp. A. C. P. 95, 307.
"	"	1.0751, 20°.7	
Isobutylidene chloride	"	1.0111, 12°	Oeconomides. Ber. 14, 1201.
Amylene chloride	$C_5H_{10}Cl_2$	1.058, 9°	Guthrie. J. 14, 665.
"	"	1.2219, 0°	Bauer. J. 19, 531.
Isomylidene chloride	"	1.05, 24°	Ebersbach. J. 11, 297.
Chloramyl chloride	"	1.194, 0°	Buff. J. 21, 333.
Hexylene chloride. B. 180°	$C_6H_{12}Cl_2$	1.087, 20°	Pelouze and Cahours. J. 16, 525.
" " B. 163°	"	1.0527, 11°	Henry. C. R. 97, 260.
Heptylene chloride	$C_7H_{14}Cl_2$	1.0295, 10°	Husemann. B. D. Z.

## 3d. Miscellaneous Non-Aromatic Chlorides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloroform	$\text{C H Cl}_3$	1.48, 18°	Liebig. A. C. P. 1, 199.
"	"	1.491, 17°	Regnault. Ann. (2), 71, 381.
"	"	1.493 } -----	Swan. J. 1, 681.
"	"	1.497 } -----	
"	"	1.418 -----	Soubeiran and Mialhe. J. 2, 408.
"	"	1.496, 12° -----	
"	"	1.500, 15° 5 -----	
"	"	1.52523, 0° -----	Gregory. J. 3, 454.
"	"	1.512, 12° -----	Pierre. C. R. 27, 213.
"	"	1.49 -----	Schiff. A. C. P. 107, 63.
"	"	1.472, 16° 5 -----	Flückiger.
"	"	1.507, 17° -----	Geuther.
"	"	1.502 -----	Flückiger. Z. A. C. 5, 302.
"	"	1.500, 15° -----	Rump. C. C. (3), 6, 34.
"	"	1.3954, 63° -----	Remys. J. C. S. (2), 13, 439.
"	"	1.52657, 0° -----	Ramsay. J. C. S. 35, 463.
"	"	1.40877, 61° 2 -----	Thorpe. J. C. S. 37, 371.
"	"	1.4018 -----	
"	"	1.40814 } 63° -----	Schiff. Ber. 14, 2763-2766.
"	"	1.4081, 60° 6 -----	
"	"	1.49089, 29° -----	Schiff. Ber. 15, 2972.
"	"	1.5039, 11° 8 } -----	Nasini. G. C. I. 13, 135.
"	"	1.4081, 60° 9 } -----	
"	"	1.48978, 18° 58 -----	Schiff. G. C. I. 13, 177.
"	"	1.45695, 35° 86 -----	
"	"	1.50027 } 15° -----	With intermediate values. Drecker. P. A. (2), 20, 870.
"	"	1.50085 } -----	
"	"	1.48432 } 25° -----	
"	"	1.48492 } -----	
Trichlorethane	$\text{C H}_2 \cdot \text{C Cl}_3$	1.372, 16°	Regnault. Ann. (2), 71, 364.
"	"	1.34651, 0°	Pierre. C. R. 27, 213.
"	"	1.32466, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.31144, 25°	
Chlorethylene dichloride	$\text{C H}_2 \text{ Cl} \cdot \text{C H Cl}_2$	1.422, 17°	Regnault. Ann. (2), 69, 153.
"	"	1.42234, 0°	Pierre. C. R. 27, 213.
"	"	1.4577, 9° 4 -----	Schiff. G. C. I. 13, 177.
"	"	1.2943 -----	
"	"	1.2946 } 113° 5 -----	
"	"	1.2947 } -----	
"	"	1.391 -----	Delacre. Bull. Acad. Belg. (3), 13, 250.
"	"	1.45527, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.44303, 25°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlorethane. B. 102°	$C_2H_2Cl_2$	1.530, 17°	Regnault. Ann. (2), 71, 366.
" " B. 135°	"	1.576, 19°	Regnault. Ann. (2), 68, 162.
" " -----	"	1.61158, 0°	Pierre. C. R. 27, 213.
Acetylene tetrachloride	$C_2HCl_3$	1.614, 0°	} Paterno and Pisati. Z. C. 14, 385.
" " -----	"	1.578, 24°.	
" " -----	"	1.522, 100°.	
Pentachlorethane	$C_2HCl_4$	1.644	Regnault. Ann. (2), 71, 368.
" " -----	"	1.66267, 0°	Pierre. C. R. 27, 213.
" " -----	"	1.71, 0°	} Paterno. Z. C. 12, 245.
" " -----	"	1.69, 13°	
" " -----	"	1.70893, 0°	
" " -----	"	1.46052, 159°.	} Thorpe. J. C. S. 37, 371.
Dichlorethylene	$C_2H_2Cl_2$	1.250, 15°	Regnault. Ann. (2), 69, 155.
Trichloropropane	$C_3H_5Cl_3$	1.347	Cahours. J. 3, 496.
Trichlorhydrin	$CH_2Cl.CHCl.CH_2Cl$	1.41, 0°	} Three separate products. Linnemann. A. C. P. 136, 51.
" " -----	"	1.40, 8°	
" " -----	"	1.417, 15°	
" " -----	"	1.41, 0°	
" " -----	"	1.39805	} 15°
" " -----	"	1.39836	
" " -----	"	1.38753	
" " -----	"	1.38783	
Isotrchlorhydrin	$CH_2Cl.CH_2.CHCl_2$	1.362, 15°	Perkin. J. P. C. (2), 32, 523.
Allylene tetrachloride	$C_3H_4Cl_4$	1.47, 13°	Romburgh. Ber. 14, 1400.
" " -----	"	1.482	} Borsche and Fittig. J. 18, 313.
" " -----	"	1.485	
Tetrachloglycide	"	1.496, 17°	Ganswindt. Jena Inaug. Diss. 1873.
Allylidene tetrachloride	"	1.503, 17°.5	Pfeffer and Fittig. J. 18, 504.
" " -----	"	1.522, 15°	Hartenstein. J. P. C. (2), 7, 295.
Tetrachloropropane	"	1.548	Romburgh. Ber. 14, 1400.
" " -----	"	1.55, s.	Cahours. J. 3, 496.
Hexachloropropane	$C_3H_2Cl_6$	1.626	Berthelot.
Heptachloropropane	$C_3HCl_7$	1.731	Cahours. J. 3, 496.
Chloropropylene	$C_3H_5Cl$	.918, 9°	" "
" " -----	"	.9307, 0°	Linnemann. J. 19, 308.
" " -----	"	.931, 0°	Oppenheim. J. 19, 521.
Allyl chloride	"	.934, 0°	Oppenheim. J. 21, 339.
" " -----	"	.9547, 0°	Oppenheim. J. 19, 521.
" " -----	"	.9610, 0°	Tollens. A. C. P. 156, 155.
" " -----	"	.9002, 46°	Zander. A. C. P. 214, 181.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl chloride	$C_3H_5Cl$	.9055	} Schiff. G. C. I. 13, 177. Brühl. Bei. 4, 780. Perkin. J. P. C. (2), 32, 523.
" "	"	.9058	
" "	"	.9379, 20°	
" "	"	.94866, 15°	
Allylidene dichloride	$C_3H_4Cl_2$	.93228, 25°	} Hübner and Geu- ther. J. 13, 305.
"	"	1.170, 24°.5	
$\alpha$ Dichlorpropylene. Epi- dichlorhydrin.	"	1.21	Claus. A. C. P. 170, 125.
" "	"	1.22, 8°	Henry. Ber. 5, 965.
$\beta$ Dichlorpropylene. Epi- dichlorhydrin.	"	1.21, 20°	Reboul. J. 13, 460.
" "	"	1.233, 17°.5	Hartenstein. J. P. C. (2), 7, 295.
" "	"	1.226, 15°	Romburgh. Ber. 15, 245.
" "	"	1.25, 15°	} Friedel and Silva. Quoted by Rom- burgh.
" "	"	1.218, 25°	
$\alpha$ Trichlorpropylene	$C_3H_3Cl_3$	1.387, 14°	Borsche and Fittig. J. 18, 313.
$\beta$ Trichlorpropylene	"	1.414, 20°	Pfeffer and Fittig. J. 18, 504.
Propargyl chloride	$C_3H_3Cl$	1.0454, 5°	Henry. Ber. 8, 398.
Crotonylene dichloride	$C_4H_6Cl_2$	1.131	Kekulé. J. 22, 507.
Chlorisobutylene	$C_4H_7Cl$	.9785, 12°	Oeconomidés. Ber. 14, 1201.
Trichlorpentane	$C_5H_9Cl_3$	1.33, 13°	Buff. J. 21, 334.
Tetrachlorpentane	$C_5H_8Cl_4$	2.4292	Bauer. J. 19, 531.
Chloramylene	$C_5H_9Cl$	.9992, 0°	" "
"	"	.872, 5°.1	Bruylants. Ber. 8, 411.
Isoprene hydrochlorate	"	.868, 16°	Bouchardat. J. C. S. 38, 323.
Isoprene dichloride	$C_5H_8Cl_2$	1.065, 16°	" "
Trichlorhexane	$C_6H_{11}Cl_3$	1.193, 21°	Pelouze and Ca- hours. J. 16, 525.
Hexachlorhexane	$C_6H_6Cl_6$	1.598, 20°	" "
Chlorhexylene	$C_6H_{11}Cl$	.9636, 11°	Henry. C. R. 97, 260.
Chlordiallyl	$C_6H_9Cl$	.9197, 18°.2	Henry. J. C. S. 36, 34.
Chlordiamylene chloride	$C_{10}H_{19}Cl_3$	1.1638, 0°	Bauer. J. 20, 583.
Eikosylene chloride	$C_{20}H_{39}Cl_2$	1.013, 24°	Lippmann and Hawliczek. Ber. 12, 73.
Isovinyl chloride	$(C_2H_3Cl)_n$	1.406	Baumönn. A. C. P. 163, 308.
Chloronicene	$C_5H_5Cl$	1.141, 10°	St. Evre. J. 1, 536.

## 4th. Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Monochlorbenzene	$C_6H_5Cl$	1.1499, 0°	From benzene. So- koloff. J. 18, 517.  From phenol. So- koloff. J. 18, 517.  Jungfleisch. J. 19, 551.  Jungfleisch. J. 20, 36.  Jungfleisch. J. 21, 343.  From benzene. Adrienz. Ber. 6, 443.  From phenol. Adrienz. Ber. 6, 443.  Schiff. G. C. I. 13, 177.  Brühl. Bei. 4, 780.  Schall. Ber. 17, 2564.  Wallach and Heus- ler. A. C. P. 243, 226.
"	"	1.1347, 10°	
"	"	1.1258, 20°	
"	"	1.1188, 30°	
"	"	1.1199, 0°	
"	"	1.1085, 10°	
"	"	1.099, 20°	
"	"	1.092, 30°	
"	"	1.118	
"	"	1.77, -40°	
"	"	.980. 133°	
"	"	1.1293, 0°	
"	"	1.12855, 0°	
"	"	1.11807, 9° 79'	
"	"	1.10467, 22° 43'	
"	"	1.04428, 77° 27'	
"	"	1.12818, 0°	
"	"	1.11421, 9° 79'	
"	"	1.10577, 22° 43'	
"	"	1.04299, 77° 27'	
"	"	.9817 } 132°	
"	"	.9818 } 132°	
"	"	1.1066, 20°	
"	"	1.1046, 25° 2'	
"	"	1.0703, 52° 3'	
"	"	1.106, 15°	
Orthodichlorbenzene	$C_6H_4Cl_2$	1.3278, 0°	Beilstein and Kur- batow. A. C. P. 176, 41.
"	"	1.3254, 0°	Friedel and Crafts. Ann. (6), 10, 416.
Metadichlorbenzene	"	1.3148	Beilstein and Kur- batow. B. S. C. 23, 179.
"	"	1.307, 0°	Beilstein and Kur- batow. J. C. S. (2), 13, 450.
Paradichlorbenzene	"	1.459, s.	Jungfleisch. J. 19, 551.
"	"	1.250, 53°	Jungfleisch. J. 20, 36.
"	"	1.123, 171°	
"	"	1.4581, 20° 5'	Jungfleisch. J. 21, 347.
"	"	1.241, 63°	
"	"	1.2062, 93°	
"	"	1.1366, 166°	
"	"	1.467, 4°	
"	"	1.2499, 55° 1'	Schröder. Ber. 12, 561. Schiff. A. C. P. 223, 247.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trichlorbenzene	$C_6H_3Cl_3$	1.457, 7°	Mitscherlich. P. A. 35, 372.
“ 1.3.4	“	1.575	Jungfleisch. J. 19, 551.
“ “	“	1.457, 17°, s.	Jungfleisch. J. 20, 36.
“ “	“	1.227, 206°	
“ “	“	1.574, 10°, s.	Jungfleisch. J. 21, 350.
“ “	“	1.4658, 10°, l.	
“ “	“	1.4460, 26°	Beilstein and Kurbatow. A. C. P. 192, 230.
“ “	“	1.4111, 56°	
“ “	“	1.2427, 196°	Jungfleisch. J. 19, 551.
“ “	“	1.4654, 12°, l.	
Tetrachlorbenzene. 1.2.4.5	$C_6H_2Cl_4$	1.748	Jungfleisch. J. 20, 36.
“ “	“	1.448, 139°	Jungfleisch. J. 21, 352.
“ “	“	1.315, 240°	
“ “	“	1.7344, 10°, s.	Jungfleisch. J. 20, 36.
“ “	“	1.4339, 149°	
“ “	“	1.3958, 179°	Jungfleisch. J. 21, 352.
“ “	“	1.3281, 230°	
Pentachlorbenzene	$C_6HCl_5$	1.625, 74°	Jungfleisch. J. 20, 36.
“ “	“	1.370, 270°	Jungfleisch. J. 21, 353.
“ “	“	1.8422, 10°	
“ “	“	1.8342, 16°.5	Jungfleisch. J. 21, 353.
“ “	“	1.6091, 84°	
“ “	“	1.5732, 114°	Limpricht. J. 19, 591.
“ “	“	1.3824, 261°	
Monochlortoluene	$C_6H_4.CH_3.Cl$	1.080, 14°	Aronheim and Dietrich. Ber. 8, 1402.
“ 1.4	“	1.0735, 27°.2	Schiff. G. C. I. 13, 177.
“ “	“	.9351, 159°.8	Cattaneo. Bei. 7, 584.
“ “	“	1.072, 24°.44	
“ “	“	1.061, 35°.48	Gladstone. Bei. 9, 249.
“ “	“	1.049, 48°.71	
“ “	“	1.029, 67°.80	Cannizzaro. J. 8, 621.
“ “	“	1.013, 83°.86	
“ “	“	? .796, 99°.81	Limpricht. J. 19, 592.
“ “	“	1.0761, 19°	
Benzyl chloride	$C_6H_5.CH_2Cl$	1.1131	Schiff. G. C. I. 13, 177.
“ “	“	1.1179	
“ “	“	1.107, 11°	Cattaneo. Bei. 7, 584.
“ “	“	.9452 } 175°	
“ “	“	.9453 } 175°	
“ “	“	1.100, 30°.01	Gladstone. Bei. 9, 249.
“ “	“	1.082, 44°.37	
“ “	“	1.066, 59°	Schiff. G. C. I. 13, 177.
“ “	“	1.047, 75°	
“ “	“	1.016, 100°.08	Gladstone. Bei. 9, 249.
“ “	“	1.099, 7°	
“ “	“	.9453, 178°	Schiff. G. C. I. 13, 177.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dichlortoluene. 1.2.4	$C_6H_3.CH_3.Cl_2$	1.24597, 20°	Lellmann and Klotz. A. C. P. 231, 308.
" 1.2.5	"	1.2535, 20°	" "
" 1.3.4	"	1.2518, 16°	Aronheim and Dietrich. Ber. 8, 1403.
" "	"	1.2596, 18°.4	
" "	"	1.2512, 20°	
" B. 202°	"	1.256, 13°	Lellmann and Klotz. A. C. P. 231, 308.
" B. 207°	"	1.2557, 14°	Beilstein. J. 13, 412. Limpricht. J. 19, 593.
Benzylidene dichloride	$C_6H_5.CHCl_2$	1.245, 16°	Cahours. J. 1, 711.
" "	"	1.295, 16°	Hübner and Bente. Ber. 6, 804.
" "	"	1.2699, 0°	} Schiff. Ber. 19, 563.
" "	"	1.2122, 56°.8	
" "	"	1.1877, 79°.2	
" "	"	1.1257, 135°.5	
" "	"	1.0407, 203°.5	
Trichlortoluene	$C_6H_2.CH_3.Cl_3$	1.413, 9°	Henry. J. 22, 508.
"	"	1.4093, 19°.5	Aronheim and Dietrich. Ber. 8, 1405.
Dichlorbenzyl chloride	$C_6H_3Cl_2.CH_2Cl$	1.44, 0°	Naquet. J. 15, 419.
Benzyl trichloride	$C_6H_5.CCl_3$	1.61, 13°	Limpricht. J. 18, 538.
" "	"	1.380, 14°	Limpricht. J. 19, 594.
Tetrachlortoluene	$C_6HCl_4.CH_3$	1.495, 14°	Limpricht. J. 19, 595.
Trichlorbenzyl chloride	$C_6H_2Cl_3.CH_2Cl$	1.547, 23°	Beilstein and Kuhlberg. J. 21, 361.
Orthodichlorbenzylene dichloride.	$C_6H_3Cl_2.CHCl_2$	1.518, 22°	" "
Chlorbenzo-trichloride. 1.8	$C_6H_4Cl.CCl_3$	1.74	} 18°-- { Limpricht. A. C. P. 134, 58.
" " "	"	1.76	
" " 1.2	"	1.51	
Dichlorbenzo-trichloride	$C_6H_3Cl_2.CCl_3$	1.587, 21°	Beilstein and Kuhlberg. Z. C. 21, 363.
" "	"	1.5829, 16°	Aronheim and Dietrich. Ber. 8, 1403.
Trichlorbenzylene dichloride.	$C_6H_2Cl_3.CHCl_2$	1.607, 22°	Beilstein and Kuhlberg. Z. C. 21, 362.
Tetrachlorbenzyl chloride	$C_6HCl_4.CH_2Cl$	1.634, 25°	" "
Tetrachlorbenzylene dichloride.	$C_6HCl_4.CHCl_2$	1.704, 25°	Beilstein and Kuhlberg. Z. C. 21, 364.
Chlororthoxylyene	$C_6H_3.CH_3.CH_3.Cl$	1.0863, 19°	Claus and Kautz. Ber. 18, 1367.
" 1.2.4	"	1.0692, 15°	Krüger. Ber. 18, 1757.
Chlormetaxylyene. 1.3.4	"	1.0598, 20°	Jacobsen. Ber. 18, 1761.
Isotolyl chloride	$C_6H_4.CH_3.CH_2Cl$	1.079, 0°	} Gundelach. B. S. C. 25, 385.
" "	"	1.064, 20°	
Chlorethylbenzene	$C_6H_4.C_2H_5.Cl$	1.075, 0°	Istrati. B. S. C. 42, 115.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chlorethylbenzene	$C_6 H_4 \cdot C_2 H_5 \cdot Cl$	1.068	Istrati. Ber. 18, ref. 704.
Dichlororthoxylene	$C_6 H_2 \cdot C H_3 \cdot C H_3 \cdot Cl_2$	1.333, s.	} Colson. Ann. (6), 6, 86.
"	"	1.150, 70°, l.	
"	"	1.250, 20°, l.	
"	"	1.0980	Kautz. Freiburg In. Diss. 1885.
Dichlormetaxylylene	"	1.302, 20°, s.	} Colson. Ann. (6), 6, 86.
"	"	1.202, 40°, l.	
Dichlorparaxylylene	"	1.343, s.	"
Orthoxylylene dichloride	$C_6 H_4 (C H_2 Cl)_2$	1.393	Colson. C. R. 104, 429.
Metaxylylene dichloride	"	1.370	"
Paraxylylene dichloride	"	1.417	"
Orthoxylylene tetrachloride	$C_6 H_4 (C H Cl_2)_2$	1.601	"
Metaxylylene tetrachloride	"	1.536	Colson and Gautier. C. R. 102, 689.
Paraxylylene tetrachloride	"	1.606	"
Chlorcymene. 1.4.6	$C_6 H_3 \cdot C H_3 \cdot C_3 H_7 \cdot Cl$	1.014, 14°	Gerichten. Ber. 10, 1249.
Diethylmonochlorbenzene	$C_6 H_3 \cdot Cl \cdot (C_2 H_5)_2$	1.036	Istrati. Ber. 18, ref. 704.
Triethylmonochlorbenzene.	$C_6 H_2 \cdot Cl \cdot (C_2 H_5)_3$	1.028	"
Tetretethylmonochlorbenzene.	$C_6 H \cdot Cl \cdot (C_2 H_5)_4$	1.022	"
Pentetethylmonochlorbenzene.	$C_6 Cl (C_2 H_5)_5$	1.065	"
$\beta$ Chlorstyrolene	$C_8 H_7 Cl$	2.112, 22°.3	Glaser. A. C. P. 154, 166.
$\beta$ Benzene hexchloride	$C_6 H_6 Cl_6$	1.89, 19°	Meunier. Ann. (6), 10, 223.
By action of ethylene on monochlorbenzene.	$C_9 H_9 Cl$	1.179	Istrati. Ber. 18, ref. 704.
$\alpha$ Chlornaphthalene	$C_{10} H_7 Cl$	1.2052, 6°.2	Laurent. Quoted by Carius.
"	"	1.2028, 6°.4	Carius. A. C. P. 114, 146.
"	"	1.2025, 15°	Koninck and Marquart. C. N. 25, 57.
$\beta$ Chlornaphthalene	"	1.2656, 16°	Rimarenko. Ber. 9, 664.
Naphthalene dichloride	$C_{10} H_6 Cl_2$	1.287, 12°.5	} Gladstone. Bei. 9, 249.
"	"	1.2648, 18°	
Trichloracenaphtene	$C_{12} H_7 Cl_3$	1.43, 17°	Kebler and Norton. A. C. J. 10, 218.
Camphryl chloride	$C_9 H_{13} Cl$	1.038, 14°	Schwanert. J. 15, 465.
Geraniol hydrochlorate	$C_{10} H_{17} Cl$	1.020, 20°	Jacobsen. A. C. P. 157, 236.
Caoutchin hydrochlorate	"	1.433	Watts' Dictionary.
From terpene of Pinus pumilio.	"	.982, 17°	Buchner. J. 13, 479.
Terebenthene hydrochlorate.	"	1.016	} Two isomers. Barbier. C. R. 96, 1066.
"	"	1.017	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isoterebentene hydrochlorate.	$C_{10}H_{17}Cl$ -----	.9927, 0° -----	Riban. C. R. 79, 225.
From terpene of Muscat nut oil.	" -----	.9827, 15° -----	Cloëz. J. 17, 536.

## LII. COMPOUNDS CONTAINING C, H, O, AND CL.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dichlorethyl alcohol -----	$C_2H_4Cl_2O$ -----	1.145, 15° -----	Delacre. Bull. Acad. Belg. (3), 13, 248.
Trichlorethyl alcohol -----	$C_2H_3Cl_3O$ -----	1.55, 23°.3 -----	Garzaroli-Thurnlackh. Ber. 14, 2826.
Dichlorhexyl alcohol -----	$C_6H_{12}Cl_2O$ -----	1.4, 12° -----	Destrem. Ann. (5), 27, 50.
Dichloromethyl oxide -----	$C_2H_4Cl_2O$ -----	1.315, 20° -----	Regnault. Ann. (2), 71, 398.
Tetrachlormethyl oxide -----	$C_2H_2Cl_4O$ -----	1.606, 20° -----	Regnault. Ann. (2), 71, 401.
Tetrachlormethylethyl oxide.	$C_3H_4Cl_4O$ -----	1.84, 0° -----	Magnanini. G. C. I. 16, 330.
Chlorethyl oxide -----	$C_4H_9ClO$ -----	1.0572, 0° -----	Henry. C. R. 100, 1007.
Dichlorethyl oxide -----	$C_4H_8Cl_2O$ -----	1.174, 23° -----	Lieben. J. 12, 446.
Tetrachlorethyl oxide -----	$C_4H_6Cl_4O$ -----	1.5008 -----	Malaguti. Ann. (2), 70, 341.
" " -----	" -----	1.4379, 0° -----	Paterno and Pisati. Ber. 5, 1054. Roscoe and Schorlemmer's Treatise. Jacobsen. Z. C. 14, 444.
" " -----	" -----	1.4182, 15°.2 -----	
" " -----	" -----	1.3055, 99°.9 -----	
" " -----	" -----	1.4211, 15° -----	
Pentachlorethyl oxide -----	$C_4H_5Cl_5O$ -----	1.645 -----	Henry. Ber. 7, 763.
" " -----	" -----	1.577, 8° -----	R. Hofmann. J. 10, 348.
Chloracetic acid -----	$C_2H_3ClO_2$ -----	1.366, 73° -----	Maumené. J. 17, 315.
Dichloracetic acid -----	$C_2H_2Cl_2O_2$ -----	1.5216, 15° -----	Dumas. A. C. P. 32, 109.
Trichloracetic acid -----	$C_2HCl_3O_2$ -----	1.617, 46° -----	Clermont. Z. C. 14, 349.
Chlorpropionic acid -----	$C_3H_6ClO_2$ -----	1.28, 0° -----	Balbiano. Ber. 10, 1749.
Chlorbutyric acid -----	$C_4H_7ClO_2$ -----	1.072, 0° -----	Henry. C. R. 101, 1158.
" " $\gamma$ -----	" -----	1.2498, 10° -----	Haubst. J. C. S. (2), 1, 693.
" " ? -----	" -----	1.065, 15° -----	Balbiano. Ber. 11, 1693.
Chlorisobutyric acid -----	" -----	1.062, 0° -----	Röse. Ber. 13, 2417.
Methyl chlorocarbonate.	$C_2H_3ClO_2$ -----	1.236, 15° -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chlorocarbonate	$C_3 H_5 Cl O_2$	1.133, 15°	Dumas. Ann. (2), 54, 230.
Propyl chlorocarbonate	$C_4 H_7 Cl O_2$	1.094, 15°	Röse. Ber. 13, 2417.
Isopropyl chlorocarbonate	"	1.144, 4°	Spica. J. C. S. 52, 1028.
Isobutyl chlorocarbonate	$C_5 H_9 Cl O_2$	1.053, 15°	Röse. Ber. 13, 2417.
Isoamyl chlorocarbonate	$C_6 H_{11} Cl O_2$	1.032, 15°	" "
Dichlorethyl formate	$C_3 H_4 Cl_2 O_2$	1.261, 16°	Malaguti. Ann. (2), 70, 370.
Pentachloramyl formate	$C_6 H_7 Cl_5 O_2$	1.52	Springer. A. C. J. 3, 293.
Methyl monochloracetate	$C_3 H_5 Cl O_2$	1.22, 15°	Henry. B. S. C. 20, 448.
" "	"	1.2352, 19°.2	Henry. C. R. 101, 250.
Methyl dichloracetate	$C_3 H_4 Cl_2 O_2$	1.3808, 19°.2	" "
Dichlormethyl acetate	"	1.25	Malaguti. Ann. (2), 70, 381.
Methyl trichloracetate	$C_3 H_3 Cl_3 O_2$	1.4969, 14°	} Bauer. A. C. P. 229, 163.
" "	"	1.4902, 20°.2	
" "	"	1.4892, 19°.2	
Ethyl monochloracetate	$C_4 H_7 Cl O_2$	1.1585, 20°	Brühl. A. C. P. 203, 1.
" "	"	.9925, 144°.5	Schiff. G. C. I. 13, 177.
" "	"	1.1722, 8°	Henry. C. R. 104, 1280.
Ethyl dichloracetate	$C_4 H_6 Cl_2 O_2$	1.301, 12°	Malaguti. Ann. (2), 70, 368.
" "	"	1.29	Forscher and Geu- ther. J. 17, 316.
" "	"	1.2821, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.0913	} Schiff. G. C. I. 13, 177.
" "	"	1.0915	
Dichlorethyl acetate	"	1.3217, 10°.6	Henry. C. R. 97, 1308.
" "	"	1.104, 15°	Delacre. Bull. Acad. Belg. (3), 13, 255.
Ethyl trichloracetate	$C_4 H_5 Cl_3 O_2$	1.3826, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.1650	} Schiff. G. C. I. 13, 177.
" "	"	1.1651	
Monochlorethyl dichloracetate.	"	1.200, 15°	Delacre. Ber. 21, ref. 183.
Dichlorethyl monochloracetate.	"	1.216, 15°	" "
Trichlorethyl acetate	"	1.367	Léblanc. Ann. (3), 10, 207.
" "	"	1.35, 20°	Malaguti. Ann. (3), 16, 62.
" "	"	1.3907, 23°.3	Garzarolli-Thurn- lackh. Ber. 14, 2826.
" "	"	1.187, 15°	Delacre. Ber. 21, ref. 183.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlorethyl acetate	$C_4 H_4 Cl_4 O_2$	1.485, 25°	Léblanc. Ann. (3), 10, 212.
Monochlorethyl trichloracetate.	"	1.251, 15°	Delacre. Ber. 21, ref. 183.
Dichlorethyl dichloracetate.	"	1.25, 15°	" "
Trichlorethyl monochloracetate.	"	1.25	" "
Trichlorethyl dichloracetate.	$C_4 H_3 Cl_5 O_2$	1.267	" "
Hexchlorethyl acetate	$C_4 H_2 Cl_6 O_2$	1.698, 23° 5'	Léblanc. Ann. (3), 10, 215.
Heptachlorethyl acetate	$C_4 H Cl_7 O_2$	1.692, 24° 5'	Léblanc. Ann. (3), 10, 208.
Propyl monochloracetate	$C_5 H_9 Cl O_2$	1.1096, 8°	Henry. C. R. 100, 114.
Butyl monochloracetate	$C_6 H_{11} Cl O_2$	1.013, 0°	Gehring. C. R. 102, 1400.
" "	"	1.081, 15°	
Trichlorbutyl acetate	$C_6 H_9 Cl_3 O_2$	1.3440, 8° 5'	Garzarolli-Thurnlackh. Ber. 15, 2619.
Amyl monochloracetate	$C_7 H_{13} Cl O_2$	1.063, 0°	Hougouenq. B. S. C. 45, 328.
Methyl $\alpha$ chlorpropionate	$C_4 H_7 Cl O_2$	1.075, 4°	Kahlbaum. Ber. 12, 344.
Ethyl $\alpha$ chlorpropionate	$C_5 H_9 Cl O_2$	1.0869, 20°	Brühl. A. C. P. 203, 1.
Ethyl $\beta$ chlorpropionate	"	1.1160, 8°	Henry. C. R. 100, 114.
Ethyl dichlorpropionate	$C_5 H_8 Cl_2 O_2$	1.2461, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.2493, 0°	Klimenko. Z. C. 13, 654.
Dichlorethyl propionate	"	1.282, 8°	Henry. C. R. 100, 114.
Methyl chlorbutyrate	$C_5 H_9 Cl O_2$	1.1894, 10°	Henry. C. R. 101, 1158.
Methyl $\alpha \beta$ dichlorbutyrate.	$C_5 H_8 Cl_2 O_2$	1.2809, 0°	Zeisel. Ber. 19, ref. 749.
" "	"	1.2614, 18° 3'	
" "	"	1.2355, 41° 1'	
Ethyl chlorbutyrate	$C_6 H_{11} Cl O_2$	1.0517, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.1221, 10°	Henry. C. R. 101, 1158.
" "	"	1.063, 17° 5'	Markownikoff. A. C. P. 153, 243.
Methyl trichlorpropylcarbylacetate.	$C_7 H_{11} Cl_3 O_2$	1.3048, 11° 5'	Garzarolli-Thurnlackh. A. C. P. 223, 149.
Chloroanthic ether	$C_9 H_{17} Cl O_2$ ?	1.2912, 16° 5'	Malaguti. Ann. (2), 70, 363.
Derivative of chlorinated methyl formate.	$C_4 H_5 Cl_3 O_4$	1.4786, 14°	Guthzeit. Quoted by Hentschel.
" "	"	1.4741, 27°	Hentschel. J. P. C. (2), 36, 99.
" "	$C_8 H_9 Cl_7 O_8$	1.5191	" "
Derivative of chlorinated ether.	$C_5 H_{11} Cl O$	.9482, 0°	Lieben and Bauer. J. 15, 494.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Derivative of chlorinated ether.	$C_6 H_{13} Cl O$ -----	.9735, 0° -----	Lieben and Bauer. J. 15, 393.
Chloroacetic anhydride----	$C_4 H_5 Cl O_3$ -----	1.201, 21° -----	Anthoine. J. Ph. Ch. (5), 8, 417.
Trichloroacetic anhydride	$C_4 H_3 Cl_3 O_3$ -----	1.530, 20° -----	" "
Tetrachloroacetic anhydride.	$C_4 H_2 Cl_4 O_3$ -----	1.574, 24° -----	" "
Acetyl chloride-----	$C_2 H_3 O. Cl$ -----	1.125, 11° -----	Gerhardt. J. 5, 444.
" " -----	" -----	1.1305, 0° -----	Kopp. A. C. P. 95, 307. } Thorpe. J. C. S. 37, 371. }
" " -----	" -----	1.1072, 16° -----	
" " -----	" -----	1.13773, 0° -----	
" " -----	" -----	1.05698, 50°.73	
" " -----	" -----	1.1051, 20° -----	
Chloroacetyl chloride ----	$C_2 H_2 Cl O. Cl$ -----	1.495, 0° -----	Wurtz. J. 10, 346.
Propionyl chloride ----	$C_3 H_5 O. Cl$ -----	1.0646, 20° -----	Brühl. A. C. P. 203, 1.
$\alpha$ Chloropropionyl chloride	$C_3 H_4 Cl O. Cl$ -----	1.2394, 7°.5----	Henry. C. R. 100, 114.
$\beta$ Chloropropionyl chloride	" -----	1.3307, 13° -----	" "
Butyryl chloride -----	$C_4 H_7 O. Cl$ -----	1.0277, 20° -----	Brühl. A. C. P. 203, 1.
Isobutyryl chloride -----	" -----	1.0174, 20° -----	" "
Chlorobutyryl chloride----	$C_4 H_6 Cl O. Cl$ -----	1.257, 17° -----	Markownikoff. A. C. P. 153, 241.
" " -----	" -----	1.2679, 10° -----	Henry. C. R. 101, 1158.
Valeryl chloride-----	$C_5 H_9 O. Cl$ -----	1.005, 6° -----	Béchamp. J. 9, 429.
" " -----	" -----	.9887, 20° -----	Brühl. A. C. P. 203, 1.
Chloroacetone -----	$C_3 H_5 Cl O$ -----	1.19 -----	Linnemann.
" -----	" -----	1.14, 14° -----	Riche. J. 12, 339.
" -----	" -----	1.162, 16° -----	Linnemann. J. 18, 312.
" -----	" -----	1.18, 16° -----	Linnemann. J. 19, 308.
" -----	" -----	1.17 -----	Henry. B. S. C. 19, 219.
" -----	" -----	1.158, 13° -----	Cloëz. Ann. (6), 9, 145.
Dichloroacetone -----	$C_3 H_4 Cl_2 O$ -----	1.331 -----	Kane.
" -----	" -----	1.236, 21° -----	Fittig. J. 12, 345.
" -----	" -----	1.326, 0° -----	Theegarten. C. C. 4, 580.
" -----	" -----	1.234, 15° -----	Cloëz. Ann. (6), 9, 145.
Tetrachloroacetone -----	$C_3 H_2 Cl_4 O$ -----	1.482, 17° -----	" "
Pentachloroacetone -----	$C_3 H Cl_5 O$ -----	1.6 } -----	Städeler. J. 6, 398. } { Two isomers. Cloëz. B. S. C. 39, 638 and 640. }
" -----	" -----	1.7 } -----	
" -----	" -----	1.617, 8° -----	
" -----	" -----	1.576, 14° -----	
Chloraldehyde -----	$C_2 H_3 Cl O$ -----	1.23 -----	Riche. J. 12, 435.
Paradichloraldehyde -----	$(C_2 H_2 Cl_2 O)_n$ -----	1.69, s. -----	Jacobsen. Ber. 8, 88.
Chloral -----	$C_2 H Cl_3 O$ -----	1.502, 18° -----	Liebig. A. C. P. 1, 195.
" -----	" -----	1.5183, 0° -----	Kopp. A. C. P. 95, 307. }
" -----	" -----	1.4903, 22°.2 } -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Chloral	$C_2 H Cl_3 O$	1.5448, 0°	Thorpe. J. C. S. 37,	
"	"	1.3821, 97°.2	371.	
"	"	1.5121, 20°	Brühl. A. C. P.	
"	"	1.54179	203, 1.	
"	"	1.54170	} Passavant. C. N.	
"	"	1.3692, 97°.73		42, 288.
"	"	1.5292, 9°		
"	"	1.5197, 15°	} Perkin. J. C. S.	
"	"	1.5060, 25°		51, 808.
Parachloralide	$(C_2 H Cl_3 O)_n$	1.5765, 14°	Clöz. J. 12, 434.	
Chloral hydrate	$C_2 H_3 Cl_3 O_2$	1.901	Rüdorff. Ber. 12, 252.	
"	"	1.818, 4°, pulv.	} Schröder. Ber. 12,	
"	"	1.848, 4°, cryst.		561.
"	"	1.6415, 49°.9	} Perkin. J. C. S. 51,	
"	"	1.6274, 58°.4		808.
"	"	1.6136, 66°.9		
"	"	1.5704		} Jungfleisch, Le-
"	"	1.5719		
"	"	1.5771	cher. J. Ph. C.	
Chloral ethylate	$C_4 H_7 Cl_3 O_2$	1.143, 40°, l.	(4), 11, 208.	
"	"	1.3286	} Martins and Men-	
"	"	1.3439		delssohn-Bar-
Chloral amylate	$C_7 H_{11} Cl_3 O_2$	1.234, 25°	tholdy. Z. C. 13,	
Chloroacetyl chloral	$C_4 H_4 Cl_4 O_2$	1.4761, 17°	650.	
Diacetylchloral hydrate	$C_6 H_7 Cl_3 O_4$	1.422, 11°	} Jungfleisch, Le-	
Acetylchloral ethylate	$C_6 H_9 Cl_3 O_3$	1.327, 11°		baigne, and Rou-
Derivative of chloral	$C_6 H_6 Cl_3 O_2$	1.73, 17°	cher. J. Ph. C.	
"	$C_7 H_{10} Cl_4 O_3$	1.42, 11°	(4), 11, 208.	
Butyl chloral	$C_4 H_5 Cl_3 O$	1.3956, 20°	Martins and Men-	
"	"	1.4111, 7°	delssohn-Bar-	
Butyl chloral hydrate	$C_4 H_7 Cl_3 O_2$	1.693	tholdy. Z. C. 13,	
"	"	1.695	650.	
Derivative of chloralide	$C_5 H Cl_7 O_3$	1.7426, 20°	Meyer and Dulk.	
Chlorovaleral	$C_5 H_9 Cl O$	1.108, 14°	A. C. P. 171, 65.	
Derivative of valeral	$C_{10} H_{10} Cl_1 O$	1.272, 14°	" "	
"	$C_{10} H_{12} Cl_1 O$	1.397, 14°	" "	
Dichlorovinylmethyl oxide	$C_3 H_4 Cl_2 O$	1.2934, 0°	} Denaro. G. C. I.	
"	"	1.1574, 100°		14, 117.
Monochlorovinyl ethyl oxide	$C_4 H_7 Cl O$	1.0361, 19°	Godefroy. C. R. 102,	
Trichlorovinyl ethyl oxide	$C_4 H_5 Cl_3 O$	1.3725, 0°	869.	
"	"	1.2354, 99°.9	Paterno and Pisati.	
"	"		J. C. S. (2), 11, 158.	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trichlorvinyl ethyl oxide.	$C_4 H_5 Cl_3 O$	1.3322, 19°	Godefroy. C. R. 102, 869.
Methylene aceto-chloride.	$C_3 H_5 Cl O_2$	1.1953, 14°.	Henry. B. S. C. 20, 448.
Ethylene aceto-chloride	$C_4 H_7 Cl O_2$	1.1783, 0°	Simpson. J. 12, 487.
“ “	“	1.114, 15°	Franchimont. J. C. S. 44, 452.
Ethylene butyro-chloride.	$C_6 H_{11} Cl O_2$	1.0854, 0°	Simpson. J. 12, 489.
Ethylidene oxychloride	$C_4 H_6 Cl_2 O$	1.1376, 12°	Lieben. J. 11, 291.
“ “	“	1.136, 14°.5	Laatsch. A. C. P. 218, 13.
Ethylidene aceto-chloride.	$C_4 H_7 Cl O_2$	1.114, 15°	Rübencamp. A. C. P. 225, 267.
Ethylidene propio-chloride.	$C_5 H_9 Cl O_2$	1.071, 15°	“ “
Ethylidene butyro-chloride.	$C_6 H_{11} Cl O_2$	1.038, 15°	“ “
Ethylidene valero-chloride	$C_7 H_{13} Cl O_2$	.997, 15°	“ “
Aldehydemethyl chloride.	$C_3 H_7 Cl O$	.996, 17°	“ “
Trichlordimethyl acetal	$C_4 H_7 Cl_3 O_2$	1.28	Magnanini. G. C. I. 16, 330.
Trichlormethylethyl acetal.	$C_5 H_9 Cl_3 O_2$	1.32	“ “
Chloracetal	$C_6 H_{13} Cl O_2$	1.0195	Lieben. J. 10, 437.
“	“	1.0418, 0°	Paterno and Mazzara. J. C. S. (2), 11, 1217.
“	“	1.0416, 26°.3	
“	“	.9315, 99°.9	
“	“	1.026, 15°	
Dichloracetal	$C_6 H_{12} Cl_2 O_2$	1.1383, 14°	Lieben. J. 10, 436.
Trichloracetal	$C_6 H_{11} Cl_3 O_2$	1.2813, 0°	Paterno and Pisati. J. C. S. (2), 11, 258.
“	“	1.2655, 22°.2	
“	“	1.1617, 99°.96	
“	“	1.288	
Trimethylene chlorhydrin	$C_3 H_7 Cl O$	1.132, 17°	Reboul. C. R. 79, 169.
Propylene chlorhydrin	“	1.1302, 0°	Oeser. J. 13, 448.
“ “	“	1.247	Oppenheim. J. 21, 340.
Chlorbutylene chlorhydrin	$C_4 H_8 Cl_2 O$	1.0335, 0°	Oeconomides. Ber. 14, 1568.
Hexylene chlorhydrin	$C_6 H_{13} Cl O$	1.0143	} 11°
“ “	“	1.018	
Hexylene aceto-chloride.	$C_8 H_{15} Cl O_2$	1.04, 6°	“ “
Heptylene chlorhydrin	$C_7 H_{15} Cl O$	1.014, 0°	Clermont. Z. C. 13, 411.
“ “	“	1.001, 14°	
Octylene chlorhydrin	$C_8 H_{17} Cl O$	1.003, 0°	} “ “
“ “	“	.987, 31°	
Octylene aceto-chloride	$C_{10} H_{19} Cl O_2$	1.026, 0°	} “ “
“ “	“	1.011, 18°	
Dichlorethoxyethylene	$C_4 H_6 Cl_2 O$	1.08, 10°	Geuther and Brockhoff. J. P. C. (2), 7, 114.
Pentachlorpropylene oxide.	$C_3 H Cl_5 O$	á1.5	Cloëz. Ann. (6), 9, 145.
Ethyl-glycollic chloride.	$C_4 H_7 Cl O_2$	1.145, 1°	Henry. J. 22, 531.
Chlorolactic ether	$C_5 H_9 Cl O_3$	1.097, 0°	Wurtz. J. 11, 254.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chloromalonate	$C_7 H_{11} Cl O_4$	1.185, 20°	Conrad and Bischoff. A. C. P. 209, 221.
Ethyl ethylchloromalonate.	$C_9 H_{15} Cl O_4$	1.110, 17°	Guthzeit. A. C. P. 209, 233.
Ethyl chlorisobutylmalonate.	$C_{11} H_{19} Cl O_4$	1.094, 15°	Conrad and Bischoff. Ber 13, 600.
“ “	“	1.091, 15°	Guthzeit. A. C. P. 209, 237.
Succinyl chloride	$C_4 H_4 Cl_2 O_2$	1.39	Gerhardt and Chiozza. C. R. 36, 1052.
Chloromaleic ether	$C_8 H_{11} Cl O_4$	1.15, 11°	Henry. A. C. P. 156, 179.
“ “	“	1.178, 20°	Frank. Ber. 10, 928.
Ethyl chloracetacetate	$C_6 H_9 Cl O_3$	1.19, 14°	Allihn. Ber. 11, 569.
Ethyl dichloracetacetate	$C_6 H_8 Cl_2 O_3$	1.293, 16°	Conrad. A. C. P. 186, 234.
Ethyl chloracetopropionate.	$C_7 H_{11} Cl O_3$	1.196, 21°	Conrad and Guthzeit. Ber. 17, 2287.
Ethyl monochloromethylacetacetate.	$C_7 H_{11} Cl O_3$	1.093, 15°	Isbert. A. C. P. 234, 160.
Ethyl dichloromethylacetacetate.	$C_7 H_{10} Cl_2 O_3$	1.2250, 17°	Isbert. Jena Inaug. Diss. 1866.
Ethyl monochlorethylacetacetate.	$C_8 H_{13} Cl O_3$	1.0523, 15°	Isbert. A. C. P. 234, 160.
Ethyl dichlorethylacetacetate.	$C_8 H_{12} Cl_2 O_3$	1.183, 15°	“ “
Ethyl diethylchloracetacetate.	$C_{10} H_{17} Cl O_3$	1.063, 15°	James. J. C. S. 49, 50.
Ethyl diethyldichloracetacetate.	$C_{10} H_{16} Cl_2 O_3$	1.155, 15°	“ “
Acetotrichlorethylidene acetic ether.	$C_8 H_9 Cl_3 O_3$	1.342, 15°	Matthews. J. C. S. 43, 203.
Monochlorhydrin	$C_3 H_7 Cl O_2$	1.31	Berthelot. J. 6, 456.
“	“	1.4, 13°	Henry. J. C. S. (2), 13, 346.
“	“	1.328, 0°	Hanriot. Ber. 10, 727.
Dichlorhydrin	$C_3 H_6 Cl_2 O$	1.37	Berthelot. J. 7, 449.
“	“	1.3699, 9°	Henry. A. C. P. 155, 324.
“	“	1.355, 17°.5	Gegerfeldt. Z. C. 13, 672.
“	“	1.383, 0°	Markownikoff. J. C. S. (2), 12, 241.
“	“	1.367, 19°	
“	“	1.3799, 0°	
“	“	1.3681, 11°.5	
Epichlorhydrin	$C_3 H_5 Cl O$	1.204, 0°	Darmstaedter. J. 21, 454.
“	“	1.194, 11°	Reboul. J. 13, 456.
“	“	1.20313, 0°	Thorpe. J. C. S. 87, 371.
“	“	1.05667, 116°.55	
“	“	1.0588	
“	“	1.0598	
“	“	1.194, 11°	Schiff. Ber. 14, 2768.
“	“	1.194, 11°	Clöz. Ann. (6), 9, 145.
Ethyl monochlorhydrin	$C_5 H_{11} Cl O_2$	1.117, 11°	Henry. J. C. S. (2), 13, 346.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diethyl monochlorhydrin	$C_7 H_{15} Cl O_2$	1.03, 10°.5	Alsberg. J. 17, 496.
“ “	“	1.005, 17°	Reboul and Lourenço. J. 14, 674.
Amyl monochlorhydrin	$C_8 H_{17} Cl O_2$	1.00, 20°	Reboul. J. 13, 464.
Aceto-chlorhydrin	$C_5 H_9 Cl O_3$	1.27, 9°	Henry. J. C. S. (2), 13, 346.
Aceto-dichlorhydrin	$C_5 H_8 Cl_2 O_2$	1.283, 11°	Truchot. J. 18, 503.
“ “	“	1.274, 8°	Henry. Ber. 4, 701.
Diaceto-chlorhydrin	$C_7 H_{11} Cl O_4$	1.243, 4°	Truchot. J. 18, 503.
Butyro-dichlorhydrin	$C_8 H_{12} Cl_2 O_2$	1.194, 11°	“ “
Valero-dichlorhydrin	$C_8 H_{14} Cl_2 O_2$	1.149, 11°	“ “
Butenyl monochlorhydrin	$C_4 H_9 Cl O_2$	1.2324, 17°	Zikes. Ber. 18, ref. 433.
Butenyl dichlorhydrin	$C_4 H_8 Cl_2 O$	1.274, 16°	“ “
Butenyl epichlorhydrin	$C_4 H_7 Cl O$	1.098, 15°	“ “
Diallyl dichlorhydrin	$C_6 H_{12} Cl_2 O_2$	1.4, 7°	Henry. Ber. 7, 416.
$\alpha$ Chlorallyl alcohol	$C_3 H_5 Cl O$	1.164, 19°	Henry. Ber. 15, 3085.
$\beta$ Chlorallyl alcohol	“	1.162, 15°	Romburgh. Ber. 15, 245.
Methylchlorallylcarbinol	$C_5 H_9 Cl O$	1.08821, 14°.1	Garzarolli-Thurnlackh. A.C.P. 223, 149.
Chlorerotyl alcohol	$C_4 H_7 Cl O$	1.1312, 15°	Garzarolli-Thurnlackh. Ber. 15, 2619.
Methyl chlorerotonate	$C_5 H_7 Cl O_2$	1.143, 15°	Fröhlich. J. 22, 547.
“ “	“	1.0933, 4°	Kahlbaum. Ber. 12, 344.
Ethyl chlorerotonate	$C_6 H_9 Cl O_2$	1.113, 15°	Fröhlich. J. 22, 547.
“ “	“	1.129, 15°	Claus. A. C. P. 191, 64.
Chloethylacetylene tetracarbonic ether.	$C_{16} H_{25} Cl O_8$	1.076, 20°	Bischoff and Rach. Ber. 17, 2786.
Citraconyl chloride	$C_5 H_4 Cl_2 O_2$	1.40, 15°	Gerhardt and Chiozza. J. 6, 394.
“ “	“	1.408, 16°.4	O. Strecker. Ber. 15, 1640.
Propylphycite trichlorhydrin.	$C_3 H_5 Cl_3 O$	1.4324, 14°	Wolff. Z. C. 12, 465.
Dichloroleic acid	$C_{18} H_{32} Cl_2 O_2$	1.082, 7°.9	Lefort. J. 6, 451.
Derivative of isobutyl alcohol.	$C_{24} H_{25} Cl O_4$	.967, 15°	Boquillon. J. C. S. 48.
Derivative of isohexic acid	$C_4 H_4 Cl_2 O$	1.471, 10°	Demarçay. Ber. 12, 380.
Chlorphenol	$C_6 H_5 Cl O$	1.306, 20°.5	Petersen and Baehr-Predari. A. C. P. 157, 125.
Chlormethylphenol	$C_7 H_7 Cl O$	1.182, 9°	Henry. Z. C. 13, 247.
Chlorparakresol	“	1.2106, 25°	Schall and Dralle. Ber. 17, 2529.
Chlormethylparakresol	$C_8 H_9 Cl O$	1.1493, 25°	“ “
Chloethylphenol	“	1.106, 9°	Henry. Z. C. 13, 247.
Methylchlorphenetol. $\alpha$	$C_9 H_{11} Cl O$	1.127, 19°.5	Wroblevsky. Z. C. 13, 164.
“ $\beta$	“	1.131, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloranethol	$C_{10}H_{11}ClO$	1.1154, 0°	Ladenburg. Z. C. 12, 575.
"	"	1.191, 20°	Landolph. C. R. 82, 227.
Metachlorosalicyl	$C_7H_5ClO_2$	1.29, 8°	Henry. J. 22, 509.
Metachlorbenzoic acid	"	1.29	St. Evre. J. 1, 529.
Ethyl metachlorbenzoate	$C_9H_{10}ClO_2$	.981, 10°	"
Ethyl orthodichlorbenzoate.	$C_9H_8Cl_2O_2$	1.3278, 4°	Beilstein. Ber. 8, 435.
Chlorisopropyl benzoate.	$C_{10}H_{11}ClO_2$	1.172, 19°	Morley and Green. J. C. S. 47, 135.
"	"	1.149, 45°	
Derivative of benzoic ether	$C_{18}H_{16}Cl_6O_3$	1.346, 10°.8	Malaguti. Ann. (2), 70, 375.
Benzyl monochloracetate.	$C_9H_9ClO_2$	1.2223, 4°	Seubert. Ber. 21, 281.
Benzyl dichloracetate	$C_9H_8Cl_2O_2$	1.3130, 4°	"
Benzyl trichloracetate	$C_9H_7Cl_3O_2$	1.3887, 4°	"
Benzyl chloride	$C_7H_5ClO$	1.196	Wöhler and Liebig. A. C. P. 3, 262.
"	"	1.250, 15°	Cahours. J. 1, 532.
"	"	1.2324, 0°	Kopp. A. C. P. 95, 307.
"	"	1.2142, 19°	
"	"	.9857, 198°	Ramsay. J. C. S. 35, 463.
"	"	1.2122, 20°	Brühl. A. C. P. 235, 1.
Chlorodraeylic chloride	$C_7H_4Cl_2O$	1.377	Emmerling. Ber. 8, 881.
Toluy chloride	$C_8H_7ClO$	1.175	Cahours. J. 11, 265.
Phenylacetic chloride	"	1.16817, 20°	Anschütz and Berns. Ber. 20, 1390.
Cumyl chloride	$C_{10}H_{11}ClO$	1.07, 15°	Cahours. J. 1, 534.
Anisyl chloride	$C_8H_7ClO_2$	1.261, 15°	Cahours. J. 1, 538.
Cinnamyl chloride	$C_9H_7ClO$	1.207, 16°	Cahours. J. 1, 535.
Phthalyl chloride	$C_8H_4Cl_2O_2$	1.0489, 20°	Brühl. A. C. P. 235, 1.
Dichloracetophenone	$C_8H_6Cl_2O$	1.338, 15°	Gautier. Ber. 20, ref. 12.
Trichloracetophenone	$C_8H_5Cl_3O$	1.427, 15°	"
Chlorobenzyl ethylate	$C_9H_{11}ClO$	1.121, 14°	Naquet. J. 15, 420.
Ethyl benzylchlormalonate.	$C_{14}H_{17}ClO_4$	1.150, 19°	Conrad. Ber. 13, 2159.
Benzodichlorhydrin	$C_{10}H_{10}Cl_2O_2$	1.441, 8°	Truchot. J. 18, 503.
Trichlorphenomalic acid	$C_7H_7Cl_3O_5$	1.5	Carius. J. 1866, 561.
Tetrachlorethyl camphorate.	$C_{14}H_{20}Cl_4O_4$	1.386, 14°	Malaguti. Ann. (2), 70, 360.
Santonyl chloride		1.1644	Carnelutti and Nasini. Ber. 13, 2210.
Derivative of bergamot oil	$6(C_{10}H_{16}). 2HCl. H_2O$	.896	Ohme. A. C. P. 31, 318.

## LIII. COMPOUNDS CONTAINING C, CL, N, OR C, H, CL, N.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloroacetonitrile -----	$C_2 H_2 Cl N$ -----	1.204, 11°.2	Bisschopinck. B. S. C. 20, 450.
“ -----	“ -----	1.193, 20°	Engler. Ber. 6, 1003.
Dichloroacetonitrile -----	$C_2 H Cl_2 N$ -----	1.874, 11°.4	Bisschopinck. B. S. C. 20, 450.
Trichloroacetonitrile -----	$C_2 Cl_3 N$ -----	1.444	Dumas. J. 1, 593.
“ -----	“ -----	1.439, 12°.2	Bisschopinck. B. S. C. 20, 450.
Dichloropropionitrile -----	$C_3 H_3 Cl_2 N$ -----	1.431, 15°	Otto. J. 13, 400.
γ Chlorobutyronitrile -----	$C_4 H_6 Cl N$ -----	1.1620, 10°	Henry. C. R. 101, 1158.
Dichlorethylamine -----	$C_2 H_5 Cl_2 N$ -----	1.2397, 5°	} Tscherniak. Ber. 9, 147.
“ -----	“ -----	1.2300, 15°	
Chloroxalmethylin -----	$C_4 H_5 Cl N_2$ -----	1.2473, 16°	Wallach and Schulze. Ber. 14, 424.
Chloroxalethylin -----	$C_6 H_9 Cl N_2$ -----	1.1420, 15°	Wallach. Ber. 7, 328.
“ -----	“ -----	1.142	Wallach and Stricker. Ber. 13, 512.
Chloroxalpropylin -----	$C_8 H_{13} Cl N_2$ -----	1.0900	Wallach and Schulze. Ber. 14, 424.
Orthochloraniline -----	$C_6 H_5 Cl N$ -----	1.2338, 0°	Beilstein and Kurbatow. Ber. 7, 487.
Metachloraniline -----	“ -----	1.2432, 0°	Beilstein and Kurbatow. A. C. P. 176, 45.
Chlorotoluidine. B. 222° -----	$C_7 H_8 Cl N$ -----	1.151, 20°	Wroblevsky. Z. C. 12, 322-544.
“ B. 238° -----	“ -----	1.1855, 20°	Wroblevsky. Z. C. 12, 684.
“ B. 237°-242° -----	“ -----	1.203, 19°	“ “
“ B. 236° -----	“ -----	1.175, 18°	Henry and Radziszewski. Z. C. 12, 542.
Chlorpicoline -----	$C_6 H_6 Cl N$ -----	1.146, 20°	Ost. J. P. C. (2), 27, 278.
Orthochlorchinoline -----	$C_9 H_6 Cl N$ -----	1.2752, 16°.2	} Bodewig. Tübingen In. Diss. 1885.
“ -----	“ -----	1.2754, 16°.6	
Parachlorchinoline -----	“ -----	1.3768, 14°.6	
“ -----	“ -----	1.3766, 15°	“ “
Chloride from methyluracil.	$C_5 H_3 N_2 Cl_3$ -----	1.6273, 21°.8	Behrend. A. C. P. 229, 26.

## LIV. COMPOUNDS CONTAINING C, CL, N, O, OR C, H, CL, N, O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloronitromethane ----	$C H_2 Cl N O_2$ ----	1.466, 15° ----	Tscherniak. Ber. 8, 609.
Dichlordinitromethane---	$C Cl_2 N_2 O_4$ ----	1.685, 15° ----	Marignac. Watts' Dict.
Chlorpicrin -----	$C Cl_3 N O_2$ -----	1.6657 -----	Stenhouse. J. 1, 540.
" -----	" -----	1.69225, 0° -----	} Thorpe. J. C. S. 37, 371.
" -----	" -----	1.48444, 111°.9 -----	
Dichloramyl nitrite-----	$C_5 H_9 Cl_2 N O_2$ ----	1.233, 12° ----	Guthrie. J. 11, 404.
Trichloracetyl cyanide---	$C_3 Cl_3 N O$ -----	1.559, 15° ----	Hofferichter. J. P. C. (2), 20, 195.
Trichloroacetic dimethyl- amide.	$C_4 H_6 Cl_3 N O$ ----	1.441, 15° ----	Franchimont and Klobbie. Ber. 20, ref. 690.
Ethylene chloronitrin---	$C_2 H_4 Cl N O_3$ ----	1.378, 21° ----	Henry. Ann. (4), 27, 243.
Propylene chloronitrin---	$C_3 H_6 Cl N O_3$ ----	1.28, 12° ----	" "
Dichlormethoxyacetoni- tril.	$C_3 H_5 Cl_2 N O$ ----	1.3885 ----	Bauer. A. C. P. 229, 163.
Dichlorethoxyacetoni- tril.	$C_4 H_5 Cl_2 N O$ ----	1.3394, 15°.5--	" "
Dichlorpropoxyacetoni- tril.	$C_5 H_7 Cl_2 N O$ ----	1.2382, 15°.5--	" "
Dichlorisobutoxyacetoni- tril.	$C_6 H_9 Cl_2 N O$ ----	1.1226, 15°.5--	" "
Monochlordinitrin-----	$C_3 H_5 Cl N_2 O_6$ ----	1.5112, 9° ----	Henry. A. C. P. 155, 168.
Dichlormononitrin ----	$C_3 H_5 Cl_2 N O_3$ ----	1.465, 10° ----	" "
Chlorazol-----	$C_4 H_3 Cl_3 N_2 O_4$ ----	1.555 ----	Mühlhäuser. J. 7, 671.
Dichlornitrophenol ----	$C_6 H_3 Cl_2 N O_3$ ----	1.59 ----	Fischer. A. C. P., 7th Supp., 185.
Chlornitrobenzene -----	$C_6 H_4 Cl N O_2$ -----	1.377, 0° -----	Sokoloff. J. 19, 552.
" -----	" -----	1.358, 0° -----	" "
" -----	" -----	1.368, 22° -----	Jungfleisch. J. 21, 345.
" Meta -----	" -----	1.534 -----	Schröder. Ber. 13, 1070.
" Para -----	" -----	1.380, 22° -----	Jungfleisch. J. 21, 343.
Chlordinitrobenzene ----	$C_6 H_3 Cl_2 N_2 O_4$ ----	1.697, 22° ----	Jungfleisch. J. 21, 345.
" ----	" ----	1.6867, 16°.5--	Jungfleisch. J. 21, 346.
" ----	" ----	1.72, 18° ----	Engelhardt and Latschinoff. Z. C. 13, 232.
Dichlornitrobenzene ----	$C_6 H_3 Cl_2 N O_2$ ----	1.669, 22° ----	Jungfleisch. J. 21, 348.
Trichlornitrobenzene ----	$C_6 H_2 Cl_3 N O_2$ ----	1.790, 22° ----	Jungfleisch. J. 21, 351.
Dichlordinitrobenzene ----	$C_6 H_2 Cl_2 N_2 O_4$ ----	1.7103, 16° ----	Jungfleisch. J. 21, 348.
Trichlordinitrobenzene---	$C_6 H Cl_3 N_2 O_4$ ----	1.850, 25° ----	Jungfleisch. J. 21, 352.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlornitrobenzene	$C_6 H Cl_4 N O_2$	1.744, 25°	Jungfleisch. J. 21, 353.
Pentachlornitrobenzene	$C_6 Cl_5 N O_2$	1.718, 25°	Jungfleisch. J. 21, 354.
Chlornitrotoluene	$C_7 H_6 Cl N O_2$	1.307, 18°	Wroblevsky. Z. C. 12, 683.
"	"	1.3259, 18°	" "
"	"	1.300, 20°	Wroblevsky. Ber. 7, 1062.
Parachlormetanitrotoluene.	"	1.297, 22°	Gattermann and Kaiser. Ber. 18, 2600.
Dichlornitrotoluene	$C_7 H_5 Cl_2 N O_2$	1.455, 17°	Wroblevsky and Pirogoff. Ber. 3, 203.
Derivative of acetanilide	$C_8 H_9 Cl_2 N O_2$	1.3893, 20°	Witt. Ber. 8, 1227.
Derivative of protein	$C_{12} H_{12} Cl_3 N O_2$	1.628	Mühlhäuser. J. 7, 671.
" " "	$C_{12} H_{12} Cl_3 N O_4$	1.360	" "

## LV. COMPOUNDS CONTAINING C, H, AND BR.

## 1st. Bromides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl bromide	$C H_3 Br$	1.66443, 0°	Pierre. C. R. 27, 213.
" "	"	1.732	Two lots. Merrill. J. P. C. (2), 18, 293. Perkin. J. P. C. (2), 31, 481. Weegmann. Z. P. C. 2, 218.
" "	"	1.7116	
" "	"	1.73306, 15°	
" "	"	1.72345, 25°	
" "	"	1.46576, 15°	
" "	"	1.45967, 18°	
" "	"	1.45554, 20°	
" "	"	1.45349, 21°	
" "	"	1.44733, 24°	
" "	"	1.44122, 27°	
Ethyl bromide	$C_2 H_5 Br$	1.40	Löwig. A. C. P. 3, 292.
" "	"	1.47329, 0°	Pierre. C. R. 27, 213.
" "	"	1.4600, 20°	Haagen. P. A. 131, 117.
" "	"	1.4621, 9°	Dehn. A. C. P., 4th Supp., 85.
" "	"	1.4685, 13°-5	Linnemann. A. C. P. 160, 195.
" "	"	1.4189, 15°	Mendelejeff. J. 13, 7.
" "	"	1.4775, 5°-10°	} Regnault. P. A. 62, 50.
" "	"	1.4679, 10°-15°	
" "	"	1.4582, 15°-20°	
" "	"	1.47, 15°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl bromide	$C_2H_5Br$	1.4069, 20°	Naumann. Ber. 10, 2016.
" "	"	1.4579, 14°	DeHeen. Bei. 5, 105.
" "	"	1.4134, 38°.4	Schiff. Ber. 19, 560.
" "	"	1.44988, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.43250, 25°	
Propyl bromide	$C_3H_7Br$	1.353, 16°	Chapman and Smith. J. 22, 360.
" "	"	1.388, 0°	Rossi. A. C. P. 159, 79.
" "	"	1.3497, 0°	Pierre and Puchot. Ann. (4), 22, 284.
" "	"	1.301, 30°.15	
" "	"	1.2589, 54°.2	
" "	"	1.3577, 16°	
" "	"	1.3520	Linnemann. A. C. P. 161, 40.
" "	"	1.3529 } 20° {	
" "	"	1.3617, 14°	Brühl. A. C. P. 203, 1.
" "	"	1.3835, 0°	
" "	"	1.2639, 71°	DeHeen. Bei. 5, 115.
" "	"	1.36110, 15°	Zander. A. C. P. 214, 181.
" "	"	1.34739, 25°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.320, 13°	
Isopropyl bromide	"	1.320, 13°	Linnemann. J. 18, 489.
" "	"	1.33, 21°	Linnemann.
" "	"	1.248, 20°	Linnemann. A. C. P. 161, 18.
" "	"	1.2997	Three lots. Brühl. A. C. P. 203, 1.
" "	"	1.3097 } 20° {	
" "	"	1.3117	
" "	"	1.3397, 0°	Zander. A. C. P. 214, 181.
" "	"	1.2368, 60°	
" "	"	1.31978, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.30522, 25°	
Butyl bromide	$C_4H_9Br$	1.305, 0°	Lieben and Rossi. A. C. P. 158, 137.
" "	"	1.2792, 20°	
" "	"	1.2571, 40°	
" "	"	1.2990, 20°	Linnemann. Ann. (4), 27, 268.
" "	"	1.2605, 14°	DeHeen. Bei. 5, 105.
Isobutyl bromide	"	1.274, 16°	Wurtz. J. 7, 572.
" "	"	1.2702, 16°	Chapman and Smith. J. C. S. 22, 153.
" "	"	1.249, 0°	Pierre and Puchot. Ann. (4), 22, 314.
" "	"	1.191, 40°.2	
" "	"	1.1408, 73°.5	
" "	"	1.2038, 16°	Linnemann. A. C. P. 162, 1.
" "	"	1.1456, 90°.5	Schiff. Bei. 9, 559.
" "	"	1.27221, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.25984, 25°	
Trimethylcarbyl bromide	"	1.215, 20°	Roozeboom. Ber. 14, 2396.
" "	"	1.20200, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.18922, 25°	
Normal pentyl bromide	$C_5H_{11}Br$	1.246, 0°	Lieben and Rossi. A. C. P. 159, 70.
" "	"	1.2234, 20°	
" "	"	1.2044, 40°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Amyl bromide	$C_5 H_{11} Br$	1.16576, 0°	Pierre. C. R. 27, 213.
" "	"	1.217, 16°	Chapman and Smith. J. 22, 367.
" "	"	1.2045, 20°	Haagen. P. A. 131, 117.
" "	"	1.2059, 15°	Mendelejeff. J. 13, 7.
" "	"	1.0502, 120°	Ramsay. J. C. S. 35, 463.
" "	"	1.2002, 14°	De Heen. Bei. 5, 105.
" "	"	1.0126	{ Schiff. Ber. 14, 2766.
" "	"	1.0127	
" "	"	1.2053, 22°	Lachowicz. A. C. P. 220, 171.
" "	"	1.0881, 118°	Schiff. Ber. 19, 560.
" " Active	"	1.225, 15°	Le Bel. B. S. C. 25, 546.
" " Inactive	"	1.2358, 0°	Balbiano. Ber. 9, 1437.
" "	"	1.21927, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.20834, 25°	
Normal hexyl bromide	$C_6 H_{13} Br$	1.1935, 0°	Lieben and Janecek. J. R. C. 5, 156.
" " "	"	1.1725, 20°	
" " "	"	1.1561, 40°	
Normal heptyl bromide	$C_7 H_{15} Br$	1.133, 16°	Cross. J. C. S. 32, 123.
Secondary heptyl bromide	"	1.422, 17°.5	Venable. Ber. 13, 1650.
Normal octyl bromide	$C_8 H_{17} Br$	1.116, 16°	Zincke. J. 22, 371.
" " "	"	1.11798, 15°	Perkin. J. P. C. (2), 31, 481.
" " "	"	1.10993, 25°	
Secondary octyl bromide	"	1.0989, 22°	Lachowicz. A. C. P. 220, 185.

2d. Bromides of the Series  $C_n H_{2n} Br_2$ .

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene bromide	$C H_2 Br_2$	2.0844, 11°.5	Steiner. Ber. 7, 507.
" "	"	2.4930, 0°	Henry. Ann. (5), 30, 266.
" "	"	2.49850	} Perkin. J. P. C. (2), 32, 523.
" "	"	2.499922	
" "	"	2.47849	
" "	"	2.47745	
Ethylene bromide	$C H_2 Br. C H_2 Br$	2.164, 21°	Regnault. Ann. (2), 59, 358.
" "	"	2.128, 13°	D'Arcet. J. P. C. 5, 28.
" "	"	2.16292, 20°.1	Pierre. C. R. 27, 213.
" "	"	2.179	Butlerow. J. 14, 652.
" "	"	2.1827, 20°	Haagen. P. A. 131, 117.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethylene bromide	$C H_2 Br. C H_2 Br$	2.198, 10°	Reboul. Z. C. 13, 200.
"	"	2.21324, 0°	} Thorpe. J. C. S. 37, 371.
"	"	1.93124, 131° 45'	
"	"	2.1785, 20°	} Anschütz. A. C. P. 221, 133.
"	"	2.1767, 21° 5'	
"	"	1.9246, 130° 3'	Schiff. Ber. 19, 560.
"	"	2.18895, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	2.17271	
"	"	2.17197	
"	"	2.17681, 20°	Weegmann. Z. P. C. 2, 218.
Ethylidene bromide	$C H_3. C H Br_2$	2.135, 0°	Caventou. J. 14, 608.
"	"	2.129	} Reboul. Z. C. 13, 200.
"	"	2.132	
"	"	2.0822, 21° 5'	Anschütz. A. C. P. 221, 133.
"	"	2.10006, 17° 5'	} Angelbis Freiburg Inaug. Diss. 1884.
"	"	2.08905, 20° 5'	
"	"	2.10297, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	2.08540, 25°	
"	"	2.05545, 20°	Weegmann. Z. P. C. 2, 218.
Trimethylene bromide	$CH_2 Br. CH_2. CH_2 Br$	2.0177, 0°	Geromont. A. C. P. 158, 370.
"	"	1.9839, 13° 5'	Reboul. J. C. S. 36, 127.
"	"	1.9228	Freund. Ber. 14, 2270.
"	"	2.0060, 0°	} Zander. A. C. P. 214, 181.
"	"	1.7101, 165°	
"	"	1.98236, 15°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.96836, 25°	
Propylene bromide	$CH_3. CH Br. CH_2 Br$	1.7	Reynolds. J. 3, 495.
"	"	1.974	Cahours. J. 3, 496.
"	"	1.955, 9°	Reboul. Z. C. 13, 200.
"	"	1.954, 15°	} Linnemann. A. C. P. 136, 53.
"	"	1.950, 16°	
"	"	1.943, 17°	Linnemann. A. C. P. 138, 123.
"	"	1.972, 0°	} Erlenneyer. A. C. P. 139, 226.
"	"	1.946, 17°	
"	"	1.9586, 0°	} Two products. Friedel and Ladenburg. B. S. C. 8, 146.
"	"	1.9256, 20°	
"	"	1.9710, 0°	} Linnemann. A. C. P. 161, 42.
"	"	1.9383, 20°	
"	"	1.9463, 17°	} Zander. A. C. P. 214, 181.
"	"	1.9465, 15°	
"	"	1.9617, 0°	} Gladstone. Bei. 9, 249.
"	"	1.6944, 141° 7'	
"	"	1.8893, 18°	} Perkin. J. P. C. (2), 32, 523.
"	"	1.910, 21°	
"	"	1.94426	} Perkin. J. P. C. (2), 32, 523.
"	"	1.94474	
"	"	1.93004	
"	"	1.93030	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dimethylmethylene bromide. Methylbromacetol.	$\left\{ \begin{array}{l} \text{CH}_3 \cdot \text{CBr}_2 \cdot \text{CH}_3 \\ \text{---} \end{array} \right.$	1.8149, 0°	$\left\{ \begin{array}{l} \text{Friedel and Laden-} \\ \text{burg. B. S. C.} \\ 8, 150. \end{array} \right.$
“ “		1.7825, 20°	
“ “	“	1.895, 9°	Reboul. Z. C. 13, 200.
“ “	“	1.875, 10°	Reboul.
“ “	“	1.84761, 15°	Perkin. J. P. C. (2), 32, 523.
“ “	“	1.83140, 25°	
$\alpha$ Butylene bromide	$\text{C}_2\text{H}_5 \cdot \text{CHBr} \cdot \text{CH}_2\text{Br}$	1.876, 0°	Wurtz. J. 22, 365.
“ “	“	1.8503, 0°	$\left\{ \begin{array}{l} \text{Grabowsky and} \\ \text{Saytzeff. A. C.} \\ \text{P. 179, 332.} \end{array} \right.$
“ “	“	1.8204, 20°	
$\beta$ Butylene bromide	$\text{CH}_3 \cdot (\text{CHBr})_2 \cdot \text{CH}_3$	1.8299	Wurtz. J. 20, 573.
“ “	“	1.8119 } 0°	
“ “	“	1.8053, 0°	Puchot. Ann. (5), 28, 543.
“ “	“	1.7215, 50°	
“ “	“	1.6378, 100°	
“ “	“	1.74343 } 15°	
“ “	“	1.75586 } 15°	
“ “	“	1.73083 } 25°	
“ “	“	1.74294 } 25°	Perkin. J. P. C. (2), 32, 523.
Isobutylene bromide	$\text{C}_4\text{H}_8\text{Br}_2$	1.798, 14°	$\left\{ \begin{array}{l} \text{Two samples. Lin-} \\ \text{nemann. A. C. P.} \\ 162, 1. \end{array} \right.$
“ “	“	1.809, 17°	
“ “	“	1.808, 24°	Studer. Ber. 14, 2188.
Ethylmethylethylene bromide.	$\text{C}_2\text{H}_5 \cdot (\text{CHBr})_2 \cdot \text{CH}_3$	1.7087, 0°	$\left\{ \begin{array}{l} \text{Wagner and Saytzeff.} \\ \text{A. C. P. 179,} \\ 308. \end{array} \right.$
“ “	“	1.6868, 14°	
Isoamylene bromide	$\text{C}_5\text{H}_{10}\text{Br}_2$	1.3443, 0°	Helbing. A. C. P. 172, 281.
“ “	“	1.656, 21°	Gladstone. Bei. 9, 249.
“ “	“	1.63699 } 15°	$\left\{ \begin{array}{l} \text{Perkin. J. P. C.} \\ (2), 32, 523. \end{array} \right.$
“ “	“	1.64000 } 15°	
“ “	“	1.62595 } 25°	
“ “	“	1.62921 } 25°	
Hexylene bromide	$\text{C}_6\text{H}_{12}\text{Br}_2$	1.582, 19°	Pelouze and Cahours. J. 16, 526.
“ “	“	1.5975, 18°	Thorpe and Young. A. C. P. 165, 1.
“ “	“	1.5967, 20°	
“ “	“	1.6058, 0°	Hecht and Strauss. A. C. P. 172, 62.
“ “	“	1.5809, 19°	Helbing. A. C. P. 172, 281.
“ “	“	1.6497, 0°	
Heptylene bromide	$\text{C}_7\text{H}_{14}\text{Br}_2$	1.5146, 18°	Thorpe and Young A. C. P. 165, 1.

## 3d. Miscellaneous Non-Aromatic Bromides.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Bromoform	$\text{C H Br}_3$	2.13	Löwig. A. C. P. 3, 296.
"	"	2.9, 12°	Cahours. J. 1, 501.
"	"	2.775, 14° 5'	Schmidt. Ber. 10, 194.
"	"	2.81185, 8° 56'	} Thorpe. J. C. S. 37, 201 and 371.
"	"	2.43611, 151° 2'	
"	"	2.90246	} Perkin. J. P. C. (2), 32, 523.
"	"	2.90450 } 15°	
"	"	2.88253 } 25°	
"	"	2.88421 } 25°	
Bromethylene dibromide	$\text{C H}_2 \text{ Br. C H Br}_2$	2.620, 23°	Wurtz. J. 10, 461.
"	"	2.663, 0°	Simpson. J. 10, 461.
"	"	2.659, 0°	Caventou. J. 14, 608.
"	"	2.624, 16°	Tawildarow. A. C. P. 176, 21.
"	"	2.65, 0°	Demole. Ber. 9, 49.
"	"	2.6189, 17° 5'	} Anschütz. A. C. P. 221, 61.
"	"	2.6107, 21° 5'	
"	"	2.57896, 20°	Weegmann. Z. P. C. 2, 218.
Tetrabromethane	$\text{C H}_2 \text{ Br. C Br}_3$	2.88, 22°	Reboul. Z. C. 13, 200.
"	"	2.93	Bourgoin. J. C. S. 32, 443.
"	"	2.9292, 17° 5'	} Anschütz. A. C. P. 221, 133.
"	"	2.9216, 21° 5'	
"	"	2.88249, 16° 6'	} Weegmann. Z. P. C. 2, 218.
"	"	2.87687, 19° 1'	
"	"	2.87482, 20°	
"	"	2.87214, 21° 2'	
"	"	2.86512, 24° 3'	
"	"	2.85836, 27° 3'	
"	"	2.85189, 30° 2'	
Acetylene tetrabromide	$\text{C H Br}_2 \cdot \text{C H Br}_2$	2.848, 21° 5'	Sabanejeff. A. C. P. 178, 114.
"	"	2.9469	} Anschütz. Ber. 12, 2075.
"	"	2.9517 } 17° 5'	
"	"	2.9708	} Anschütz. A. C. P. 221, 133.
"	"	2.9712 } 17° 5'	
"	"	2.9629, 21° 5'	} Eltzbacher. Bonn Inaug. Diss. 1884.
"	"	2.92011, 17° 5'	
"	"	2.96725, 20°	Weegmann. Z. P. C. 2, 218.
"	"		Watts' Dictionary.
Bromethylene, or vinyl bromide.	$\text{C}_2 \text{ H}_3 \text{ Br}$	1.52	
"	"	1.5236, 11°	} Anschütz. A. C. P. 221, 133.
"	"	1.5167, 14°	
"	"	1.52504, 9° 6'	Perkin. J. P. C. (2), 32, 523.
Dibromethylene	$\text{C}_2 \text{ H}_2 \text{ Br}_2$	3.038, 10°	Sawitsch. J. 13, 431.
"	"	3.053, 14° 5'	} Anschütz. A. C. P. 221, 133.
"	"	2.1780, 20° 6'	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Acetylene dibromide	$C_2 H_2 Br_2$	2.120, 17°	Tawildarow. A. C. P. 176, 23.
" "	"	2.2023, 22° 7'	Sabanejeff. B. S. C. 27, 371.
" "	"	2.268, 0°	Plimpton. Ber. 14, 1812.
" "	"	2.271, 0°	Sabanejeff. Ber. 16, 1220.
" "	"	2.223, 19°	
" "	"	2.2714, 17° 5'	Anschütz. A. C. P. 221, 133.
" "	"	2.2983, 0°	Weger. A. C. P. 221, 61.
" "	"	2.0352, 110° 5'	
" "	"	2.22889, 20°	Weegmann. Z. P. C. 2, 218.
Tribromethylene	$C_2 H Br_3$	2.68762, 20°	" "
Tribromopropane	$CH_3. CBr_2. CH_2 Br$	2.336	Cahours. J. 3, 496.
"	"	2.392, 23°	Wurtz. J. 10, 462.
"	"	2.39, 10°	Linnemann. J. 18, 490.
"	"	2.33, 12°	Reboul. J. C. S. 36, 127.
"	$CH_3. CHBr. CHBr_2$	2.356, 18°	Reboul. C. R. 79, 317.
Tribromhydrin	$CH_2 Br. CHBr. CH_2 Br$	2.436, 23°	Wurtz. J. 10, 463.
"	"	2.966, 0°	Perrot. J. 11, 395.
"	"	2.407, 10°	Henry. A. C. P. 154, 370.
"	"	2.41344, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	2.39856, 25°	
Tetrabromopropane	$C_3 H_4 Br_4$	2.469	Cahours. J. 3, 496.
Allylene tetrabromide	$C H_3. CBr_2. CH Br_2$	2.94, 0°	Oppenheim. J. 17, 493.
Tetrabromglycide	$CHBr_2. CHBr. CH_2 Br$	2.64	Reboul. J. 13, 462.
Pentabromopropane	$C_3 H_3 Br_5$	2.601	Cahours. J. 3, 496.
$\alpha$ Brompropylene	$C_3 H_5 Br$	1.364, 19° 5'	Reboul. C. R. 79, 317.
"	"	1.39, 9°	Reboul. J. C. S. 36, 127.
"	"	1.42077, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.40527, 25°	
$\beta$ Brompropylene	"	1.400, 13°	Linnemann. A. C. P. 136, 55.
"	"	1.410, 14°	Linnemann. J. 19, 308.
"	"	1.408, 19°	
"	"	1.4110, 15°	Linnemann. A. C. P. 161, 18.
"	"	1.428, 19° 5'	Reboul. C. R. 79, 317.
Allyl bromide	"	1.472	Cahours. J. 3, 496.
" "	"	1.451, 0°	Tollens. J. P. C. 107, 185.
" "	"	1.4385, 15°	
" "	"	1.3609, 62°	
" "	"	1.4507, 0°	
" "	"	1.461, 0°	Tollens and Henninger. Z. C. 12, 88.
" "	"	1.436, 15°	Tollens. A. C. P. 156, 153.
" "	"	1.4593, 0°	Zander. A. C. P. 214, 181.
" "	"	1.3333, 70° 5'	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Allyl bromide	$C_3 H_5 Br$	1.396, 20°.5	Gladstone. Bei. 9,
" "	"	1.3867, 24°.5	249.
" "	"	1.3980, 20°	Brühl. A. C. P.
" "	"	1.42532, 15°	235, 1.
" "	"	1.41057, 25°	Perkin. J. P. C. (2),
Epidibromhydrin	$C_3 H_4 Br_2$	2.06, 11°	32, 523.
Allylene bromide	"	1.950	Reboul. J. 13, 461.
" "	"	2.05, 0°	Cahours. J. 3, 496.
" "	"	2.00, 15°	Oppenheim. J. 17,
" "	"	1.98, 15°	493.
Propargyl tribromide	$C_3 H_3 Br_3$	2.53, 10°	Borsche and Fittig.
Propargyl bromide	$C_3 H_3 Br$	1.52, 20°	J. 18, 314.
" "	"	1.59, 11°	Linnemann. J. 18,
Propargyl pentabromide	$C_3 H_3 Br_5$	3.01, 10°	490.
Tribromisobutane	$C_4 H_7 Br_3$	2.187, 17°	Henry. Ber. 7, 761.
Bromamylene	$C_6 H_9 Br$	1.22, 19°	Henry. B. S. C. 20,
Isoprene bromide	"	1.175, 15°	452.
Isoprene dibromide	$C_5 H_8 Br_2$	1.601, 15°	Henry. Ber. 7, 761.
Bromhexylene.	$C_6 H_{11} Br$	1.35, 12°	" "
" B. 99°-100°.	"	1.17, 15°	Norton and Wil-
" B. 138°	"	1.2205, 0°	liams. A. C. J. 9,
" B. 140°	"	1.2025, 15°	88.
Hexine dibromide	$C_6 H_{10} Br_2$	1.6977, 0°	Linnemann. Z. C.
" "	"	1.5543, 100°	11, 58.
Hexine tetrabromide	$C_6 H_{10} Br_4$	2.1625, 0°	Bouchardat. J. C. S.
Dibromdiallyl	$C_6 H_8 Br_2$	1.656	38, 323.
Dipropargyl tetrabromide	$C_6 H_6 Br_4$	2.464, 19°	" "
Conylene bromide	$C_8 H_{14} Br_2$	1.5679, 16°.25	Hecht and Strauss.
Bromdecylene	$C_{10} H_{19} Br$	1.109, 15°	A. C. P. 172, 62.
Isovinyl bromide	$(C_2 H_3 Br)_n$	2.075	Hecht. Ber. 11, 1054.
Erythrene hexbromide	$C_4 H_4 Br_6$	2.9, 15°, 1.---	" "
" " "	"	3.4, solid---	Henry. J. C. S. (2),
			11, 1215.
			Henry. Ber. 7, 761.
			Wertheim. J. 15,
			367.
			Reboul and Truchot.
			J. 28, 588.
			Baumann. A. C. P.
			163, 308.
			Colson. B. S. C. 48,
			52. Two modifi-
			cations.

## 4th. Aromatic Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brombenzene	$C_6H_5Br$	1.519	Ladenburg. Ber. 7, 1685.
"	"	1.522 } 0°-- {	
"	"	1.51768, 0°	
"	"	1.50236, 11° 46'	
"	"	1.48977, 20° 96'	
"	"	1.41163, 77° 76'	
"	"	1.4914, 20°	
"	"	1.5203, 0°	
"	"	1.3080, 155° 6'	
"	"	1.4958, 16°	
"	"	1.49225, 23°	
"	"	1.3080, 155°	Brühl. Bei. 4, 780.
"	"	1.3090, 156°	
Orthodibrombenzene	$C_6H_4Br_2$	2.003, 0°	Weger. A. C. P. 221, 61.
"	"	1.858, 99°	
Metadibrombenzene	"	1.955, 18° 6'	Gladstone. Bei. 9, 249.
Paradibrombenzene	"	2.218	
"	"	2.222 } 4°-- {	
"	"	1.8408, 89° 3'	Schiff. Bei. 9, 559.
Benzyl bromide	$C_6H_5, C_2H_5Br$	1.438, 22°	Schiff. Ber. 19, 560.
Orthobromtoluene	$C_6H_4, C_2H_5, Br$	1.4092, 21° 5'	Körner. J. C. S. (8), 1, 214.
"	"	1.4109, 22°	
"	"	1.401, 18°	" " " " " "
"	"	1.2031, 182° 5'	
Metabromtoluene	"	1.4009, 21°	Schröder. Ber. 12, 561.
Parabromtoluene	"	1.3999, 30°	Schiff. A. C. P. 223, 247.
Dibromtoluene. B. 236°	$C_6H_3, C_2H_5, Br_2$	1.8127, 19°	Kekulé. J. 20, 662.
" B. 238°-239°	"	1.812, 19°	
" B. 246°	"	1.812, 22°	
Ethylbrombenzene. 1.4	$C_6H_4, C_2H_5, Br$	1.34, 13° 5'	Glinzer and Fittig. J. 18, 538.
Bromxylene	$C_6H_3, C_2H_5, C_2H_5, Br$	1.335, 21°	Kekulé. J. 20, 663.
" 1.24	"	1.3693, 15°	
" 1.35	"	1.362, 20°	
Metaxylyl bromide	$C_6H_4, C_2H_5, C_2H_5, Br$	1.3711, 23°	Wroblevsky. A. C. P. 168, 147.
Orthoxylyl bromide	"	1.3811, 23°	Schiff. Ber. 19, 560.
Dibromorthoxylene	$C_6H_2, (C_2H_5)_2, Br_2$	1.7842, 15°	Wroblevsky. Z. C. 13, 239.
Orthoxylylene bromide	$C_6H_4, (C_2H_5, Br)_2$	1.934, 0°, s.	Hübner and Terry. Z. C. 14, 232.
"	"	1.680, 95°, l.	
			Wroblevsky. Z. C. 14, 272.
			Fittig and Koenig. J. 20, 609.
			Beilstein. J. 17, 530.
			Jacobsen. Ber. 17, 2373.
			Wroblevsky. A. C. P. 192, 215.
			Radziszewski and Wispek. Ber. 15, 1745.
			Radziszewski and Wispek. Ber. 15, 1747.
			Jacobsen. Ber. 17, 2377.
			Colson. Ann. (6), 6, 86.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Orthoxylylene bromide	$C_6 H_4 (C H_2 Br)_2$	1.988	Colson. C. R. 104, 429.
Metaxylylene bromide	"	1.784, 0°, s. }	Colson. Ann. (6), 6, 86.
"	"	1.615, 80°, l. }	
"	"	1.959	Colson. C. R. 104, 429.
Paraxylylene bromide	"	2.010, s. }	Colson. Ann. (6), 6, 86.
"	"	1.850, 155°, l. }	
"	"	2.012	Colson. C. R. 104, 429.
Brommesitylene. 1.3.5.6	$C_6 H_2 (C H_3)_3 Br$	1.3191, 10°	Fittig and J. Storer, J. 20, 704.
Isopropylbrombenzene.	$C_8 H_4 C_3 H_7 Br$	1.3223, 13°	Meusel. J. 20, 698.
"	"	1.3014, 15°	Jacobsen. Ber. 12, 480.
Dibromemene	$C_{10} H_{12} Br_2$	1.596	Claus and Wimmel. Ber. 13, 903.
$\beta$ Bromamylbenzene	$C_{11} H_{15} Br$	1.2834, 21°	Dafert. M. C. 4, 621.
Benzene hexbromide	$C_6 H_6 Br_6$	2.5 +	Meunier. Ann. (6), 10, 223.
Bromdibenzyl	$C_{14} H_{13} Br$	1.318, 9°	Stelling and Fittig. Glaser. J. 18, 562.
Bromnaphthalene	$C_{10} H_7 Br$	1.555	Wahlforss. J. 18, 564.
"	"	1.48875, 16°.5	} Nasini and Bernheimer. G. C. I. 15, 50.
"	"	1.47496, 28°.1	
"	"	1.42572, 77°.6	
"	"	1.5678, 16°.5	} Gladstone. Bei. 9, 249.
"	"	1.5403, 17°	
"	"	1.5403, 18°	
"	$\beta$	1.605, 0°	Roux. B. S. C. 45, 514.
$\alpha$ Tetrabromhydrocamphene.	$C_{10} H_{14} Br_4$	2.2042	Royère. Ber. 19, ref. 438.
$\beta$ Tetrabromhydrocamphene.	"	1.98711	" "

## LVI. COMPOUNDS CONTAINING C, H, O, AND BR.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
$\alpha \beta$ Dibrompropyl alcohol	$C_8 H_8 Br_2 O$	2.1682, 0°	} Weger. A. C. P. 221, 61.
"	"	1.7535, 219°	
Monobromtrimethylcarbinol.	$C_4 H_9 Br O$	1.429, 0°	Guareschl and Garzino. J. C. S. 54, 437.
Dibromhexyl alcohol	$C_6 H_{12} Br_2 O$	1.99, 15°	Destrem. Ann. (5), 27, 50.
Bromethyl oxide	$C_4 H_9 Br O$	1.3704, 0°	Henry. C. R. 100, 1007.
Bromacetyl bromide	$C_2 H_2 Br_2 O$	2.317, 21°.5	Naumann. J. 17, 322.
Propionyl bromide	$C_3 H_5 O Br$	1.465, 14°	Sestini. J. 22, 528.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Dibromacetic acid -----	$C_2 H_2 Br_2 O_2$ -----	2.25 -----	Perkin and Duppa. J. 11, 285.
Bromobutyric acid -----	$C_4 H_7 Br O_2$ -----	1.54, 15° -----	Schneider. J. 14, 457.
Bromisobutyric acid -----	" -----	1.5225, 60° -----	HellandWaldbauer. Ber. 10, 448.
" " -----	" -----	1.500, 100° -----	
Dibromobutyric acid -----	$C_4 H_6 Br_2 O_2$ -----	1.97 -----	Schneider. J. 14, 458.
Bromostearic acid -----	$C_{18} H_{35} Br O_2$ -----	1.0653, 20° -----	Oudemans. J. P. C. 89, 197.
Ethyl bromacetate -----	$C_4 H_7 Br O_2$ -----	1.5250, 18° -----	Gladstone. Bei. 9, 249.
Dibromethyl acetate -----	$C_4 H_6 Br_2 O_2$ -----	1.962, 17° -----	Kessel. Ber. 10, 1996.
Ethyl brompropionate --	$C_5 H_9 Br O_2$ -----	1.396, 11° -----	Henry. A. C. P. 156, 176.
Methyl dibrompropionate. a.	$C_4 H_6 Br_2 O_2$ -----	1.9043, 0° --	Philippi. Göttingen Inaug. Diss. 1873.
" " " -----	" -----	1.8973, 12° -----	
" " " $\alpha\beta$ -----	" -----	1.9777, 0° -----	
" " " -----	" -----	1.6140, 205° .8.	Weger. A. C. P. 221, 61.
Ethyl dibrompropionate. a	$C_5 H_8 Br_2 O_2$ -----	1.7728, 0° --	Philippi. Gött. Inaug. Diss. 1873.
" " " -----	" -----	1.7536, 12° -----	
" " " $\beta$ -----	" -----	1.796, 0° -----	
" " " -----	" -----	1.777, 15° -----	Münder and Tollens. A. C. P. 167, 222.
" " " $\alpha\beta$ -----	" -----	1.8234 -----	} 0° -----
" " " -----	" -----	1.8279 -----	
" " " -----	" -----	1.4554, 214° .6	
Propyl dibrompropionate.	$C_6 H_{10} Br_2 O_2$ -----	1.6842, 0° --	Philippi. Gött. Inaug. Diss. 1873.
" " " -----	" -----	1.6632, 12° -----	
" " " $\alpha\beta$ -----	" -----	1.7014, 0° -----	
" " " -----	" -----	1.3391, 233° -----	Weger. A. C. P. 221, 61.
Butyl dibrompropionate. a	$C_7 H_{12} Br_2 O_2$ -----	1.6008, 0° -----	Philippi. Gött. Inaug. Diss. 1873.
" " " -----	" -----	1.5778, 12° -----	
Methyl brombutyrate. $\gamma$ --	$C_5 H_9 Br O_2$ -----	1.450, 5° -----	Henry. C. R. 102, 368.
Ethyl brombutyrate -----	$C_6 H_{11} Br O_2$ -----	1.33, 15° -----	Schneider. J. 14, 458.
" " " -----	" -----	1.345, 12° -----	Cahours. J. 15, 248.
" " " $\gamma$ -----	" -----	1.363, 5° -----	Henry. C. R. 102, 368.
Ethyl bromisobutyrate --	" -----	1.328, 0° -----	Hell and Wittekind. Ber. 7, 319.
" " " -----	" -----	1.300, 19° .5	
Ethyl bromvalerate. a -----	$C_7 H_{13} Br O_2$ -----	1.226, 18° -----	Juslin. Ber. 17, 2504.
Ethyl bromethylmethylacetate. a.	" -----	1.2275, 18° -----	Böcking. A. C. P. 204, 24.
Bromal. -----	$C_2 H Br_3 O$ -----	3.34 -----	Löwig. A. C. P. 3, 305.
Parabromalide -----	" -----	3.107 -----	Cloëz. J. 12, 433.
Bromacetone -----	$C_3 H_5 Br O$ -----	1.99 -----	Sokolowsky. B. S. C. 27, 371.
Dibromacetone -----	$C_3 H_4 Br_2 O$ -----	2.5 -----	" "
Hexbromethylmethyl ketone.	$C_4 H_2 Br_6 O$ -----	2.88, 0° -----	Demole. Ber. 11, 1712.
Ethylene bromhydrin --	$C_2 H_4 Br. O H$ -----	1.66, 8° -----	Henry. Ann. (4), 27, 243.
Bromethylene bromhydrin	$C_2 H_3 Br. Br. O H$ -----	2.35, 0° -----	Demole. Ber. 9, 50.
Bromethylene bromaceticin	$C_2 H_3 Br. Br. C_2 H_3 O_2$ -----	1.98, 0° -----	Demole. Ber. 9, 51.
Ethylidene bromethylate.	$C_2 H_4 Br. O C_2 H_5$ -----	1.0632, 12° -----	Henry. C. R. 100, 1007.



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trimethylene bromhydrin	$C_3 H_6 Br O H$ -----	1.5374, 20° ---	Frühling. Ber. 15, 2622.
Ethoxybromamylene	$C_5 H_8 Br O C_2 H_5$ ---	1.23, 19° -----	Reboul. J. 17, 507.
Hexylene bromhydrin	$C_6 H_{12} Br O H$ -----	1.2959, 11° ---	Henry. C. R. 97, 260.
Ethyl bromacetacetate	$C_6 H_9 Br O_3$ -----	1.511, 22° -----	Duisberg. Ber. 15, 1378.
Ethyl dibromacetacetate	$C_6 H_8 Br_2 O_3$ -----	1.884, 25° -----	" "
Ethyl tribromacetacetate	$C_8 H_7 Br_3 O_3$ -----	2.144, 22° -----	" "
Ethyl tetrabromacetacetate.	$C_8 H_6 Br_4 O_3$ -----	2.401, 17° -----	" "
Dibromide of dibromacetacetic ether.	$C_6 H_8 Br_4 O_3 ?$ -----	2.320, 21° -----	Conrad. A. C. P. 186, 233. Compare Ber. 15, 2133.
Ethyl bromethylacetacetate.	$C_8 H_{13} Br O_3$ -----	1.354 -----	Wedel. A. C. P. 219, 102.
Ethyl dibromethylacetacetate.	$C_8 H_{12} Br_2 O_3$ -----	1.635 -----	Wedel. A. C. P. 219, 103.
Ethyl tribromethylacetacetate.	$C_8 H_{11} Br_3 O_3$ -----	1.860 -----	" "
Ethyl $\beta$ bromacetopropionate.	$C_7 H_{11} Br O_3$ -----	1.439, 15° -----	Conrad and Guthzeit. Ber. 17, 2286.
Ethyl brompropionpropionate.	$C_8 H_{13} Br O_3$ -----	1.337, 15° -----	Israel. A. C. P. 231, 197.
Ethyl dibrompropionpropionate.	$C_8 H_{12} Br_2 O_3$ -----	1.611, 15° ---	" "
Bromallyl alcohol	$C_3 H_5 Br O$ -----	1.6, 15° -----	Henry. B. S. C. 18, 232.
Bromallyl acetate	$C_5 H_7 Br O_2$ -----	1.57, 12° -----	" "
Allyldibrompropionate. $\beta$ .	$C_6 H_8 Br_2 O_2$ -----	1.843, 0° -----	Münderand Tollens. A. C. P. 167, 222.
" "	" -----	1.818, 20° ---	
Dibromallyl oxide	$C_6 H_8 Br_2 O$ -----	1.7, 17° -----	Henry. B. S. C. 20, 452.
Brommethylallyl oxide	$C_4 H_7 Br O$ -----	1.35, 10° -----	Henry. B. S. C. 18, 232.
Bromethylallyl oxide	$C_5 H_9 Br O$ -----	1.27, 12° -----	Henry. Ber. 5, 186.
Monobromhydrin	$C_3 H_5 Br (O H)_2$ -----	1.717, 4° -----	Veley. C. N. 47, 39.
Dibromhydrin	$C_3 H_5 Br_2 O H$ -----	2.11, 10° -----	Berthelot and De Luca. J. 8, 627.
"	" -----	2.11, 18° -----	Berthelot and De Luca. J. 9, 601.
"	" -----	2.02, 18°.5 -----	Zotta. A. C. P. 174, 87.
Epibromhydrin	$C_3 H_5 Br O$ -----	1.615, 14° ---	Berthelot and De Luca. J. 9, 600.
Bromdiethylin	$C_3 H_5 Br (O C_2 H_5)_2$ -----	1.258, 8° -----	Henry. Ber. 4, 701.
Diethyl brommaleate	$C_8 H_{11} Br O_4$ -----	1.4095, 17°.5 -----	Anschtz and Aschman. Ber. 12, 2284.
Dibromoleic acid	$C_{18} H_{32} Br_2 O_2$ -----	1.272, 7°.5 -----	Lefort. J. 6, 451.
Bromcitropyrotartaric anhydride.	$C_5 H_3 Br O_3$ -----	1.935, 23° -----	Bourgoin. J. Ph. C. 26, 234.
Ethyl $\delta$ brompyromucate.	$C_7 H_7 Br O_3$ -----	1.528, 0° -----	Hill and Sanger. A. C. P. 232, 52.
Orthomonobromphenol	$C_6 H_5 Br O$ -----	1.6606, 30° ---	Körner. J. 19, 574.
Paramonobromphenol	" -----	1.840, 15° -----	Hand. A. C. P. 234, 133.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brommethylphenol -----	$C_7 H_7 Br O$ -----	1.494, 9° -----	Henry. Z. C. 13, 247.
Bromparakresol -----	“ -----	1.5468, 24°.5 -----	Schall and Dralle. Ber. 17, 2531.
Brommethylparakresol -----	$C_8 H_9 Br O$ -----	1.4182, 24°.5 -----	“ -----
Bromisopropylphenol -----	$C_9 H_{11} Br O$ -----	1.981, 0° -----	} Silva. B.S.C., Jan., 1870.
“ -----	“ -----	1.957, 12°.5 -----	
Bromallylphenol ether -----	$C_9 H_9 Br O$ -----	1.4028, 11° -----	Henry. Ber. 16, 1878.
Brommethyleugenol -----	$C_{11} H_{13} Br O_2$ -----	1.8959, 0° -----	Wassermann. C. R. 88, 1207.
Benzoyl bromide -----	$C_7 H_5 O. Br$ -----	1.5700, 15° -----	Claisen. Ber. 14, 2478.
Monobromcamphor -----	$C_{10} H_{15} Br O$ -----	1.437 -----	} Schröder. Ber. 13, 1070.
“ -----	“ -----	1.449 -----	
Santonyl bromide -----	-----	1.4646 -----	Carnelutti and Nardini. Ber. 18, 2210.

## LVII. BROMINE COMPOUNDS CONTAINING NITROGEN.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Brompicrin -----	$C Br_3 N O_2$ -----	2.811, 12°.5 -----	Bolas and Groves. Z. C. 13, 414.
“ -----	“ -----	2.816, 13° -----	Gladstone. Bei. 9, 249.
Tetranitroethylene bromide.	$C_2 (N O_2)_4 Br_2$ -----	1.25, 14° -----	Villiers. J. C. S. 42, 815.
Bromonitric glycol -----	$C_2 H_4 Br N O_3$ -----	1.735, 8° -----	Henry. Ann. (4), 27, 243.
Bromallyl nitrate -----	$C_3 H_4 Br N O_3$ -----	1.5, 13° -----	Henry. B. S. C. 18, 232.
Nitrobromtoluene. B. 269°	$C_7 H_5 Br N O_2$ -----	1.612, 20° -----	Wroblevsky. Z. C. 13, 240.
“ B. 256°	“ -----	1.631, 18° -----	Wroblevsky. Z. C. 13, 166.
Bromtoluidine. B. 240°	$C_7 H_8 Br N$ -----	1.510, 20° -----	Wroblevsky. A. C. P. 168, 147.
“ B. 255°-260°	“ -----	1.1442, 19° -----	Wroblevsky. A. C. P. 192, 203.
Brompyridine -----	$C_5 H_4 Br N$ -----	1.645, 0° -----	Ciamician and Dennstedt. Ber. 15, 1174.
“ -----	“ -----	1.646, 0° -----	Danesi. Ber. 15, 1177.
“ -----	“ -----	1.632, 10° -----	Hofmann. Ber. 16, 589.

## LVIII. COMPOUNDS CONTAINING C, H, AND I.

## 1st. Iodides of the Paraffin Series.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl iodide	$C H_3 I$	2.227, 22°	Dumas and Peligot. Ann. (2), 58, 80.
" "	"	2.19922, 0°	Pierre. C. R. 27, 218.
" "	"	2.2636, 20°	Haagen. P. A. 131, 117.
" "	"	2.269, 25°	Linnemann. Z. C. 11, 285.
" "	"	2.2905, 16°	Sigel. A. C. P. 170, 345.
" "	"	2.1905, 42°	Ramsay. J. C. S. 35, 463.
" "	"	2.28517, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	2.25288, 25°	
" "	"	2.3346, 0°	Dobriner. A. C. P. 248, 23.
" "	"	2.2146, 42°.8	
Ethyl iodide	$C_2 H_5 I$	1.9206, 23°.3	Gay Lussac. Ann. (1), 91, 91.
" "	"	1.92, 16°	Marchand. J. P. C. 33, 188.
" "	"	1.97546, 0°	Pierre. C. R. 27, 218.
" "	"	1.9567, 5°-10°	
" "	"	1.9457, 10°-15°	Regnault. P. A. 62, 50.
" "	"	1.9348, 15°-20°	
" "	"	1.9464, 16°	Frankland. J. 2, 412.
" "	"	1.9309, 15°	Mendelejeff. J. 13, 7.
" "	"	1.98, 4°	Berthelot. A. C. P. 115, 114.
" "	"	1.927, 20°	Linnemann. A. C. P. 144, 133.
" "	"	1.9265, 19°	Linnemann. A. C. P. 148, 251.
" "	"	1.935	Haagen. P. A. 131, 117.
" "	"	1.938	
" "	"	1.979, 0°	Pierre and Puchot. Ann. (4), 22, 261.
" "	"	1.907, 30°.4	
" "	"	1.9444, 14°.5	Linnemann. A. C. P. 160, 195.
" "	"	1.944, 15°	Crismer. Ber. 17, 652.
" "	"	1.9313, 14°	Gladstone. Bei. 9, 249.
" "	"	1.8111, 72°.2	Schiff. Ber. 19, 560.
" "	"	1.96527, 4°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.94332, 15°	
" "	"	1.92431, 25°	Dobriner. A. C. P. 248, 23.
" "	"	1.9795, 0°	
" "	"	1.8156, 72°.5	Berthelot and De Luca. J. 7, 452.
Propyl iodide	$C_3 H_7 I$	1.789, 16°	Linnemann. J. 21, 433.
" "	"	1.7012, 21°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propyl iodide	$C_3H_7I$	1.7343, 16°	Chapman and Smith. J. C. S. 22, 195.
" "	"	1.782, 0°	Rossi. A. C. P. 159, 79.
" "	"	1.7472, 16°	Linnemann. A. C. P. 160, 195.
" "	"	1.7377, 23°	Linnemann. A. C. P. 161, 25.
" "	"	1.7610, 16°	Linnemann. A. C. P. 161, 34.
" "	"	1.78635, 0°	} Brown. J. C. S. 32, 837.
" "	"	1.75035, 19°.27	
" "	"	1.74772, 20°.79	
" "	"	1.74628, 20°.91	
" "	"	1.7427, 20°	
" "	"	1.7483, 14°	Brühl. A. C. P. 203, 1.
" "	"	1.5867, 102°.5	De Heen. Bei. 5, 105. Zander. A. C. P. 214, 181.
" "	"	1.7838, 0°	Chancel. B. S. C. 39, 648.
" "	"	1.7508, 16°	Gladstone. Bei. 9, 249.
" "	"	1.7842, 0°	} Pierre and Puchot. Ann. (4), 22, 286.
" "	"	1.7674, 9°.1	
" "	"	1.6843, 52°.6	
" "	"	1.6373, 75°.3	
" "	"	1.76732, 10°	
" "	"	1.75853, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.7829, 0°	} Dobriner. A. C. P. 243, 23.
" "	"	1.585, 102°.5	
Isopropyl iodide	"	1.70, 15°	Linnemann. J. 18, 489.
" "	"	1.714, 16°	Erlenmeyer. A. C. P. 126, 309.
" "	"	1.73, 0°	Simpson. A. C. P. 129, 128.
" "	"	1.725, 0°	Wurtz. See A. C. P. 136, 43.
" "	"	1.69, 15°	Linnemann. A. C. P., 3d Supp., 265.
" "	"	1.71, 15°	Linnemann. A. C. P., 3d Supp., 267.
" "	"	1.735, 0°	} Erlenmeyer. A. C. P. 139, 229.
" "	"	1.711, 17°	
" "	"	1.71732, 17°	} H. L. Buff. A. C. P., 4th Supp., 129.
" "	"	1.562442, 93°	
" "	"	1.70, 18°	Linnemann. A. C. P. 140, 178.
" "	"	1.715, 15°.5	Siersch. A. C. P. 140, 142.
" "	"	1.7109, 15°	Linnemann. A. C. P. 161, 18.
" "	"	1.744, 0°	} Brown. J. C. S. 32, 837.
" "	"	1.70526, 19°.8	
" "	"	1.70506, 20°.14	
" "	"	1.70457, 21°.09	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl iodide	$C_3H_7I$	1.7033, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.5650, 89°	Zander. A. C. P. 214, 181.
" "	"	1.7157, 14°	Gladstone. Bei. 9, 249.
" "	"	1.71620, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.70049, 25°	
Butyl iodide	$C_4H_9I$	1.643, 0°	Lieben and Rossi. A. C. P. 158, 137. Linnemann. Ann. (4), 27, 268.
" "	"	1.6136, 20°	
" "	"	1.5894, 40°	
" "	"	1.5804, 18°	
" "	"	1.6166, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.6172, 14°	De Heen. Bei. 5, 105.
" "	"	1.6476, 0°	Dobriner. A. C. P. 243, 23.
" "	"	1.4308, 129° 9	
Secondary butyl iodide	"	1.632, 0°	De Luynes. J. 17, 499.
" " "	"	1.600, 20°	
" " "	"	1.584, 30°	
" " "	"	1.6263, 0°	
" " "	"	1.6111, 10°	Lieben. J. 21, 439.
" " "	"	1.5952, 20°	
" " "	"	1.5787, 30°	
" " "	"	1.634, 0°	
Isobutyl iodide	"	1.604, 19°	Wurtz. J. 7, 573.
" "	"	1.643, 0°	Wurtz. J. 20, 573.
" "	"	1.6301, 0°	Chapman and Smith. J. C. S. 22, 156.
" "	"	1.6032, 16°	
" "	"	1.54816, 50°	Pierre and Puchot. Ann. (4), 22, 317.
" "	"	1.6345, 0°	
" "	"	1.6214, 8° 3	
" "	"	1.6387, 56° 4	
" "	"	1.464, 98° 8	Linnemann. A. C. P. 160, 195.
" "	"	1.6081, 19° 5	
" "	"	1.592, 22°	Linnemann. Ann. (4), 27, 268.
" "	"	1.6433, 0°	Erlenmeyer and Hell. A. C. P. 160, 257.
" "	"	1.6278, 10°	
" "	"	1.6114, 20°	Brauner. A. C. P. 192, 69.
" "	"	1.6401, 0°	
" "	"	1.6050, 20°	Brühl. A. C. P. 203, 1.
" "	"	1.6056, 20°	
" "	"	1.5982	Gladstone. Bei. 9, 249.
" "	"	1.4335, 114° 5	Schiff. Ber. 19, 560.
" "	"	1.61385, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	1.60066, 25°	
Trimethylcarbyl iodide. ?	"	1.587, 0°	Two lots. Puchot. Ann. (5), 23, 546.
" " "	"	1.501, 50° 1	
" " "	"	1.571, 0°	
" " "	"	1.479, 53°	
Normal pentyl iodide	$C_5H_{11}I$	1.5435, 0°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	1.5174, 20°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Normal pentyl iodide	$C_5H_{11}I$	1.4961, 40°	Lieben and Rossi. A. C. P. 159, 70.
" " "	"	1.5444, 0°	} Dobriner. A. C. P. 243, 20.
" " "	"	1.3128, 151°·7	
Amyl iodide	"	1.51113, 11°·5	Frankland. J.3, 478.
" " "	"	1.5277, 0°	Frankland.
" " "	"	1.4936, 20°	Grimm. J. 7, 543.
" " "	"	1.4676, 0°	Kopp. A. C. P. 95,
" " "	"	1.4387, 22°·3	307.
" " "	"	1.5087, 15°·8	Mendelejeff. J. 13, 7.
" " "	"	1.4734, 20°	Haagen. P. A. 131, 117.
" " "	"	1.5005, 14°	De Heen. Bei. 5, 105.
" " "	"	1.5413, 0°	} Flawitzky. Ber. 15, 11.
" " "	"	1.5084, 23°	
" " "	"	1.5048, 14°	Gladstone. Bei. 9, 249.
" " "	"	1.3098, 143°	Schiff. Ber. 19, 560.
" " "	"	1.5100, 15°	Perkin. J. P. C. (2), 31, 481.
" " "	"	1.49811, 25°	} Le Bel. B. S. C. 25, 545.
" " Active	"	1.54, 15°	
" " "	"	1.5425, 16°	Just. A. C. P. 220, 150.
Methylpropylcarbyliodide	"	1.537, 0°	} Wurtz. J. 21, 446.
" " "	"	1.5219, 11°	
" " "	"	1.539, 0°	} Wagner and Saytz- eff. A. C. P. 179, 318.
" " "	"	1.510, 20°	
" " "	"	1.499, 15°	Romburgh. Ber. 16, 392.
Diethylcarbyl iodide	"	1.528, 0°	} Wagner and Saytz- eff. A. C. P. 175, 365.
" " "	"	1.505, 16°	
" " "	"	1.4792	Gladstone. Bei. 9, 249.
" " "	"	1.528, 0°	} Wagner and Saytz- eff. A. C. P. 179, 318.
" " "	"	1.501, 20°	
Dimethylethylcarbyl iodide.	"	1.5207, 0°	Flawitzky. A. C. P. 179, 348.
" " "	"	1.4954, 19°	} Wischnegradsky. A. C. P. 190, 334.
" " "	"	1.524, 0°	
" " "	"	1.497, 19°	} Winogradow. A. C. P. 191, 125.
" " "	"	1.522, 0°	
" " "	"	1.493, 18°	} Pelouze and Ca- hours. J. 16, 526.
Hexyl iodide	$C_6H_{13}I$	1.431, 19°	
" " "	"	1.4115	Franchimont and Zincke. C. N. 24, 263.
" " "	"	1.4607, 0°	} Lieben and Janecek. J. R. C. 5, 156.
" " "	"	1.4363, 20°	
" " "	"	1.4178, 40°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.4661, 0°	
" " "	"	1.2165, 177°·1	} Wanklyn and Erlen- meyer. J. 14, 732.
Secondary hexyl iodide	"	1.439	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Secondary hexyl iodide	$C_6 H_{13} I$	1.4447, 0°	Wanklyn and Erlenmeyer. J. 16, 518. Hecht. A. C. P. 165, 146.
" " "	"	1.3812, 50°	
" " "	"	1.4526, 0°	
" " "	"	1.4589, 0°	} Krusemann. Ber. 9, 1468.
" " "	"	1.3938, 50°	
" " "	"	1.4477, 0°	
" " "	"	1.3808, 50°	
" " "	"	1.4487, 0°	
" " "	"	1.3839, 50°	
" " "	"	1.4193	Gladstone. Bei. 9, 249.
" " "	"	1.42694, 15°	} Perkin. J. P. C. (2), 31, 481.
" " "	"	1.41631, 25°	
Dimethylisopropylcarbyle iodide	"	1.3939, 0°	} Pawlow. A. C. P. 196, 122.
" " "	"	1.3725, 19°	
Pinacolic iodide	"	1.4739, 0°	Friedel and Silva. J. C. S. (2), 11, 488.
Normal heptyl iodide	$C_7 H_{15} I$	1.346, 16°	Gross. J. O. S. 32, 123.
" " "	"	1.4008, 0°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.1344, 203°.8	
Dipropylcarbyle iodide	"	1.20, 20°	Kurtz. A. C. P. 161, 205.
Normal octyl iodide	$C_8 H_{17} I$	1.338, 16°	Zincke. J. 22, 371.
" " "	"	1.355, 0°	} Kraft. Ber. 19, 2218.
" " "	"	1.337, 16°	
" " "	"	1.34069, 15°	} Perkin. J. P. C. (2), 31, 481.
" " "	"	1.33163, 25°	
" " "	"	1.3533, 0°	} Dobriner. A. C. P. 243, 23.
" " "	"	1.075, 225°.5	
Methylhexylcarbyle iodide	"	1.810, 16°	Bouis. J. 8, 526.
" " "	"	1.330, 0°	} De Clermont. J. 21, 449.
" " "	"	1.314, 21°	
Normal nonyl iodide	$C_9 H_{19} I$	1.3052, 0°	} Kraft. Ber. 19, 2218.
" " "	"	1.2874, 16°	
Normal decyl iodide	$C_{10} H_{21} I$	1.2768, 0°	" "
" " "	"	1.2599, 16°	

## 2d. Miscellaneous Compounds.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methylene iodide	$C_2H_2I_2$	3.342, 5°	Butlerow. J. 11, 420.
" "	"	3.3188, 19°	} Gladstone. Bei. 9, 249.
" "	"	3.326, 15°·5	
" "	"	3.328, 15°	
" "	"	3.2343, 16°	
" "	"	3.289, 33°	
" "	"	3.189, 74°	
" "	"	3.28523, 15°	Perkin. J. P. C. (2), 31, 481.
" "	"	3.26555, 25°	} E. Kopp. J. P. C. 33, 183.
Ethylene iodide	$C_2H_4I_2$	2.07	
Ethylidene iodide	"	2.84, 0°	Gustavson. B. S. C. 22, 13.
Propylene iodide	$C_3H_6I_2$	2.490, 18°·5	Berthelot and De Luca. J. 7, 453.
" "	"	2.5631, 19°	Freund. J. C. S. 42, 156.
Trimethylene iodide	"	2.59617, 4°	} Perkin. Ber. 18, 221.
" "	"	2.57612, 15°	
" "	"	2.56144, 25°	
Allylene dihydriodate	"	2.15, 0°	Oppenheim. J. 18, 493.
" "	"	2.4458, 0°	Semenoff. J. 18, 494.
$\beta$ Butylene iodide	$C_4H_8I_2$	2.291, 0°	Wurtz. C. R. 97, 473.
Diallyl dihydriodate	$C_6H_{12}I_2$	2.024, 0°	Wurtz. J. 17, 511.
Iodoform	$CHI_3$	2.00	Weltzien's Zusammenstellung.
"	"	4.09	Brügelmann. Ber. 17, 2359.
Acetylene iodide	$C_2H_2I_2$	3.303, 21°, s. }	} Sabanejeff. A. C. P. 178, 119-121.
" "	"	2.942, 21°, l. }	
Iodethylene (vinyl iodide)	$C_2H_3I$	1.98	Regnault.
"	"	2.09, 0°	Gustavson. Ber. 7, 731.
Allyl iodide	$C_3H_5I$	1.789, 16°	Berthelot and De Luca.
" "	"	1.746, 0°	Woieikoff. J. 16, 495.
" "	"	1.848, 12°	Linnemann. A. C. P., 3d Supp., 267.
" "	"	1.839, 14°	Linnemann. A. C. P., 3d Supp., 264.
" "	"	1.8696, 0°	} Zander. A. C. P. 214, 181.
" "	"	1.6601, 102°·6	
" "	"	1.846, 15°	Romburgh. Ber. 16, 392.
" "	"	1.82403, 15°	} Perkin. J. P. C. (2), 31, 481.
" "	"	1.80776, 25°	
Allylene hydriodate	"	1.8346, 0°	Semenoff. J. 18, 494.
" "	"	1.8028, 16°	} Oppenheim. J. 18, 493.
Allylene iodide	$C_3H_4I_2$	2.62, 0°	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Iodallylene -----	$C_3 H_3 I$ -----	1.7 -----	Liebermann. J. 18, 495.
Propargyl iodide -----	" -----	2.0177, 0° -----	Henry. Ber. 17, 1132.
Diallyl hydriodate -----	$C_6 H_{11} I$ -----	1.497, 0° -----	Wurtz. J. 17, 514.
Iodhexylene -----	" -----	1.92, 10° -----	Destrem. Ann. (5), 27, 50.
Iodobenzene -----	$C_6 H_5 I$ -----	1.69 -----	Schutzenberger. J. 14, 348.
" -----	" -----	1.833 -----	Kekulé. J. 19, 554.
" -----	" -----	1.64, 15° -----	Ladenburg. A. C. P. 159, 251.
" -----	" -----	1.8403, 11° -----	} Schiff. Ber. 19, 560.
" -----	" -----	1.7732, 56°.8 -----	
" -----	" -----	1.7874, 79°.2 -----	
" -----	" -----	1.6486, 135°.5 -----	
" -----	" -----	1.8578, 0° -----	} Schiff. Bei. 9, 559.
" -----	" -----	1.5612, 187°.5 -----	
Orthiodtoluene -----	$C_7 H_7 I$ -----	1.698, 20° -----	Beilstein and Kuhlberg. A. C. P. 158, 349.
Metaiodtoluene -----	" -----	1.697, 20° -----	Beilstein and Kuhlberg. Z. C. 13, 103.
Benzyl iodide -----	" -----	1.7335, 25° -----	Lieben. J. 22, 425.

## LIX. COMPOUNDS CONTAINING C, H, I, O, OR C, H, I, N.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetraiodmethyl oxide -----	$C_2 H_2 I_4 O$ -----	3.345 -----	Brüning. J. 10, 432.
Moniodethyl oxide -----	$C_4 H_2 I O$ -----	1.6924, 0° -----	Henry. C. R. 100, 1007.
Acetyl iodide -----	$C_2 H_3 O. I$ -----	1.98, 17° -----	Guthrie. J. 10, 344.
Propyl iodacetate -----	$C_5 H_9 I O_2$ -----	1.6794, 7° -----	Henry. C. R. 100, 114.
Methyl $\beta$ iodpropionate -----	$C_4 H_7 I O_2$ -----	1.8408, 7° -----	" "
Ethyl $\beta$ iodpropionate -----	$C_5 H_9 I O_2$ -----	1.707, 8° -----	" "
" " " -----	" -----	1.6789, 15° -----	Otto. Ber. 21, 98.
Methyl $\gamma$ iodbutyrate -----	" -----	1.666, 5° -----	Henry. C. R. 102, 368.
Iodaidehyde -----	$C_2 H_3 I O$ -----	2.14, 20° -----	Chautard. C. R. 102, 118.
Iodacetone -----	$C_3 H_5 I O$ -----	2.17, 15° -----	Clermont and Chautard. C. R. 100, 745.
Iodhydrodiglycide -----	$C_6 H_{11} I O_3$ -----	1.783 -----	Berthelot and De Luca.
Diiodhydrin -----	$C_3 H_6 I_2 O$ -----	2.4 -----	Nahmacher. Ber. 5, 356.
Epiiodhydrin -----	$C_3 H_5 I O$ -----	2.03, 13° -----	Reboul. J. 13, 459.
Santonyl iodide -----	" -----	1.3282 -----	Carnelutti and Nasini. Ber. 13, 2210.
Iodchinolin -----	$C_9 H_6 I N$ -----	1.9323 -----	} La Coste. Ber. 18, 780.
" -----	" -----	1.9345 -----	

## LX. COMPOUNDS CONTAINING TWO OR MORE HALOGENS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chlorobrommethane	$C H_2 Cl Br$	1.9907, 19°	Henry. C. R. 101, 599.
Bromochloroform	$C H Cl_2 Br$	1.9254, 15°	Jacobsen and Neumeister. Ber. 15, 599.
"	"	1.983	Arnhold. A. C. P. 240, 192.
Chlorobromoform	$C H Cl Br_2$	2.4450, 15°	Jacobsen and Neumeister. Ber. 15, 599.
"	"	2.447, 20°	Dyson. J. C. S. 43, 36.
Ethylene chlorobromide	$C H_2 Cl. C H_2 Br$	1.700, 18°	Henry. A. C. P. 156, 15.
"	"	1.705, 11°	Montgolfier and Giraud. C. R. 88, 654.
Ethylidene chlorobromide	$C H_3. C H Cl Br$	1.61, 14°	Reboul. A. C. P. 155, 215.
"	"	1.666, 16°	Denzel. Ber. 11, 1739.
Chlorodibromethane	$C H_2. C Br_2 Cl$	2.134, 16°	" " "
"	$C H_2 Br. C H Br Cl$	2.268, 16°	" " "
Dichlorbromethane	$C H_3. C Br Cl_2$	1.752, 16°	Denzel. Ber. 11, 1740.
"	$C H_2 Cl. C H Br Cl$	2.113, 0°	Lescoeur. J. C. S. 34, 718.
"	"	1.86850, 15°	Perkin. J. P. C. (2), 32, 523.
"	"	1.85420, 25°	
"	$C H Cl_2. C H_2 Br$	1.288, 15°. ?	
Brommethylchloroform	$C Cl_3. C H_2 Br$	1.8839, 0°	Henry. C. R. 98, 371.
Chlortribromethane	$C H_2 Br. C Br_2 Cl$	2.602, 16°	Denzel. Ber. 11, 1739.
Dichlordibromethane	$C H_2 Br. C Br Cl_2$	2.270, 16°	Denzel. Ber. 11, 1740.
"	$C H Cl_2. C H Br_2$	2.391, 19°	Sabanejeff. Ber. 16, 1221.
Trichlordibromethane	$C_2 H Cl_3 Br_2$	2.317, 0°	Paterno. J. P. C. (2), 5, 98.
"	"	2.295, 19°. 5	
"	"	2.129, 100°	
Chlortetrabromethane	$C H Br_3. C Br_2 Cl$	3.866, 16°	Denzel. Ber. 11, 1740.
Chlordibromethylene	$C_2 H Br_2 Cl$	2.275, 16°	Denzel. Ber. 11, 1741.
Dichlorbromethylene	$C_2 H Cl_2 Br$	1.906, 16°	" "
Acetylene chlorobromide	$C_2 H_2 Cl Br$	1.8157, 0°	Plimpton. J. C. S. 41, 391.
"	"	1.7787, 0°	Sabanejeff. Ber. 16, 1221.
"	"	1.7467, 19°	
Propylene chlorobromide	$C_3 H_5 Cl Br$	1.62, 16°	Reboul. A. C. P. 155, 216.
"	$C H_3. CHCl. C H_2 Br$	1.585, 0°	Friedeland Silva. B. S. C. (2), 17, 532.
"	"	1.475, 18°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Propylene chlorobromide	$\text{C}_3\text{H}_5\text{CH}_2\text{CHClBr}$	1.60, 20°	Reboul. Ber. 7, 1087.
"	$\text{C}_3\text{H}_5\text{CHBrCH}_2\text{Cl}$	1.474, 21°	" "
"	$\text{CH}_2\text{BrCH}_2\text{CH}_2\text{Cl}$	1.63, 8°	" "
Dibromchlorpropylene	$\text{C}_3\text{H}_5\text{C Cl Br. CH}_2\text{Br}$	2.064, 0°	Friedel. J. 12, 387.
Chlorodibromhydrin	$\text{C}_3\text{H}_5\text{Cl Br}_2$	2.085, 9°	Reboul. J. 13, 461.
"	"	2.088	Oppenheim. J. 21, 341.
"	"	2.004, 15°	Darnstaedter. J. 22, 375.
Chlorobromhydroglycide	$\text{C}_3\text{H}_4\text{Cl Br}$	1.69, 14°	Reboul. J. 13, 461.
Derivative of chlorobromhydroglycide.	$\text{C}_3\text{H}_4\text{Cl Br}_2$	2.39, 14°	Reboul. J. 13, 462.
Derivative of epidichlorhydrin.	$\text{C}_3\text{H}_4\text{Cl}_2\text{Br}_2$	2.10, 13°	" "
Bromallyl chloride	$\text{C}_3\text{H}_4\text{Br Cl}$	1.63, 11°	Henry. B. S. C. 13, 232.
Chloracetyl bromide	$\text{C}_2\text{H}_3\text{Cl O. Br}$	1.913, 9°	Wilde. J. 17, 320.
Bromacetyl chloride	$\text{C}_2\text{H}_3\text{Br O. Cl}$	1.908, 9°	Wilde. J. 17, 319.
Trichloracetyl bromide	$\text{C}_2\text{Cl}_3\text{O. Br}$	1.900, 15°	Hofferichter. J. P. C. (2), 20, 195.
Hexchlorotetrabromethyl oxide.	$\text{C}_4\text{Cl}_6\text{Br}_4\text{O}$	2.5, 18°	Malaguti. Ann. (3), 16, 25.
Chlorobromethyl acetate	$\text{C}_4\text{H}_6\text{Cl Br O}_2$	1.6499, 11°.4	Henry. C. R. 97, 1308.
Dichlorodibromethyl acetate.	$\text{C}_6\text{H}_6\text{Cl}_2\text{Br}_2\text{O}_3$	1.956, 19°	Conrad and Guthzeit. Ber. 16, 1551.
Tribromchloracetone	$\text{C}_3\text{H}_2\text{Cl Br}_3\text{O}$	2.270	Cloëz. Ann. (6), 9, 145.
Bromochloral	$\text{C}_2\text{H Cl}_2\text{Br O}$	1.9176, 15°	Jacobsen and Neumeister. Ber. 15, 599.
Chlorobromal	$\text{C}_2\text{H Br}_2\text{Cl O}$	2.2793, 15°	" "
Chlorobromhydrin	$\text{C}_3\text{H}_6\text{Cl Br O}$	1.740, 12°	Reboul. J. 13, 458.
"	"	1.7641, 9°	Henry. Z. C. 13, 604.
Phycite bromodichlorhydrin.	$\text{C}_8\text{H}_5\text{Cl}_2\text{Br O}$	2.1719, 0° } 2.1426, 17°.5 }	Wolff. A. C. P. 150, 32.
Chlorodibromnitromethane.	$\text{C Cl Br}_2\text{N O}_2$	2.421, 15°	Tscherniak. Ber. 8, 610.
Chlorobromnitrin	$\text{C}_3\text{H}_5\text{Cl Br N O}_3$	1.7904, 9°	Henry. Ber. 4, 701.
Chloriodomethane	$\text{C H}_2\text{Cl I}$	2.49, 20°	Sakurai. J. C. S. 41, 362.
"	"	2.447, 11°	Sakurai. J. C. S. 47, 198.
"	"	2.444, 14°.5	Bouchardat. A. C. P. 22, 230.
Chloriodoform	$\text{C H Cl}_2\text{I}$	1.96	Borodine. J. 15, 331.
"	"	2.454, 0°	Simpson. J. 16, 485.
"	"	2.403, 21°.5	Maumené. J. 22, 345.
Ethylene chloriodide	$\text{C}_2\text{H}_4\text{Cl I}$	2.151, 0°	Thorpe. J. C. S. 37, 371.
"	"	2.39, 20°	"
"	"	2.16439, 0°	"
"	"	1.87915, 140°.1	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Chloriodethylene	$C_2 H_2 Cl I$	2.1431, 0°	Henry. C. R. 98, 742.
Acetylene chloriodide	"	2.2298	Plimpton. J. C. S. 41, 391.
"	"	2.154, 0°	Sabanejeff. Ber. 16, 1221.
"	"	2.1175, 19°	
Propylene chloriodide	$C_3 H_6 Cl I$	1.932, 0°	Simpson. J. 16, 494.
"	"	1.824	Oppenheim. J. 20, 571.
$\beta$ Chlorallyl iodide	$C_3 H_4 Cl I$	1.977, 15°	Romburgh. Ber. 16, 393.
$\alpha$ Chlorallyl iodide	"	1.880	
"	"	1.913	
Dichloriodhydrin	$C_3 H_5 Cl_2 I$	2.0476, 9°	Henry. Ber. 4, 701.
Orthochloriodobenzene	$C_6 H_4 Cl I$	1.928, 24°.5	Beilstein and Kurbatow. A. C. P. 176, 43.
Chloriodotoluene	$C_7 H_8 Cl I$	1.702, 19°	Beilstein and Kuhlberg. A. C. P. 156, 82.
"	"	1.716, 17°	Wroblevsky. Z. C. 13, 164.
"	"	1.770, 19°.5	"
Chloriodethyl acetate	$C_4 H_6 Cl I O_2$	1.9540, 18°	Henry. C. R. 97, 1308.
Iodochlorhydrin	$C_3 H_6 Cl I O_2$	2.06, 10°	Reboul. J. 13, 458.
Bromiodomethane	$C H_2 Br I$	2.9262, 16°.8	Henry. C. R. 101, 599.
Ethylene bromiodide	$C H_2 Br. C H_2 I$	2.7, 1°	Reboul. A. C. P. 155, 214.
"	"	2.516, 29°	Simpson. C. N. 29, 53.
"	"	2.514, 30°	Friedel. C. R. 79, 164.
"	"	2.705, 18°, s.	Lagermarck. Ber. 7, 907.
Ethylidene bromiodide	$C H_3. C H Br I$	2.5, 1°	Reboul. A. C. P. 155, 213.
"	"	2.452, 16°	Lagermarck. Ber. 7, 907.
Dibromiodethane	$C_2 H_3 Br_2 I$	2.86, 29°	Simpson. C. N. 29, 53.
Bromiodethylene	$C_2 H_2 Br I$	2.5651, 0°	Henry. C. R. 98, 742.
Acetylene bromiodide	"	2.750, 0°, s.	Plimpton. J. C. S. 41, 391.
"	"	2.6272, 17°.5	
Propylene bromiodide	$C_3 H_6 Br I$	2.2, 11°	Reboul. A. C. P. 155, 214.
Paraiodorthobromtoluene	$C_7 H_6 Br I$	2.044, 20°.7	Wroblevsky. Z. C. 13, 165.
Metaiodorthobromtoluene	"	2.139, 18°	Wroblevsky. Z. C. 14, 210.
Chlorobromiodethane	$C_2 H_3 Cl Br I$	2.53, 0°	Henry. C. R. 98, 680.
Chlorobromiodhydrin	$C_3 H_5 Cl Br I$	2.325, 9°	Henry. Ber. 4, 701.

## LXI. ORGANIC COMPOUNDS OF FLUORINE.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Fluobenzene -----	$C_6 H_5 F$ -----	1.024, 20° ----	Wallach. A. C. P. 235, 255.
“ -----	“ -----	1.0236, 20° ----	Wallach and Heusler. A. C. P. 243, 221.
Paradifluobenzene -----	$C_6 H_4 F_2$ -----	1.11 -----	Wallach and Heusler. A. C. P. 243, 219.
Parafluotoluene -----	$C_7 H_7 F$ -----	.992, 25° -----	Wallach. A. C. P. 235, 255.
Parafluochlorobenzene -----	$C_6 H_4 Cl F$ -----	1.226, 15° -----	Wallach and Heusler. A. C. P. 243, 219.
Parafluobrombenzene -----	$C_6 H_4 Br F$ -----	1.593, 15° -----	“ “
Parafluoanilin -----	$C_6 H_5 N F$ -----	1.153, 25° -----	Wallach. A. C. P. 235, 255.
Parafluonitrobenzene -----	$C_6 H_4 N O_2 F$ -----	1.326, 1. -----	“ “

## LXII. ORGANIC COMPOUNDS OF SULPHUR.

## 1st. Compounds Containing C, H, and S.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl sulphide -----	$(C H_3)_2 S$ -----	.845, 21° -----	Regnault. Ann. (2), 71, 391.
Ethyl sulphide -----	$(C_2 H_5)_2 S$ -----	.825, 20° -----	Regnault. Ann. (2), 71, 388.
“ “ -----	“ -----	.83672, 0° -----	Pierre. C. R. 27, 213.
“ “ -----	“ -----	.83676, 20 -----	Nasini. Ber. 15, 2882.
Propyl sulphide -----	$(C_3 H_7)_2 S$ -----	.814, 17° -----	Cahours. B. S. C. 19, 301.
Ethyl amyl sulphide -----	$(C_2 H_5) (C_5 H_{11}) S$ -----	.852, 0° -----	Saytzeff. J. 19, 529.
Butyl sulphide -----	$(C_4 H_9)_2 S$ -----	.849, 0° -----	Saytzeff. J. 19, 528.
“ “ -----	“ -----	.8386, 16° -----	Grabowsky and Saytzeff. A. C. P. 175, 351.
“ “ -----	“ -----	.8317, 23° -----	Reymann. J. C. S. (2), 13, 141.
Isobutyl sulphide -----	“ -----	.8863, 10° -----	Beckman. J. P. C. (2), 17, 446.
Isoamyl sulphide -----	$(C_5 H_{11})_2 S$ -----	.84314, 20° -----	Nasini. Ber. 15, 2883.
Octyl sulphide -----	$(C_8 H_{17})_2 S$ -----	.8419, 17° -----	Möslinger. Ber. 9, 1004.

\* See also under organic compounds of boron.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl disulphide	$C_2 H_6 S_2$	1.046, 18°	Cahours. Ann. (3), 18, 258.
“ “	“	1.06358, 0°	Pierre. C. R. 27, 213.
Ethyl disulphide	$C_4 H_{10} S_2$	About 1.00	Morin. P. A. 48, 484.
“ “	“	.99267, 20°	Nasini. Ber. 15, 2882.
Amyl disulphide	$C_{10} H_{22} S_2$	.918, 18°	O. Henry. J. 1, 700.
Methyl trisulphide	$C_8 H_9 S_3$	1.2162, 0°	} Klason. Ber. 20, 3415.
“ “	“	1.2059, 10°	
“ “	“	1.199, 17°	
Ethyl mercaptan	$C_2 H_5. S H$	.842, 15°	Zeise. P. A. 31, 389.
“ “	“	.835, 21°	Liebig. A. C. P. 11, 15.
“ “	“	.8456, 5°—10°	} Regnault. P. A. 53, 60.
“ “	“	.8406, 10°—15°	
“ “	“	.8356, 15°—20°	
“ “	“	.83907, 20°	
Butyl mercaptan	$C_4 H_9. S H$	.858, 0°	} Grabowsky and Saytzeff. A. C. P. 175, 351.
“ “	“	.843, 16°	
Isobutyl mercaptan	“	.848, 11°.5	Humann. J. 8, 613.
“ “	“	.8299, 17°	Reymann. J. C. S. (2), 13, 141.
“ “	“	.83573, 20°	Nasini. Ber. 15, 2882.
Amyl mercaptan	$C_5 H_{11}. S H$	.835, 21°	Krutzsch. J. P. C. 31, 2.
“ “	“	.8548, 0°	} Kopp. A. C. P. 95, 307.
“ “	“	.8405, 16°.9	
“ “	“	.83475, 20°	
Hexyl mercaptan	$C_6 H_{13}. S H$	.8856, 0°	Nasini. Ber. 15, 2833.
			Wanklyn and Erlenmeyer. J. 17, 509.
Carbon tetramercaptide	$C (S C_2 H_5)_4$	1.01	Claesson. J. 1877, 520.
Ethylene mercaptan	$C_2 H_4 (S H)_2$	1.123, 23°.5	Werner. J. 15, 424.
Methylene dithioethylate	$C H_2. (S C_2 H_5)_2$	.987, 20°	Claesson. J. P. C. 123, 176.
Ethylene dithioethylate	$C_2 H_4. (S C_2 H_5)_2$	.98705, 15°.5	V. Meyer. Ber. 19, 3266.
Ethylene thiovinylethylate.	$C_2 H_4. S C_2 H_5. S C_2 H_5$	1.01921, 15°.5	} “ “
“ “	“	1.0167, 19°—20°	
Derivative of dithioglycol	$C_5 H_{10} S_2$	1.037, 22°	Mansfeld. Ber. 19, 2662.
Amylene sulphide	$C_3 H_{10} S$	.907, 13°	Guthrie. J. 14, 665.
Vinyl sulphide	$(C_2 H_3)_2 S$	1.015, 13°	Semmler. A. C. P. 241, 93.
Allyl sulphide	$(C_3 H_5)_2 S$	.8544, 11°	Gladstone. Bei. 9, 249.
“ “	“	.88765, 4°	Nasini and Scala. Bei. 10, 696.
Allyl trisulphide	$C_6 H_{10} S_3$	1.012, 15°	Löwig. J. 13, 399.
Fusyl sulphide	$C_5 H_9 S$	.880, 13°	Guthrie. J. 12, 484.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Trisulphhydrin	$C_3 H_8 S_3$	1.391, 14°.4	Carius. J. 15, 455.
Methyl trisulphocarbonate	$C_3 H_6 S_3$	1.159, 18°	Cahours. Ann. (3), 19, 162.
Ethyl trisulphocarbonate	$C_5 H_{10} S_3$	1.152	Salomon. J. P. C. (2), 6, 433.
Amyl trisulphocarbonate	$C_{11} H_{22} S_3$	.877	Hüsemann. J. 15, 410.
Ethylene trisulphocarbonate.	$C_3 H_4 S_3$	1.4768	Hüsemann. A. C. P. 123, 87
Propylene trisulphocarbonate.	$C_4 H_6 S_3$	1.31, 20°	Hüsemann. J. 15, 434.
Butylene trisulphocarbonate.	$C_5 H_8 S_3$	1.26, 20°	" "
Amylene trisulphocarbonate.	$C_6 H_{10} S_3$	1.073	" "
Allyl trisulphocarbonate	$C_7 H_{10} S_3$	.943	Hüsemann. J. 15, 410.
Phenyl sulphide	$(C_6 H_5)_2 S$	1.119	Stenhouse. J. 18, 532.
Phenyl tetrasulphide	$(C_6 H_5)_2 S_4$	1.297, 14°.5	Otto. J. P. C. (2), 37, 209.
Phenyl ethyl sulphide	$(C_6 H_5) (C_2 H_5) S$	1.0315, 10°	Beckmann. J. C. S. 36, 37.
Ethyl paratolyl sulphide	$(C_7 H_7) (C_2 H_5) S$	1.0016, 17°.5	Gäbler. Ber. 13, 1277.
Phenyl mercaptan	$C_6 H_5. S H$	1.078, 14°	Vogt. J. 14, 630.
Benzyl mercaptan	$C_7 H_7. S H$	1.058, 20°	Märcker. J. 18, 543.
Xylyl mercaptan	$C_8 H_9. S H$	1.036, 13°	Schepper. J. 18, 558.
Mesitylene mercaptan	$C_9 H_{11}. S H$	1.0192	Holtmeyer. J. 20, 708.
Cymyl mercaptan	$C_{10} H_{13}. S H$	.9975, 17°.5	Flesch. C. C. 4, 519.
" "	"	.989	Fittica. A. C. P. 172, 326.
" "	"	.995	Bechler. Leipzig Inaug. Diss. 1873.
Methylcymyl mercaptan	$C_{11} H_{15}. S H$	.986	" "
Naphtyl mercaptan	$C_{10} H_7. S H$	1.146, 23°	Schertel. J. 17, 533.
Thiophene	$C_4 H_4 S$	1.062, 23°	V. Meyer. Ber. 16, 1471.
"	"	1.08844, 0°	} Schiff. Ber. 18, 1605.
"	"	1.0769, 10°	
"	"	1.0651, 20°	
"	"	1.0533, 30°	
"	"	1.0413, 40°	
"	"	1.0291, 50°	
"	"	1.0169, 60°	
"	"	1.0045, 70°	
"	"	.9920, 80°	
"	"	.98741, 84°	
"	"	1.05928, 4°	Nasini and Scala. Bei. 10, 696.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Thiophene	$C_4 H_4 S$	1.07387, 11°.8	Knops. V. H. V. 1887, 17.
"	"	1.06835, 16°.5	
"	"	1.06466, 19°.7	
"	"	1.06432, 20°	
"	"	1.06045, 23°.4	
"	"	1.05662, 26°.6	
"	"	1.05332, 29°.2	
"	"	1.0534, 32°	
Thiitolene	$C_5 H_6 S$	1.0194, 18°	Meyer and Kreis. Ber. 17, 788.
Orthothioxene	$C_6 H_8 S$	.9777, 21°	Demuth. Ber. 19, 1858.
"	"	.9938, 21°	Grünwald. Ber. 20, 2586.
Metathioxene	"	.9755, 17°.5	Messinger. Ber. 18, 1637.
"	"	.9956, 20°	Zelinsky. Ber. 20, 2017.
Ethylthiophene	"	.990, 24°	Meyer and Kreis. Ber. 17, 1558.
Normal propylthiophene	$C_7 H_{10} S$	.974, 16°	"
Isopropylthiophene	"	.9695, 16°	Schleicher. Ber. 19, 673.
Normal butylthiophene	$C_8 H_{12} S$	.957, 19°	Meyer and Kreis. Ber. 17, 1558.
Diethylthiophene	"	.962, 14°	Muhlert. Ber. 19, 634.
Octylthiophene	$C_{12} H_{20} S$	.8118, 20°.5	Schweinitz. Ber. 19, 644.
$\beta$ Methylpenthiophene	$C_6 H_8 S$	.9938, 19°	Krekeler. Ber. 19, 3271.

## 2d. Compounds Containing C, H, S, and O.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl sulphite	$(C H_3)_2 S O_3$	1.0456, 16°.2	Carius. J. 12, 86.
Methyl ethyl sulphite	$(C H_3)(C_2 H_5) S O_3$	1.0675, 18°	Carius. A. C. P. 111, 103.
Ethyl sulphite	$(C_2 H_5)_2 S O_3$	1.085, 16°	Ebelmen and Bouquet. Ann. (3), 17, 67.
"	"	1.10634, 0°	Pierre. C. R. 27, 213.
"	"	1.1063, 0°	Carius. J. P. C. (2),
"	"	1.0926, 12°.7	2, 285.
"	"	1.0982, 11°	Nasini. Bei. 9, 324.
Methyl sulphate	$(C H_3)_2 S O_4$	1.324, 22°	Dumas and Peligot. Ann. (2), 58, 33.
"	"	1.385, 13°	Bödeker. B. D. Z.
"	"	1.327, 18°	Clæsson. J. P. C. (2), 19, 244.
"	"	1.33344, 15°	Perkin. J. C. S. 49, 777.
"	"	1.32757, 20°	
"	"	1.32386, 25°	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl sulphate -----	$(C_2 H_5)_2 S O_4$	1.120 -----	Wetherill. J. 1, 692.
" " -----	"	1.1837, 19° -----	Claesson. J. P. C. (2), 19, 258.
" " -----	"	1.167 -----	Stempnevsky. Ber. 15, 947.
Ethyl sulphurous acid ---	$C_2 H_5. H. S O_3$ -----	1.3 -----	Kopp. A. C. P. 35, 343.
Ethyl sulphuric acid-----	$C_2 H_5. H. S O_4$ -----	1.319 -----	Vogel. Gmelin's Handbuch.
" " " -----	"	1.315 } 16° {	Marchand. Gmelin's Handbuch.
" " " -----	"	1.317 } 16° {	Duflos. Gmelin's Handbuch.
" " " -----	"	1.215 } 16° {	Duflos. Gmelin's Handbuch.
Ethyl ethylsulphonate ---	$C_4 H_{10} S O_3$ -----	1.1712, 0° ---	Carius. J. P. C. (2), 2, 269.
" " " -----	"	1.1508, 20°.4 } 22° {	Nasini. Ber. 15, 2884.
" " " -----	"	1.14517, 22° ---	Nasini. Ber. 15, 2884.
Isoamyl ethyl sulphone ---	$C_7 H_{16} S O_2$ -----	1.0315, 18° ---	Beckmann. J. C. S. 36, 38.
Diisobutyl sulphone -----	$C_8 H_{18} S O_2$ -----	1.0056, 18° ---	"
Methyl methylxanthate ---	$C H_3 O. C S. C H_3 S$ ---	1.143, 15° ---	Cahours. Ann. (3), 19, 160.
" " -----	"	1.176, 18° ---	Salomon. J. P. C. (2), 8, 114.
Ethyl methylxanthate ---	$C H_3 O. C S. C_2 H_5 S$ ---	1.12, 18° -----	"
" " -----	"	1.123, 11° -----	Chancel. J. 3, 470.
Methyl ethylxanthate ---	$C_2 H_5 O. C S. C H_3 S$ ---	1.129, 18° -----	Salomon. J. P. C. (2), 8, 114.
" " -----	"	1.11892, 4° -----	Nasini and Scala. Bei. 10, 696.
Ethyl ethylxanthate -----	$C_2 H_5 O. C S. C_2 H_5 S$ ---	1.0703, 18° -----	Zeise. A. C. P. 55, 310.
" " -----	"	1.07 -----	Debus. A. C. P. 75, 125.
" " -----	"	1.085, 19° -----	Salomon. J. P. C. (2), 6, 433.
Methyl propylxanthate ---	$C_3 H_7 O. C S. C H_3 S$ ---	1.08409, 4° -----	Nasini and Scala. Bei. 10, 696.
Ethyl propylxanthate -----	$C_3 H_7 O. C S. C_2 H_5 S$ ---	1.05054, 4° -----	"
Ethyl butylxanthate -----	$C_4 H_9 O. C S. C_2 H_5 S$ ---	1.003, 17° -----	Mylius. B. S. C. 19, 221.
Butyl butylxanthate -----	$C_4 H_9 O. C S. C_4 H_9 S$ ---	1.009, 12° -----	"
Ethyl dithiocarbonate ---	$C_2 H_5 S. C O. C_2 H_5 S$ ---	1.084, 20° -----	Schmidt and Glutz. J. 21, 575.
" " -----	"	1.085, 19° -----	Salomon. J. P. C. (2), 6, 433.
Ethyl thioxcarbonate ---	$C_2 H_5 O. C O. C_2 H_5 S$ ---	1.0285, 18° -----	"
Ethyl dioxythiocarbonate ---	$C_2 H_5 O. C S. C_2 H_5 O$ ---	1.032, 1° -----	Debus. J. 3, 465.
" " -----	"	1.031, 19° -----	Salomon. J. P. C. (2), 6, 433.
Ethylbutylthioxcarbonate.	$C_2 H_5 S. C O. C_4 H_9 O$ ---	.9939, 10° -----	Mylius. Ber. 6, 312.
" " " -----	$C_3 H_5 O. C O. C_4 H_9 S$ ---	.9938, 10° -----	"
Ethyl dioxysulphocarbonate. ?	$C_6 H_{10} S_4 O_2$ -----	1.26043, 4° -----	Nasini and Scala. Bei. 10, 696.
Propyl dioxysulphocarbonate. ?	$C_8 H_{11} S_4 O_2$ -----	1.19661, 4° -----	"

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Xanthurin -----	$C_4 H_8 S O_2$ -----	1.012 -----	Couërbe. A. C. P. 40, 297.
Thiacetic acid -----	$C_2 H_4 S O$ -----	1.074, 10° -----	Ulrich. J. 12, 355.
Ethyl ethylthioglycollate -----	$C_8 H_{12} S O_2$ -----	1.0469, 4° -----	Claesson. B. S. C. 23, 445.
Ethyl amylthioglycollate -----	$C_9 H_{18} S O_2$ -----	.9797, 4° -----	Claesson. B. S. C. 23, 446.
Ethyl phenylthioglycollate. -----	$C_{10} H_{12} S O_2$ -----	1.136, 4° -----	} Claesson. B. S. C. 23, 443.
“ “ -----	“ “ -----	1.1269, 15° -----	
Disulphamylene oxide -----	$C_{10} H_{20} S_2 O$ -----	1.054, 13° -----	Guthrie. J. 12, 483.
Disulphamylene hydrate -----	$C_{10} H_{22} S_2 O_2$ -----	1.049, 8° -----	“ “
Aldehyde with sulphaldehyde.* -----	$C_2 H_4 O + C_2 H_4 S$ -----	1.134 -----	Weidenbusch. J. 1, 550.
Diheptylene sulphoxide -----	$(C_7 H_{14})_2 S O$ -----	.875, 23° -----	Schiff. J. 21, 724.
Monosulphhydrin -----	$C_3 H_8 S O_2$ -----	1.295, 14°.4 -----	Carius. J. 15, 453.
Disulphhydrin -----	$C_3 H_8 S_2 O$ -----	1.342, 14°.4 -----	Carius. J. 15, 454.
Ethyl thioxalate -----	$C_6 H_{10} S O_3$ -----	1.1446, 0° -----	Morley and Saint. J. C. S. 43, 400.
Oxysulphobenzid -----	$C_{12} H_{10} S O_4$ -----	1.3663, 15° -----	Annheim. Ber. 9, 1149.
Oxyphenyl mercaptan -----	$C_6 H_6 S O$ -----	1.2373, 0° -----	} Haitinger. M. C. 4, 171.
“ “ -----	“ “ -----	1.1889, 100° -----	
Thiophene aldehyde -----	$C_5 H_4 S O$ -----	1.215, 21° -----	Biedermann. Ber. 19, 1853.
Acetothienone -----	$C_6 H_6 S O$ -----	1.167, 24° -----	Peter. Ber. 17, 2644.
Acetoethylthienone -----	$C_8 H_{10} S O$ -----	1.0959, 20° -----	Schleicher. Ber. 19, 660.
Acetylthioxene -----	“ -----	1.0910, 17° -----	Messinger. Ber. 18, 2302.

## 3d. Sulphur Compounds Containing Nitrogen.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Methyl thiocyanate -----	$N C. S C H_3$ -----	1.115, 16° -----	Cahours. Ann. (3), 18, 261.
“ “ -----	“ -----	1.08794, 0° -----	Pierre. C. R. 27, 213.
“ “ -----	“ -----	1.06935, 4° -----	Nasini and Scala. Bei. 10, 696.
Ethyl thiocyanate -----	$N C. S C_2 H_5$ -----	1.020, 16° -----	Cahours. Ann. (3), 18, 265.
“ “ -----	“ -----	α1.00 -----	Löwig. P. A. 67, 101.
“ “ -----	“ -----	1.033, 0° -----	} Buff. Ber. 1, 206.
“ “ -----	“ -----	1.01261, 19° -----	
“ “ -----	“ -----	1.00238, 22° -----	
“ “ -----	“ -----	.870185 } 146° -----	
“ “ -----	“ -----	.869367 } -----	
“ “ -----	“ -----	1.00715, 4° -----	

\* Pinner's formula. Weidenbusch calls it "sulphhydrate of acetyl mercaptan," and writes the formula  $C_{12} H_{28} S_7$ .

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Isopropyl thiocyanate	$N C_3 S C_3 H_7$	.989, 0°	Gerlich. Ber. 8, 651.
" "	"	.974, 15°	
" "	"	.963, 20°	
Amyl thiocyanate	$N C_5 S C_5 H_{11}$	.905, 20°	O. Henry. J. 1, 700.
Hexyl thiocyanate	$N C_6 S C_6 H_{13}$	.922, 12°	Pelouze and Cahours. J. 16, 526.
Allyl thiocyanate	$N C_3 S C_3 H_5$	1.071, 0°	Gerlich. Ber. 8, 653.
" "	"	1.056, 15°	
Methyl thiocarbimide	$C S N C H_3$	1.06912, 4°	Nasini and Scala. Bei. 10, 696.
Ethyl thiocarbimide	$C S N C_2 H_5$	1.01925, 0°	Buff. Ber. 1, 206.
" "	"	.997525, 21°.4	
" "	"	.997235, 22°	
" "	"	.87909 } 133°.2	
" "	"	.873513 } 133°.2	
" "	"	1.0030, 18°	
" "	"	.99525, 4°	Gladstone. Bei. 9, 249.
" "	"		Nasini and Scala. Bei. 10, 696.
Tertiary butyl thiocarbimide.	$C S N C_4 H_9$	.9187, 15°	Rudneff. Ber. 12, 1023.
" "	"	.9003, 34°	
Amyl thiocarbimide	$C S N C_5 H_{11}$	.957538, 0°	Buff. Ber. 1, 206.
" "	"	.94189, 17°	
" "	"	.78749, 182°	
Hexyl thiocarbimide	$C S N C_6 H_{13}$	.9253	Uppenkamp. Ber. 8, 56.
Allyl thiocarbimide	$C S N C_3 H_5$	1.015, 20°	Dumas and Pelouze. Ann. (2), 53, 182.
" "	"	1.009 } 15°	Will. A. C. P. 52, 4.
" "	"	1.010 }	
" "	"	1.0282, 0°	Kopp. A. C. P. 98, 367.
" "	"	1.0173, 10°.1	
" "	"	.8739 } 150°.1	Schiff. Ber. 14, 2767.
" "	"	.8741 }	
" "	"	.8740, 151°.3	Schiff. Ber. 19, 560.
" "	"	1.00572, 4°	Nasini and Scala. Bei. 10, 696.
Phenyl thiocarbimide	$C S N C_6 H_5$	1.135, 15°.5	Hofmann. J. 11, 349.
" "	"	1.155, 17°.5	Billeter. C. C. (3), 6, 101.
" "	"	.9398, 219°.8	Schiff. Bei. 9, 559.
" "	"	1.12891, 4°	Nasini and Scala. Bei. 10, 696.
" "	"	1.35	Madan. C. N. 56, 257.
Sulpho-urea	$C H_4 N_2 S$	1.406, 4°	Schröder. Ber. 12, 561.
"	"	1.450	Schröder. Ber. 13, 1070.
Thialdin	$C_6 H_{13} N S_2$	1.191, 18°	Wöhler and Liebig. A. C. P. 61, 4.
Oenanthothialdin	$C_{21} H_{43} N S_2$	.896, 24°	Schiff. J. 21, 724.
Diamylene dithiocyanate	$C_{10} H_{20} (C N)_2 S_2$	1.07, 13°	Guthrie. J. 14, 665.
Diamylene tetrathiocyanate.	$C_{10} H_{20} (C N)_2 S_4$	1.16, 13°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sulphocarbaniide -----	$C_{13} H_{12} N_2 S$ -----	1.311 } $4^\circ$ {	Schröder. Ber. 12, 1611.
“ -----	“ -----	1.330 } {	
Thiocyanacetone -----	$C_4 H_5 S N O$ -----	1.209, $0^\circ$ -----	
“ -----	“ -----	1.195, $20^\circ$ -----	Miquel. C. R. 81, 1209.
Acetyl thiocyanate -----	$N C S C_2 H_3 O$ -----	1.151, $16^\circ$ -----	
Benzoyl thiocyanate -----	$N C S C_7 H_5 O$ -----	1.197, $16^\circ$ -----	Miquel. C. R. 81, 1210.
Ethyl thiocyanacetate -----	$C_5 H_7 N S O_2$ -----	1.174 -----	Heintz. J. 18, 347,
“ -----	“ -----	1.174 -----	Claesson. Ber. 10, 1349.
Cystic oxide -----	$C_3 H_7 N S O_2$ -----	1.7143 -----	Venables. Watts' Dict.

## 4th. Sulphur Compounds Containing Halogens.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetrachlor-methyl mer- captan.	$C S Cl_4$ -----	1.712, $12^\circ.8$ -----	Rathke. A. C. P. 167, 198.
“ “	“ -----	1.722, $0^\circ$ -----	Klason. Ber. 20, 2378.
“ “	“ -----	1.7049, $11^\circ$ -----	
“ “	“ -----	1.6953, $17^\circ.5$ -----	
Dichlorethyl sulphide -----	$(C_2 H_3 Cl_2)_2 S$ -----	1.547, $12^\circ$ -----	Riche. J. 7, 556.
Tetrachlorethyl sulphide -----	$(C_2 H Cl_4)_2 S$ -----	1.673, $24^\circ$ -----	Regnault. Ann. (2), 71, 406.
Ethyl chlorperthiocarbon- ate.	$C_2 H_5 S_2 Cl_2$ -----	1.1408, $16^\circ$ -----	Klason. Ber. 20, 2385.
Ethylene thiodichloride -----	$C_2 H_4 S Cl_2$ -----	1.408, $13^\circ$ -----	Guthrie. J. 12, 482.
Ethylene dithiodichloride -----	$(C_2 H_4)_2 S_2 Cl_2$ -----	1.346, $19^\circ$ -----	Guthrie. J. 13, 435.
Chlorethylene dithiodi- chloride.	$(C_2 H_3 Cl)_2 S_2 Cl_2$ -----	1.599, $11^\circ$ -----	Guthrie. J. 13, 433.
Dichlorethylene thiodi- chloride.	$(C_2 H_2 Cl_2)_2 S Cl_2$ -----	1.225 } $13^\circ.5$ {	Guthrie. J. 13, 434.
“ “	“ -----	1.219 } {	
Amylene thiodichloride -----	$C_6 H_{10} S Cl_2$ -----	1.138, $14^\circ$ -----	Guthrie. J. 12, 481.
Amylene dithiodichloride -----	$(C_6 H_{10})_2 S_2 Cl_2$ -----	1.149, $12^\circ$ -----	Guthrie. J. 12, 480.
Trichloramylene thiodi- chloride.	$(C_6 H_7 Cl_3)_2 S Cl_2$ -----	1.406, $16^\circ$ -----	Guthrie. J. C. S. 18, 44.
Methylsulphonic chloride	$C H_3 Cl S O_2$ -----	1.51 -----	McGowan. J. P. C. (2), 30, 280.
Dichlormethylsulphonic chloride.	$C H Cl_2 S O_2$ -----	1.71 -----	McGowan. Leipzig In. Diss. 1884.
Ethylsulphonic chloride -----	$C_2 H_5 Cl S O_2$ -----	1.357, $22^\circ.5$ -----	Gerhardt and Chan- cel. J. 5, 435.
Phenylsulphonic chloride	$C_6 H_5 Cl S O_2$ -----	1.378, $23^\circ$ -----	Gerhardt and Chan- cel. J. 5, 434.
Trichlormethyl amyl sul- phite.	$C Cl_3, C_5 H_{11}, S O_3$ -----	1.104 -----	Carius. A. C. P. 113, 86.
Ethyl chlorosulphonate -----	$C_2 H_5 O. S O_2. Cl$ -----	1.379, $0^\circ$ -----	Purgold. J. 21, 416.
“ “ -----	“ -----	1.3556, $27^\circ$ -----	
“ “ -----	“ -----	1.324, $61^\circ$ -----	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl chlorosulphonate	$C_2 H_5 O. S O_2. Cl$	1.3866, 0°	} Two preparations. Claesson. J. P. C. (2), 21, 377.
" "	"	1.8589, 27°	
" "	"	1.3874, 0°	
" "	"	1.3541, 27°	
Carbonyl thioethyl chloride.	$C_2 H_5 S. C O. Cl$	1.184, 16°	Salomon. J. P. C. (2), 7, 254.
Carbonyl thioamyl chloride.	$C_5 H_{11} S. C O. Cl$	1.078, 17°.5	Schöne. J. P. C. (2), 32, 241.
Chlorallyl thiocarbimide	$C S. N C_3 H_4 Cl$	1.27, 12°	L. Henry. Ber. 5, 186.
Ethylene chlorothiocyanate.	$C_2 H_4. Cl. S C N$	1.28, 15°	James. J. C. S. 43, 38.
Tetrachloroxysulphobenzid.	$C_{12} H_6 Cl_4 S O_4$	1.7774, 16°	Annaheim. Ber. 9, 1150.
Tetrabromoxysulphobenzid.	$C_{12} H_6 Br_4 S O_4$	2.3775, 17°	" "
Tetridoxysulphobenzid.	$C_{12} H_6 I_4 S O_4$	2.7966, 19°	" "
Monobromthiophene	$C_4 H_3 Br S$	1.652, 23°	V. Meyer. Ber. 16, 1470.
Dibromthiophene	$C_4 H_2 Br_2 S$	2.147, 23°	" "
Octylodthiophene	$C_4 H_2 S. C_8 H_{17}. I$	1.2614, 20°	Schweinitz. Ber. 19, 644.

## LXIII. ORGANIC COMPOUNDS OF BORON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Boron triethyl	$B (C_2 H_5)_3$	.6961, 23°	Frankland and Duppa. J. 13, 386.
Trimethyl borate	$(C H_3)_3 B O_3$	.9551, 0°	Ebelmen and Bouquet. J. P. C. 38, 218.
" "	"	.940, 0°	} Schiff. A. C. P., 5th Supp., 184.
" "	"	.915, 20°	
Triethyl borate	$(C_2 H_5)_3 B O_3$	.8849	Ebelmen and Bouquet. J. P. C. 38, 215.
" "	"	.871	Bowman. P. M. (3), 29, 548.
" "	"	.887, 0°	} Schiff. A. C. P., 5th Supp., 161.
" "	"	.861, 26°.5	
Methyl diethyl borate	$C H_3 (C_2 H_5)_2 B O_3$	.904, 0°	} Schiff. A. C. P., 5th Supp., 197.
" "	"	.883, 20°	
Tripropyl borate	$(C_3 H_7)_3 B O_3$	.867, 16°	Cahours. C. C. 4, 482.
Triamyl borate	$(C_5 H_{11})_3 B O_3$	.870	Ebelmen and Bouquet. J. P. C., 38, 219.
" "	"	.872, 0°	} Schiff. A. C. P., 5th Supp., 189 and 195.
" "	"	.852, 24°	
" "	"	.840	
" "	"	.855	
" "	"	.853, 29, another lot.	
" "	"		

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl diamyl borate -----	$C_2 H_5 (C_5 H_{11})_2 B O_3$ -----	.876, 0° -----	Schiff. A. C. P., 5th Supp., 193.
“ “ “ -----	“ “ “ -----	.852, 28° -----	
Diethyl amyl borate -----	$(C_2 H_5)_2 C_5 H_{11} B O_3$ -----	.858, 26° -----	“ “
Amyl metaborate -----	$C_5 H_{11} B O_2$ -----	.971, 0° -----	Schiff. A. C. P., 5th Supp., 189.
“ “ -----	“ “ -----	.949, 20° -----	
Tetraphenyl borate -----	$(C_6 H_5)_4 B_2 O_5$ -----	1.13 -----	Schiff and Bechi. J. 19, 493.
“ “ -----	“ -----	1.124, 0° -----	Schiff. A. C. P., 5th Supp., 208.
“ “ -----	“ -----	1.106, 20° -----	
Ethylene fluoborate -----	$C_2 H_5 B F O_2$ -----	1.0478, 23° -----	Landolph. Ber. 12, 1586.

## LXIV. ORGANIC COMPOUNDS OF PHOSPHORUS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Triethylphosphin -----	$P (C_2 H_5)_3$ -----	.812, 15°.5-----	Hofmann and Ca- hours. J. 10, 372.
Monoctylphosphin -----	$P H_2 (C_8 H_{17})$ -----	.8209, 17° -----	Möslinger. Ber. 9, 1007.
Phenylphosphin -----	$P H_2 (C_6 H_5)$ -----	1.001, 15° -----	Köhler and Michael- is. Ber. 10, 809.
Diphenylphosphin -----	$P H (C_6 H_5)_2$ -----	1.07, 16° -----	Dörken. Ber. 21, 1508.
Triphenylphosphin -----	$P (C_6 H_5)_3$ -----	1.194 -----	Michaelis and Soden. A. C. P. 229, 302.
“ -----	“ -----	1.186 -----	Soden. Tübingen In. Diss. 1885.
Dimethylphenylphosphin	$P (C H_3)_2 C_6 H_5$ -----	.9768, 11° -----	Michaelis. Ber. 8, 498.
Diphenylmethylphosphin	$P C H_3 (C_6 H_5)_2$ -----	1.0784, 15° -----	Michaelis and Link. A. C. P. 207, 209.
Diethylphenylphosphin --	$P (C_2 H_5)_2 C_6 H_5$ -----	.9571, 13° -----	Michaelis. Ber. 8, 494.
Ethyl phosphite -----	$(C_2 H_5)_3 P O_3$ -----	1.075 -----	Williamson. J. 7, 563.
Methyl hypophosphate---	$(C H_3)_4 P_2 O_6$ -----	1.109, 15° -----	Sänger. A. C. P. 232, 1.
Ethyl hypophosphate -----	$(C_2 H_5)_4 P_2 O_6$ -----	1.1170, 15° -----	“ “
Propyl hypophosphate ---	$(C_3 H_7)_4 P_2 O_6$ -----	1.134, 15° -----	“ “
Isobutyl hypophosphate---	$(C_4 H_9)_4 P_2 O_6$ -----	1.125, 15° -----	“ “
Methyl orthophosphate ---	$(C H_3)_3 P O_4$ -----	1.2378, 0° -----	Weger. A. C. P. 221, 61.
“ “ -----	“ -----	1.0019, 197°.2-----	
Dimethyl ethyl orthophos- phate. “ “ -----	$(C H_3)_2 C_2 H_5 P O_4$ -----	1.1752, 0° -----	“ “
“ “ -----	“ -----	.95188, 203°.3-----	
Ethyl orthophosphate---	$(C_2 H_5)_3 P O_4$ -----	1.072, 12° -----	Limpricht. J. 18, 471.
Ethyl pyrophosphate -----	$(C_2 H_5)_4 P_2 O_7$ -----	1.172, 17° -----	Clermont. J. 7, 562.
Amyl amylphosphite ---	$(C_5 H_{11})_2 H P O_3$ -----	.967, 19°.5-----	Wurtz. A. C. P. 58, 77.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diamylphosphoric acid	$(C_5 H_{11})_2 H P O_4$	1.025, 20°	Fehling.
Triphenyl phosphite	$(C_6 H_5)_3 P O_3$	1.184, 18°	Noack. A. C. P. 218, 99.
Phosphenyl ether	$C_6 H_5 P O_2 (C_2 H_5)_2$	1.082, 16°	Köhler and Michaelis. Ber. 10, 817.
Phenylphosphinic acid	$C_6 H_5 \cdot H_2 P O_3$	1.475, 4°	Schröder. Ber. 12, 561.
Diphenylphosphinic acid	$(C_6 H_5)_2 H P O_2$	1.331	} 4°
" " "	" " "	1.347	
Phenoxydiphenylphosphin.	$C_6 H_5 O (C_6 H_5)_2 P$	1.140, 24°	Michaelis and La Coste. Ber. 18, 2111.
Triphenylphosphin oxide	$(C_6 H_5)_3 P O$	1.2124, 22°.6	Michaelis and La Coste. Ber. 18, 2120.
Naphtylphosphinic acid	$C_{10} H_7 \cdot H_2 P O_3$	1.435	} 4°
" " "	" " "	1.445	
Naphtylphosphorous acid	$C_{10} H_7 \cdot H_2 P O_2$	1.377, 4°	
" " "	" " "	1.441, 4°, after fusion.	} " "
Complex ether?	$C_{14} H_{36} P_2 O_8$	.960, 14°	Geuther. A. C. P. 224, 278.
Amylnitrophosphorous acid.	$(C_5 H_{11})_2 H P N O_4$	1.02, 20° } 1.00, 70° }	Guthrie. J. 11, 404.
Ethylphosphorous chloride	$C_2 H_5 P O Cl_2$	1.316, 0°	Menschutkin. A. C. P. 139, 344.
" " "	" " "	1.305265, 0°	} Thorpe. J. C. S. 37, 372.
" " "	" " "	1.13989, 117°.5	
Butylphosphorous chloride.	$C_4 H_9 P O Cl_2$	1.191, 0°	Menschutkin. J. 19, 487.
Amylphosphorous chloride.	$C_5 H_{11} P O Cl_2$	1.109, 0°	" "
Diacetone phosphorous chloride.	$C_6 H_{10} P O_2 Cl$	1.209, 17°.5	Michaelis. Ber. 18, 900.
Phenylphosphorous chloride.	$C_6 H_5 P O Cl_2$	1.3549	Hölzer. Quoted by Noack.
" " "	" " "	1.348, 18°	Noack. A. C. P. 218, 91.
" " "	" " "	1.3543, 20°	Anschütz and Emery. A. C. P. 239, 310.
Diphenylphosphorous chloride.	$(C_6 H_5)_2 P O_2 Cl$	1.2494	Hölzer. Quoted by Noack.
" " "	" " "	1.221, 18°	Noack. A. C. P. 218, 92.
Phosphenyl chloride	$C_6 H_5 P Cl_2$	1.319, 20°	Michaelis. C. C. 4, 548.
" " "	" " "	1.3428, 0°	} Thorpe. J. C. S. 37, 372.
" " "	" " "	1.10415, 224°.6	
Phosphenyl oxychloride	$C_6 H_5 P Cl_2 O$	1.375, 20°	Michaelis. C. C. 4, 548.
Diphenyl phosphochloride	$(C_6 H_5)_2 P Cl$	1.2293, 15°	Michaelis and Link. A. C. P. 207, 209.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Metachlorocarbonylphenylorthophosphoric chloride.	$C_7 H_4 P O_3 Cl_3$ -----	1.54844, 20° --	Anschütz and Moore. A. C. P. 239, 335.
Parachlorocarbonylphenylorthophosphoric chloride.	“-----	1.54219, 20° --	Anschütz and Moore. A. C. P. 239, 344.
By action of $P Cl_5$ on salicylic acid.	$C_7 H_4 P O_2 Cl_5$ -----	1.62019, 20° --	Anschütz and Moore. A. C. P. 239, 320.
Paraxylylphosphochloride.	$C_8 H_9 P Cl_2$ -----	1.25, 18° -----	Weller. Ber. 21, 1494.
Paraxylylphosphoroxychloride.	$C_8 H_9 P O Cl_2$ -----	1.31, 18° -----	“ “
Sulphophosphorous ether.	$(C_2 H_5)_3 P S_3$ -----	1.24, 12° -----	Michaelis. C. N. 25, 57.
Ethyl pyrosulphophosphate.	$(C_2 H_5)_4 P_2 S_3 O_4$ -----	1.1892, 17° -----	Michaelis. A. C. P. 164, 9.
Amyl sulphophosphate.	$(C_5 H_{11})_3 P S O_3$ -----	.849, 12° -----	Chevrier. J. 22, 344.
Ethylsulphophosphorous chloride.	$C_2 H_5 P S Cl_2$ -----	1.30, 12° -----	Michaelis. C. N. 25, 57.
Triethoxypyrophosphorsulphobromide.	$(C_2 H_5)_3 Br P_2 S_3 O_3$ -----	1.3567, 19° -----	Michaelis. A. C. P. 164, 9.
Phosphenyl sulphochloride.	$C_6 H_5 P Cl_2 S$ -----	1.376, 13° -----	Köhler and Michaelis. Ber. 9, 1053.
Triphenyltrisulphophosphamide.	$(C_6 H_5)_3 H_3 N_3 P S$ -----	1.34 -----	Chevrier. J. 21, 734.

LXV. ORGANIC COMPOUNDS OF VANADIUM, ARSENIC, ANTIMONY, AND BISMUTH.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Ethyl orthovanadate-----	$(C_2 H_5)_3 V O_4$ -----	1.167, 17°.5....	Hall. J. C. S. 51, 752.
Dimethylarsine oxide -----	$(As C_2 H_5)_2 O$ -----	1.462, 15° -----	Bunsen. P. A. 40, 224.
Triethylarsine-----	$As (C_2 H_5)_3$ -----	1.151, 16°.7-----	Landolt. J. 6, 492.
Methyl arsenite -----	$(C H_3)_3 As O_3$ -----	1.428, 9°.6-----	Crafts. Z. C. 14, 324.
Ethyl arsenite-----	$(C_2 H_5)_3 As O_3$ -----	1.224, 0° -----	Crafts. J. 20, 552.
Amyl arsenite-----	$(C_5 H_{11})_3 As O_3$ -----	1.0525, 0° -----	Crafts.
Methyl arsenate -----	$(C H_3)_3 As O_4$ -----	1.5591, 14°.5....	Crafts. Z. C. 14, 324.
Ethyl arsenate -----	$(C_2 H_5)_3 As O_4$ -----	1.3264, 0° -- }	Crafts. J. 20, 551.
“ “ -----	“ “ -----	1.3161, 8°.8 }	
Phenylarsenic acid -----	$C_6 H_7 As O_3$ -----	1.760 } 4°-- {	Schröder. Ber. 12, 561.
“ “ -----	“ “ -----	1.803 } 4°-- {	
“ “ -----	“ “ -----	1.805 } 4°-- {	
Diphenylarsenic acid -----	$C_{12} H_{11} As O_2$ -----	1.545, 4° -----	“ “



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Diphenylarsine chloride	As (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> Cl	1.42231, 15°	La Coste and Michaelis. Ber. 11, 1885.
Phenylarsine bromide	As (C <sub>6</sub> H <sub>5</sub> ) Br <sub>2</sub>	2.0983, 15°	Michaelis. Ber. 10, 626.
Ethyl thioarsenite	As (S C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub>	1.3141, 16°	Claesson. Lund Arskrift, 1884-'5.
Trimethylstibine	Sb (C H <sub>3</sub> ) <sub>3</sub>	1.523, 15°	Landolt. J. 14, 569.
Triethylstibine	Sb (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub>	1.3244, 16°	Löwig and Schweitzer. J. 3, 471.
Triamylstibine	Sb (C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub>	1.1333, 17°	Berlé. J. 8, 586.
Triethylstibine chloride	Sb (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> Cl <sub>2</sub>	1.0587	Cramer. J. 8, 590.
Triethylstibine bromide	Sb (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> Br <sub>2</sub>	1.540, 17°	Löwig and Schweitzer. J. 3, 476.
Triphenylstibine	Sb (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub>	1.953, 17°	" "
Metatritolylstibine	Sb (C <sub>7</sub> H <sub>7</sub> ) <sub>3</sub>	1.4998, 12°	Michaelis and Reese. A. C. P. 233, 46.
Paratritolylstibine	"	1.8957, 15°.7	Michaelis and Genzken. A. C. P. 242, 185.
		1.35448, 15°.6	Michaelis and Genzken. A. C. P. 242, 169.
Bismuth trimethyl	Bi (C H <sub>3</sub> ) <sub>3</sub>	2.30, 18°	Marquandt. Ber. 20, 1517.
Bismuth triethyl	Bi (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub>	1.82	Breed. J. 5, 602.
Bismuth triphenyl	Bi (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub>	1.5851, 20°	Michaelis and Polis. Ber. 20, 55.

## LXVI. ORGANIC COMPOUNDS OF SILICON.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon tetrethyl	Si (C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub>	.7657, 22°.7	Friedel and Crafts. A. J. S. (2), 49, 311.
" "	"	.8841, 0°	Ladenburg. B. S. C. 18, 240.
Silicon hexethyl	Si <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>6</sub>	.8510, 0°	} Friedel and Ladenburg. A. C. P. 203, 251.
" "	"	.8403, 20°	
Silicon tetrapropyl	Si (C <sub>3</sub> H <sub>7</sub> ) <sub>4</sub>	.7979, 0°	Pape. Ber. 14, 1872.
" "	"	.7883, 15°	
Silicoheptane	Si C <sub>6</sub> H <sub>16</sub>	.7510, 0°	Ladenburg. A. C. P. 164, 300.
Silicodécane	Si C <sub>9</sub> H <sub>22</sub>	.7723, 0°	} Pape. Ber. 14, 1872.
" "	"	.7621, 15°	
Silicon triethyl phenyl	Si (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> C <sub>6</sub> H <sub>5</sub>	.9042, 0°	Ladenburg. C. C. 5, 312.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicon tetraphenyl	Si (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub>	1.078, 20°	Polis. Ber. 19, 1012.
Para-silicon tetratolyl	Si (C <sub>7</sub> H <sub>7</sub> ) <sub>4</sub>	1.0793, 20°	" "
Meta-silicon tetratolyl	"	1.1188, 20°	" "
Silicon tetrabenzyl	"	1.0776, 20°	" "
Ethyl metasilicate	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> SiO <sub>3</sub>	1.079, 24°	Ebelmen. A. C. P. 57, 339.
Methyl orthosilicate	(CH <sub>3</sub> ) <sub>4</sub> SiO <sub>4</sub>	1.0589, 0°	Friedel and Crafts. J. 18, 465.
Trimethyl ethyl orthosilicate.	(CH <sub>3</sub> ) <sub>3</sub> C <sub>2</sub> H <sub>5</sub> SiO <sub>4</sub>	1.023	Friedel and Crafts. J. 19, 491.
Dimethyl diethyl orthosilicate.	(CH <sub>3</sub> ) <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> SiO <sub>4</sub>	1.004, 0°	" "
Methyl triethyl orthosilicate.	CH <sub>3</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> SiO <sub>4</sub>	.989, 0°	" "
Ethyl orthosilicate	(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> SiO <sub>4</sub>	.932	Ebelmen. A. C. P. 52, 324.
" "	"	.933, 20°	Ebelmen. A. C. P. 57, 334.
" "	"	.9676, 0°	Friedel and Crafts. A. J. S. (2), 48, 158.
" "	"	.9330, 22° 5'	Mendelejeff. J. 13, 7.
Propyl orthosilicate	(C <sub>3</sub> H <sub>7</sub> ) <sub>4</sub> SiO <sub>4</sub>	.915, 18°	Cahours. C. C. 4, 482.
Butyl orthosilicate	(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> SiO <sub>4</sub>	.953, 15°	Cahours. C. C. 5, 20.
Triethyl amyl orthosilicate	(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> C <sub>5</sub> H <sub>11</sub> SiO <sub>4</sub>	.926, 0°	Friedel and Crafts. A. J. S. (2), 43, 163.
Diethyl diamyl orthosilicate.	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (C <sub>5</sub> H <sub>11</sub> ) <sub>2</sub> SiO <sub>4</sub>	.915, 0°	Friedel and Crafts. J. 19, 489.
Ethyl triamyl orthosilicate	C <sub>2</sub> H <sub>5</sub> (C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub> SiO <sub>4</sub>	.913, 0°	" "
Amyl orthosilicate	(C <sub>5</sub> H <sub>11</sub> ) <sub>4</sub> SiO <sub>4</sub>	.868, 20°	Ebelmen. A. C. P. 57, 344.
Hexmethyl disilicate	(CH <sub>3</sub> ) <sub>6</sub> Si <sub>2</sub> O <sub>7</sub>	1.1441, 0°	Friedel and Crafts. J. 18, 465.
Hexethyl disilicate	(C <sub>2</sub> H <sub>5</sub> ) <sub>6</sub> Si <sub>2</sub> O <sub>7</sub>	1.0196, 0°	Friedel and Crafts. J. 19, 489.
" "	"	1.0019, 19° 2'	"
Octethyl tetrasilicate	C <sub>18</sub> H <sub>40</sub> Si <sub>4</sub> O <sub>12</sub>	1.071, 0°	Troost and Hautefeuille. B. S. C. 19, 255.
" "	"	1.054, 14° 5'	
Ethyl silicoacetate	C <sub>7</sub> H <sub>18</sub> SiO <sub>3</sub>	.9233, 0°	Ladenburg. J. C. S. (2), 12, 40.
Methyl silicopropionate	C <sub>5</sub> H <sub>14</sub> SiO <sub>3</sub>	.9747, 0°	Ladenburg. A. C. P. 173, 143.
Ethyl silicopropionate	C <sub>8</sub> H <sub>20</sub> SiO <sub>3</sub>	.9207, 0°	Friedel and Ladenburg. A. C. P. 159, 259.
Ethyl silicobenzoate	C <sub>12</sub> H <sub>20</sub> SiO <sub>3</sub>	1.0133, 0°	Ladenburg. J. C. S. (2), 11, 1026.
" "	"	1.0055, 10°	
Silicon diethyl diethylate.	C <sub>8</sub> H <sub>20</sub> SiO <sub>2</sub>	.8752, 0°	Ladenburg. A. C. P. 164, 300.
Triethylsilicol	Si C <sub>6</sub> H <sub>15</sub> O H	.8709, 0°	" "
Silicoheptyl oxide	(Si C <sub>6</sub> H <sub>15</sub> ) <sub>2</sub> O	.8831, 0°	Ladenburg. Ber. 4, 730.
" "	"	.8590, 0°	Ladenburg. A. C. P. 164, 300.
Silicoheptyl acetate	Si C <sub>6</sub> H <sub>15</sub> C <sub>2</sub> H <sub>3</sub> O <sub>2</sub>	.9039, 0°	" "
Silicoheptyl ethylate	Si C <sub>6</sub> H <sub>15</sub> C <sub>2</sub> H <sub>5</sub> O	.8403, 0°	" "

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silicoheptyl chloride-----	Si C <sub>6</sub> H <sub>15</sub> Cl -----	.9249, 0° -----	Ladenburg. A. C. P. 164, 300.
Methylsilicic monochlorhydrin.	Si C <sub>3</sub> H <sub>9</sub> Cl O <sub>3</sub> -----	1.1954, 0° -----	Friedel and Crafts. J. 19, 490.
Methylsilicic dichlorhydrin.	Si C <sub>2</sub> H <sub>6</sub> Cl <sub>2</sub> O <sub>2</sub> -----	1.2595 -----	" "
Ethylsilicic monochlorhydrin.	Si C <sub>6</sub> H <sub>15</sub> Cl O <sub>3</sub> -----	1.0483, 0° -----	Friedel and Crafts. A. J. S. (2), 43, 160.
Ethylsilicic dichlorhydrin	Si C <sub>4</sub> H <sub>10</sub> Cl <sub>2</sub> O <sub>2</sub> -----	1.144, 0° -----	Friedel and Crafts. J. 19, 488.
Ethylsilicic trichlorhydrin	Si C <sub>2</sub> H <sub>5</sub> Cl <sub>3</sub> O -----	1.241, 0° -----	Friedel and Crafts. J. 19, 489.
Propylsilicic monochlorhydrin.	Si C <sub>9</sub> H <sub>21</sub> Cl O <sub>3</sub> -----	.980 -----	Cahours. C. C. 4, 482.
Propylsilicic dichlorhydrin.	Si C <sub>6</sub> H <sub>14</sub> Cl <sub>2</sub> O <sub>2</sub> -----	1.028 -----	" "
Derivative of silicon triethylphenyl.	Si C <sub>12</sub> H <sub>19</sub> Cl -----	1.1085, 0° -----	Ladenburg. A. C. P. 173, 148.
Silicon iodoform-----	Si H I <sub>3</sub> -----	3.362, 0° -----	Friedel. A. C. P. 149, 96.
" " -----	" -----	3.314, 20° -----	

## LXVII. ORGANIC COMPOUNDS OF TIN.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stanntetramethyl-----	Sn (C H <sub>3</sub> ) <sub>4</sub> -----	1.3138, 0° -----	Ladenburg. Z. C. 13, 605.
Stanndiethyl-----	Sn <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> -----	1.558, 15° -----	Löwig. J. 5, 584.
" "-----	"-----	1.192 -----	Buckton. J. 11, 392.
"Ethylene stannethyl"-----	"-----	1.410 -----	Löwig. J. 5, 585.
Stanntriethyl-----	Sn <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>6</sub> -----	1.4115, 0° -----	Ladenburg. Z. C. 13, 604.
Stanntetrethyl-----	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> -----	1.187, 13°.6-----	Frankland. J. 12, 411.
Stannethyltrimethyl-----	Sn C <sub>2</sub> H <sub>5</sub> (C H <sub>3</sub> ) <sub>3</sub> -----	1.243 -----	Cahours. J. 14, 551.
Stanndiethyldimethyl-----	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (C H <sub>3</sub> ) <sub>2</sub> -----	1.2319, 19° -----	Frankland. J. 12, 412.
" "-----	"-----	1.2509, 0° -----	Two lots. Morgu- noff. Z. C. 10, 370.
" "-----	"-----	1.2608, 0° -----	
Stanntetrapropyl-----	Sn (C <sub>3</sub> H <sub>7</sub> ) <sub>4</sub> -----	1.179, 14° -----	Cahours. B. S. C. 20, 190.
Stanntriethylphenyl-----	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> C <sub>6</sub> H <sub>5</sub> -----	1.2639, 0° -----	Ladenburg. A. C. P. 159, 251.
Stanntriethyl ethylate-----	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> C <sub>2</sub> H <sub>5</sub> O-----	1.2634, 0° -----	Ladenburg. A. C. P., 8th Supp., 60.
Stanndimethyl iodide-----	Sn (C H <sub>3</sub> ) <sub>2</sub> I <sub>2</sub> -----	2.872, 22° -----	Cahours. J. 12, 427.
Stanntrimethyl iodide-----	Sn (C H <sub>3</sub> ) <sub>3</sub> I-----	2.155, 18° -----	Cahours. J. 12, 429.
" "-----	"-----	2.1432, 0° -----	Ladenburg. Z. C. 13, 605.
" "-----	"-----	2.1096, 18° -----	
Stanndiethyl iodide-----	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> I <sub>2</sub> -----	1.8 -----	Cahours. J. 12, 424.
" "-----	"-----	2.0329, 15° -----	Frankland. J. 12, 418.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stannetriethyl chloride	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> Cl	1.428, 8°	Cahours. J. 12, 425.
" "	" "	1.320	Löwig. J. 5, 588.
Stannetriethyl bromide	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> Br	1.630	" "
Stannetriethyl iodide	Sn (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> I	1.850	" "
" "	" "	1.833, 22°	Cahours. J. 12, 424.
Stannitripropyl iodide	Sn (C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> I	1.692, 16°	Cahours. B.S.C. 19, 801.
Stannitributyl iodide	Sn (C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> I	1.540, 15°	Cahours. C. C. 5, 20.
"Ethstannethyl chloride"	Sn <sub>2</sub> C <sub>10</sub> H <sub>25</sub> Cl	1.30	Löwig. J. 5, 588.
"Ethstannethyl bromide"	Sn <sub>2</sub> C <sub>10</sub> H <sub>25</sub> Br	1.48	" "
"Ethstannethyl iodide"	Sn <sub>2</sub> C <sub>10</sub> H <sub>25</sub> I	1.724	" "

## LXVIII. ORGANIC COMPOUNDS OF ALUMINUM.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Aluminum ethylate	Al (C <sub>2</sub> H <sub>5</sub> O) <sub>3</sub>	1.147, 4°	Gladstone and Tribe. C. N. 42, 3.
Aluminum propylate	Al (C <sub>3</sub> H <sub>7</sub> O) <sub>3</sub>	1.026, 4°	" "
Aluminum butylate	Al (C <sub>4</sub> H <sub>9</sub> O) <sub>3</sub>	.9825, 4°	" "
Aluminum amylate	Al (C <sub>5</sub> H <sub>11</sub> O) <sub>3</sub>	.9804, 4°	" "
Aluminum phenylate	Al (C <sub>6</sub> H <sub>5</sub> O) <sub>3</sub>	1.25, 4°	" "
Aluminum cresylate	Al (C <sub>7</sub> H <sub>7</sub> O) <sub>3</sub>	1.166, 4°	" "
Aluminum thymolate	Al (C <sub>10</sub> H <sub>13</sub> O) <sub>3</sub>	1.04, 4°	" "
Aluminum chloride and benzene.	Al Cl <sub>3</sub> , 3 C <sub>6</sub> H <sub>6</sub>	1.14, 0°	Gustavson. Ber. 11, 2152.
" " " "	" "	1.12, 20°	
Aluminum chloride and toluene.	Al Cl <sub>3</sub> , 3 C <sub>7</sub> H <sub>8</sub>	1.08, 0°	" "
" " " "	" "	1.06, 22°	
Aluminum chloride and cymene.	2 Al Cl <sub>3</sub> , 3 C <sub>10</sub> H <sub>14</sub>	1.139, 0°	Gustavson. Ber. 12, 694.
" " " "	" "	1.127, 18°	
Aluminum bromide and benzene.	Al Br <sub>3</sub> , 3 C <sub>6</sub> H <sub>6</sub>	1.49, 0°	Gustavson. Ber. 11, 1845.
" " " "	" "	1.47, 20°	
Aluminum bromide and toluene.	Al Br <sub>3</sub> , 3 C <sub>7</sub> H <sub>8</sub>	1.37, 0°	Gustavson. Ber. 11, 1843.
" " " "	" "	1.35, 20°	
Aluminum bromide and cymene.	2 Al Br <sub>3</sub> , 3 C <sub>10</sub> H <sub>14</sub>	1.493, 0°	Gustavson. Ber. 12, 694.
" " " "	" "	1.477, 16°	

## LXIX. ORGANIC COMPOUNDS OF ZINC, MERCURY, THALLIUM, AND LEAD.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Zinc methyl -----	Zn (C H <sub>3</sub> ) <sub>2</sub> -----	1.386, 10°.5 -----	Frankland and Duppa. J. 16, 473.
Zinc ethyl -----	Zn (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> -----	1.182, 18° -----	Frankland. J. 8, 577.
Zinc propyl -----	Zn (C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> -----	1.098, 15° -----	Gladstone and Tribe. J. S. C. (2), 11, 968.
Zinc amyl -----	Zn (C <sub>5</sub> H <sub>11</sub> ) <sub>2</sub> -----	1.022, 0° -----	Frankland and Duppa. J. 16, 473.
Mercurmethyl -----	Hg (C H <sub>3</sub> ) <sub>2</sub> -----	3.069 -----	Buckton. J. 11, 388.
Mercurethyl -----	Hg (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> -----	2.444 -----	Buckton. J. 11, 390.
Mercurpropyl -----	Hg (C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> -----	2.124, 16° -----	Cahours. B. S. C. 19, 301.
Mercurbutyl -----	Hg (C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> -----	1.7469, 0° -----	{ Chapman and Smith. J. C. S. 22, 164.
“ -----	“ -----	1.7192, 16° -----	
“ -----	“ -----	1.835, 15° -----	Cahours. C. C. 5, 20.
Mercuramyl -----	Hg (C <sub>5</sub> H <sub>11</sub> ) <sub>2</sub> -----	1.6663, 0° -----	Frankland and Duppa.
Mercuroctyl -----	Hg (C <sub>8</sub> H <sub>17</sub> ) <sub>2</sub> -----	1.342, 17° -----	Eichler. Ber. 12, 1880.
Mercurdiphenyl -----	Hg (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> -----	2.290 -----	} Schröder. Ber. 12, 561.
“ -----	“ -----	2.324 -----	
“ -----	“ -----	2.340 -----	
Mercurdinaphtyl -----	Hg (C <sub>10</sub> H <sub>7</sub> ) <sub>2</sub> -----	1.918 -----	} “ “
“ -----	“ -----	1.926 -----	
“ -----	“ -----	1.944 -----	
Mercurmethyl chloride -----	Hg C H <sub>3</sub> Cl -----	4.063, 4° -----	“ “
Mercurethyl chloride -----	Hg C <sub>2</sub> H <sub>5</sub> Cl -----	3.461 -----	} “ “
“ “ -----	“ “ -----	3.503 -----	
Mercury β hexyl mercaptide.	Hg (C <sub>6</sub> H <sub>13</sub> S) <sub>2</sub> -----	1.6502, 0° -----	Wanklyn and Erlenmeyer. J. 17, 510.
Thallium ethylate -----	Tl C <sub>2</sub> H <sub>5</sub> O -----	3.480 -----	} Lamy. Ann. (4), 3, 373.
“ “ -----	“ “ -----	3.685 -----	
Thallium amylate -----	Tl C <sub>5</sub> H <sub>11</sub> O -----	2.465 -----	} Lamy. J. 17, 466
“ “ -----	“ “ -----	2.518 -----	
Lead tetramethyl -----	Pb (C H <sub>3</sub> ) <sub>4</sub> -----	2.034, 0° -----	Butlerow. J. 16, 476.
Lead diethyl -----	Pb (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> -----	1.55 -----	Buckton. J. 11, 391.
“ “ -----	“ “ -----	1.62 -----	Buckton. J. 12, 409.
Lead triethyl -----	Pb <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>6</sub> -----	1.471, 10° -----	Klippel. J. 13, 381.
Lead tetraphenyl -----	Pb (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub> -----	1.5298, 20° -----	Polis. Ber. 20, 716.
Para lead tetratoyl -----	Pb (C <sub>7</sub> H <sub>7</sub> ) <sub>4</sub> -----	1.4329, 20° -----	“ “

## LXX. METALLIC SALTS OF ORGANIC ACIDS.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium formate	$\text{Li C H O}_2 \cdot \text{H}_2 \text{O}$	1.435	Schröder. Ber. 14, 21.
" "	"	1.479	
Sodium formate	$\text{Na C H O}_2$	1.907	" "
" "	"	1.931	
Potassium formate	$\text{K C H O}_2$	1.896	" "
" "	"	1.920	
Ammonium formate	$\text{Am C H O}_2$	1.264	" "
" "	"	1.271	
Zinc formate	$\text{Zn C}_2 \text{H}_2 \text{O}_4$	2.368	Schröder. Ber. 14, 23.
" "	$\text{Zn C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.339	Schröder. Ber. 8, 199.
" "	"	2.205	Schröder. Ber. 14, 23.
" "	"	2.1575, 21°.	Breen. F. W. C.
Cadmium formate	$\text{Cd C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.429, 20°.2	" "
" "	"	2.427	Schröder. Ber. 14, 22.
" "	"	2.477	
Calcium formate	$\text{Ca C}_2 \text{H}_2 \text{O}_4$	2.021	Schröder. Ber. 8, 199.
" "	"	2.009	Schröder. Ber. 14, 22.
" "	"	2.015	
Strontium formate	$\text{Sr C}_2 \text{H}_2 \text{O}_4$	2.667	" "
" "	$\text{Sr C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.252, cryst.	Schröder. Ber. 8, 199.
" "	"	2.266, pulv.	
" "	"	2.244, m. of 8.	Schröder. Ber. 14, 22.
Barium formate	$\text{Ba C}_2 \text{H}_2 \text{O}_4$	3.193, cryst.	Schröder. Ber. 8, 199.
" "	"	3.219, pulv.	
" "	"	3.203	Two lots. Schröder. Ber. 11, 2129.
" "	"	3.233	
Lead formate	$\text{Pb C}_2 \text{H}_2 \text{O}_4$	4.56, 11°	Bödeker and Giesecke. B. D. Z.
" "	"	4.507	Schröder. Dm. 1873.
" "	"	4.555	
" "	"	4.610, cryst.	Schröder. Ber. 8, 199.
" "	"	4.621, pulv.	
Manganese formate	$\text{Mn C}_2 \text{H}_2 \text{O}_4$	2.205	Schröder. Ber. 14, 23.
" "	$\text{Mn C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	1.947	" "
" "	"	1.954	
" "	"	1.959	
Nickel formate	$\text{Ni C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.1547, 20°.2	H. Stallo. F. W. C.
Cobalt formate	$\text{Co C}_2 \text{H}_2 \text{O}_4 \cdot 2 \text{H}_2 \text{O}$	2.1089, 20°.2	" "
" "	"	2.1286, 22°	
Copper formate	$\text{Cu C}_2 \text{H}_2 \text{O}_4 \cdot 4 \text{H}_2 \text{O}$	1.815, 20°	Gehlen. Ann. 83, 213.
" "	"	1.811, pulv.	Schröder. Ber. 8, 199.
" "	"	1.795, cryst.	
" "	"	1.881	Schröder. Ber. 14, 23.
Strontium copper formate	$\text{Sr}_2 \text{Cu (C H O}_2)_6$	2.612	Schröder. Ber. 14, 24.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium copper formate	$\text{Sr}_2 \text{Cu} (\text{CHO}_2)_6 \cdot 8\text{H}_2\text{O}$	2.132	Schröder. Ber. 14,
" " "	" " "	2.133	
Barium copper formate	$\text{Ba}_2 \text{Cu} (\text{CHO}_2)_6 \cdot 4\text{H}_2\text{O}$	2.747	" "
Didymium formate	$\text{Di} (\text{C}_2 \text{H}_3 \text{O}_2)_3$	3.427	Cleve. U. N. A.
" " "	" " "	3.433	
Samarium formate	$\text{Sm} (\text{C}_2 \text{H}_3 \text{O}_2)_3$	3.730	" "
" " "	" " "	3.732	
" " "	" " "	3.737	
Sodium acetate	$\text{Na C}_2 \text{H}_3 \text{O}_2$	1.421, 14°	Bodeker. B. D. Z.
" " "	" " "	1.524	Schröder. Ber. 14,
" " "	" " "	1.529	1608.
" " "	" " "	1.53	Brügelmann. Ber.
" " "	$\text{Na C}_2 \text{H}_3 \text{O}_2 \cdot 3 \text{H}_2 \text{O}$	1.420	17, 2359.
" " "	" " "	1.40, 12°	Buignet. J. 14, 15.
" " "	" " "	1.450	Bödeker. B. D. Z.
" " "	" " "	1.456	Schröder. Ber. 14,
Sodium triacetate	$\text{Na C}_6 \text{H}_{11} \text{O}_6$	1.47	1608.
Potassium triacetate	$\text{K C}_6 \text{H}_{11} \text{O}_6$	1.34	Lescoeur. C. R. 78,
Silver acetate	$\text{Ag C}_2 \text{H}_3 \text{O}_2$	3.1281, 15°	1046.
" " "	" " "	3.222	" "
" " "	" " "	3.259	Liebig and Redten-
Magnesium acetate	$\text{Mg} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	1.419	bacher. P. M. (3),
" " "	" " "	1.422	19, 227.
" " "	$\text{Mg} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 4\text{H}_2\text{O}$	1.453	Schröder. Ber. 9,
" " "	" " "	1.455	1888.
" " "	" " "	1.4487	Schröder. Ber. 14,
Zinc acetate	$\text{Zn} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	1.810	1610.
" " "	" " "	1.869	" "
" " "	$\text{Zn} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 2 \text{H}_2 \text{O}$	1.735	" "
" " "	$\text{Zn} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	1.7175, 12°	Bödeker. B. D. Z.
Cadmium acetate	$\text{Cd} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	2.329	Schröder. Ber. 14,
" " "	" " "	2.352	1611.
" " "	$\text{Cd} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 2 \text{H}_2 \text{O}$	1.998	" "
" " "	" " "	2.021	" "
Mercuric acetate	$\text{Hg} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	3.2544, 22°	Hagemann. F.W.C.
" " "	" " "	3.2861, 23°	
Strontium acetate	$\text{Sr} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	2.099	Schröder. Ber. 14,
" " "	" " "	1.981	1608.
" " "	$2\text{Sr} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	2.018	" "
Barium acetate	$\text{Ba} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	2.440	Schröder. Ber. 11,
" " "	" " "	2.486	2129.
" " "	" " "	2.316	Two lots. Schröder.
" " "	" " "	2.440	Ber. 12, 561.
" " "	" " "	2.480	Schröder. Ber. 14,
" " "	" " "	2.480	1608.
" " "	$\text{Ba} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot \text{H}_2 \text{O}$	2.19, 13°	Bödeker. B. D. Z.
" " "	$\text{Ba} (\text{C}_2 \text{H}_3 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	2.014	Schröder. Ber. 14,
" " "	" " "	2.026	1608.
Lead acetate	$\text{Pb} (\text{C}_2 \text{H}_3 \text{O}_2)_2$	3.238	Schröder. Ber. 14,
" " "	" " "	3.264	1609.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.	
Lead acetate	$\text{Pb}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 3\text{H}_2\text{O}$	2.496	Buignet. J. 14, 15.	
" "	"	2.559, 13°	Schröder. Dm. 1873.	
" "	"	2.540	Schröder. Ber. 14,	
" "	"	2.560	1609.	
" "	"	2.460	W. C. Smith. Am.	
Manganese acetate	$\text{Mn}(\text{C}_2\text{H}_3\text{O}_2)_2$	1.737	J. P. 53, 145.	
" "	"	1.753	Schröder. Ber. 14,	
" "	$\text{Mn}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 4\text{H}_2\text{O}$	1.588	1610.	
" "	"	1.590	" "	
Nickel acetate	$\text{Ni}(\text{C}_2\text{H}_3\text{O}_2)_2$	1.797	" "	
" "	"	1.799	" "	
" "	$\text{Ni}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 4\text{H}_2\text{O}$	1.7346, 17° 2	H. Stallo. F. W. C.	
" "	"	1.7443, 15° 7	"	
" "	"	1.734	Schröder. Ber. 14,	
" "	"	1.753	1610.	
Cobalt acetate	$\text{Co}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot 4\text{H}_2\text{O}$	1.7031, 15° 7	H. Stallo. F. W. C.	
" "	"	1.7043, 13° 7	"	
Copper acetate	$\text{Cu}(\text{C}_2\text{H}_3\text{O}_2)_2$	1.920	Schröder. Ber. 14,	
" "	"	1.939	1609.	
" "	$\text{Cu}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot \text{H}_2\text{O}$	1.914, 20°	Gehlen. Ann. (1),	
" "	"	1.880, m. of 4.	83, 213.	
" "	"	1.875 } extreme	} Schröder. Dm.	
" "	"	1.885 } 11°		1873.
" "	"	1.875		Schröder. Ber. 14,
" "	"	1.890		1609.
Didymium acetate	$\text{Di}(\text{C}_2\text{H}_3\text{O}_2)_3$	2.125, 13° 5	Cleve. U. N. A.	
" "	"	2.190, 16° 5	1885.	
" "	$\text{Di}(\text{C}_2\text{H}_3\text{O}_2)_3 \cdot \text{H}_2\text{O}$	2.230	" "	
" "	"	2.244	" "	
" "	$\text{Di}(\text{C}_2\text{H}_3\text{O}_2)_3 \cdot 4\text{H}_2\text{O}$	1.881	" "	
" "	"	1.884	" "	
Samarium acetate	$\text{Sm}(\text{C}_2\text{H}_3\text{O}_2)_3$	2.208, 18° 3	" "	
" "	$\text{Sm}(\text{C}_2\text{H}_3\text{O}_2)_3 \cdot 4\text{H}_2\text{O}$	1.942, 14° 5	" "	
" "	"	1.938, 15° 5	" "	
Calcium copper acetate	$\text{CaCu}(\text{C}_2\text{H}_3\text{O}_2)_4 \cdot 8\text{H}_2\text{O}$	1.4206	Schabus. J. 3, 393.	
Lithium uranyl acetate	$\text{LiUO}_2(\text{C}_2\text{H}_3\text{O}_2)_3 \cdot \frac{3}{2}\text{H}_2\text{O}$	2.280, 15°	Wyruboff. B. S. M.	
Sodium uranyl acetate	$\text{NaUO}_2(\text{C}_2\text{H}_3\text{O}_2)_3$	2.55, 12°	8, 118.	
Sodium uranyl monochloracetate.	$\text{NaUO}_2(\text{C}_2\text{H}_2\text{ClO}_2)_3 \cdot \frac{2}{2}\text{H}_2\text{O}$	2.748, 14°	Bödeker and Giesecke. B. D. Z.	
			Clarke. A. C. J. 2,	
			331.	
Silver propionate	$\text{AgC}_3\text{H}_5\text{O}_2$	2.714	Schröder. Ber. 10,	
Barium propionate	$\text{Ba}(\text{C}_3\text{H}_5\text{O}_2)_2$	2.067, 22° 3	1872.	
" "	"	1.970	Stern. F. W. C.	
Didymium propionate	$\text{Di}(\text{C}_3\text{H}_5\text{O}_2)_3$	1.861, 12° 5	Schröder. Ber. 11,	
" "	"	1.741, 12° 5	2129.	
" "	$\text{Di}(\text{C}_3\text{H}_5\text{O}_2)_3 \cdot 3\text{H}_2\text{O}$	1.742, 13°	Cleve. U. N. A.	
Samarium propionate	$\text{Sm}(\text{C}_3\text{H}_5\text{O}_2)_3$	1.894, 14°	1885.	
" "	$\text{Sm}(\text{C}_3\text{H}_5\text{O}_2)_3 \cdot 3\text{H}_2\text{O}$	1.784	" "	
" "	"	1.786	" "	
" "	"	1.788	" "	



NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver butyrate	$\text{Ag C}_4 \text{H}_7 \text{O}_2$	2.353, 4°	Schröder. Ber. 10, 848.
Barium butyrate	$\text{Ba (C}_4 \text{H}_7 \text{O}_2)_2$	1.768, 22°	Stern. F. W. C.
Barium isobutyrate	"	1.779	Schröder. Ber. 11, 2130.
"	"	1.800	"
Silver isovalerate. Ppt.	$\text{Ag C}_5 \text{H}_9 \text{O}_2$	2.110	Schröder. Ber. 10, 848.
" " Cryst.	"	2.118	
Silver caproate	$\text{Ag C}_6 \text{H}_{11} \text{O}_2$	2.029, ppt.	} From two caproic acids, probably not identical. Schröder. Ber. 10, 1872.
" " "	"	2.052, cryst.	
" " "	"	2.053, "	
" " "	"	1.866, "	
" " "	"	1.877, "	
Silver caprylate	$\text{Ag C}_8 \text{H}_{15} \text{O}_2$	1.740, ppt.	Schröder. Ber. 10, 1873.
" " "	"	1.771, cryst.	
Potassium methylsulphate	$\text{K C H}_3 \text{ S O}_4$	2.057	Schröder. Ber. 11, 2020.
Barium methylsulphate	$\text{Ba (C H}_3 \text{ S O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.276, 20°	Geppert. F. W. C. Schröder. Ber. 11, 2130.
" " "	"	2.258	
" " "	"	2.275	
Potassium ethylsulphate	$\text{K C}_2 \text{H}_5 \text{ S O}_4$	1.792	Schröder. Ber. 11, 2020.
" " "	"	1.809	"
Barium ethylsulphate	$\text{Ba (C}_2 \text{H}_5 \text{ S O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.0714, 22°	Geppert. F. W. C.
" " "	"	2.080, 21°	
" " "	"	2.055	Schröder. Ber. 11, 2130.
Didymium ethylsulphate	$\text{Di (C}_2 \text{H}_5 \text{ S O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	1.860, 17°	Cleve. U. N. A. 1885.
" " "	"	1.867, 18°	
Samarium ethylsulphate	$\text{Sm (C}_2 \text{H}_5 \text{ S O}_4)_3 \cdot 9 \text{H}_2 \text{O}$	1.874	" " 20°
" " "	"	1.885	
Potassium propylsulphate	$\text{K C}_3 \text{H}_7 \text{ S O}_4$	1.794	Schröder. Ber. 11, 2020.
" " "	"	1.831	
Barium propylsulphate	$\text{Ba (C}_3 \text{H}_7 \text{ S O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.839	Geppert. F. W. C.
" " "	"	1.844	
" " "	"	1.844	
Potassium isobutylsulphate	$\text{K C}_4 \text{H}_9 \text{ S O}_4$	1.472	Schröder. Ber. 11, 2020.
" " "	"	1.486	
Barium isobutylsulphate	$\text{Ba (C}_4 \text{H}_9 \text{ S O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.714, 22°	Whetstone. F. W. C. Schuermann. F. W. C.
" " "	"	1.743, 24°	
" " "	"	1.778, 21°	
" " "	"	1.727	
" " "	"	1.738	
Potassium amylsulphate	$\text{K C}_5 \text{H}_{11} \text{ S O}_4$	1.401	Schröder. Ber. 11, 2020.
" " "	"	1.418	
Barium amylsulphate	$\text{Ba (C}_5 \text{H}_{11} \text{ S O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.623, 21°	Whetstone. F. W. C. Schröder. Ber. 11, 2130.
" " "	"	1.632, 22°	
" " "	"	1.638	
" " "	"	1.641	
Potassium methylxanthate	$\text{K C H}_3 \text{ C O S}_2$	1.6754, 15°	Bishop. F. W. C.
" " "	"	1.7002	
Potassium ethylxanthate	$\text{K C}_2 \text{H}_5 \text{ C O S}_2$	1.558, 21°	Geppert. F. W. C. H. Stallo. F. W. C.
" " "	"	1.5564, 18°	
" " "	"	1.5576, 21°	
Potassium isobutylxanthate	$\text{K C}_4 \text{H}_9 \text{ C O S}_2$	1.8713, 15°	" "
" " "	"	1.8332, 14°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Lithium oxalate	$\text{Li}_2 \text{C}_2 \text{O}_4$	2.1213, 17° 5'	Stolba. J. 1880, 283.
Sodium hydrogen oxalate	$\text{Na H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	2.315	Buignet. J. 14, 15.
Potassium oxalate	$\text{K}_2 \text{C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	2.104, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	2.08	Schiff. J. 12, 16.
Potassium hydrogen oxalate.	$\text{K H C}_2 \text{O}_4$	1.965, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	2.030	Schiff. J. 12, 16.
"	"	2.088	Buignet. J. 14, 15.
Potassium quadroxalate	$\text{K H}_3 (\text{C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	1.817	Playfair and Joule. M. C. S. 2, 401.
"	"	1.765	Schiff. J. 12, 16.
"	"	1.836	Buignet. J. 14, 15.
Rubidium quadroxalate	$\text{Rb H}_3 (\text{C}_2 \text{O}_4)_2 \cdot 2 \text{H}_2 \text{O}$	2.1246, 18°	Stolba. J. 1877, 243.
Ammonium oxalate	$\text{Am}_2 \text{C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	1.461, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.475	Schiff. J. 12, 16.
"	"	1.470	Buignet. J. 14, 15.
"	"	1.501	Schröder. Dm. 1873.
"	"	1.502	
Ammonium hydrogen oxalate.	$\text{Am H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	1.563, m. of 3.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.556	Schiff. J. 12, 16.
Ammonium quadroxalate	$\text{Am H}_3 (\text{C}_2 \text{O}_4)_2 \cdot \text{H}_2 \text{O}$	1.589, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
"	"	1.607	Schiff. J. 12, 16.
Silver oxalate	$\text{Ag}_2 \text{C}_2 \text{O}_4$	4.96, 10°	Husemann. B. D. Z.
"	"	5.005, 4° ppt.	Schröder. Ber. 10, 849.
"	"	5.029, 4° cryst.	
Thallium oxalate	$\text{Tl}_2 \text{C}_2 \text{O}_4$	6.31	Lamy and Des Cloizeaux. Nature, 1, 442.
Thallium hydrogen oxalate.	$\text{Tl H C}_2 \text{O}_4 \cdot \text{H}_2 \text{O}$	3.971	"
Zinc oxalate	$\text{Zn C}_2 \text{O}_4$	2.547, 18° 8'	Wilson. F. W. C.
"	"	2.562, 24° 5'	
"	"	2.582, 17° 5'	
Cadmium oxalate	$\text{Cd C}_2 \text{O}_4$	3.310, 17°	Freeman. F. W. C.
"	"	3.320, 18°	
Calcium oxalate	$\text{Ca C}_2 \text{O}_4$	2.106	Schröder. Dm. 1873.
"	"	2.181	Schröder. Ber. 12, 561.
"	"	2.182	
"	"	2.200	
Barium oxalate	$\text{Ba C}_2 \text{O}_4$	2.6578	Schweitzer. University of Missouri, special pub., 1876.
Lead oxalate	$\text{Pb C}_2 \text{O}_4$	5.018	Schröder. Dm. 1873.
"	"	5.035	
Manganese oxalate	$\text{Mn C}_2 \text{O}_4$	2.422, 21° 8'	Freeman. F. W. C.
"	"	2.453, 20° 7'	
"	"	2.457, 21° 8'	
Humboldtine	$2 \text{Fe C}_2 \text{O}_4 \cdot 3 \text{H}_2 \text{O}$	2.13	Dana's Mineralogy.
"	"	2.489	
Nickel oxalate	$\text{Ni C}_2 \text{O}_4$	2.218, 19°	Freeman. F. W. C.
"	"	2.2285, 19° 5'	
"	"	2.235, 18° 5'	
"	"	2.296, 20° 5'	
Cobalt oxalate	$\text{Co C}_2 \text{O}_4$	2.296, 20° 5'	" "
"	"	2.325, 19°	

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Stannous oxalate	$\text{Sn C}_2\text{O}_4$	3.558, 18	Wilson. F. W. C.
" "	"	3.576, 22°.5	
" "	"	3.584, 23°.5	
Thorium oxalate	$\text{Th (C}_2\text{O}_4)_2$	4.637, 16°	Clarke. A. C. J. 2, 175.
Uranyl oxalate	$\text{U O}_2 \cdot \text{C}_2\text{O}_4 \cdot 3 \text{H}_2\text{O}$	2.98	Ebelmen. J. P. C. 27, 391.
Potassium copper oxalate.	$\text{K}_2\text{Cu (C}_2\text{O}_4)_2 \cdot 2 \text{H}_2\text{O}$	2.288, m. of 2.	Playfair and Joule. M. C. S. 2, 401.
Ammonium copper oxalate.	$\text{Am}_2\text{Cu (C}_2\text{O}_4)_2 \cdot 2 \text{H}_2\text{O}$	1.923	" "
Potassium chromoxalate.	$\text{K}_3(\text{Cr C}_6\text{O}_{12})_2 \cdot 3 \text{H}_2\text{O}$	2.1039, 23°	Bishop. F. W. C.
" "	"	2.1464, 24°	
Strontium chromoxalate.	$\text{Sr}_3(\text{Cr C}_6\text{O}_{12})_2 \cdot 10 \text{H}_2\text{O}$	2.148, 8°.8	Kebler. F. W. C.
Strontium potassium chromoxalate.	$\text{Sr K (Cr C}_6\text{O}_{12})_2 \cdot 6 \text{H}_2\text{O}$	2.155, 12°.8	
Barium chromoxalate.	$\text{Ba}_3(\text{Cr C}_6\text{O}_{12})_2 \cdot 6 \text{H}_2\text{O}$	2.570, 6°.8	" "
" "	$\text{Ba}_3(\text{Cr C}_6\text{O}_{12})_2 \cdot 6 \text{H}_2\text{O}$	2.445, 13°.9	" "
" "	$\text{Ba}_3(\text{Cr C}_6\text{O}_{12})_2 \cdot 12 \text{H}_2\text{O}$	2.372, 27°	" "
Sodium ferroxalate	$2 \text{Na}_3(\text{Fe C}_6\text{O}_{12}) \cdot 11 \text{H}_2\text{O}$	1.9731, 17°.5	Eder and Valenta. Ber. 14, 1106.
Ammonium ferroxalate	$\text{Am}_3(\text{Fe C}_6\text{O}_{12}) \cdot 8 \text{H}_2\text{O}$	1.7785, 17°.5	" "
Platosoxalic acid	$\text{Pt H}_2(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$	2.94, 14°	Söderbaum. Upsala Diss. 1888.
Sodium platosoxalate	$\text{Na}_2\text{Pt (C}_2\text{O}_4)_2 \cdot 4 \text{H}_2\text{O}$	2.89, 17°.2	" "
" "	$\text{Na}_2\text{Pt (C}_2\text{O}_4)_2 \cdot 5 \text{H}_2\text{O}$	2.92, 17°.2	" "
Potassium platosoxalate.	$\text{K}_2\text{Pt (C}_2\text{O}_4)_2 \cdot 2 \text{H}_2\text{O}$	3.037, 11°.6	" "
" " Light.	"	3.036, 12°	
" " Dark.	"	3.012, 12°	
Ammonium platosoxalate.	$\text{Am}_2\text{Pt (C}_2\text{O}_4)_2 \cdot 2 \text{H}_2\text{O}$	2.614, 11°.7	" "
" " Light.	"	2.58, 11°.5	" "
" " Dark.	"	3.51, 13°.5	" "
Platodiamine platosoxalate.	$\text{Pt (NH}_3)_4\text{Pt (C}_2\text{O}_4)_2$	3.48, 13°.5	" "
" " Light.	"	2.424	" "
" " Dark.	"	2.425	
Didymium nitratooxalate.	$\text{Di H}_2(\text{N O}_3)_2(\text{C}_2\text{O}_4)_2 \cdot 11 \text{H}_2\text{O}$	13°.2	{ Cleve. U. N. A. 1885.
Ammonium succinate	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_4$	1.367, 10°	Zachariae. B. D. Z.
Silver succinate	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_4$	3.518, 10°	Husemann. B. D. Z.
" "	"	3.807	Schröder. Ber. 10, 849.
" "	"	3.833	
Barium succinate	$\text{Ba C}_4 \text{H}_4 \text{O}_4$	2.696	Schröder. Ber. 11, 2129.
" "	"	2.699	
Lead succinate	$\text{Pb C}_4 \text{H}_4 \text{O}_4$	3.800, 10°	Husemann. B. D. Z.
Ammonium malate	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_5$	1.509	Wyrouboff. Bei. 8, 24.
Ammonium hydrogen malate.	$\text{Am C}_4 \text{H}_5 \text{O}_5$	1.55	Pasteur. J. 4, 392.
Silver malate	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_5$	4.0016	Liebig and Redtenbacher. A. C. P. 38, 139.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Sodium tartrate -----	$\text{Na}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.794 -----	Buignet. J. 14, 15.
Potassium tartrate -----	$\text{K}_2 \text{C}_4 \text{H}_4 \text{O}_6$	1.975 -----	Schiff. J. 12, 16.
“ “ -----	$\text{K}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	1.960 -----	Buignet. J. 14, 15.
Potassium hydrogen tartrate.	$\text{K H C}_4 \text{H}_4 \text{O}_6$	1.943 -----	Schabus. J. 3, 378.
“ “ “ -----	“	1.973 -----	Schiff. J. 12, 16.
“ “ “ -----	“	1.956 -----	Buignet. J. 14, 15.
Ammonium tartrate -----	$\text{Am}_2 \text{C}_4 \text{H}_4 \text{O}_6$	1.566 -----	Schiff. J. 12, 16.
“ “ -----	“	1.523 -----	Buignet. J. 14, 15.
“ “ -----	“	1.601 -----	Wyrouboff. Bei. 8, 24.
Ammonium hydrogen tartrate.	$\text{Am H C}_4 \text{H}_4 \text{O}_6$	1.680 -----	Schiff. J. 12, 16.
Sodium potassium tartrate	$\text{Na K C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.74 -----	Mitscherlich.
“ “ “ -----	“	1.767 -----	Schiff. J. 12, 16.
“ “ “ -----	“	1.790 -----	Buignet. J. 14, 15.
“ “ “ -----	“	1.77 -----	W. C. Smith. Am. J. P. 53, 145.
Sodium ammonium tartrate.	$\text{Na Am C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.58 -----	Mitscherlich.
“ “ “ -----	“	1.576 -----	Pasteur. J. 2, 309.
“ “ “ -----	“	1.587 -----	Schiff. J. 12, 16.
Potassium ammonium tartrate.	$\text{K Am C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.700 -----	“ “
Rubidium tartrate -----	$\text{Rb}_2 \text{C}_4 \text{H}_4 \text{O}_6$	2.692 -----	Wyrouboff. Bei. 8, 24.
“ “ -----	$\text{Rb}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	2.584 -----	Wyrouboff. B. S. M. 6, 311.
Rubidium hydrogen tartrate.	$\text{Rb H C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	2.399 -----	“ “
Rubidium lithium tartrate	$\text{Rb Li C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	2.281 -----	Wyrouboff. B. S. M. 6, 53.
Rubidium sodium tartrate	$\text{Rb Na C}_4 \text{H}_4 \text{O}_6 \cdot 2\frac{1}{2} \text{H}_2 \text{O}$	2.200 -----	Wyrouboff. Ann. (6), 9, 221.
Silver tartrate -----	$\text{Ag}_2 \text{C}_4 \text{H}_4 \text{O}_6$	3.4321 -----	Liebig and Redtenbacher. A. C. P. 38, 139.
Thallium tartrate -----	$\text{Tl}_2 \text{C}_4 \text{H}_4 \text{O}_6$	5.110 -----	Wyrouboff. B. S. M. 6, 311.
“ “ -----	$\text{Tl}_2 \text{C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	4.658 -----	Lamy and Des Cloizeaux. Nature, 1, 142.
“ “ -----	“	4.740 -----	Wyrouboff. B. S. M. 9, 102.
Thallium hydrogen tartrate.	$\text{Tl H C}_4 \text{H}_4 \text{O}_6$	3.496 -----	Lamy and Des Cloizeaux. Nature, 1, 142.
“ “ “ -----	$\text{Tl H C}_4 \text{H}_4 \text{O}_6 \cdot \frac{1}{2} \text{H}_2 \text{O}$	3.399 -----	Wyrouboff. B. S. M. 6, 311.
Thallium lithium tartrate	$\text{Tl Li C}_4 \text{H}_4 \text{O}_6 \cdot \text{H}_2 \text{O}$	3.356 -----	Wyrouboff. B. S. M. 6, 53.
Thallium sodium tartrate	$\text{Tl Na C}_4 \text{H}_4 \text{O}_6 \cdot 2\frac{1}{2} \text{H}_2 \text{O}$	3.120 -----	Wyrouboff. Ann. (6), 9, 221.
Strontium tartrate -----	$\text{Sr C}_4 \text{H}_4 \text{O}_6$	2.575, 17° 3	} Joslin. F. W. C.
“ “ -----	“	2.579, 17° 1	
“ “ -----	“	2.593, 17° 4	
“ “ -----	$\text{Sr C}_4 \text{H}_4 \text{O}_6 \cdot 4 \text{H}_2 \text{O}$	1.961, 19°	
“ “ -----	“	1.966, 19° 2	“ “

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Strontium tartrate	$\text{Sr C}_4\text{H}_4\text{O}_6 \cdot 4\text{H}_2\text{O}$	1.972, 18°.	Joslin. F. W. C.
Barium tartrate	$\text{Ba C}_4\text{H}_4\text{O}_6$	2.965, 21°.5	" "
" "	"	2.974, 21°.9	
" "	"	2.980, 20°.8	
" "	"	3.998, 16°.5	
Lead tartrate	$\text{Pb C}_4\text{H}_4\text{O}_6$	4.001, 17°.5	" "
" "	"	4.037, 17°.7	
" "	"	2.5569	
Potassium tartrantimonite, or tartar-emetic	$2\text{K C}_4\text{H}_4\text{SbO}_7 \cdot \text{H}_2\text{O}$	2.5569	Pasteur. Ann. (3), 28, 86.
" "	"	2.607	Schiff. J. 12, 16.
" "	"	2.588	Buignet. J. 14, 15.
" "	"	2.597	Topsoë and Christiansen.
Ammonium tartrantimonite.	$2\text{Am C}_4\text{H}_4\text{SbO}_7 \cdot \text{H}_2\text{O}$	2.324	Topsoë. C. C. 4, 76.
Silver tartrantimonite	$\text{Ag C}_4\text{H}_4\text{SbO}_7$	3.4805, 18°.2	Evans. F. W. C.
Thallium tartrantimonite.	$2\text{Tl C}_4\text{H}_4\text{SbO}_7 \cdot \text{H}_2\text{O}$	3.99	Lamy and Des Cloizeaux. Nature, 1, 142.
Barium tartrantimonite	$\text{Ba (C}_4\text{H}_4\text{SbO}_7)_2 \cdot 2\text{H}_2\text{O}$	3.112, 19°	Joslin. F. W. C.
Potassium borotartrate	$\text{K C}_4\text{H}_4\text{B O}_7$	1.832	Buignet. J. 14, 15.
Potassium racemate	$\text{K}_2\text{C}_4\text{H}_4\text{O}_6 \cdot 2\text{H}_2\text{O}$	1.58	Mitscherlich.
Potassium hydrogen racemate.	$\text{K H C}_4\text{H}_4\text{O}_6$	1.954	Wyrouboff. B. S. M. 6, 311.
Potassium lithium racemate.	$\text{K Li C}_4\text{H}_4\text{O}_6$	1.610	Wyrouboff. B. S. M. 6, 53.
Potassium sodium racemate.	$\text{K Na C}_4\text{H}_4\text{O}_6 \cdot 3\text{H}_2\text{O}$	1.783	Wyrouboff. B. S. C. 45, 52.
Rubidium racemate	$\text{Rb}_2\text{C}_4\text{H}_4\text{O}_6$	2.640	Wyrouboff. Bei. 8, 24.
Rubidium hydrogen racemate.	$\text{Rb H C}_4\text{H}_4\text{O}_6$	2.282	Wyrouboff. B. S. M. 6, 311.
Rubidium lithium racemate.	$\text{Rb Li C}_4\text{H}_4\text{O}_6$	2.192	Wyrouboff. Bei. 8, 24.
Ammonium racemate	$\text{Am}_2\text{C}_4\text{H}_4\text{O}_6$	1.601	Wyrouboff. B. S. M. 9, 102.
Ammonium hydrogen racemate.	$\text{Am H C}_4\text{H}_4\text{O}_6$	1.636	Wyrouboff. B. S. M. 6, 311.
Ammonium sodium racemate.	$\text{Am Na C}_4\text{H}_4\text{O}_6 \cdot \text{H}_2\text{O}$	1.740	Wyrouboff. Ann. (6), 9, 221.
Silver racemate	$\text{Ag}_2\text{C}_4\text{H}_4\text{O}_6$	3.7752	Liebig and Redtenbacher. A. C. P. 38, 139.
Thellium racemate	$\text{Tl}_2\text{C}_4\text{H}_4\text{O}_6$	4.783	Two varieties. Wyrouboff. B. S. M. 9, 102.
" "	"	4.803	
" "	$2\text{Tl}_2\text{C}_4\text{H}_4\text{O}_6 \cdot \text{H}_2\text{O}$	4.659	
Thellium hydrogen racemate.	$\text{Tl H C}_4\text{H}_4\text{O}_6$	3.494	Lamy and Des Cloizeaux. Nature, 1, 142.
Thellium lithium racemate.	$\text{Tl Li C}_4\text{H}_4\text{O}_6 \cdot 2\text{H}_2\text{O}$	3.144	Wyrouboff. B. S. M. 6, 311.
Thellium sodium racemate	$\text{Tl Na C}_4\text{H}_4\text{O}_6 \cdot 2\text{H}_2\text{O}$	3.289	Wyrouboff. Ann. (6), 9, 221.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Potassium racemantimonite.	$2K_2C_4H_4SbO_7 \cdot H_2O$	2.4768 -----	Pasteur. Ann. (3), 28, 86.
Potassium citrate* -----	$K_3C_6H_5O_7 \cdot H_2O$	1.98 -----	W. C. Smith. Am. J. P. 53, 145.
Trisodium citrate -----	$2Na_3C_6H_5O_7 \cdot 11H_2O$	1.857, 23° 5	Blakemore. F. W. C.
“ “ -----	“ “ “	1.859, 24°	
Diammonium citrate -----	$Am_2C_6H_6O_7$	1.479, 22°	
Uranyl oleate -----	$UO_2(C_{18}H_{33}O_2)_2$	1.13 -----	Gibbons. Ber. 16, 964.
Calcium hippurate -----	$2CaC_{18}H_{16}N_2O_6 \cdot 3H_2O$	1.318 -----	Schabus. J. 3, 411.
Potassium orthonitrophenate.	$K_2C_6H_4NO_3 \cdot H_2O$	1.682, 20° -----	Post and Mehrrens. Ber. 8, 1552.
Silver orthonitrophenate	$AgC_6H_4NO_3$	2.661, 20° -----	“ “
Barium orthonitrophenate	$Ba(C_6H_4NO_3)_2$	2.3301, 20° -----	“ “
Lead orthonitrophenate	$PbO(C_6H_4NO_3)_2 \cdot H_2O$	2.712, 20° -----	“ “
Potassium metanitrophenate.	$K_2C_6H_4NO_3 \cdot 2H_2O$	1.691, 20° -----	“ “
Barium metanitrophenate	$Ba(C_6H_4NO_3)_2 \cdot 2H_2O$	2.343, 20° -----	“ “
Lead metanitrophenate	$PbO(C_6H_4NO_3)_2$	2.694, 20° -----	“ “
Potassium paranitrophenate.	$K_2C_6H_4NO_3 \cdot 2H_2O$	1.652, 20° -----	“ “
Silver paranitrophenate	$AgC_6H_4NO_3 \cdot 2H_2O$	2.652, 20° -----	“ “
Barium paranitrophenate	$Ba(C_6H_4NO_3)_2 \cdot 8H_2O$	2.322, 20° -----	“ “
Lead paranitrophenate	$PbO(C_6H_4NO_3)_2 \cdot 2H_2O$	2.682, 20° -----	“ “
Potassium $\alpha$ dinitrophenate	$K_2C_6H_3N_2O_5 \cdot H_2O$	1.778, 20° -----	“ “
Silver $\alpha$ dinitrophenate	$AgC_6H_3N_2O_5 \cdot H_2O$	2.755, 20° -----	“ “
Barium $\alpha$ dinitrophenate	$Ba(C_6H_3N_2O_5)_2 \cdot 4H_2O$	2.439, 20° -----	“ “
Lead $\alpha$ dinitrophenate	$PbOH(C_6H_3N_2O_5) \cdot 2H_2O$	2.817, 20° -----	“ “
Potassium $\beta$ dinitrophenate	$K_2C_6H_3N_2O_5$	1.757, 20° -----	“ “
Silver $\beta$ dinitrophenate	$AgC_6H_3N_2O_5$	2.733, 20° -----	“ “
Barium $\beta$ dinitrophenate	$Ba(C_6H_3N_2O_5)_2 \cdot H_2O$	2.406, 20° -----	“ “
Lead $\beta$ dinitrophenate	$PbO(C_6H_3N_2O_5)_2$	2.807, 20° -----	“ “
Lithium picrate	$LiC_6H_2N_3O_7$	1.716, 19° -----	Beamer. F. W. C.
“ “	“ “	1.724, 20°	
“ “	“ “	1.740, 20°	
Potassium picrate	$K_2C_6H_2N_3O_7$	1.852, 20° -----	Post and Mehrrens. Ber. 8, 1552.
Silver picrate	$Ag_2C_6H_2N_3O_7$	2.816, 20° -----	“ “
Thallium picrate	$Tl_2C_6H_2N_3O_7$	3.039 -----	Lamy and Des Cloi- zeaux. Nature, 1, 142.
Barium picrate	$Ba(C_6H_2N_3O_7)_2 \cdot 4H_2O$	2.518, 20° -----	Post and Mehrrens. Ber. 8, 1552.
Lead picrate	$Pb(C_6H_2N_3O_7)_2 \cdot H_2O$	2.831, 20° -----	“ “
Samarium picrate	$Sm(C_6H_2N_3O_7)_3 \cdot 8H_2O$	1.954, 18° 5 -----	Cleve. U. N. A. 1885.
Ammonium benzoate	$AmC_7H_5O_2$	1.260 -----	Schröder. Ber. 12, 1611.
“ “	“ “	1.264 -----	

\* Smith gives this salt under the name “potassii citras,” and assigns no formula.

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Silver benzoate	$\text{Ag C}_7 \text{H}_5 \text{O}_2$	2.258	Schröder. Ber. 9, 1889.
Calcium benzoate	$\text{Ca (C}_7 \text{H}_5 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	1.435	4° { Schröder. Ber. 12, 1611.
" "	" "	1.457	
Barium benzoate	$\text{Ba (C}_7 \text{H}_5 \text{O}_2)_2 \cdot 3 \text{H}_2 \text{O}$	1.792	4° { Schröder. Ber. 12, 561.
" "	" "	1.808	
Silver cinnamate	$\text{Ag C}_9 \text{H}_7 \text{O}_2$	2.073, 4°	" "
Mellite	$\text{Al}_2 \text{C}_{12} \text{O}_{12} \cdot 18 \text{H}_2 \text{O}$	1.636	Kenngott.
" "	" "	1.642	

LXXI. SALTS OF ORGANIC BASES WITH INORGANIC ACIDS.\*

NAME.	FORMULA.	SP. GRAVITY.	AUTHORITY.
Tetramethylammonium iodide.	$\text{N (C H}_3)_4 \text{I}$	1.827, 17°	Owens. F. W. C.
" "	" "	1.831, 19°	
" "	" "	1.838	
" "	" "	1.844	4° { Schröder. Ber. 12, 561.
Tetretethylammonium iodide.	$\text{N (C}_2 \text{H}_5)_4 \text{I}$	1.556	4° { " "
" "	" "	1.559	
" "	" "	1.561	
Tetramethylammonium mercury iodide.	$\text{N (C H}_3)_4 \text{I. Hg I}_2$	3.968, 24°	Owens. F. W. C.
" "	" "	3.971, 24°	
" "	" "	3.976, 23°	
" "	" "	4.008, 23°	
Ethylamine platinumchloride	$(\text{NC}_2 \text{H}_7 \cdot \text{H Cl})_2 \text{PtCl}_4$	2.250	19° { Clarke. A. C. J. 2, 175.
" "	" "	2.255	
Ethylamine aurochloride.	$\text{NC}_2 \text{H}_7 \cdot \text{H Cl. Au Cl}_3$	2.824	Topsoë. S. W. A. 73, 97.
Diethylamine aurochloride.	$\text{NC}_4 \text{H}_{11} \cdot \text{H Cl. Au Cl}_3$	2.436	" "
Triethylamine aurochloride.	$\text{NC}_6 \text{H}_{15} \cdot \text{H Cl. Au Cl}_3$	2.197	" "
Guanidine carbonate	$(\text{C H}_5 \text{N}_3)_2 \text{H}_2 \text{C O}_3$	1.238	Schröder. Ber. 13, 1070.
" "	" "	1.251	
Aniline chlorhydrate	$\text{C}_6 \text{H}_7 \text{N. H Cl}$	1.201	4° { Schröder. Ber. 12, 1611.
" "	" "	1.216	
" "	" "	1.227	
Aniline iodate	$\text{C}_6 \text{H}_7 \text{N. H I O}_3$	1.480, 15°	Beamer. F. W. C.
Aniline nitrate	$\text{C}_6 \text{H}_7 \text{N. H N O}_3$	1.356	4° { Schröder. Ber. 12, 1611.
" "	" "	1.360	
Aniline sulphate	$(\text{C}_6 \text{H}_7 \text{N})_2 \cdot \text{H}_2 \text{S O}_4$	1.377, 4°	" "
Aniline tartrantimonite	$\text{C}_6 \text{H}_7 \text{N. C}_4 \text{H}_6 \text{Sb O}_7$	1.890, 18°	Evans. F. W. C.
Rosaniline chlorhydrate	$\text{C}_{20} \text{H}_{19} \text{N}_3 \cdot \text{H Cl}$	1.220	Rüdorff. Ber. 12, 252.
Diazobenzene nitrate	$\text{C}_6 \text{H}_4 \text{N}_2 \cdot \text{H N O}_3$	1.37	Berthelot and Vieille. Bei. 5, 573.
Berberine chlorhydrate.	$\text{C}_{20} \text{H}_{17} \text{N O}_4 \cdot \text{H Cl}$	1.397, 19°	4. Clarke. A. C. J. 2, 174.
Berberine platinumchloride.	$(\text{C}_{20} \text{H}_{17} \text{N O}_4 \cdot \text{H Cl})_2 \text{Pt Cl}_4$	1.758, 19°	" "

\*Aniline tartrantimonite is included in this table for reasons of convenience.





## APPENDIX.

---

### NOTE ON THE SPECIFIC GRAVITY OF WOOD.

---

Although wood is a substance which does not come within the scope of these tables, the following references to literature are given as a matter of convenience.

---

ASCHAUER.—Dove's Repertorium, 1, 142.

BRISSON.—Pesanteur Spécifique des Corps.

ESTRADA.—Cuban woods. Van Nostrand's Magazine, 29, 417. 1883.

HÖH.—Beiblätter (Wiedemann's), 2, 534.

IHLSENG.—Amer. Journ. Sci. (3), 17, 125.

KARMARSCH.—Dove's Repertorium, 1, 141.

KOPP.—Dove's Repertorium, 7, 171; also Ann. Chim. Phys. (3), 6, 380.

MENDENHALL.—Ohio Agricultural and Mechanical College, Report for 1878.

OSBORNE.—"Report on Class III," Melbourne Exhibition of 1861. Many data for Australian woods and essential oils.

SHARPLES.—Vol. IX, Reports of Tenth U. S. Census. Complete as to woods of the United States.

SMITH.—Journ. Chem. Soc., June, 1880, p. 417.

WILEY.—Purdue University (Indiana) Report, No. 2, 1876.

Many figures are also given in Böttger's "Tabellarische Uebersicht."

*[The text in this section is extremely faint and illegible due to the quality of the scan. It appears to be a list or a series of entries.]*

# INDEX.

	PAGE.		PAGE.
<b>A.</b>			
Abies Reginae-Amaliae, oil from.....	179	Acid, Aliphatic.....	257
Abietene.....	158	"    Amidoacetic.....	287
Absinthol.....	262	"    Amidobenzoic.....	288
Acanthite.....	57	"    Amidocaproic.....	287
Acenaphthene.....	179	"    Amidosuccinic.....	287
Acetal.....	224	"    Amyldecanoic.....	234
Acetamide.....	287	"    Amylnitrophosphorons.....	349
Acetanilide.....	288	"    Anisic.....	257
"    Derivative of.....	316	"    Arsenic.....	49
Acetic aldehyde.....	216	"    Arsenious.....	48
Acetic anhydride.....	204	"    Aspartic.....	287
Acetobutyl alcohol.....	245	"    Benzoic.....	256
Acetochlorhydrin.....	312	"    Boric.....	107
Acetocinnamone.....	262	"    Bromisobutyric.....	326
Acetodichlorhydrin.....	312	"    Bromobutyric.....	326
Aceto-ethyl nitrate.....	286	"    Bromostearic.....	326
Acetoethylthienone.....	344	"    Butyric.....	200
Acetoglyceral.....	239	"    Camphoric.....	264
Acetone.....	218	"    Caproic.....	202
Acetonitril.....	268	"    Caprylic.....	203
Acetonitrose.....	286	"    Chloracetic.....	305
Acetophenone alcohol.....	252	"    Chloric.....	72
Acetopropyl alcohol.....	245	"    Chlorisobutyric.....	305
Acetothienone.....	344	"    Chlorobutyric.....	305
Acetotrithlorethylidene acetic ether.....	311	"    Chloropropionic.....	305
Acetoxyacetoneitril.....	289	"    Chlorosulphonic.....	30
Acetoxypropionitril.....	289	"    Chromic.....	52
Acetpiperidid.....	230	"    Cinnamic.....	258
Acetyl, Chloride.....	308	"    Citraconic.....	237
"    Iodide.....	335	"    Citric.....	237
"    Thiocyanate.....	346	"    Columbic.....	49
Acetylamine.....	280	"    Crotonic.....	234
Acetyl camphor.....	264	"    Cuminic.....	259
Acetylchloral ethylate.....	309	"    Cyanic.....	142
Acetylcoccellidine.....	290	"    Cyanuric.....	142
Acetylene.....	167	"    Diallylacetic.....	242
"    Bromide.....	338	"    Diamylphosphoric.....	349
"    Chloride.....	338	"    Dibromacetic.....	326
"    Chlorobromide.....	336	"    Dibromoleic.....	327
"    Dibromide.....	322	"    Dichloracetic.....	305
"    Iodide.....	334	"    Dichloroleic.....	312
"    Tetrabromide.....	321	"    Diethylacetic.....	203
"    Tetrachloride.....	299	"    Diethylcamphresic.....	265
Acetylthioxene.....	344	"    Diphenylarsenic.....	350
Acetyltrimethylene.....	246	"    Diphenylphosphinic.....	349
Acetyl valeryl.....	245	"    Dipropylacetic.....	204
Achillea ageratum, oil of.....	264	"    Dithionic.....	75
Acid, Acetic.....	199	"    Ethylbenzhydroxamic.....	288
"    Acetylformic.....	232	"    Ethylcamphoric.....	264
"    Acetylpropionic.....	232	"    Ethylmethylacetic.....	202
"    Allylacetic.....	242	"    Ethylmalic.....	226
"    Allylylic.....	242	"    Ethoxyisobutyric.....	230

	PAGE.		PAGE.
Acid, Ethylsalicylic .....	257	Acid, Perchloric.....	73
“ Ethylsulphuric .....	343	“ Phenylacetic .....	257
“ Ethylsulphurous.....	343	“ Phenylacrylic.....	258
“ Formic .....	199	“ Phenylarsinic.....	350
“ Gallic .....	257	“ Phenylphosphinic .....	349
“ Glycollic .....	230	“ Phenylpropionic .....	257
“ Hippuric .....	290	“ Phosphoric.....	114
“ Hydrochloric .....	19	“ Phosphorous .....	113
“ Hydrocinnamic .....	257	“ Phthalic.....	258
“ Hydrocyanic .....	142	“ Phycic .....	268
“ Hydrofluoric.....	16	“ Picolinic, chloroplatinate of.....	366
“ Hydrosorbic .....	234	“ Picric .....	285
“ Hydrosulphocyanic .....	142	“ Pimaric .....	267
“ Hypophosphorous.....	113	“ Platosoxalic.....	361
“ Iodic .....	74	“ Propionic .....	200
“ Isoamylacetic .....	203	“ Propionylformic .....	232
“ Isobutyric.....	201	“ Protocatechuic.....	257
“ Isocaproic .....	203	“ Pyroacemic .....	232
“ Isoheptylic.....	203	“ Pyrosulphuric .....	76
“ Isohexic, derivative of.....	312	“ Pyrotartaric.....	226
“ Isononylic.....	204	“ Pyroterebic .....	234
“ Isoöctylic .....	204	“ Pyruvic .....	232
“ Isovaleric .....	201	“ Quartenylic .....	234
“ Itaconic .....	237	“ Quinic .....	259
“ Lactic .....	230	“ Racemic.....	236
“ Laevotartaric .....	236	“ Ricinoleic .....	248
“ Laevulinic .....	232	“ Rutylic.....	204
“ Lauric.....	204	“ Salicylic.....	257
“ Linoleic .....	248	“ Santonic .....	267
“ Malic.....	236	“ Sebacic.....	226
“ Mandelic.....	259	“ Selenic .....	98
“ Metachlorbenzoic .....	313	“ Selenious.....	98
“ Methacrylic.....	234	“ Stearic .....	204
“ Methylacrylic .....	234	“ Succinic .....	226
“ Methylethylpropionic.....	203	“ Sulphhydric.....	56
“ Methylglycollic .....	230	“ Sulphuric .....	75
“ Methylhexamethylenemonocarboxy- lic .....	247	“ Sulphurous .....	51, 74
“ Methylisopropylacetic .....	203	“ Sylvic .....	267
“ Methylisopropylmalonic .....	226	“ Tannic .....	266
“ Methylpentamethylenemonocarboxy- lic .....	246	“ Tantalic .....	50
“ Methylpropylacetic.....	203	“ Tartaric .....	236
“ Methylsalicylic.....	257	“ Telluric .....	102
“ Molybdic.....	52	“ Tetramethylenemonocarboxylic.....	246
“ Moringic .....	234	“ Thiactic.....	344
“ Naphtylphosphinic.....	349	“ Trichloracetic.....	305
“ Naphtylphosphorous.....	349	“ Trichlorphenomalic.....	313
“ Nicotinic, chloroplatinate of.....	366	“ Trimethylacetic.....	202
“ Nitric.....	108	“ Tungstic .....	52
“ Nitrobenzoic .....	285	“ Uric.....	290
“ Nitroacrylic.....	282	“ Valeric .....	201
“ Nitrolactic .....	286	Acmite .....	139
“ Oenanthic.....	203	Acrolein .....	235
“ Oleic .....	234	“ Diacetate.....	235
“ Orthophenyleneglyoxylic.....	258	“ Ethylate .....	235
“ Oxalic.....	226	Acropinacone .....	235
“ Oxybenzoic .....	257	Acryl aldehyde.....	235
“ Paraffinic .....	291	Adamite .....	122
“ Parasantonlic .....	267	Alkinite .....	63
“ Parasorbic .....	248	Alabandite .....	59
“ Pelargonic .....	204	Alaskaite .....	63
		Albite .....	134
		Aldehyde.....	216

	PAGE.		PAGE.
Aldehyde with sulphaldehyde.....	344	Aluminum, Ammonium sulphate .....	94
Aldehyde collidine .....	274	“ Amylate .....	354
Aldehyde methyl chloride .....	310	“ Barium silicate .....	133
Aldol .....	246	“ Borate .....	103
Alexandrite .....	56	“ Bromide .....	32
Algodonite .....	67	“ “ with aromatic hydrocar-	
Allaktite.....	123	“ “ bons.....	354
Allemontite .....	63	“ Butylate .....	354
Alloclaseite .....	69	“ Cæsium selenate .....	101
Allophane .....	133	“ “ silicate .....	136
Allyl, Acetacetate .....	242	“ “ sulphate .....	93
“ Acetate .....	242	“ Calcium phosphate.....	118
“ Alcohol.....	240	“ “ silicates .....	136, 137
“ Bromide.....	322	“ “ sulphate .....	97
“ Carbamine.....	278	“ Chloride, with aromatic hydro-	
“ Chloride.....	299	“ carbons.....	354
“ Dibrompropionate.....	327	“ Copper arsenate.....	123
“ Formate.....	242	“ Cresolate .....	354
“ Iodide.....	334	“ Ethylate.....	354
“ Nitrate .....	286	“ Fluorides.....	17
“ Nitrite .....	286	“ Fluosilicate.....	140
“ Oxalate.....	243	“ Glucinum silicate.....	133
“ Oxide .....	241	“ Hydroxides.....	71
“ Santonate.....	267	“ Iodide .....	36
“ Sulphides .....	340	“ Iron silicates .....	133, 139
“ Thiocarbimide .....	345	“ Lead phosphate.....	113
“ Thiocyanate .....	345	“ “ silicate .....	133
“ Trisulphocarbonate .....	341	“ Lithium fluophosphate.....	124
Allylamine.....	278	“ “ silicates.....	134
Allylaniline.....	273	“ Magnesium phosphate.....	118
Allylanisole.....	254	“ “ silicate.....	133
Allylbenzene .....	176	“ “ sulphate .....	96
Allyldiethylcarbinol.....	241	“ Manganese phosphate .....	113
“ Derivative of.....	168	“ “ silicate .....	133
Allyldiisopropylcarbinol.....	241	“ Mellitate .....	365
Allyldimethylcarbinol.....	241	“ Methylamine sulphate .....	94
“ Acetate.....	242	“ Oxide .....	42
“ Derivative of.....	168	“ Phenolate .....	354
Allyldipropylcarbinol.....	241	“ Phosphates.....	115, 116, 117, 118
“ Acetate.....	242	“ Potassium borate .....	108
“ Derivative of.....	168	“ “ selenate .....	101
Allylene, Bromide.....	323	“ “ silicates.....	135, 136
“ Dihydriodate.....	334	“ “ sulphates .....	92, 97
“ Hydriodate.....	334	“ Propylate .....	354
“ Iodide .....	334	“ Rubidium selenate.....	101
“ Tetrabromide.....	322	“ “ sulphate.....	93
“ Tetrachloride.....	299	“ Silicates.....	132, 133
Allyleugenol .....	265	“ Sodium carbonate .....	130
Allylidene, Chlorides .....	299, 300	“ “ fluoarsenate.....	124
Allylmethylpropylcarbinol.....	241	“ “ selenate.....	101
Allylpyridine .....	274	“ “ silicates .....	134, 135
Allylsuccinimide .....	283	“ “ sulphate .....	92
Almandite.....	138	“ Strontium silicate .....	137
Almond oil.....	261	“ Sulphates .....	87, 97
Alöisol.....	268	“ Thallium selenate.....	101
Altaite.....	66	“ “ sulphate .....	94
Alumian.....	97	“ Thymolate.....	354
Alumina.....	42	“ Titanide .....	70
Aluminite .....	97	“ Zinc sulphate.....	97
Aluminium .....	3	“ Zirconide.....	70
“ Alloys of.....	146	Alums.....	92, 93, 94, 95, 96, 101
“ Ammonium selenate .....	101	Alunite .....	97

	PAGE.		PAGE.
Amalgams .....	145	Ammonium. Molybdates.....	105
Amarantite .....	97	“ Nickel selenate.....	100
Amblygonite .....	124	“ “ sulphate .....	91
Amenyl valerone.....	248	“ Nitrate.....	110
Amidobenzene .....	271	“ Oxalate.....	360
Amidobenzylamine .....	274	“ Palladiochloride.....	28
Amidodimethylaniline .....	274	“ Perchlorate .....	73
Amidomethylphenol .....	288	“ Phosphates .....	114
Ammonia.....	70	“ Platinbromide.....	33
Ammonium. Aluminum selenate.....	101	“ Platinchloride.....	28
“ “ sulphate.....	94	“ Platiniodide.....	37
“ Arsenates.....	121	“ Platosochloride.....	28
“ Benzoate .....	364	“ Platoxalate .....	361
“ Bromide .....	31	“ Potassium chromate .....	104
“ Cadmium selenate .....	100	“ “ sulphates .....	89
“ “ sulphate.....	90	“ “ tartrate.....	362
“ Chloride .....	21	“ Quadroxalate.....	360
“ Chromate.....	103	“ Racemate.....	363
“ Chromiodate .....	104	“ Samarium sulphate.....	96
“ Chromium selenate .....	101	“ Selenate .....	98
“ “ sulphate.....	95	“ Silicofluoride .....	18
“ Citrate.....	364	“ Sodium arsenate.....	121
“ Cobalt selenate .....	100	“ “ phosphate.....	115
“ “ sulphate.....	91	“ “ racemate.....	363
“ Copper chloride.....	27	“ “ sulphate.....	89
“ “ oxalate.....	361	“ “ tartrate .....	362
“ “ selenate.....	100	“ Stannibromide .....	33
“ “ sulphate .....	91	“ Stannichloride.....	29
“ Dichromate.....	103	“ Stannifluoride .....	19
“ “ with mercuric chlor- ide .....	144	“ Stannoehloride .....	28
“ Didymium sulphate.....	96	“ Succinate.....	361
“ Dithionate.....	75	“ Sulphate.....	78
“ Ferrocyanide with ammonium chloride .....	143	“ Sulphocyanide .....	144
“ Ferroxalate .....	361	“ Tartrantimonite.....	363
“ Formate .....	356	“ Tartrate.....	362
“ Gallium sulphate.....	96	“ Tellurate .....	102
“ Hydrogen carbonate .....	129	“ Uranoxyfluoride.....	19
“ “ fluoride.....	16	“ Uranyl sulphate .....	96
“ “ malate.....	361	“ Vanadium vanadate.....	120
“ “ oxalate.....	360	“ Zinc bromide.....	33
“ “ racemate .....	363	“ “ chloride .....	27
“ “ selenate .....	98	“ “ selenate.....	100
“ “ sulphate.....	89	“ “ sulphate.....	90
“ “ tartrate .....	362	Amyl. Acetacetate.....	232
“ Indium sulphate .....	96	“ Acetate.....	208, 209
“ Iodate .....	74	“ Alcohols.....	192, 193
“ Iodides .....	34	“ Amylphosphite.....	348
“ Iridichloride.....	28	“ Arsenite .....	350
“ Iron selenate.....	100	“ Benzozole.....	257
“ “ sulphates.....	91, 95	“ Borate.....	347
“ Lithium sulphate.....	89	“ Bromide.....	318
“ Magnesium chloride .....	27	“ Butyrate.....	212
“ “ chromate .....	104	“ Capryl oxide.....	198
“ “ phosphate.....	115	“ Chloride.....	294
“ “ selenate.....	100	“ Diethyloxyacetate.....	231
“ “ sulphate .....	89	“ Disulphide.....	340
“ Malate.....	361	“ Ethylacetacetate .....	233
“ Manganese selenate.....	100	“ Formate.....	206
“ “ sulphate.....	90	“ Iodide .....	332
“ Mercury chloride.....	27	“ Isobutyrate .....	212
		“ Isovalerate .....	213
		“ Mercaptan.....	340

	PAGE.
Amyl, Monochloracetate .....	307
“ Nitrate.....	281
“ Nitrite.....	281
“ Oxalate.....	227
“ Oxide.....	198
“ Phenylpropionate .....	258
“ Propargyl oxide.....	242
“ Propionate.....	210
“ Sebate .....	229
“ Silicate.....	352
“ Sulphophosphate .....	350
“ Thiocarbimide .....	345
“ Thiocyanate.....	345
“ Trisulphocarbonate .....	341
“ Valerate .....	213
Amylamine.....	270
Amylbenzene .....	175
Amyl camphor .....	264
Amyldecaldehyde .....	235
Amyldimethylbenzene.....	175
Amylene .....	164
“ Chloride .....	297
“ Dithiodichloride .....	346
“ Glycol.....	223
“ Oxide.....	222
“ Sulphide.....	340
“ Thiodichloride .....	346
“ Trisulphocarbonate .....	341
Amyl eugenol.....	265
Amyl glycide.....	239
Amyl glyoxalin .....	279
Amyl monochlorhydrin .....	312
Amylnaphthalene .....	179
Amylpyrrol.....	279
Amylphosphorous chloride .....	349
Analcite .....	135
Anatase .....	45
Andalusite .....	132
Andesite .....	137
Andradite .....	139
Andrewsite .....	117
Anethol .....	255
Angelica lactone.....	235
Angelica, oil of .....	181
Anglesite .....	83
Angostura, oil of.....	264
Anhydrite .....	81
Aniline .....	271
“ Salts of.....	365
Anise, oil of .....	182
Anisic alcohol .....	252
“ aldehyde .....	261
Anisol .....	252
Anisyl chloride.....	313
Ankerite .....	130
Anorthite.....	136
Anthemene .....	177
Anthracene.....	179
Anthraquinone .....	266
Antiar resin .....	267
Antimony .....	7
“ Arsenide .....	68

	PAGE.
Antimony Bismuth alloys.....	151
“ Bromide.....	32
“ Chlorides.....	26
“ Copper alloys.....	154
“ Hydroxide.....	71, 72
“ Iodide.....	36
“ Lead alloys.....	149, 150
“ Organic compounds .....	351
“ Oxides .....	49
“ Oxychloride.....	30
“ Oxysulphide .....	64
“ Potassium chloride .....	29
“ Sulphides .....	59
“ Tartrates .....	363, 365
“ Telluride.....	66
“ Tin alloys .....	149
Apatite.....	124
Apiol.....	267
Apophyllite .....	140
Aragonite .....	127
Arctolite.....	138
Argentite.....	57
Argyrodite .....	64
Arkansite.....	45
Arsenic.....	7
“ Bromide.....	32
“ Chloride.....	26
“ Fluoride.....	17
“ Iodides .....	36
“ Organic compounds.....	350, 351
“ Oxides.....	48, 49
“ Selenide.....	65
“ Sulphides .....	59
“ Sulphobromide.....	33
Arsenosiderite.....	123
Arsenopyrite .....	69
Asarone.....	267
Asmannite .....	45
Asparagine .....	287
Atacamite.....	29
Atopite .....	125
Angelite.....	117
Auribromides .....	33
Aurichlorides.....	28, 365
Australene .....	190
Anstrapyrolene.....	181
Autunite .....	116
Awaruite .....	152
Axinite.....	140
Azobenzene .....	280
Azurite .....	130

**B.**

Barcenite .....	125
Barite .....	82
Barium.....	3
“ Acetate .....	367
“ Aluminum silicates.....	138
“ Amylsulphate.....	369
“ Benzoate .....	365

	PAGE.		PAGE.
Barium Bromate.....	73	Benzanilide .....	288
“ Bromide .....	32	Benzene.....	169
“ Butyrate .....	359	“ Hexbromide .....	325
“ Cadmium bromide.....	33	“ Hexchloride .....	304
“ “ chloride .....	27	Benzil, isomer of.....	266
“ Calcium carbonate.....	129	Benzocinnamic anhydride .....	266
“ “ sulphate.....	89	Benzoecumlic anhydride .....	266
“ Carbonate.....	128	Benzodichlorhydrin.....	313
“ Chlorate .....	72	Benzoönanthic anhydride.....	266
“ Chloride.....	23	Benzoic anhydride .....	266
“ Chromate.....	104	Benzoicin .....	240
“ Chromoxalate .....	361	Benzonitril .....	280
“ Copper formate .....	357	Benzoyl. Bromide.....	328
“ Dinitrophenate .....	364	“ Chloride .....	313
“ Dithionate.....	75	“ Thiocyanate.....	346
“ Ethylsulphate.....	359	Benzoylglycollic ether.....	266
“ Feldspars .....	133	Benzyl. Acetate .....	260
“ Fluoride .....	17	“ Alcohol.....	251
“ Formate.....	356	“ Benzoate.....	260
“ Hydroxide .....	71	“ Benzylacetate.....	260
“ Hypophosphite .....	113	“ Benzylbutyrate .....	260
“ Iodate.....	74	“ Benzylisobutyrate .....	260
“ Iodide .....	36	“ Benzylpropionate.....	260
“ Isobutylsulphate .....	359	“ Bromide .....	324
“ Isobutyrate .....	359	“ Butyrate.....	260
“ Manganate .....	105	“ Chloride.....	302, 303
“ Manganite .....	105	“ Cinnamate.....	261
“ Methylsulphate.....	359	“ Cyanide.....	280
“ Molybdate .....	105	“ Dichloracetate.....	313
“ Nitrate .....	111	“ Dimethylbenzylacetate .....	260
“ Nitrophenates .....	364	“ Iodide .....	335
“ Oxalate .....	360	“ Isobutyrate .....	260
“ Oxides .....	42	“ Mercaptan .....	341
“ Picrate.....	364	“ Monochloracetate.....	313
“ Platinbromide .....	33	“ Oxide.....	253
“ Platinchloride .....	28	“ Phenylacetate .....	260
“ Platinocyanide.....	143	“ Propionate.....	260
“ Propionate.....	358	“ Trichloracetate.....	313
“ Propylsulphate .....	359	Benzylamine .....	271
“ Pyrophosphate .....	119	Benzylanisol.....	254
“ Selenate .....	99	Benzylcarbinol .....	251
“ Silicofluoride .....	18	Benzylcymene .....	177
“ Succinate .....	361	Benzylene.....	177
“ Sulphate .....	82	Benzylethylbenzene .....	177
“ Tartrantimonite .....	363	Benzylidene dichloride .....	303
“ Tartrate.....	363	Benzylidene tolylene.....	177
“ Tellurate .....	102	Benzyl-naphthalene.....	179
“ Thiosulphate.....	74	Benzyl phenyl carbamide.....	288
“ Titanate .....	142	Benzyltoluene.....	177
“ Tungstates.....	106	Berberine. Chlorhydrate.....	365
“ Uranyl phosphate .....	116	“ Platinchloride.....	365
“ Zinc chloride .....	27	Bergamot, oil of.....	181, 313
Barnhardtite .....	64	Bergerite.....	244
Barrandite .....	118	Berlinite.....	115
Barytocalcite.....	129	Berthierite .....	63
Bastnäsite.....	145	Bertrandite.....	131
Bay, oil of .....	182	Beryl .....	138
Bayldonite .....	123	Beryllium, see glucinum.	
Beegerite.....	63	Berzelianite .....	65
Belylene .....	168	Berzeliite .....	122
Benzaldehyde.....	261	Betula lenta, oil of.....	257
Benzamide .....	288	Beyrichite.....	60



	PAGE.		PAGE.
Bindheimite .....	125	Bromallyl Chloride.....	337
Binnite.....	61	"    Nitrate.....	328
Birch tar, oil of.....	182	Bromallylphenol ether.....	328
Bischofite .....	22	Bromamylbenzene .....	325
Bismuth.....	8	Bromamylene .....	323
"    Amalgams.....	146	Brombenzene .....	324
"    Antimony alloys.....	151	Bromcamphor.....	328
"    Arsenate.....	123	Bromcitropyrotartaric anhydride.....	327
"    Arsenide .....	68	Bromdecylene.....	323
"    Bromide .....	32	Bromdibenzyl.....	325
"    Cadmium alloys .....	150	Bromdiethylin .....	327
"    Carbonates .....	130	Bromethyl oxide.....	325
"    Chloride.....	26	Bromethyl allyl oxide .....	327
"    Copper arsenate.....	123	Bromethylene.....	321
"    Fluoride .....	17	"    Bromacetin.....	326
"    Gold alloys.....	155, 156	"    Bromhydrin.....	326
"    Hydroxides .....	72	"    Dibromide.....	321
"    Iodide.....	36	Bromhexylene .....	323
"    Lead alloys.....	151	Bromine .....	11
"    Nickel sulphide.....	64	Bromiodethylene .....	338
"    Nitrates .....	112	Bromiodomethane .....	338
"    Oxides .....	49	Bromisopropylphenol .....	328
"    Oxybromide.....	33	Bromkresol .....	328
"    Oxychloride .....	30	Bromlite.....	129
"    Oxyfluoride .....	17	Brommesitylene.....	325
"    Selenide.....	65	Brommethyl allyl oxide .....	377
"    Silicate .....	133	Brommethylchloroform.....	336
"    Sulphides .....	59	Brommethylengenol .....	328
"    Tellurides.....	66	Brommethylkresol .....	328
"    Tin alloys .....	150, 151	Brommethylphenol .....	323
"    Uranyl arsenate.....	123	Bromnaphthalene.....	325
"    Vanadate .....	120	Bromochloral .....	337
"    Zinc alloys.....	150	Bromochloroform .....	336
Bismuth triethyl .....	351	Bromoform.....	321
Bismuth trimethyl .....	351	Bromonitric glycol.....	328
Bismuth triphenyl .....	351	Bromotrichlormethane .....	292
Bismutite.....	130	Bromphenol.....	327
Bismutospherite.....	130	Bromplerin.....	328
Blende .....	57	Brompropylene .....	322
Bobierite .....	115	Brompyridine.....	328
Boltonite .....	131	Bromtoluene .....	324
Boracite.....	108	Bromtoluidine.....	328
Borickite.....	117	Bromtrimethylcarbinol .....	325
Bornite.....	64	Bromxylene.....	324
Borofluorides.....	18	Brongniardite .....	63
Boron.....	3	Brookite.....	45
"    Bromide .....	32	Brucite .....	70
"    Chloride .....	24	Brushite.....	115
"    Oxide .....	42	Butallylmethylcarbin oxide.....	243
Boron triethyl.....	347	Butallylmethyl pinakone.....	243
Botallackite .....	29	Butane .....	157
Boulangerite .....	62	Butenylanisoil .....	255
Bournonite.....	63	Butenyl chlorhydrins.....	312
Braunite .....	53	Butenylphenol .....	251
Breithauptite.....	68	Butidene diethyl ether.....	224
Brochantite .....	96	Butyl. Acetate.....	208
Bromacetone.....	326	"    Alcohol.....	190
Bromacetyl Bromide.....	325	"    Benzoate.....	256
"    Chloride.....	337	"    Bromide.....	317
Bromal.....	326	"    Butylxanthate.....	343
Bromallyl. Acetate.....	327	"    Butyrate.....	211
"    Alcohol.....	327	"    Caproate .....	214

	PAGE.		PAGE.
Butyl. Caprylate.....	216	Cadmium. Arsenide .....	67
“ Carbonate .....	226	“ Barium bromide.....	33
“ Chloride.....	294	“ “ chloride .....	27
“ Cyanate .....	289	“ Bismuth alloys .....	150
“ Cyanide .....	263	“ Bromate .....	73
“ Dibrompropionate.....	326	“ Bromide .....	31
“ Formate .....	206	“ Carbonate .....	127
“ Heptyl oxide.....	198	“ Chloride.....	22
“ Iodide.....	331	“ Dithionate .....	75
“ Malonate .....	527	“ Fluoride.....	17
“ Mercaptan .....	340	“ Formate .....	356
“ Monochloracetate.....	307	“ Hydroxide.....	70
“ Octyl oxide .....	198	“ Iodide .....	35
“ Oenanthate .....	215	“ Lead alloys.....	149
“ Oxalate.....	227	“ Magnesium sulphate.....	92
“ Oxide.....	198	“ Nitrate.....	110
“ Propionate .....	210	“ Oxalate .....	360
“ Sebate.....	229	“ Oxide .....	41
“ Silicate.....	352	“ Platinchloride .....	28
“ Sulphide .....	339	“ Potassium chloride.....	27
“ Thiocarbimide .....	345	“ “ iodide.....	36
“ Valerate.....	213	“ “ selenate .....	100
Butylamine.....	270	“ “ sulphate .....	90
Butyl-amyI.....	160	“ Selenate .....	98
Butylanisol.....	254	“ Selenide .....	65
Butylbenzeno .....	175	“ Strontium chloride .....	27
Butylchloral.....	309	“ Sulphate .....	81
“ Hydrate.....	309	“ Sulphide.....	57
Butylene .....	164	“ Telluride .....	66
“ Bromide.....	320	“ Tin alloys .....	147
“ Glycerol.....	222	Cæsium .....	1
“ Iodide.....	334	“ Aluminum selenate .....	101
“ Monacetate .....	225	“ “ silicate .....	136
“ Oxide .....	232	“ “ sulphate .....	93
“ Trisulphocarbonate.....	341	“ Bromide.....	31
Butylphenyl acetate .....	260	“ Chloride.....	21
Butylphosphorous chloride .....	349	“ Chromium sulphate.....	95
Butylthiophene .....	342	“ Cobalt selenate.....	100
Butylthymol .....	254	“ Indium sulphate.....	96
Butyric aldehyde.....	217	“ Iodide .....	34
“ anhydride.....	204	“ Iron sulphate .....	95
Butyro-dichlorhydrin .....	312	“ Selenate.....	99
Butyrene.....	220	“ Silicofluoride.....	18
Butyrene pinakone.....	223	“ Stannichloride.....	29
Butyronitril .....	268	“ Sulphate.....	78
Butyrylacetophenone .....	262	Caffeine .....	290
Butyryl chloride.....	308	Cajeputene .....	183
		“ Hydrate .....	263
		Cajeputul .....	263
		Calamine .....	132
		Calamus, oil of.....	182, 184, 186
		Calaverite .....	66
		Calcioferrite.....	117
		Calcite .....	127
		Calcium .....	3
		“ Aluminum phosphate .....	118
		“ “ silicates.....	136, 137
		“ “ sulphate .....	97
		“ Antimonate.....	125
		“ Arsenates.....	122
		“ Barium carbonate .....	129
		“ “ sulphate.....	89

## C.

Cabrerite .....	122
Cacoxenite .....	117
Cadmammmonium bromide.....	38
“ chloride.....	38
Cadmium.....	2
“ Acetate .....	357
“ Amalgam .....	145
“ Ammonobromide .....	38
“ Ammoniochloride .....	38
“ Ammonio selenate.....	100
“ “ sulphate.....	98

	PAGE.		PAGE.
Calcium. Benzoate.....	365	Camphor, oil from.....	180, 182
“ Borates.....	108	Camphoric anhydride.....	264
“ Borosilicates.....	140	Camphorogenol.....	264
“ Bromate.....	73	Camphrene.....	265
“ Bromide.....	32	Camphryl chloride.....	304
“ Carbonate.....	127	Cane sugar.....	243
“ Chloride.....	23	“ “ with sodium iodide.....	366
“ Chlorophosphate.....	124	Caoutchene.....	187
“ Chlorosilicate.....	141	Caoutchin.....	183
“ Chlorovanadate.....	124	“ Hydrochlorate.....	304
“ Chromium silicate.....	139	Capraldehyde.....	218
“ Copper acetate.....	358	Caprone.....	221
“ “ arsenate.....	123	Capronitril.....	269
“ Dithionate.....	75	Caproyl alcohol.....	194
“ Fluophosphate.....	124	Capryl alcohol.....	195
“ Fluoride.....	17	Caraway, oil of.....	182
“ Formate.....	356	Carbamide.....	288
“ Glucinum fluophosphate.....	124	Carbon.....	4
“ Hippurate.....	364	“ Bromide.....	292
“ Hydroxide.....	71	“ Chloride.....	291
“ Iron arsenate.....	123	“ Dioxide.....	43
“ “ oxide.....	56	“ Iodide.....	292
“ “ phosphate.....	115	“ Oxychlorides.....	292
“ “ silicates.....	134, 139	“ Sulphides.....	57
“ Magnesium borate.....	108	“ Sulphobromide.....	292
“ “ carbonate.....	129	“ Tetramercaptide.....	340
“ “ silicates.....	134	Carbonyl. Chloride.....	292
“ Manganese carbonate.....	129	“ Thioamyl chloride.....	347
“ “ phosphate.....	115	“ Thioethyl chloride.....	347
“ “ silicate.....	134	Carbopetrocene.....	187
“ Mercury antimonate.....	125	Cardol.....	267
“ Nitrate.....	110	Carminite.....	122
“ Oxalate.....	360	Carphosiderite.....	97
“ Oxide.....	41	Carrollite.....	64
“ Phosphates.....	115, 116, 117	Carvacrol.....	250
“ Potassium chromate.....	104	Carvene.....	182
“ “ sulphate.....	89	Carvol.....	265
“ Selenate.....	99	Caryinite.....	122
“ Silicates.....	132	Cascarilla, oil of.....	182, 184
“ Silicofluoride.....	18	Cassiterite.....	46
“ Silicophosphate.....	141	Castorite.....	134
“ Sodium borate.....	108	Cedar, oil of.....	184
“ “ carbonate.....	129	Cedrene.....	184
“ “ silicate.....	134	Celestite.....	82
“ “ sulphate.....	89	Cellulose.....	244
“ Sulphate.....	81	Cerargyrite.....	21
“ Sulphide.....	57	Cerium.....	3
“ Thiosulphate.....	74	“ Chloride.....	24
“ Tin silicate.....	139	“ Dioxide.....	47
“ Titanate.....	141	“ Fluocarbonates.....	145
“ Titanio-silicate.....	139	“ Molybdate.....	105
“ Tung state.....	106	“ Phosphate.....	116
“ Uranyl arsenate.....	122	“ Silicate.....	133
“ “ phosphate.....	116	“ Sulphate.....	83
“ Zinc alloy.....	145	“ Sulphide.....	58
Callainite.....	115	“ Tungstate.....	107
Calophyllum resin.....	267	Cerotene.....	167
Camphene.....	183	Cervantite.....	49
“ Acetate.....	264	Cetene.....	166
Camphiene.....	183	Cetyl. Acetate.....	209
Camphin.....	186	“ Alcohol.....	196
Camphor.....	262, 263	“ Butyrate.....	212

	PAGE.		PAGE.
Cetyl. Chloride.....	295	Chloriodoform.....	337
"  Isovalerate.....	214	Chloriodomethane.....	337
"  Nitrate.....	281	Chloriodotoluene.....	338
Chabazite.....	137	Chlorisobutylene.....	300
Chalcomenite.....	98	Chlorisopropyl benzoate.....	313
Chalcopyrite.....	123	Chloritoid.....	139
Chalcopyrrhotite.....	64	Chlorkresol.....	312
Chalcosiderite.....	117	Chlormethylphenol.....	312
Chalcostibite.....	63	Chlornaphthalene.....	304
Chalk.....	127	Chlornitrobenzene.....	315
Chenevixite.....	123	Chlornitromethane.....	315
Childrenite.....	118	Chlornitrotoluene.....	316
Chinaldin.....	280	Chlorobenzylethylate.....	313
Chinoline.....	277	Chlorobromal.....	337
Chiolite.....	17	Chlorobromethyl acetate.....	337
Chiviavite.....	63	Chlorobromhydrin.....	337
Chloracetal.....	310	Chlorobromhydroglycide.....	337
Chloracetic anhydride.....	308	Chlorobromiodethane.....	338
Chloracetone.....	308	Chlorobromiodhydrin.....	338
Chloracetonitril.....	314	Chlorobrommethane.....	336
Chloracetyl bromide.....	337	Chlorobronnitrin.....	337
"  chloride.....	308	Chlorobromoform.....	336
Chloracetyl chloral.....	309	Chlorocarbonylphenylorthophosphoric chlo- ride.....	350
Chloral.....	308	Chlorodibromethane.....	336
"  Derivatives of.....	309	Chlorodibromethylene.....	336
Chloraldehyde.....	308	Chlorodibromhydrin.....	337
Chloralide, derivative of.....	308	Chlorodibromnitromethane.....	337
Chlorallyl. Alcohol.....	312	Chlorodraeylic chloride.....	313
"  Iodide.....	338	Chloroanthic ether.....	307
"  Thiocarbimide.....	347	Chloroform.....	298
Chloramyl chloride.....	297	Chloronicene.....	300
Chloramylene.....	300	Chloropal.....	133
Chloranethol.....	313	Chloropropionyl chloride.....	308
Chloranilines.....	314	Chlorotetrabromethane.....	336
Chlorapatite.....	124	Chlorotoluidines.....	314
Chloraurotriethylphosphorous ether.....	366	Chlorotribromethane.....	336
Chlorazol.....	315	Chlorovaleral.....	309
Chlorbenzenes.....	301	Chloroxalethylin.....	314
Chlorbenzotrichloride.....	303	Chloroxalmethylin.....	314
Chlorbutylene chlorhydrin.....	310	Chloroxalpropylin.....	314
Chlorbutyronitril.....	314	Chloroxethose.....	293
Chlorbutyryl chloride.....	308	Chlorphenol.....	312
Chlorchinoxilines.....	314	Chlorpicoline.....	314
Chlorcrotyl alcohol.....	312	Chlorpiperin.....	315
Chlorcymene.....	304	Chlorpropylene.....	299
Chlordiallyl.....	300	Chlorosalicylol.....	313
Chlordiamylene chloride.....	300	Chlorstyrolene.....	304
Chlordinotrobenzene.....	315	Chlortoluene.....	302
Chlorethylacetylenetetra-carbonic ether.....	312	Chlorxylene.....	303
Chlorethylbenzene.....	303	Chodneffite.....	17
Chlorethylene dichloride.....	298	Cholesterine.....	268
"  dithiodichloride.....	346	Christophite.....	64
Chlorethyl oxide.....	305	Chrome alums.....	94, 95, 101
Chlorethylphenol.....	312	Chromite.....	56
Chlorhexylene.....	300	Chromium.....	11
Chlorine.....	11	"  Aluminum alloy.....	146
"  Trioxide.....	53	"  Ammoniochloride.....	38
Chloriod-ethyl acetate.....	338	"  Ammoniochlorobromide.....	38
Chloriodethylene.....	338	"  Ammonium selenate.....	101
Chloriodobenzene.....	338	"  "  sulphate.....	95
		"  Cæsium sulphate.....	95

	PAGE.
Chromium. Calcium silicate.....	139
“ Chlorides .....	24
“ Chromate.....	52
“ Magnesium borate.....	108
“ Manganese oxide .....	56
“ Oxalates .....	361
“ Oxides.....	52
“ Oxychloride.....	30
“ Phosphide .....	66
“ Potassium chromate.....	103
“ “ selenate.....	101
“ “ sulphate.....	94
“ “ sulphocyanide.....	144
“ Rubidium selenate.....	101
“ “ sulphate.....	95
“ Sulphate.....	86
“ Sulphide.....	59
“ Thallium selenate.....	101
“ “ sulphate.....	95
“ Zinc oxide .....	56
Chrompicotite.....	56
Chromyl dichloride .....	30
Chrysoberyl.....	56
Chrysocolla .....	132
Cieutene .....	183
Cinaçrol .....	267
Cinaëbene .....	183
Cinchonine chlorhydrate.....	366
Cinnabar.....	57
Cinnamene.....	176
Cinnamic acetate.....	261
“ alcohol.....	252
“ aldehyde.....	261
Cinnamyl chloride.....	313
Cirrolite.....	118
Citraconic anhydride .....	237
Citraconyl chloride.....	312
Citrene .....	181
Citron, oil of.....	181
Citronellol.....	262
Citron terpene.....	181
Citrus, oils from.....	181
Clarite.....	61
Clausthalite .....	65
Clinoclasite.....	122
Cloves, oil of.....	184
Cobalt .....	12
“ Acetate .....	358
“ Ammoniochlorides .....	38
“ Ammonobromide.....	38
“ Ammonium selenate.....	100
“ “ sulphate.....	91
“ Arsenates.....	122
“ Arsenides.....	68
“ Cæsium selenate.....	100
“ Chloride .....	24
“ Dithionate.....	75
“ Formate .....	356
“ Hypophosphite .....	113
“ Iodate.....	74
“ Nitrate.....	112
“ Oxalate .....	360

	PAGE.
Cobalt. Oxides.....	54
“ Oxyhydroxide.....	71
“ Phosphide .....	67
“ Platinbromide.....	33
“ Platiniodide.....	37
“ Potassium selenate.....	100
“ “ sulphate.....	91
“ Pyrophosphate .....	119
“ Rubidium selenate.....	100
“ Selenate.....	99
“ Selenide .....	65
“ Silicofluoride .....	18
“ Stannifluoride.....	19
“ Sulphate.....	85
“ Sulphides.....	60
“ Thallium selenate.....	100
“ “ sulphate .....	91
“ Thiosulphate.....	74
Cobaltite .....	69
Cochlearin .....	268
Cocinin .....	240
Codeine.....	290
Coeruleolactite .....	117
Coerulignol .....	266
Colemanite.....	108
Collidine.....	275
“ Carbonic ethers .....	290
Colophene.....	185
Colophonone .....	267
Coloradoite.....	66
Columbite.....	125
Columbium.....	8
“ Aluminum alloy.....	146
“ Hydride .....	69
“ Oxide .....	49
Columboxyfluorides.....	19
Coniceine .....	277
Conichalcite.....	123
Conline.....	276
Conylene .....	168
“ Bromide.....	323
“ Diacetate.....	248
Copaiva, oil of .....	184, 185
Copal, oil of .....	182
Copellidine.....	277
Copiapite .....	97
Copper .....	13
“ Acetate .....	358
“ Aluminum alloys.....	146
“ “ arsenate .....	123
“ Ammoniochlorides.....	38
“ Ammonionitrate .....	112
“ Ammoniosulphate .....	97
“ Ammonium chloride.....	27
“ “ oxalate .....	361
“ “ selenate.....	100
“ “ sulphate.....	91
“ Antimonate.....	125
“ Antimony alloys.....	154
“ Arsenates.....	122, 123
“ Arsenides.....	67
“ Barium formate.....	357

	PAGE.		PAGE.
Copper. Bismuth alloys.....	154	Covellite.....	61
“ “ arsenate.....	123	Creatine hydrate.....	290.
“ Bromate.....	73	Crocidolite.....	139
“ Bromide.....	32	Crocoite.....	104
“ Calcium acetate.....	358	Crookesite.....	65
“ “ arsenate.....	123	Crotonaldehyde.....	235
“ Camphorate, hydrocarbon from.....	187	Crotonitril.....	278
“ Carbonates.....	130	Crotonylene dichloride.....	300
“ Chlorides.....	24	“ glycol.....	248
“ Chloride, with mercuric sulphide ..	144	Cryolite.....	17
“ Columboxyfluoride.....	19	Cryptolite.....	116
“ Formate.....	356	Cryptopine.....	291
“ Gold alloys.....	156	Cubanite.....	64
“ Hydroxide.....	71	Cubebs, oil of.....	184
“ Iodide.....	36	Cumene.....	173
“ Iron arsenate.....	123	Cumidine.....	273
“ “ phosphate.....	117	Cuminaldehyde.....	261
“ “ sulphides.....	64	Cuminol.....	261
“ Lead alloys.....	154	Cummin, oil of.....	182
“ “ arsenate.....	123	Cumonitril.....	280
“ “ chromate.....	104	Cumyl chloride.....	313
“ “ sulphate.....	97	Cuprammonium chloride.....	38
“ “ vanadate.....	118	“ sulphate.....	97
“ Magnesium sulphate.....	92	Cuprite.....	54
“ Mercury iodide.....	36	Cyameliide.....	142
“ Nitrates.....	112	Cyanaldehyde.....	289
“ Oxides.....	54, 55	Cyanoconicine.....	280
“ Oxychloride.....	29	Cyanogen.....	142
“ Phosphates.....	117	“ Chloride.....	142
“ Phosphides.....	67	“ Iodide.....	142
“ Platinchloride.....	28	Cyanoil.....	289
“ Potassium chloride.....	27	Cymene.....	174
“ “ oxalate.....	361	Cymhydrene.....	186
“ “ selenate.....	100	Cymyl alcohol.....	251
“ “ sulphate.....	91	“ mercaptan.....	341
“ Rubidium chloride.....	27	Cynene.....	183
“ Selenate.....	99	Cyneol.....	263
“ Selenide.....	65	Cystic oxide.....	346
“ Selenite.....	98		
“ Silicates.....	132	<b>D.</b>	
“ Silicofluoride.....	18	Daleminzite.....	57
“ Silver alloys.....	155	Danalite.....	141
“ “ iodide.....	37	Danburite.....	140
“ Sodium sulphate.....	89	Darcet's alloy.....	156
“ Strontium formate.....	356	Datoilite.....	140
“ Sulphates.....	85, 96	Daubreeilite.....	64
“ Sulphides.....	60, 61	Daubreite.....	30
“ Sulphite.....	75	Dawsonite.....	130
“ Tin alloys.....	153, 154	Decane.....	160, 161
“ Titanofluoride.....	19	Dechenite.....	120
“ Uranyl arsenate.....	122	Decyl. Alcohols.....	196
“ “ phosphate.....	116	“ Chloride.....	295
“ Zinc alloys.....	152	“ Iodide.....	333
Coquimbite.....	84	Deknaphtene.....	186
Coriander, oil of.....	262, 263	Delafossite.....	55
Coridine.....	276	Demantoid.....	139
Cornwallite.....	123	Descloizite.....	120
Corundum.....	43	Dextrin.....	244
Corynite.....	69	Diacetin.....	240
Cosalite.....	63	Diacetoehlorhydrin.....	312
Cossaite.....	135		
Coumarin.....	265		

	PAGE.		PAGE.
Diacetone alcohol.....	245	Dichlorbromethylene .....	336
Diacetonophosphorose-chloride.....	348	Dichloridibromethane .....	336
Diacetylchloral hydrate.....	309	Dichloridibrom-ethyl acetate.....	337
Diallyl.....	167	Dichloridinitrobenzene.....	315
“ Dichlorhydrin.....	312	Dichloridinitromethane .....	315
“ Dihydrionate.....	334	Dichlorethoxyethylene .....	310
“ Hydrionate.....	335	Dichlorethoxylacetoneitril.....	315
“ Monohydrate.....	241	Dichlorethyl. Acetate.....	306
Diallylaniline .....	274	“ Alcohol .....	305
Diallylcarbinol.....	241	“ Dichloracetate.....	307
Diallylcarbyl. Acetate .....	242	“ Formate.....	306
“ Ethyl oxide.....	242	“ Monochloracetate.....	306
“ Methyl oxide .....	242	“ Oxide .....	305
Diallylene.....	167	“ Propionate .....	307
Diallylethylcarbinol.....	241	“ Sulphide .....	346
Diallylisopropylcarbinol .....	241	Dichlorethylamine.....	314
Diallylmethylcarbinol .....	241	Dichlorethylene.....	299
Diallylmethylcarbyl acetate .....	242	“ Thiodichloride.....	346
Diallylpropylcarbinol .....	241	Dichlorhexyl alcohol.....	305
Diamyl acetal .....	224	Dichlorhydrin.....	311
Diamylamine.....	270	Dichloriodhydrin.....	338
Diamylene.....	165, 166	Dichlorisobutoxylacetoneitril.....	315
“ Oxide .....	222	Dichlormethoxylacetoneitril.....	315
“ Thiocyanates .....	345	Dichlormethyl acetate.....	306
Diamylin.....	239	“ oxide.....	305
Diamyl ketone .....	221	Dichlormethylsulphuric chloride.....	346
Diamyl valeral .....	224	Dichlormononitria.....	315
Diaphorite .....	62	Dichlornitrobenzene .....	315
Diaspore.....	71	Dichlornitrophenol.....	315
Diazobenzene nitrate.....	365	Dichlornitrotoluene.....	316
Dibenzyl .....	178	Dichlorpropionitril .....	314
Dibenzylamine.....	274	Dichlorpropoxylacetoneitril .....	315
Dibenzyltoluene .....	177	Dichlorpropylene .....	300
Dibromacetone.....	326	Dichlortoluene .....	303
Dibromallyl oxide .....	327	Dichlor-vinyl methyl oxide.....	309
Dibrombenzene .....	324	Dichlorxylenes.....	304
Dibromchlorpropylene.....	337	Diennamene.....	176
Dibromcymene.....	325	Dickinsonite .....	115
Dibromdiallyl .....	323	Didecene.....	187
Dibrom-ethyl acetate.....	326	Didymium.....	3
Dibromethylene.....	321	“ Acetate .....	358
Dibromhexchlorpropane.....	292	“ Ammonium selenate .....	101
Dibromhexyl alcohol.....	325	“ “ sulphate.....	96
Dibromhydrin .....	327	“ Borates .....	108
Dibromiodethane .....	338	“ Bromide .....	32
Dibrompropyl alcohol.....	325	“ Carbonate .....	128
Dibromtetrachlorethane .....	292	“ Chloride.....	24
Dibromthiophene .....	347	“ Ethylsulphate.....	359
Dibromtoluene.....	324	“ Formate.....	357
Dibromxylene.....	324	“ Gold bromide.....	33
Dibutyryn .....	240	“ “ chloride .....	28
Dicampheno hydride .....	186	“ Metaphosphate.....	118
Dichloracetal.....	310	“ Molybdate.....	105
Dichloracetone.....	308	“ Nitrate.....	112
Dichloracetoneitril .....	314	“ Nitroxalate.....	361
Dichloracetophenone .....	313	“ Oxides .....	43
Dichloramyl nitrite .....	315	“ Oxychloride.....	29
Dichlorbenzenes.....	301	“ Periodate .....	74
Dichlorbenzo-trichloride.....	303	“ Phosphates .....	116
Dichlorbenzyl chloride.....	303	“ Platinchloride.....	28
Dichlorbenzylene dichloride.....	303	“ Potassium selenate .....	101
Dichlorbromethane .....	336	“ Propionate .....	358

	PAGE.		PAGE.
Didymium. Selenate .....	99	Dimethyl acetal.....	223
“ Sulphate.....	88	Dimethylacetamide .....	287
“ Tungstate .....	107	Dimethylaniline .....	272
“ Vanadates .....	120	Dimethylanisidine.....	288
Diethoxyl ether.....	245	Dimethylarsine oxide.....	350
Diethyl acetamide .....	287	Dimethylbutylene glycol.....	223
Diethyl acetone.....	221	Dimethylbutylmethane.....	159
Diethylamine .....	269	Dimethylcopellidine.....	277
“ Aurochloride .....	365	Dimethyldiethylmethane .....	159
Diethyl amyl borate.....	348	Dimethyl diethyl silicate.....	352
Diethylaniline.....	273	Dimethylethylbenzene .....	348
Diethylaniline azylin.....	280	Dimethylethylcarbinol.....	193
Diethylbenzene .....	173	Dimethylethylcarbinolamine .....	270
Diethylbrommaleate .....	327	Dimethylethylcarhyl chloride .....	294
Diethyl carbamide .....	288	“ iodide.....	332
Diethylcarbinol .....	193	“ nitrite.....	281
Diethylcarhyl acetate.....	208	Dimethyl ethyl phosphate .....	348
“ chloride .....	294	Dimethylethylene glycol .....	222
“ iodide.....	332	Dimethylhydrazin .....	278
Diethyl diamyl silicate.....	352	Dimethylisopropylcarbinol .....	194
Diethyl ethyl oxide .....	198	Dimethylisopropylcarhyl chloride .....	295
Diethylene alcohol.....	223	“ iodide.....	333
“ dioxide.....	222	Dimethylisopropylethylene .....	165
Diethylformamide .....	287	Dimethyl ketone.....	219
Diethylglycollic ether.....	246	Dimethylmesidine .....	273
Diethylin.....	239	Dimethylmethylene bromide .....	320
Diethyl ketone.....	219	“ chloride.....	297
Diethylmonochlorbenzene .....	304	Dimethylnaphthalene .....	178
Diethylmonochlorhydrin.....	312	Dimethylloxamide.....	287
Diethyloxamide.....	287	Dimethylphenylphosphin.....	348
Diethylphenylphosphin.....	348	Dimethylpiperidine.....	276
Diethylpropylcarbinol.....	195	Dimethylpropylbenzene .....	175
Diethylthiophene.....	312	Dimethylquinoline.....	277
Diethyltoluidine .....	273	Dimethylresorcin .....	255
Diethyl valeral.....	224	Dimethyltoluidine .....	273
Difellandrene .....	165	Dimethyl valeral.....	224
Difuobenzene.....	239	Dimethylxylydine.....	273
Diformin .....	339	Dimorphite .....	59
Diheptylene sulphoxide .....	344	Dinitrobenzene.....	283
Dihexyl ketone.....	221	Dinitrobutane.....	282
Dihexylene .....	166	Dinitrocymene.....	284
Dihydrate.....	117	Dinitroethane .....	282
Dihydrofurfurane.....	248	Dinitrohexane.....	282
Dihydrostllbazol .....	278	Dinitropropane.....	282
Diiodhydrin.....	335	Dinitrotoluene.....	284
Diisoamyl .....	160	Diocetyl.....	162
Diisoamylbenzene .....	175	Diocylene.....	166
Diisobutyl .....	159, 160	Diolein .....	240
Diisobutylene .....	165	Dioptase.....	132
Diisobutyl ketone.....	221	Dioxyisoamylamine.....	287
Diisobutyl sulphone.....	343	Dipentenybenzene.....	177
Diisobutyryl dicyanide .....	289	Diphenols .....	250
Diisopropyl.....	158	Diphenyl .....	177
Diisopropylamine .....	270	Diphenylamine.....	274
Diisopropylaniline .....	273	Diphenylarsine chloride.....	351
Diisopropylcarbinol .....	194	Diphenylcarhyl acetate .....	260
Diisopropylethylene.....	165	“ ethyl oxide.....	254
Diisopropyl ketone.....	220	Diphenylmethylphosphin .....	348
Dill, oil of.....	182	Diphenylphosphin .....	348
Dimercuammonium chloride .....	38	Diphenyl phosphochloride .....	349
Dimercurosammonium .....	38	Diphenylphosphorous chloride .....	349
Dimethoxydiethyl acetone.....	245	Diphenylpropane.....	177



PAGE.		PAGE.	
Dipcoline.....	277	Eosphorite .....	118
Dipiperidyl.....	278	Epiacetin.....	240
Dipropargyl.....	168	Epiboulangerite .....	62
"    Bromide.....	323	Epibromhydrin .....	327
Dipropylamine .....	270	Epichlorhydrin .....	311
Dipropylaniline .....	273	Epibromhydrin .....	323
Dipropylcarbinol.....	194	Epidichlorhydrin .....	300
Dipropylcarbyl acetate.....	209	"    Derivative of.....	337
"    iodide.....	333	Epifodhydrin.....	335
Dipropyl ketone.....	220	Erbium, Columbate .....	125
Dipyridyl .....	277	"    Oxide.....	43
Disulphamylene hydrate.....	344	"    Selenate .....	99
"    oxide.....	344	"    Sulphate.....	87
Disulphhydrin .....	344	Erechthidis, oil of.....	182
Disulphuryl chloride.....	30	Ercinol.....	262
Diterebene .....	185	Erigeron, oil of.....	182
Diterebenthyl.....	186	Erinite.....	122
Diterebenthylene .....	186	Erythrene hexbromide .....	323
Dithioglycol, derivative of .....	349	Erythrite .....	122, 243
Ditolyl.....	178	Erythrol.....	248
Ditolyloethane .....	176	Ether.....	196
Divalerin.....	240	Etherol.....	166
Dixylylene .....	178	Ethidene ethers.....	223, 224, 225
Dixylyloethane.....	176	Ethoxyacetoneitril.....	289
Docosane.....	163	Ethoxybromamylene.....	327
Dodecane .....	161	Ethstannethyl compounds .....	354
Dodecyl alcohol .....	196	Ethyl. Acetacetate.....	232
"    chloride.....	295	"    Acetate .....	207
Dodecylene.....	166	"    Acetocitrate .....	238
Dodecylidene.....	168	"    Acetoglutarate .....	230
Dodekanaphtene.....	186	"    Acetoglycollate .....	231
Dolomite.....	129	"    Acetolactate.....	231
Domeykite .....	67	"    Acetomalonate .....	229
Dotriacontane .....	163	"    Acetopyruvate .....	233
Dreelite.....	89	"    Acetosuccinate .....	229
Drybalanops camphora, oil of.....	184	"    Acetylcyanoacetate .....	289
Dufrenite.....	117	"    Acetyltetramethylenecarboxylate .....	246
Dufrenoyseite .....	61	"    Acetyltrimethylenecarboxylate.....	246
Dulcife .....	243	"    Aconitate.....	237
Dumortierite.....	133	"    Acrylate.....	234
Durangite .....	124	"    Adipate.....	229
Dyscrasite.....	68	"    Alcohol .....	188
		"    Allylacacetate.....	242
		"    Allylacetate .....	242
		"    Allylmalonate .....	243
		"    Allyloctylate .....	242
		"    Allyl oxide.....	241
		"    Amidoacetacetate .....	288
		"    Amidopropiopropionate.....	288
		"    Amylhydroxalate .....	231
		"    Amylideneacetacetate .....	233
		"    Amyl oxide .....	197
		"    "    sulphide .....	339
		"    Amylthioglycollate.....	344
		"    Angelate .....	234
		"    Arsenate .....	350
		"    Arsenite.....	350
		"    Benzoate .....	256
		"    "    Derivative of.....	313
		"    Benzylacetacetate.....	259
		"    Benzylacetosuccinate.....	259
		"    Benzylchlormalonate .....	313

## E.

Ehlite.....	117
Eicosane .....	163
Elkosylene.....	168
"    Chloride.....	300
Ekdemite.....	124
Elder, oil of.....	182
Elemi, oil of.....	182
Eliasite.....	72
Embolite .....	37
Emerald.....	138
Emplectite .....	63
Enargite.....	61
Endecylene.....	166
Endekanaphtene.....	186
Endlichite.....	124
Enstatite .....	131

	PAGE.		PAGE.
Ethyl. Benzylidenemalonate.....	259	Ethyl. Diamyl borate.....	348
“ Benzylmalonate.....	259	“ Dibenzylhydroxamate.....	288
“ Benzylmethylmalonate.....	259	“ Dibromacetacetate.....	327
“ Borate.....	347	“ Dibromethylacetacetate.....	327
“ Bromacetacetate.....	327	“ Dibrompropionate.....	326
“ Bromacetate.....	326	“ Dibrompropionpropionate.....	327
“ Bromacetopropionate.....	327	“ Dicarboxylglutaconate.....	247
“ Brombutyrate.....	326	“ Dichloracetacetate.....	311
“ Bromethylacetacetate.....	327	“ Dichloracetate.....	306
“ Bromethylmethylacetate.....	326	“ Dichlorbenzoate.....	313
“ Bromide.....	316	“ Dichlorethylacetacetate.....	311
“ Bromisobutyrate.....	326	“ Dichlormethylacetacetate.....	311
“ Brompropionate.....	326	“ Dichlorpropionate.....	307
“ Brompropionpropionate.....	327	“ Diethylacetate.....	214
“ Brompyromucate.....	327	“ Diethylchloracetacetate.....	311
“ Brom valerate.....	326	“ Diethylchloracetacetate.....	311
“ Butenyltricarboxylate.....	247	“ Diethylglycocollate.....	287
“ Butylmalonate.....	229	“ Diethylglyoxylate.....	231
“ Butyl oxide.....	197	“ Diethylmalonate.....	229
“ Butylsuccinate.....	228	“ Diethyloxyacetate.....	231
“ Butylthioxy carbonate.....	343	“ Diheptylacetacetate.....	233
“ Butylxanthate.....	343	“ Disobutylacetacetate.....	233
“ Butyrate.....	211	“ Dimethylacetacetate.....	233
“ Butyroglycollate.....	231	“ Dimethylacetosuccinate.....	230
“ Butyrolactate.....	231	“ Dimethylacetylenetetra-carboxylate.....	247
“ Camphocarbonate.....	265	“ Dimethylethenyltricarboxylate.....	247
“ Camphorate.....	264	“ Dimethylmalonate.....	228
“ Camphresate.....	265	“ Dimethylsuccinate.....	229
“ Caproate.....	214	“ Dioctylacetacetate.....	233
“ Caprylate.....	215	“ Dioctylmalonate.....	229
“ Capryl oxide.....	198	“ Dioxysulphocarbonate.....	343
“ Carbacetacetate.....	233	“ Dioxithiocarbonate.....	343
“ Carbamate.....	288	“ Dipropylacetacetate.....	2 3
“ Carbonates.....	225, 226	“ Disulphide.....	340
“ Chloracetacetate.....	311	“ Dithioxy carbonate.....	343
“ Chloracetate.....	306	“ Elaidate.....	235
“ Chloracetopropionate.....	311	“ Ethenyltricarboxylate.....	247
“ Chlorbutyrate.....	307	“ Ethidenemalonate.....	230
“ Chlorcrotonate.....	312	“ Ethoxyethylacetacetate.....	233
“ Chloride.....	293	“ Ethoxymethylacetacetate.....	233
“ Chlorisobutylmalonate.....	311	“ Ethylacetacetate.....	233
“ Chlorocarbonate.....	306	“ Ethylacetosuccinate.....	230
“ Chloroanthate.....	307	“ Ethylacetylcyanacetate.....	289
“ Chlorolactate.....	310	“ Ethylamylhydroxalate.....	231
“ Chloromaleate.....	311	“ Ethylbenzhydroxamate.....	288
“ Chloromalonate.....	311	“ Ethylchloromalonate.....	311
“ Chloropropionate.....	307	“ Ethylcrotonate.....	234
“ Chlorosulphonate.....	346	“ Ethylglycollate.....	230
“ Chlorperthiocarbonate.....	346	“ Ethylidenacetacetate.....	233
“ Cinnamate.....	258	“ Ethyllactate.....	231
“ Citraconate.....	238	“ Ethylmalonate.....	228
“ Citrates.....	237	“ Ethylmethylacetate.....	213
“ Crotonate.....	234	“ Ethyloxybenzoate.....	257
“ Cyanacetate.....	289	“ Ethyloxybutyrate.....	231
“ Cyanide.....	289	“ Ethylpropionpropionate.....	233
“ Cyanformate.....	289	“ Ethylsalicylate.....	257
“ Cyanide.....	268	“ Ethylsuccinate.....	229
“ Diacetylacetate.....	233	“ Ethylsulphonate.....	343
“ Diallylacetacetate.....	242	“ Ethylthioglycollate.....	344
“ Diallylmalonate.....	243	“ Ethylxanthate.....	343
“ Diallyloxyacetate.....	242	“ Formate.....	205
“ Diamyl borate.....	348	“ Fumarate.....	236

	PAGE.		PAGE.
Ethyl. Glycerate .....	240	Ethyl. Myristate .....	216
“ Glycocholate.....	290	“ Nitrate .....	281
“ Glycollate .....	230	“ Nitrite .....	281
“ Heptylacetate.....	233	“ Nitroacetate.....	282
“ Heptyl oxalate.....	227	“ Nitrocapyrate .....	282
“ “ oxide .....	198	“ Nitroglycollate.....	286
“ Heptylsuccinate .....	228	“ Nitrolactate .....	286
“ Hexyl oxide .....	198	“ Nitromalate .....	286
“ Hippurate .....	290	“ Nitromalonate .....	286
“ Hypophosphate .....	348	“ Nitrotartrate.....	286
“ Iodide .....	329	“ Octylacetate .....	233
“ Iodpropionate.....	335	“ Octyl oxide .....	198
“ Isoaconitate .....	237	“ Oenanthane.....	215
“ Isoallylenetetracarboxylate.....	247	“ Oleate .....	234
“ Isoamyl oxide .....	197	“ Orthocarbonate .....	226
“ Isobutenyltricarboxylate .....	247	“ Orthoformate .....	245
“ Isobutylacetate.....	233	“ Oxalate .....	227
“ Isobutylmalonate .....	229	“ Oxide .....	196
“ Isobutyl oxide .....	197	“ Oxylsobutyrate .....	231
“ Isobutyrate .....	211	“ Oxypheylacetate.....	258
“ Isobutyroglycollate .....	231	“ Oxypheylacrylate .....	259
“ Isocaproate .....	214	“ Oxypheylpropionate.....	258
“ Isononylate .....	216	“ Paracamphorate.....	264
“ Isoöenanthane .....	215	“ Parasantonate.....	267
“ Isopropylacetate.....	233	“ Pelargonate .....	216
“ Isopropylmalonate .....	229	“ Phenylacetate .....	259
“ Isopropyl oxide.....	197	“ “ Derivative of.....	266
“ Isovalerate.....	213	“ Phenylacetate.....	257
“ Itaconate .....	237	“ Phenyl carbonate .....	261
“ Lactate.....	231	“ Phenylglyoxylate .....	259
“ Lactosuccinate.....	230	“ Phenylpropionate.....	258
“ Laevuliniate .....	232	“ Phenylthioglycollate.....	344
“ Laurate .....	216	“ Phosphate .....	348
“ Maleate .....	236	“ Phosphite .....	348
“ Malonate.....	227	“ Phthalate .....	258
“ Mercaptan .....	340	“ Propargyl oxide.....	241
“ Mesaconate .....	238	“ Propionate .....	210
“ Metachlorbenzoate .....	313	“ Propionylglycollate.....	231
“ Metasilicate.....	352	“ Propionylpropionate .....	233
“ Methenyltricarboxylate .....	247	“ Propyl carbonate.....	226
“ Methoxydialylacetate .....	242	“ “ malonate .....	227
“ Methylacetate.....	232	“ “ oxide .....	197
“ Methylacetoglutarate .....	230	“ “ succinate.....	228
“ Methylacetosuccinate.....	230	“ Propylethylenyltricarboxylate.....	247
“ Methylacetylcyanacetate .....	289	“ Propylglycollate.....	231
“ Methylbenzylacetate.....	259	“ Propylmalonate.....	229
“ Methyldehydrohexonocarboxylate ..	247	“ Propylxanthate .....	343
“ Methyleneethyltricarboxylate.....	247	“ Pyromucate.....	248
“ Methyleneethylacetate.....	233	“ Pyrophosphate.....	348
“ Methylethylmalonate .....	229	“ Pyrosulphophosphate.....	350
“ Methylglycollate .....	230	“ Pyrotartrate.....	228
“ Methylisopropylmalonate.....	229	“ Racemate .....	237
“ Methyl lactate .....	231	“ Rutylate.....	216
“ Methylmalonate .....	228	“ Santonate .....	267
“ Methylxybutyrate .....	231	“ Sebate.....	229
“ Methylpropylacetate .....	233	“ Selenite .....	366
“ Methylpropylacetate.....	214	“ Silicate.....	352
“ Methylxanthate.....	343	“ Silicoacetate .....	352
“ Monochloracetate .....	306	“ Silicobenzoate.....	352
“ Monochlorethylacetate.....	311	“ Silicopropionate.....	352
“ Monochlormethylacetate .....	311	“ Suberate .....	229
“ Mucate .....	248	“ Succinate .....	228

	PAGE.		PAGE.
Ethyl. Succinosuccinate.....	230	Ethylene. Chloride.....	296
“ Sulphate.....	243	“ Chloriodide.....	337
“ Sulphide.....	339	“ Chlorobromide.....	336
“ Sulphite.....	342	“ Chloronitride.....	315
“ Sulphophosphite.....	350	“ Chlorothiocyanate.....	347
“ Tartrate.....	236	“ Cyanhydrin.....	289
“ Terebate.....	233	“ Cyanide.....	278
“ Tetrabromacetate.....	327	“ Diamine.....	278
“ Tetramethylenedicarboxylate.....	246	“ “ Hydrate.....	287
“ Tetramethylsuccinate.....	229	“ Diethyl ether.....	223
“ Thioarsenite.....	351	“ Dinitrate.....	286
“ Thiocarbimide.....	345	“ Diphenate.....	255
“ Thiocyanacetate.....	346	“ Dithiodichloride.....	346
“ Thiocyanate.....	344	“ Dithioethylate.....	340
“ Thioxalate.....	344	“ Ethylidene dioxide.....	222
“ Thioxycarbonate.....	343	“ Fluoborate.....	348
“ Tiglate.....	234	“ Glycol.....	222
“ Triamyl silicate.....	352	“ Iodide.....	334
“ Tribromacetate.....	327	“ Mercaptan.....	340
“ Tribromethylacetate.....	327	“ Monethyl ether.....	223
“ Trichloracetate.....	306	“ Mononitrate.....	286
“ Trimethylacetate.....	213	“ Nitrosnitrate.....	286
“ Trimethylenedicarboxylate.....	246	“ Oxide.....	222
“ Trimethylenetricarboxylate.....	246	“ Propionate.....	224
“ Trisulphocarbonate.....	341	“ Thiodichloride.....	346
“ Valerate.....	212	“ Thiovinylethylate.....	340
“ Vanadate.....	350	“ Trisulphocarbonate.....	341
“ Veratrate.....	259	Ethylene stannethyl.....	353
Ethylacetamide.....	287	Ethylethylene glycol.....	222
Ethylamidobenzene.....	272	Ethyleugenol.....	265
Ethylamine.....	269	Ethylformamide.....	287
“ Aurochloride.....	365	Ethylformanilide.....	283
“ Camphorate, base from.....	290	Ethylfurfurecarbinol.....	248
“ Platinchloride.....	365	Ethyl glycide.....	239
Ethyl amyl.....	159	Ethylglycolic chloride.....	310
Ethyl amylin.....	239	Ethylglyoxalin.....	279
Ethyl amyl pinacolin.....	221	Ethylhexylcarbinol.....	196
Ethylaniline.....	272	Ethylhydroxylamine.....	287
Ethylbenzene.....	172	Ethylidene. Acetochloride.....	310
Ethylborneol.....	264	“ Bromide.....	319
Ethylbrombenzene.....	324	“ Bromethylate.....	326
Ethyl butyl pinacolin.....	221	“ Bromiodide.....	333
Ethylbutyric lactone.....	232	“ Butyrochloride.....	310
Ethylcamphene.....	186	“ Chloride.....	296
Ethylcamphor.....	264	“ Chlorobromide.....	336
Ethyl carbamide.....	238	“ Iodide.....	334
Ethyl carbamine.....	268	“ Oxychloride.....	310
Ethyl carbimide.....	290	“ Propochloride.....	310
Ethylidacetamide.....	287	“ Valerochloride.....	310
Ethylidacetone carbonate.....	245	Ethylisobutylcarbinol.....	195
Ethylidimethylethylene.....	165	Ethylmethylacetoxim.....	290
Ethylidipropylcarbinol.....	195	Ethylmethyleneethylene.....	164
Ethylidipropylcarbyl acetate.....	209	“ Bromide.....	320
Ethylene.....	164	“ Glycol.....	223
“ Acetate.....	224	Ethyl monochlorhydrin.....	310
“ Acetochloride.....	310	Ethylnapthalene.....	178
“ Acetonitrate.....	286	Ethylorthoamidophenetol.....	288
“ Bromhydrin.....	320	Ethyl paratoly sulphide.....	341
“ Bromide.....	318	Ethylphenetol.....	254
“ Bromiodide.....	338	Ethylphenol.....	250
“ Butyrate.....	224	Ethylphenyl acetate.....	260
“ Butyrochloride.....	310	Ethylphenylacetylene.....	176



	PAGE.		PAGE.
Gold. Copper alloys .....	156	Heptolactone .....	232
" Didymium bromide.....	33	Heptyl. Acetate .....	209
"       " chloride.....	28	" Alcohols.....	194, 195
" Diethylamine " .....	365	" Bromide .....	318
" Ethylamine " .....	365	" Butyrate .....	212
" Hydrogen nitrate .....	112	" Caproate .....	214
" Lead alloys .....	155	" Caprylate .....	216
" Phosphide .....	67	" Chloride .....	295
" Samarium bromide.....	33	" Cyanide.....	269
"       " chloride.....	28	" Formate .....	206
" Silver alloys.....	156	" Iodide .....	333
"       " sulphide.....	64	" Octyl oxide.....	198
" Telluride.....	66	" Oenanthate.....	215
" Tin alloys.....	155	" Oxide.....	198
" Triethylamine chloride.....	365	" Propionate.....	210
Göthite .....	71	" Succinate.....	228
Grammin.....	245	" Valerate .....	214
Grape sugar.....	244	Heptylene .....	165
Greenockite.....	57	" Bromide.....	320
Greenovite.....	139	" Chlorhydrin.....	310
Grossularite.....	136	" Chloride.....	297
Grunerite.....	132	Heptylthymol .....	254
Guadalcazarite.....	64	Hercynite .....	56
Guaiacol.....	251	Herderite.....	124
Guajol .....	235	Herrengrundite.....	96
Guanajuatite.....	65	Hesperidene.....	181
Guanidine carbonate.....	365	Hessite .....	66
Guanovulite .....	89	Hetaerolite.....	56
Guarinite.....	139	Heterogenite.....	71
Guayacanite.....	61	Heulandite.....	136
Guejarite .....	63	Heveéne .....	185
Guitermannite .....	61	Hexadecylidene.....	168
Gum .....	244	Hexane.....	156, 158
Gummite.....	72	Hexbrom-ethyl methyl ketone.....	326
Gurgun balsam .....	184	Hexchloracetone.....	293
Guyaquillite.....	267	Hexchlorbenzene.....	292
Gypsum .....	82	Hexchloroethane.....	291
		Hexchlor-ethyl acetate.....	307
		Hexchlor-ethyl formate.....	292
		Hexchlorhexane.....	300
		Hexchlor-methyl acetate.....	292
		Hexchlor-methyl oxide .....	293
		Hexchlorpropane.....	299
		Hexchlorotetrabrom-ethyl oxide.....	337
		Hexdecane .....	162
		Hexdecyl alcohols .....	193, 194
		Hexethyl silicate.....	352
		Hexhydrobenzene.....	177
		Hexhydrocumene.....	177
		Hexhydrocymene.....	177
		Hexhydrotoluene .....	177
		Hexhydroxylenes.....	177
		Hexine bromides.....	323
		Hexmethyl silicate.....	352
		Hexoylene.....	167
		Hexyl. Acetates.....	209
		" Alcohols.....	193, 194
		" Benzoate.....	257
		" Bromide .....	318
		" Butyrate.....	212
		" Caproate.....	214
		" Chloride.....	295

## H.

Haidingerite .....	122
Halite .....	20
Hamartite .....	145
Hanksite .....	145
Hannayite.....	115
Harmotome .....	138
Hartin.....	267
Hartite .....	187
Hauerite .....	60
Hedenbergite.....	134
Helvite .....	141
Hematite .....	54
Hemp, oil of.....	184
Heneicosane .....	163
Hentriacontane .....	163
Heptachlor-ethyl acetate.....	307
Heptachlorpropane.....	299
Heptacosane .....	163
Heptadecane .....	162
Heptane .....	158, 159
Heptanaphtene.....	186
Heptidene.....	168

	PAGE.
Hexyl. Formate.....	206
“ Iodide .....	332
“ Mercaptan.....	340
“ Thiocarbimide.....	345
“ Thiocymate.....	345
“ Valerate.....	214
Hexylamine.....	270
Hexylene.....	164
“ Acetochloride .....	310
“ Bromhydrin.....	327
“ Bromide.....	320
“ Chlorhydrin.....	310
“ Chloride.....	297
“ Diacetate.....	225
“ Glycol .....	223
“ Oxide .....	222
Hexyl glycerin.....	239
Hexylpentylacrylic compounds.....	235
Hiddenite.....	134
Hitchcockite.....	118
Hoernesite .....	121
Hohmannite.....	97
Homilite.....	140
Hopeite.....	115
Horba chite.....	64
Horsfordite.....	154
Howlite.....	140
Hübnerite.....	106
Hunnite.....	67
Hureaulite.....	115
Hyalotekite.....	134
Hydroboracite.....	108
Hydrodolomite .....	129
Hydrogen .....	1
“ Chloride.....	19
“ Fluoride.....	16
“ Oxides.....	39, 40
“ Sulphides.....	56
Hydrogobertite.....	130
Hydrolutidino.....	277
Hydromagnesite .....	130
Hydronephelite .....	135
Hydronicotine .....	278
Hydroquinone.....	250
Hydrorhodonite.....	132
Hydrotalcite.....	72
Hydrotropidine.....	277
Hydroxycaprylonitril.....	289
Hydroxyisovaleronitril.....	289
Hydroxypicoline.....	290
Hydrozincite.....	130
<b>I.</b>	
Ice.....	39
Idocrase.....	136
Ihleite.....	84
Ilesite .....	92
Illicium religiosum, oil of.....	182
Ilmenite.....	142
Indigotine.....	290
Indium.....	3

	PAGE.
Indium. Ammonium sulphate .....	96
“ Cæsium .....	96
“ Oxide.....	43
“ Rubidium sulphate.....	96
“ Sulphate .....	87
Inosite .....	214
Inulin .....	244
Iodacetone.....	335
Iodaldehyde.....	335
Iodallylene.....	334
Iodammonium iodide .....	34
Iodbenzene.....	335
Iodobromtoluene.....	338
Iodchinoline.....	335
Iodchlorhydrin.....	338
Iodethylene.....	334
Iodethyl oxide.....	335
Iodhexylene.....	334
Iodhydrodiglycide .....	335
Iodine.....	11
“ Chlorides .....	26, 27
“ Pentoxide.....	53
Iodobromite.....	87
Iodoform .....	334
Iodtoluene.....	335
Iolite .....	138
Iridichlorides.....	28
Iridium .....	15
“ Phosphide.....	67
Iridosmium.....	156
Iron .....	12
“ Aluminum phosphate.....	118
“ “ silicates .....	138, 139
“ Ammonium oxalate.....	361
“ “ selenate.....	100
“ “ sulphate.....	91, 95
“ Antimonate .....	125
“ Arsenates .....	122, 123
“ Arsenides .....	68
“ Cæsium sulphate .....	95
“ Calcium arsenate .....	123
“ “ borosilicate .....	140
“ “ oxide .....	56
“ “ phosphate .....	117
“ “ silicates .....	134, 139
“ Carbonate .....	128
“ Chlorides .....	24
“ Columbate .....	125
“ Copper arsenate.....	123
“ “ phosphate.....	117
“ “ sulphides .....	64
“ Dithionate .....	75
“ Hydroxides .....	71
“ Iodide.....	36
“ Lead silicate .....	134
“ Lithium phosphate .....	115
“ Magnesium borates .....	108
“ “ carbonate .....	129
“ “ sulphate.....	92
“ Manganese phosphates.....	115, 116
“ “ silicates .....	134
“ “ tungstate .....	106, 107

	PAGE.		PAGE.
Iron. Nickel alloy.....	152	Isobutyl. Nitrate .....	281
“ Nitrate .....	112	“ Nitrite.....	281
“ Nitride.....	70	“ Orthocarbonate.....	226
“ Oxides.....	53, 54	“ Orthoformate.....	245
“ Phosphates.....	115, 116	“ Oxide .....	198
“ Phosphides .....	67	“ Propionate .....	210
“ Platinchloride .....	28	“ Santonate.....	267
“ Platiniodide.....	37	“ Succinate.....	228
“ Potassium chloride .....	27	“ Sulphide .....	339
“ “ sulphate.....	90, 95, 97	Isobutyl acetal .....	224
“ “ sulphide.....	64	Isobutyl aldehyde, derivative of.....	245
“ Rubidium sulphate .....	95	Isobutylamine .....	270
“ Selenate.....	99	Isobutylaniline .....	273
“ Selenide.....	65	Isobutylbenzene .....	175
“ Silicates.....	132, 133, 139	Isobutylcamphene .....	186
“ Silicide.....	70	Isobutyl carbamine .....	269
“ Silico carbide.....	70	Isobutylene. Bromide.....	320
“ Silicofluoride.....	18	“ Chloride.....	297
“ Sodium oxalate.....	361	“ Glycol.....	222
“ “ silicates.....	139	“ Oxide.....	222
“ “ sulphates .....	97	Isobutyleugenol.....	265
“ Sucrocarbonate .....	366	Isobutylidene chloride.....	297
“ Sulphates.....	81, 96, 97	Isobutyl phenyl ketone .....	262
“ Sulphides.....	60	Isobutyric aldehyde .....	217
“ Tantalate .....	125	“ anhydride.....	205
“ Tin alloy.....	152	Isobutyryl chloride .....	308
“ Titanates.....	142	Isocajeputene .....	183
“ Tungstate.....	106	Isoclasite.....	117
“ Zinc oxide .....	56	Isodecyl alcohol.....	196
Isoamyl. Acetate .....	208	Isodibutol .....	195
“ Carbonate.....	226	Isodipyridine .....	277
“ Chlorocarbonate.....	306	Isoeugenol .....	265
“ Cyanide .....	269	Isoheptane.....	159
“ Formate.....	206	Isoheptyl. Acetate.....	209
“ Orthoformate.....	245	“ Alcohol .....	194
“ Succinate.....	228	“ Chloride.....	295
“ Sulphide.....	339	Isohexane.....	158
Isoamylallylamine .....	278	Isohexyl alcohol .....	194
Isoamylaniline .....	273	Isohexylbenzene .....	175
Isoamybenzene .....	175	Isooctonaphtene .....	186
Isoamylene bromide.....	329	Isooctyl. Alcohol .....	195
Isoamyl ethyl sulphone.....	343	“ Chloride.....	295
Isoamylformanilide.....	288	“ Cyanide.....	269
Isoamylidene chloride .....	297	Isoprene.....	167
Isobenzpinakone .....	266	“ Bromides .....	323
Isobutyl. Acetacetate.....	232	“ Dichloride.....	300
“ Acetate .....	208	“ Hydrochlorate.....	300
“ Alcohol.....	191	“ Polymer of.....	184
“ “ Derivative of.....	312	Isopropyl. Alcohol .....	190
“ Benzoate .....	256	“ Benzoate.....	356
“ Bromide.....	317	“ Bromide .....	317
“ Butyrate.....	212	“ Butyrate .....	211
“ Carbonate.....	226	“ Chloride.....	293
“ Chloride.....	291	“ Chlorocarbonate .....	306
“ Chlorocarbonate.....	306	“ Iodide.....	330
“ Cyanide .....	268	“ Isoönanthate.....	215
“ Formate.....	206	“ Isovalerate.....	213
“ Hypophosphate.....	348	“ Nitrate.....	281
“ Iodide.....	331	“ Nitrite.....	281
“ Isobutyrate.....	212	“ Oxide .....	197
“ Isovalerate .....	213	“ Succinate .....	228
“ Mercaptan.....	340	“ Tartrate.....	237



	PAGE.
Isopropyl. Thiocyanate.....	345
Isopropylacetylene.....	167
Isopropylallylbenzene.....	176
Isopropylallyldimethylcarbinol.....	241, 242
Isopropylamine.....	270
Isopropylbenzene.....	173
Isopropylbrombenzene.....	325
Isopropylbutenylbenzene.....	176
Isopropyl carbamine.....	268
Isopropylethylene.....	164
"    Glycol.....	223
Isopropyl isobutyl ketone.....	221
Isopropylkresol.....	250
Isopropyl-naphthalene.....	178
Isopropylphenol.....	250
Isopropylphenyl. Acetate.....	260
"    Ethyl oxide.....	254
"    Methyl ".....	254
Isopropyl phenyl ketone.....	262
Isopropylpiperidine.....	277
Isopropylpiperidine.....	276
Isopropylpyridine.....	275
Isopropylthiophene.....	342
Isopropylvinylbenzene.....	176
Isoterebenthenes.....	180
"    Hydrochlorate.....	305
Isoterpene.....	180
Isotolyl chloride.....	303
Isotrichlorhydrin.....	299
Isovaleric aldehyde.....	217
Isovaleronitril.....	268
Isovinyl bromide.....	323
"    chloride.....	300
Ivaol.....	268
<b>J.</b>	
Jacobsite.....	56
Jadeite.....	135
Jalpaite.....	64
Jamesonite.....	62
Jarosite.....	97
Jeremejewite.....	108
Joseite.....	66
Julianite.....	61
<b>K.</b>	
Kaneite.....	68
Kaolinite.....	133
Karpholite.....	138
Kauri gum, oil from.....	182
Kentrolite.....	134
Kermesite.....	64
Klaprotholite.....	63
Knebelite.....	134
Kobellite.....	63
Konjuckite.....	115
Könilite.....	187
Köttigite.....	122
Kreosol.....	251

	PAGE.
Kresol.....	250
Kresyl. Acetate.....	260
"    Allyl oxide.....	255
"    Butyl ".....	253
"    Ethyl ".....	253
"    Heptyl ".....	253
"    Methyl ".....	253
"    Octyl ".....	253, 254
"    Oxide.....	253
"    Propyl oxide.....	253
Krönkite.....	89
Kruglite.....	89
Kyanite.....	132

**L.**

Labradorite.....	137, 138
Lactose.....	244
Lactyl ethyl lactate.....	231
Lanarkite.....	97
Langite.....	96
Lanthanite.....	128
Lanthanum.....	3
"    Carbonate.....	128
"    Oxide.....	43
"    Selenate.....	99
"    Sulphate.....	87
Laudanine.....	291
Laumontite.....	137
Laurel camphor.....	262
"    turpentine.....	182
Laurene.....	175
Laurone.....	221
Lauronitril.....	209
Laurus nobilis, oil of.....	184
Lazulite.....	118
Lead.....	5
"    Acetate.....	357
"    Aluminum phosphate.....	118
"    "    silicates.....	138
"    Amalgam.....	145
"    Antimonates.....	125
"    Antimony alloys.....	149, 150
"    Arsenides.....	67, 68
"    Arsenite.....	123
"    Bismuth alloys.....	151
"    Borates.....	108
"    Bromate.....	73
"    Bromide.....	32
"    Cadmium alloys.....	149
"    Carbonate.....	128
"    Chlorate.....	72
"    Chloride.....	24
"    Chloroarsenate.....	124
"    Chlorobromide.....	37
"    Chlorocarbonate.....	145
"    Chlorophosphate.....	124
"    Chlorovanadate.....	124
"    Chromates.....	104
"    Copper alloys.....	154
"    "    arsenate.....	123
"    "    chromate.....	104



	PAGE.		PAGE.
Magnesium. Calcium arsenate.....	122	Manganese. Dithionate.....	75
“ “ borate .....	108	“ Garnet.....	138
“ “ carbonate .....	129	“ Hydroxides.....	71
“ “ silicate.....	134	“ Iron fluophosphate.....	124
“ Carbonate.....	126, 130	“ “ phosphates .....	115, 116
“ Chloride.....	22	“ “ silicate.....	134
“ Chromate .....	103	“ “ tungstates.....	106, 107
“ Chromium borate.....	108	“ Lead silicate .....	134
“ Columbate.....	125	“ Lithium phosphate.....	115
“ Copper sulphate.....	92	“ Magnesium borate.....	108
“ Dithionate.....	75	“ “ sulphate.....	92
“ Fluophosphate.....	124	“ Nitrate .....	111
“ Fluoride.....	16	“ Oxalate.....	360
“ Hydroxide.....	70	“ Oxides.....	53
“ Hypophosphite.....	113	“ Phosphide .....	66
“ Iodate.....	74	“ Platinbromide.....	33
“ Iron borate.....	108	“ Platinchloride.....	28
“ “ carbonate.....	129	“ Platiniodide.....	37
“ “ sulphate .....	92	“ Potassium selenate.....	100
“ Manganese borate.....	108	“ “ sulphate.....	90
“ “ sulphate.....	92	“ Pyroarsenate.....	123
“ Nitrate.....	110	“ Pyrophosphate.....	119
“ Oxide .....	40	“ Selenate .....	99
“ Palladichloride.....	28	“ Silicates .....	132
“ Phosphates .....	115	“ Silicofluoride .....	18
“ Platinbromide.....	33	“ Stannifluoride .....	19
“ Platinchloride.....	28	“ Sulphate.....	83
“ Platiniodide .....	37	“ Sulphides.....	60, 60
“ Potassium chromate .....	104	“ Tantalate.....	125
“ “ selenate .....	100	“ Tungstate.....	106
“ “ sulphate .....	89	Manganite .....	71
“ Pyroarsenate .....	123	Manganocalcite.....	129
“ Pyrophosphate.....	119	Manganantalite.....	125
“ Selenate .....	98	Mannite.....	243
“ Silicates.....	131	“ Derivative of.....	248
“ Silicofluoride .....	18	Maracalibo balsam.....	185
“ Sodium sulphate .....	89	Marcasite.....	60
“ Stannichloride .....	29	Margarite.....	137
“ Sulphate .....	79	Marialite .....	141
“ Thiosulphate.....	74	Marjoram, oil of.....	182
“ Titanates .....	142	Martinite.....	115
“ Vanadates.....	120	Mascagnite .....	79
“ Zinc sulphate .....	92	Matlockite.....	29
Magnetite .....	53	Meionite .....	136
Malachite .....	130	Melaconite .....	55
Malacolite.....	134	Melaleuca, oil of.....	262
Mandelic nitril.....	289	Melanotekite.....	134
Mangancolumbite .....	125	Melene .....	167
Manganese .....	12	Melezitose.....	244
“ Acetate.....	358	Melliite.....	136
“ Aluminum alloy.....	146	Melinophane .....	140
“ “ phosphate.....	118	Mellite .....	265
“ “ silicate .....	138	Mendipite.....	29
“ Ammonium selenate.....	100	Meneghinite .....	62
“ “ sulphate .....	90	Mentha pulegium, oil of.....	262
“ Arsenate .....	123	Menthene.....	186
“ Arsenide.....	68	Menthol.....	264
“ Calcium phosphate .....	115	“ Derivatives of.....	183, 263, 266
“ Carbonate .....	128	Menthone.....	263
“ Chloride .....	24	Mercaptan.....	340
“ Chromium oxide.....	56	Mercury .....	2
“ Columbates .....	125	“ Acetate.....	357

	PAGE.		PAGE.
Mercury. Ammoniochlorides.....	38	Methyl. Bromide.....	316
“ Ammonionitrate.....	112	“ Butyloxiide.....	197
“ Ammoniosulphate.....	97	“ Butyrate.....	210
“ Ammonium chloride.....	27	“ Caproate.....	214
“ Bromate.....	73	“ Caprylate.....	215
“ Bromides.....	32	“ Capryl oxide.....	198
“ Calcium antimonite.....	125	“ Carbonate.....	225
“ Chlorates.....	73	“ Chlorbutyrate.....	307
“ Chlorides.....	22	“ Chlorcrotonate.....	312
“ Chloride with ammonium dichro- mate.....	144	“ Chloride.....	293
“ Chlorocyanide.....	143	“ Chlorocarbonate.....	305
“ Chromate.....	103	“ Chlorpropionate.....	307
“ Cyanide.....	143, 144	“ Cinnamate.....	258
“ Hexyl mercaptide.....	355	“ Citraconate.....	238
“ Hydrogen bromide.....	33	“ Crotaconate.....	238
“ Iodides.....	35	“ Crotonate.....	234
“ Nitrates.....	110, 112	“ Cyanide.....	268
“ Organic compounds.....	355	“ Dibrompropionate.....	326
“ Oxides.....	41	“ Dichloracetate.....	306
“ Oxychloride.....	29	“ Dichlorbutyrate.....	307
“ Oxycyanide.....	143	“ Diethyl borate.....	347
“ Potassium bromide.....	33	“ Diethylmethylethenyltricarbo x y- late.....	247
“ “ chloride.....	27	“ Diethyloxyacetate.....	231
“ “ cyanide.....	143	“ Dimethylsuccinate.....	228
“ “ iodide.....	36	“ Dinitrophenate.....	285
“ Selenide.....	65	“ Elaidate.....	235
“ Selenate.....	98	“ Ethylacetacetate.....	233
“ Silver iodide.....	36	“ Ethyl carbonate.....	225
“ Sodium chloride.....	27	“ Ethylglycollate.....	230
“ Sulphates.....	81, 96	“ Ethyl oxalate.....	227
“ Sulphide.....	67	“ Ethyl oxide.....	196
“ “ with copper chloride.....	144	“ “ succinate.....	228
“ Telluride.....	66	“ Ethylsuccinate.....	228
Mesitite.....	129	“ Ethyl sulphite.....	342
Mesityl. Acetate.....	260	“ Ethylxanthate.....	343
“ Oxide.....	245	“ Formate.....	205
Mesitylene.....	172	“ Glycollate.....	230
“ Acetate.....	261	“ Heptyl oxide.....	198
“ Glycol.....	252	“ Hypophosphate.....	348
“ Mercaptan.....	341	“ Iodbutyrate.....	335
Metabrushite.....	115	“ Iodide.....	320
Metacinnamene.....	176	“ Iodpropionate.....	335
Metacrolein.....	235	“ Isobutyrate.....	211
Metasantonid.....	267	“ Isoöenanthane.....	215
Metasantonine.....	267	“ Isopropylsalicylate.....	257
Metatemplene.....	185	“ Isovalerate.....	212
Metaterebenthene.....	185	“ Itaconate.....	237
Metaxylene.....	172	“ Lactate.....	231
Methane.....	157	“ Lævulinat.....	232
Methoxymethyl ethyl acetone.....	245	“ Maleate.....	236
Methyl. Acetacetate.....	232	“ Malonate.....	227
“ Acetate.....	206	“ Mesaconate.....	238
“ Acrylate.....	234	“ Methylacetacetate.....	232
“ Alcohol.....	187	“ Methylglycollate.....	230
“ Allyl oxide.....	241	“ Methyloxyphenylacrylate.....	259
“ Amyl “.....	197	“ Methyloxyphenylangelate.....	259
“ Arsenate.....	350	“ Methyloxyphenylcrotonate.....	259
“ Arsenite.....	350	“ Methylpropylpyrogallate.....	259
“ Benzoate.....	256	“ Methylxanthate.....	343
“ Borate.....	347	“ Menochloracetate.....	306
“ Brombutyrate.....	326	“ Mucate.....	248

	PAGE.		PAGE.
Methyl. Naphtyl oxide.....	266	Methyldiethylbenzene .....	175
“ Nitrate .....	281	Methyldiethylcarbinol .....	194
“ Nitrite.....	281	Methyldiethylcarbyl acetate .....	209
“ Nitrophenate.....	285	Methyldiethylcarbyl ketone.....	221
“ Oenanthate .....	214	Methyldiethylmethane.....	158
“ Oleate.....	234	Methyldiheptylcarbyl ketone.....	221
“ Orthoformate .....	245	Methyldipropylcarbinol.....	195
“ Oxalate.....	226	Methyldipropylcarbyl acetate.....	209
“ Oxyphenylacetate .....	258	Methyldiphenylamine.....	274
“ Parasantonate.....	267	Methylene. Acetochloride.....	310
“ Pelargonate.....	216	“ Bromide.....	318
“ Phenylacetate.....	257	“ Chloride.....	296
“ Phenylpropionate.....	257	“ Dithioethylate.....	340
“ Phosphate .....	348	“ Ethers of.....	223, 255
“ Phthalate.....	258	“ Iodide.....	334
“ Propargyl oxide.....	241	Methylethyl acetal.....	224
“ Propionate.....	209	Methylethylbenzene.....	173
“ Propylglycolate.....	231	Methylethylcarbinol.....	191
“ Propyl oxide.....	197	Methyl ethyl ketone.....	219
“ Propylxanthate .....	343	Methylethylpiperidine.....	276
“ Pyruvate.....	232	Methylethylpropyl alcohol.....	194
“ Salicylate.....	257	Methylethylpropylbenzene.....	175
“ Santonate .....	267	Methylethylpropylcarbinol.....	195
“ Sebate.....	229	Methylethylpropylethylene.....	165
“ Silicate.....	352	Methylethylpropylmethane.....	159
“ Silicopropionate .....	352	Methylethylpropyl methylethylpropionate.....	214
“ Suberate.....	229	Methyleugenol.....	265
“ Succinate.....	228	Methylformamide.....	287
“ Sulphate .....	342	Methylformanilide.....	288
“ Sulphides .....	339, 340	Methylglyoxalin .....	279
“ Sulphite.....	342	Methylhexylcarbinol.....	195
“ Tartrate.....	236	Methylhexylcarbyl chloride.....	295
“ Thiocarbimide.....	345	“ iodide.....	333
“ Thiocyanate.....	344	“ nitrite.....	281
“ Trichloracetate.....	306	Methyl hexyl ketone.....	221
“ Trichlorpropylcarbylacetate .....	307	Methylindol.....	280
“ Triethyl silicate.....	352	Methylisoamylbenzene.....	175
“ Trinitrophenate.....	285	Methylisoamylcarbyl acetate.....	209
“ Trisulphocarbonate .....	341	Methyl isoamyl ketone.....	220
“ Valerate.....	212	Methylisobutylcarbinol .....	194
Methylacetone.....	219	Methylisobutylcarbyl acetate .....	209
Methylal .....	223	Methyl isobutyl ketone.....	220
Methylamine alum.....	94	Methylisocrotyl acetate .....	242
Methylamylaniline.....	273	“ alcohol.....	241
Methylamylcarbinol.....	195	Methylisopropenylcarbinol.....	247
Methyl amyl ketone.....	220	Methylisopropylacetone.....	221
Methyl amyl pinacolin .....	221	Methylisopropylbenzene.....	175
Methylaniline.....	271	Methylisopropylcarbinol.....	193
Methyl benzyl ketone.....	262	Methyl isopropyl ketone.....	220
Methylborneol .....	264	Methylisopropylpiperidine.....	277
Methylbromacetol .....	320	Methylnaphthalene .....	178
Methylbutylcarbinol .....	194	Methyl naphtol.....	266
Methyl butyl ketone .....	220	Methyl naphtyl ketone .....	266
Methyl butyrone.....	221	Methylnoylcarbinol.....	194
Methylcarbamine.....	268	Methyl nonyl ketone.....	221
Methyl caprinol.....	221	Methyl octyl ketone .....	221
Methylchloracetol.....	297	Methylpentamethylene methyl ketone.....	247
Methylchlorallylcarbinol.....	312	Methylpenthiophene.....	342
Methylchlorphenetol.....	312	Methylphenylcarbyl acetate.....	260
Methylcopellidine.....	277	Methylphenylethylalkin .....	290
Methylcymyl mercaptan.....	341	Methyl phenyl ketone.....	262
Methyldehydrohexone.....	247	Methylphenylpyrazol.....	279

	PAGE.		PAGE.
Methylpiperidine.....	276	Morphine. Salts of.....	200
Methylpropylallylene .....	168	Mottramite.....	120
Methylpropylbenzene.....	173, 174	Mucamide.....	288
Methylpropylcarbinol.....	193	Muscat nut oil, derivative of.....	305
Methylpropylcarbyl acetate.....	208	Muscovite.....	136
"    chloride.....	294	Myristic acetate, isomer of.....	209
"    iodide.....	332	"    alcohol,    ".....	196
Methylpropylcarbylcarbinol.....	194	"    aldehyde,    ".....	218
Methylpropylethylene glycol.....	223	Myristicol.....	202
"    oxide.....	222	Myristone.....	221
Methylpropylethol acetate.....	209	Myristonitril.....	269
Methyl propyl ketone.....	219	Myrtle, oil of.....	183
Methylpyrrol.....	279	Myrtus pimenta, oil of.....	185
Methylpyrrolidine.....	279		
Methylquinoline.....	277	<b>N.</b>	
Methylsaligenin.....	252	Nadorite.....	125
Methylsillicic chlorhydrins.....	353	Namaqualite.....	72
Methylsulphonic chloride.....	346	Nantoquite.....	24
Methyltetramethylene diamine.....	278	Naphthalene.....	178
Methylthymol.....	254	"    Dichloride.....	304
Methyltoluidine.....	272	"    Hydrides.....	178, 179
Methyl tolyl ketone.....	262	Naphtol.....	266
Methyluracil, chloride from.....	314	Naphtyl mercaptan.....	341
Methyl xylol ketone.....	262	Narcotine.....	291
Miargyrite.....	62	Natrolite.....	135
Mica.....	136	Naumanoite.....	65
Milarite.....	137	Nephelite.....	135
Milk sugar.....	244	Neroll, oil of.....	181
Millerite.....	60	Newjanskite.....	156
Mimetite.....	124	Ngai camphor.....	263
Minium.....	47	Niccolite.....	68
Minjak-lagam oil.....	185	Nickel.....	12
Mint, oil of.....	182	"    Acetate.....	358
Mixite.....	123	"    Aluminum alloy.....	146
Molybdenite.....	59	"    Ammonio-bromide.....	38
Molybdenum.....	11	"    Ammonio-chloride.....	38
"    Oxides.....	52	"    Ammonium selenate.....	100
"    Phosphide.....	67	"    "    sulphate.....	91
"    Sulphide.....	59	"    Arsenates.....	122
Monacotin.....	239	"    Arsenides.....	68
Monallylin.....	239	"    Bromate.....	73
Monamylin.....	239	"    Bismuth sulphide.....	64
Monazite.....	116	"    Chloride.....	24
Monimolite.....	125	"    Dithionate.....	75
Monobromcamphor.....	328	"    Fluoride.....	17
Monobromhydrin.....	327	"    Formate.....	356
Monobromthophene.....	347	"    Hydrocarbonate.....	130
Monobutyrin.....	240	"    Hypophosphite.....	113
Monochlorbenzene.....	301	"    Iodate.....	74
"    Derivative of.....	304	"    Iron alloy.....	152
Monochlordinitrin.....	315	"    Nitrate.....	112
Monochlorethyl dichloracetate.....	306	"    Oxalate.....	360
"    trichloracetate.....	307	"    Oxides.....	54
Monochlorhydrin.....	311	"    Oxyhydroxide.....	71
Monochlortoluene.....	302	"    Palladiochloride.....	28
Monochlor-vinyl ethyl oxide.....	309	"    Phosphide.....	67
Monolein.....	240	"    Platibromide.....	33
Monosulphhydrin.....	344	"    Platiniiodide.....	37
Monovalerin.....	240	"    Potassium selenate.....	100
Monticellite.....	134	"    "    sulphate.....	91
Morenosite.....	85	"    Pyrophosphate.....	119
Morphine.....	290		

	PAGE.		PAGE.
Nickel. Selenate .....	99	Octyl. Alcohols .....	195
“ Selenide .....	65	“ Bromide .....	318
“ Silicofluoride .....	18	“ Butyrate .....	212
“ Sulphate .....	84	“ Caproate .....	214
“ “ with potassium selenate .....	101	“ Caprylate .....	216
“ Sulphide .....	60	“ Chloride .....	295
“ Thallium selenate .....	100	“ Cyanide .....	269
“ Tungstate .....	107	“ Formate .....	206
“ Zirconfluoride .....	19	“ Iodide .....	333
Nicotine .....	278	“ Isovalerate .....	214
Niobium, see columbium .....	8	“ Nitrite .....	281
Nitranilines .....	285	“ Oenanthane .....	215
Nitroanisol .....	285	“ Oxide .....	198
Nitrobenzene .....	283	“ Propionate .....	210
Nitrobrumtoluene .....	328	“ Sulphide .....	339
Nitrocymene .....	284	“ Valerate .....	214
Nitroethane .....	282	Octylamine .....	270
Nitrogen .....	6	Octylene .....	165
“ Chloride .....	25	“ Acetate .....	209
“ Chlorophosphide .....	144	“ Acetochloride .....	310
“ Oxides .....	48	“ Chlorhydrin .....	310
“ Oxybromide .....	33	“ Glycol .....	223
“ Oxychloride .....	29	“ Hydrate .....	195
“ Sulphide .....	58	“ Oxide .....	222
Nitroglycerin .....	286	Octylphosphin .....	348
Nitroheptane .....	282	Octylthiophene .....	342
Nitrosobutylanisol .....	285	Octylthymol .....	254
Nitromannite .....	286	Oenanthaldehyde .....	218
Nitromethane .....	282	“ anhydride .....	205
Nitronaphthalene .....	284	Oenanthal .....	218
Nitrophenols .....	285	“ Derivative of .....	245
Nitrosodiethylin .....	282	Oenanthane .....	221
Nitrosodipropylamine .....	282	Oenanthonitril .....	269
Nitrosyl bromide .....	33	Oenanthothialdin .....	245
Nitrotoluenes .....	283, 284	Okenite .....	132
Nitrous oxide .....	48	Oldhamite .....	57
Nitroxyl chloride .....	29	Olibene .....	184
Nitroxylenes .....	284	Oligoclase .....	137, 138
Nitroxylpiperidine .....	290	Olivente .....	122
Nonane .....	160	Orange, oil of .....	181
Nondecane .....	163	Orange .....	133
Nononaphtene .....	186	Orcin .....	251
Nononaphthylene .....	186	O'Rileyite .....	68
Nontronite .....	133	Orpiment .....	59
Nonyl. Alcohol .....	195, 196	Orthoclase .....	135
“ Chloride .....	295	Osmiridium .....	156
“ Iodide .....	333	Osmitopsis, oil of .....	263
Nonylene .....	165	Osmium .....	15
Nosean .....	141	Ouvarovite .....	130
Nutmegs, oil of .....	183	Owenite .....	139
<b>O.</b>			
Octaceto-digluose .....	245	Oxalethylethylin .....	279
Octaceto-saccharose .....	245	Oxalethylisoamylin .....	279
Octadecane .....	163	Oxalethylloanthylin .....	280
Octane .....	159, 160	Oxalethylpropylin .....	279
Octochloropropane .....	292	Oxalisamylisoamylin .....	279
Octodecylene .....	167	Oxalisobutylisoamylin .....	279
Octodecylidene .....	168	Oxalmethylethylin .....	279
Octonaphtene .....	180	Oxalmethyloanthylin .....	280
Octyl. Acetate .....	209	Oxalpropylethylin .....	279
		Oxalpropylisoamylin .....	279
		Oxalpropyloanthylin .....	280
		Oxalpropylpropylin .....	279

	PAGE.		PAGE.
Oxamide .....	287	Peppermint, oil of.....	183
Oxethenaniline .....	288	Perchlor-ethyl acetate.....	292
Oxybutyric lactone .....	231	Perchlor-ethyl oxide.....	293
Oxygen .....	8	Periclase .....	40
Oxyisoamylamine.....	287	Persea lingue, tannin from .....	267
Oxyphenyl mercaptan.....	344	Petalite .....	134
Oxypropylpropylamine.....	287	Petit grain, oil of.....	181
Oxysulphobonzyd.....	344	Petzite .....	66
<b>P.</b>			
Pachnolite .....	17	Pharmacolite.....	122
Pacite .....	69	Pharmacosiderite .....	123
Palladiochloride.....	28	Phenakite.....	131
Palladium .....	14	Phenanthrene.....	179
“ Lead alloy.....	156	“ Hydride .....	179
“ Phosphide .....	67	Phenanthrene quinone .....	266
“ Sulphide.....	61	Phenetol .....	252
Palmitone .....	221	Phenol.....	249
Palmitonitril .....	269	Phenoxyacetoneitril .....	289
Pandermite .....	108	Phenoxydiphenylphosphin.....	349
Papaverine.....	291	Phenyl. Acetate.....	260
Parabromalide.....	326	“ Allyl oxide.....	255
Parachinanisol .....	290	“ Borate .....	348
Parachloralide .....	309	“ Butyl oxide.....	253
Paradichloraldehyde.....	308	“ Carbimide .....	290
Paradiconline.....	277	“ Ethyl oxide.....	252
Paraffin.....	163, 164	“ “ sulphide .....	341
Paragonite .....	135	“ Heptyl oxide .....	253
Paraldehyde .....	217	“ Isobutyl “ .....	253
Paralcene.....	187	“ Isopropyl “ .....	253
Parasantonid.....	267	“ Mercaptan .....	341
Parisite .....	145	“ Methyl oxide .....	252
Parsley, oil of.....	183	“ Octyl “ .....	253
Parsnip, oil of.....	183	“ Oxide.....	252
Partschinlite.....	139	“ Phosphite.....	349
Parvoline.....	275	“ Propargyl oxide.....	255
Patchouli camphor.....	264	“ Propyl “ .....	253
Patchouli, oil of.....	185	“ Sulphides .....	341
Pectolite.....	134	“ Thiocarbimide.....	345
Peganite .....	117	Phenylacetic aldehyde.....	261
Pelletierine.....	291	“ chloride.....	313
Pentabromopropane.....	322	Phenylacetylene.....	176
Pentachloracetone.....	308	Phenylarsine bromide.....	351
Pentachlor-amyil formate.....	306	Phenylbutylene .....	176
Pentachlorbenzene .....	302	Phenylcymene .....	177
Pentachlorethane .....	299	Phenylhydrazin.....	280
Pentachlor-ethyl oxide.....	305	Phenylpentylenes.....	176
Pentachlornitrobenzene .....	316	Phenylphosphin .....	348
Pentachlor-propylene oxide .....	310	Phenylphosphorous chloride.....	349
Pentadecane .....	162	Phenylpropionitril .....	280
Pentadekanaphtene.....	186	Phenylpropyl alcohol.....	251
Pentamethylene diamine.....	278	Phenylsulphonic chloride.....	346
Pentane .....	157	Phenyltoluene .....	177
Pentanitrolactose.....	286	Phenyltolylethane.....	176
Pentatriacontane.....	163	Phenylvinyl ethyl oxide.....	254
Pentethylmonochlorbenzene .....	304	Phillipsite .....	137
Pentlandite .....	64	Phlein.....	245
Pentyl. Bromide .....	317	Phlogopite .....	141
“ Chloride .....	294	Phloretol .....	250
“ Iodide.....	331	Phlorol .....	265
Penwithite .....	132	Phloryl ethyl oxide.....	254
		Phoenicochroite.....	104
		Phorone .....	246
		Phosgenite .....	145



	PAGE.		PAGE.
Phosphenyl chloride.....	349	Potassium.....	1
“ ether.....	349	“ Aluminum borate.....	108
“ oxychloride.....	349	“ “ selenate.....	101
“ sulphochloride.....	350	“ “ silicates.....	135, 136, 137
Phosphorus.....	6	“ “ sulphates.....	92, 97
“ Bromide.....	32	“ Ammonium chromate.....	104
“ Chlorides.....	25	“ “ sulphate.....	89
“ Oxybromide.....	33	“ “ tartrate.....	362
“ Oxychloride.....	29, 30	“ Amylsulphate.....	359
“ Oxychlorobromide.....	27	“ Antimony chloride.....	29
“ Pentoxide.....	48	“ Arsenate.....	122
“ Sulphides.....	58	“ Borate.....	108
“ Sulphobromide.....	33	“ Borofluoride.....	18
“ Sulphochloride.....	30	“ Borotartrate.....	363
“ Sulphocyanide.....	144	“ Bromate.....	73
Phthalic anhydride.....	266	“ Bromide.....	31
Phthalyl chloride.....	313	“ Cadmium chloride.....	27
Phyctte bromodichlorhydrin.....	337	“ “ iodide.....	36
Picamar.....	259	“ “ selenate.....	100
Picite.....	117	“ “ sulphate.....	90
Picoline.....	274, 275	“ Calcium chromate.....	104
Pterolichefenin.....	268	“ “ sulphate.....	89
Pinaelic chloride.....	295	“ Carbonates.....	126, 129
“ iodide.....	333	“ Chlorate.....	72
Pinacoline.....	220	“ Chloride.....	20
Pinacolyl alcohol.....	194	“ Chlorochromate.....	104
Pinakone.....	223	“ Chromates.....	102, 103
Pinite.....	243	“ Chromate with mercuric cyanide.....	144
Pinnoite.....	108	“ Chromiodate.....	104
Pinus, oils from.....	179, 180, 304	“ Chromium selenate.....	101
Pipecoleine.....	277	“ “ sulphate.....	94
Pipecoline.....	277	“ “ sulphocyanide.....	144
Piperidine.....	276	“ Chromocyanide.....	143
Piperine.....	290	“ Chromoxalate.....	361
Piperpropylalkin.....	290	“ Citrate.....	364
Piperyl hydrazin.....	280	“ Cobalt selenate.....	100
Pistomesite.....	129	“ “ sulphate.....	91
Plagionite.....	62	“ Cobalticyanide.....	143
Planerite.....	118	“ Columboxyfluoride.....	19
Platinbrounides.....	33	“ Copper chloride.....	27
Platinchlorides.....	28, 365, 366	“ “ oxalate.....	361
Platiniodides.....	37	“ “ selenate.....	100
Platinum.....	15	“ “ sulphate.....	91
“ Boride.....	70	“ Cyanate.....	144
“ Chloride.....	27	“ Cyanide.....	143
“ Hydride.....	69	“ Dinitrophenates.....	364
“ Lead alloy.....	156	“ Dithionate.....	75
“ Phosphide.....	67	“ Ethylsulphate.....	359
“ Potassium sulphide.....	64	“ Ethylxanthate.....	359
“ Silicide.....	70	“ Ferricyanide.....	143
“ Sodium sulphide.....	64	“ Ferrocyanide.....	143
“ Sulphides.....	61	“ Fluoride.....	16
Platodiamine platsoxalates.....	361	“ Formate.....	356
Platosochlorides.....	28	“ Gallium sulphate.....	96
Plumbogummite.....	118	“ Hydrogen oxalate.....	360
Polianite.....	53	“ “ racemate.....	363
Pollucite.....	136	“ “ sulphate.....	88
Polyargyrite.....	62	“ “ tartrate.....	362
Polybasite.....	62	“ Hydroxide.....	70
Polydymite.....	60	“ Iodate.....	74
Polyhalite.....	89	“ Iodides.....	34
Poplar, oil of.....	185	“ Iridichloride.....	28

	PAGE.		PAGE.
Potassium. Iron chloride .....	27	Potassium. Stannifluoride .....	19
“ “ sulphates.....	90, 95, 97	“ Stannochloride .....	28
“ “ sulphide.....	64	“ Strontium chromoxalate.....	361
“ Isobutylsulphate.....	359	“ Sulphate .....	77
“ Isobutylxanthate .....	359	“ Sulphide.....	50
“ Lithium racemate.....	363	“ Sulphocyanide.....	144
“ Magnesium chromate .....	104	“ Tantalofluoride.....	19
“ “ selenate.....	100	“ Tartrantimonite .....	363
“ “ sulphate .....	89	“ Tartrate .....	362
“ Manganese selenate .....	100	“ Thallium sulphide.....	64
“ “ sulphate .....	90	“ Thiosulphate .....	74
“ Manganicyanide.....	143	“ Thorium phosphate.....	116
“ Mercury bromide.....	33	“ Titanofluoride .....	19
“ “ chloride.....	27	“ Triacetate.....	357
“ “ cyanide .....	143	“ Tungstates.....	106
“ “ iodide.....	36	“ Uranoxyfluoride .....	19
“ Metaphosphate .....	118	“ Uranyl sulphate .....	96
“ Methylsulphate.....	359	“ Vanadium vanadate.....	120
“ Methylxanthate .....	359	“ Zinc chloride.....	27
“ Nickel cyanide .....	143	“ “ selenate .....	100
“ “ selenate.....	100	“ “ sulphate .....	90
“ “ sulphate.....	91	“ Zirconofluoride.....	19
“ Nitrate.....	109	“ Zirconium phosphates.....	116
“ Nitrate-sulphate .....	145	“ “ silicate.....	139
“ Nitrophenates .....	364	Pregrattite .....	135
“ Oxalate.....	360	Prehnite.....	136
“ Oxide.....	40	Pricelte .....	108
“ Palladiochloride .....	28	Propane .....	157
“ Perchlorate .....	73	Propargyl. Acetate .....	242
“ Permanganate.....	105	“ “ Alcohol.....	241
“ Phosphate .....	114	“ “ Bromides.....	323
“ Phosphato-sulphate.....	145	“ “ Chloride.....	300
“ Pierate.....	364	“ “ Iodide.....	335
“ Platibromide .....	33	Propidene acetic acid .....	246
“ Platinechloride.....	28	Propidene dipropyl ether .....	224
“ Platiniodide .....	37	Propionamide.....	287
“ Platinocyanide.....	143	Propione .....	219
“ Platinium selenocyanide.....	144	Propionic aldehyde .....	217
“ “ sulphide.....	64	“ “ anhydride.....	204
“ “ sulphocyanide.....	144	Propionitril.....	268
“ Platosochloride .....	28	Propionylacetophenone.....	262
“ Platoxalate .....	361	Propionyl bromide.....	325
“ Propylsulphate .....	359	“ “ chloride .....	308
“ Pyrophosphate .....	119	Propyl. Acetate .....	207
“ Pyrosulphate .....	78	“ “ Acrylate.....	234
“ Quadroxalate .....	360	“ “ Alcohol.....	189
“ Racemate.....	363	“ “ Benzoate.....	256
“ Racemantimonite.....	364	“ “ Borate .....	347
“ Selenate .....	98	“ “ Bromide.....	317
“ Silicofluoride.....	18	“ “ Butyl oxide .....	197
“ Silver carbonate.....	129	“ “ “ succinate.....	223
“ Sodium alloy.....	145	“ “ Butyrate .....	211
“ “ carbonate .....	129	“ “ Camphorate.....	264
“ “ phosphate.....	115	“ “ Caproate.....	214
“ “ selenate.....	98	“ “ Caprylate.....	216
“ “ sulphate.....	89	“ “ Carbonate.....	226
“ “ tartrate .....	362	“ “ Chloride.....	293
“ “ tungstate .....	106	“ “ Chlorocarbonate .....	306
“ “ vanadate .....	122	“ “ Cinnamate .....	258
“ Stannate .....	142	“ “ Cyanide.....	268
“ Stannibromide.....	33	“ “ Dibrompropionate.....	326
“ Stannichloride.....	29	“ “ Dioxysulphocarbonate.....	343



R.		PAGE.	S.		PAGE.
Raimondite.....		97	Saccharose.....		243
Ralstonite.....		17	Safrene.....		184
Rammelsbergite.....		68	Safrol.....		266
Realgar.....		59	Sage, oil of.....	183,	185
Reddingite.....		115	Salicin.....		267
Reinite.....		106	Sallgenin.....		252
Resorcin.....		250	Salicylol.....		261
Retene.....		179	Sallretin.....		266
Rezbanyite.....		63	Salt.....		19
Rhabdophane.....		116	Salviol.....		263
Rhagite.....		123	Samarium. Acetate.....		358
Rhodium.....		14	“ Ammonium selenate.....		101
“ Ammonobromide.....		38	“ “ sulphate.....		96
“ Ammoniochloride.....		38	“ Borate.....		108
“ Ammonioiodide.....		38	“ Bromide.....		32
Rhodizite.....		108	“ Chloride.....		25
Rhodonite.....		132	“ Ethylsulphate.....		359
Ripidoilite.....		138	“ Formate.....		357
Roemerite.....		96	“ Gold bromide.....		33
Romeite.....		125	“ “ chloride.....		28
Rosaniline chlorhydrate.....		365	“ Metaphosphate.....		118
Roselite.....		122	“ Metavanadate.....		120
Rosemary, oil of.....		183	“ Molybdate.....		105
Rosecobalt iododisulphate.....		97	“ Nitrate.....		112
Rose's alloy.....		156	“ Oxide.....		43
Rosewood, oil of.....		185	“ Oxychloride.....		29
“ resin from.....		267	“ Periodate.....		74
Rubidine.....		276	“ Phosphate.....		116
Rubidium.....		1	“ Pierate.....		364
“ Aluminium selenate.....		100	“ Platinchloride.....		28
“ “ sulphate.....		93	“ Platinocyanide.....		144
“ Bromide.....		31	“ Potassium selenate.....		101
“ Chloride.....		21	“ Propionate.....		358
“ Chromium selenate.....		100	“ Selenate.....		100
“ “ sulphate.....		95	“ Sodium molybdate.....		105
“ Cobalt selenate.....		100	“ Sulphate.....		88
“ Copper chloride.....		27	“ Sulphocyanate with mercuric cyanide.....		144
“ Fluoride.....		16	“ Tungstate.....		107
“ Gallium sulphate.....		96	Sandal wood, oil of.....		185
“ Hydrogen racemate.....		363	Santonid.....		267
“ “ tartrate.....		362	Santonine.....		267
“ Indium sulphate.....		96	Santonyl. Bromide.....		328
“ Iodide.....		34	“ Chloride.....		312
“ Iron sulphate.....		95	“ Iodide.....		335
“ Lithium racemate.....		363	Sapphire.....		43
“ “ tartrate.....		362	Sartorite.....		61
“ Platinchloride.....		28	Satureja, oil of.....		183
“ Quadroxalate.....		360	Scandium. Oxide.....		43
“ Racemate.....		363	“ Sulphate.....		87
“ Selenate.....		98	Scheelite.....		106
“ Silicofluoride.....		18	Schwartzembergite.....		37
“ Sodium tartrate.....		362	Scolezite.....		137
“ Sulphate.....		73	Scorodite.....		122
“ Tartrate.....		362	Seovillite.....		116
Ruby.....		42	Selenium.....		9
Ruthenium.....		14	“ Bromide.....		32
“ Dioxide.....		55	“ Chloride.....		26
Rutile.....		45	“ Oxychloride.....		30
			“ Dioxide.....		51
			“ Sulphide.....		59

	PAGE.
Sellaite .....	16
Semseyite.....	62
Senarmontite .....	49
Sequoia, oil of.....	180, 267
Serpentine.....	131
Sesquiterpene.....	185
Sideronatriite.....	97
Silica.....	44
Silicofluorides.....	18
Silicoheptyl compounds.....	351, 352
Silicon .....	4
" Bromide .....	32
" Chlorides.....	25
" Chlorobromide.....	37
" Organic compounds of.....	351, 352, 353
" Oxides.....	44
" Pyrophosphate.....	119
Silver.....	13
" Acetate.....	157
" Aluminum alloys .....	146
" Amalgam .....	146
" Ammonio-chromate.....	103
" Ammonio-ferricyanide.....	143
" Ammonio-selenate.....	98
" Ammonio-sulphate.....	97
" Antimonides.....	68
" Arsenides.....	67
" Benzoate.....	365
" Bismuth glance.....	63
" Bromate.....	31
" Bromide.....	73
" Butyrate.....	359
" Caproate.....	359
" Caprylate.....	359
" Carbonate.....	126
" Chlorate .....	72
" Chloride .....	21
" Chlorobromide.....	37
" Chlorobromiodide.....	37, 38
" Chromates.....	103
" Cinnamate.....	365
" Copper alloys.....	155
"    " iodide .....	37
" Cyanate.....	144
" Cyanide.....	143
" Dinitrophenate.....	364
" Dithionate.....	75
" Fluoride.....	16
" Gold alloys.....	156
"    " sulphide.....	64
" Iodate.....	74
" Iodide.....	34
" Iron ammonio-cyanide.....	143
" Isovalerate.....	359
" Lead iodide.....	37
" Malate .....	361
" Mercury iodide .....	36
" Nitrate.....	110
" Nitrophenates.....	364
" Oxalate.....	360
" Oxides.....	40
" Phosphate .....	115

	PAGE.
Silver. Phosphide.....	66
" Pierate.....	364
" Potassium carbonate.....	129
" Propionate.....	358
" Pyrophosphate.....	119
" Racemate.....	363
" Selenate.....	98
" Selenide.....	65
" Succinate.....	361
" Sulphate.....	79
" Sulphide.....	57
" Tarlranthimonite .....	363
" Tartrate.....	362
" Telluride.....	66
" Tin alloys.....	154, 155
" Vanadate.....	120
Simonyite .....	89
Sipyiite.....	125
Sisserskite.....	156
Skutterudite.....	68
Smaltite.....	68
Sodalite.....	141
Sodium.....	1
" Acetate.....	357
" Aluminum carbonate .....	130
"    " selenate.....	101
"    " silicates.....	134, 135, 137
"    " sulphate.....	92
" Ammonium arsenate.....	121
"    " phosphate.....	115
"    " racemate.....	363
"    " sulphate .....	89
"    " tartrate.....	362
" Antimonites.....	125
" Arsenates .....	121
" Borates.....	107
" Bromate.....	73
" Bromide.....	31
" Calcium borates.....	108
"    " carbonate.....	129
"    " silicate.....	134
"    " sulphate .....	89
" Carbonates.....	126, 129
" Chlorate.....	72
" Chloride.....	19
" Chromates.....	102
" Chromiodate .....	104
" Citrate .....	364
"    " Derivative of.....	293
" Copper sulphate .....	89
" Dithionate.....	75
" Ferrocyanide.....	143
" Ferroxalate.....	361
" Fluoroarsenate.....	124
" Fluophosphate.....	124
" Fluoride.....	16
" Formate.....	356
" Hydride.....	69
" Hydrogen oxalate.....	360
"    " sulphate.....	88
" Hydroxide .....	70
" Hypophosphates.....	113

	PAGE.		PAGE.
Sodium. Iodate.....	74	Stearonitrii.....	269
“ Iodide.....	34	Stephanite.....	62
“ Iron sulphates.....	97	Sternbergite.....	64
“ Magnesium sulphates.....	89	Stibiconite.....	71
“ Manganese phosphate.....	115	Stibioferrite.....	125
“ Mercury chloride.....	27	Stibiohexargentite.....	68
“ Metaphosphate.....	118	Stibiotriargentite.....	68
“ Metasilicate.....	131	Stibnite.....	59
“ Nitrate.....	109	Stilbazoline.....	278
“ Nitroprusside.....	143	Stilbene.....	179
“ Oxide.....	40	Stilbite.....	136
“ Phosphates.....	114	Stolzite.....	106
“ Platinbromide.....	33	Strengite.....	115
“ Platinchloride.....	28	Stromeyerite.....	64
“ Platiniodide.....	37	Strontianite.....	127
“ Platinum sulphide.....	64	Strontium.....	3
“ Platocalate.....	361	“ Acetate.....	357
“ Potassium alloy.....	145	“ Aluminum silicates.....	137
“ “ arsenate.....	121	“ Bromate.....	73
“ “ carbonate.....	129	“ Bromide.....	32
“ “ phosphate.....	115	“ Cadmium chloride.....	27
“ “ racemate.....	363	“ Carbonate.....	127
“ “ selenate.....	98	“ Chlorate.....	72
“ “ sulphate.....	89	“ Chloride.....	23
“ “ tartrate.....	362	“ Chromate.....	103
“ “ tungstate.....	106	“ Chromoxalate.....	361
“ Pyrophosphates.....	118, 119	“ Copper formate.....	356
“ Rubidium tartrate.....	362	“ Dithionate.....	75
“ Samarium molybdate.....	105	“ Feldspars.....	137
“ Selenate.....	98	“ Fluoride.....	17
“ Silicofluoride.....	18	“ Formate.....	356
“ Sulphantimonate.....	62	“ Hydroxide.....	71
“ Sulphate.....	76, 77	“ Iodide.....	36
“ Sulphite.....	75	“ Molybdate.....	105
“ Sulphide.....	56	“ Nitrate.....	111
“ Tartrate.....	362	“ Oxide.....	41
“ Thallium racemate.....	363	“ Platinbromide.....	33
“ “ tartrate.....	362	“ Potassium chromoxalate.....	361
“ Thiosulphate.....	74	“ Selenate.....	99
“ Thorium phosphates.....	116	“ Silicofluoride.....	18
“ Triacetate.....	357	“ Sulphate.....	82
“ Tungstates.....	106	“ Tartrate.....	362
“ Uranium oxide.....	55	“ Thiosulphate.....	74
“ Uranyl acetate.....	358	“ Titanate.....	141
“ “ monochloracetate.....	358	Struvite.....	115
“ Vanadates.....	120	Strychnine.....	290
“ Zirconium phosphates.....	116	Styracin.....	267
“ “ silicate.....	139	Styrolene.....	176
Sonomaite.....	96	Styrollyl ethyl oxide.....	254
Sorbite.....	243	Succinyl chloride.....	311
Sphærite.....	118	“ “ Derivative of.....	293
Sphene.....	139	Sulphocarbonilide.....	346
Spinel.....	55	Sulpho urea.....	345
Spodumene.....	134	Sulphur.....	8
Stannibromides.....	33	“ Bromide.....	32
Stannichlorides.....	29	“ Chloride.....	26
Stannifluorides.....	19	“ Oxides.....	51
Stannochlorides.....	28	“ Oxychloride.....	30
Stannorganic compounds.....	353, 354	Sulphuryl chloride.....	30
Starch.....	244	Sussexite.....	103
Stearin.....	240	Sylvanite.....	66
Stearone.....	221	Sylvestrene.....	181

	PAGE.
Syngentite .....	89
Szaboite .....	133
Szaibelyite.....	108
Szmkite.....	83

T.

Tagilite .....	117
Talc .....	131
Tallingite.....	29
Tannin .....	267
Tansy, oil of.....	263
Tantalite .....	125
Tantalofluorides.....	19
Tantalum .....	8
“ Aluminum alloy .....	146
“ Pentoxide .....	50
Tapalpite.....	66
Tellurium .....	10
“ Oxides.....	51, 52
Tennantite .....	61
Tephroite.....	132
Terebangeline .....	182
Terebene.....	180
“ Acetate.....	264
Terebenthene.....	180
“ Acetate .....	264
“ Hydrochlorate .....	304
Terpane.....	263
Terpene .....	180, 181
Terpilene .....	181
“ Acetate.....	264
“ Formate.....	264
“ Hydride.....	186
Terpilene.....	263
Terpinene.....	181
Terpinol .....	263
Terpinylene.....	181
Tetrabromethane.....	321
Tetrabromglycide.....	322
Tetrabromhydrocamphene .....	325
Tetrabromoxysulphobenzid .....	347
Tetrabromopropane.....	322
Tetrachloracetone.....	308
Tetrachloracetic anhydride .....	308
Tetrachlorbenzene .....	302
Tetrachlorbenzyl chloride .....	303
Tetrachlorbenzylene dichloride .....	303
Tetrachlorethane.....	299
Tetrachlor-ethyl acetate.....	307
Tetrachlor-ethyl camphorate.....	313
Tetrachlorethylene .....	291
Tetrachlor-ethyl oxide.....	305
Tetrachlor-ethyl sulphide.....	346
Tetrachlorglycide.....	299
Tetrachlor-methyl ethyl oxide.....	305
Tetrachlor-methyl formate.....	292
Tetrachlor-methyl mercaptan.....	346
Tetrachlor-methyl oxide.....	305
Tetrachlornitrobenzene.....	316
Tetrachloroxysulphobenzid.....	347
Tetrachlorpentane .....	300

	PAGE.
Tetrachlorpropane .....	299
Tetrachlortoluene.....	303
Tetracosane.....	163
Tetradecane.....	162
Tetradecyl alcohol .....	196
Tetradecylene .....	166
Tetradecyllidene .....	168
Tetradymite.....	66
Tetrahydrotoluene.....	177
Tetrahydroxylene .....	177
Tetralod-methyl oxide .....	335
Tetraiodoxysulphobenzid.....	347
Tetramercurammonium chloride.....	38
“ sulphate .....	97
Tetramethylallylene .....	168
Tetramethylammonium iodide.....	365
“ mercury iodide.....	365
Tetramethylaniline .....	273
Tetramethylbenzene.....	173
Tetramethylbutane.....	159, 160
Tetramethylethane.....	168
Tetramethylethylene .....	164
Tetramethylpentane.....	160
Tetramylene .....	167
Tetranitroethylene bromide .....	328
Tetraphenylethane.....	176
Tetraterebenthene.....	185
Tetrethylallylalkin .....	290
Tetrethylammonium iodide.....	365
Tetrethyl citrate .....	237
Tetrethylmonochlorbenzene.....	304
Thallium.....	3
“ Aluminum selenate .....	101
“ sulphate.....	94
“ Amylate .....	355
“ Bromides .....	31
“ Carbonate .....	126
“ Chlorate .....	72
“ Chlorides.....	22
“ Chromium selenate.....	101
“ sulphate.....	95
“ Cobalt selenate.....	100
“ sulphate .....	91
“ Ethylate .....	355
“ Ferrocyanide .....	143
“ Hydrogen oxalate.....	360
“ Hydrogen racemate.....	363
“ tartrate.....	362
“ Iodide.....	35
“ Iron sulphate.....	96
“ Lithium racemate .....	363
“ tartrate .....	362
“ Nickel selenate.....	100
“ Nitrate.....	110
“ Oxalate.....	360
“ Perchlorate .....	73
“ Phosphates.....	115
“ Picrate.....	364
“ Platinchloride.....	28
“ Potassium sulphide .....	64
“ Pyrophosphate.....	119
“ Racemate .....	363

	PAGE.		PAGE.
Thallium. Selenate.....	98	Tin. Oxalate.....	361
“ Sodium racemate.....	363	“ Oxides.....	46
“ “ tartrate.....	362	“ Phosphides.....	66
“ Sulphate.....	79	“ Potassium chlorides.....	28, 29
“ Sulphide.....	57	“ Pyrophosphate.....	119
“ Tartrantimonite.....	363	“ Selenides.....	65
“ Tartrate.....	362	“ Silver alloys.....	154
“ Tellurate.....	102	“ Sulphides.....	58
“ Vanadates.....	120	“ Telluride.....	66
Thaumasite.....	141	“ Zinc alloys.....	147
Thebaine.....	291	Titanofluorides.....	19
Thermonatrite.....	126	Titanium. Bromide.....	32
Thialdin.....	345	“ Calcium silicate.....	139
Thiocarbonyl chloride.....	292	“ Carbide.....	70
Thiocyanacetone.....	346	“ Chloride.....	25
Thionyl chloride.....	30	“ Dioxide.....	45
Thiophene.....	341	“ Nitride.....	70
“ Aldehyde.....	344	“ Nitrocyanoide.....	144
Thiitolene.....	342	“ Pyrophosphate.....	119
Thioxene.....	342	Tolene.....	184
Thomsonite.....	137	Toluene.....	170
Thorite.....	133	Toluic aldehyde.....	261
Thorium.....	6	“ nitril.....	280
“ Metaphosphate.....	118	Toluidines.....	271, 272
“ Oxalate.....	361	Toluy chloride.....	313
“ Oxide.....	48	Tolyl phenyl ketone.....	262
“ Platinocyanide.....	144	Tolylpropyl aldehyde.....	261
“ Potassium phosphates.....	116	Topaz.....	140
“ Selenate.....	100	Torbernite.....	116
“ Silicates.....	133	Tourmaline.....	140
“ Sodium phosphates.....	116	Tremolite.....	134
“ Sulphate.....	88	Triacetin.....	210
“ Sulphide.....	58	Triallylamine.....	278
Thrombolite.....	125	Triamylamine.....	270
Thuja terpene.....	180	Triamylene.....	166
Thujol.....	263	Triamylstibine.....	351
Thuringite.....	139	Tribromchloracetone.....	337
Thymene.....	183	Tribromethylene.....	322
Thyme, oil of.....	183	Tribromhydrin.....	322
Thymol.....	250	Tribromisobutane.....	323
Thymyl acetate.....	260	Tribrompropane.....	322
Tiemannite.....	65	Tributylamine.....	270
Tiglic aldehyde.....	235	Tributyrin.....	240
Tin.....	4	Trichloracenaphtene.....	304
“ Aluminum alloys.....	146	Trichloroacetal.....	310
“ Amalgams.....	145, 146	Trichloroacetic anhydride.....	292
“ Ammonium chlorides.....	28, 29	Trichloro-acetic anhydride.....	308
“ Antimonides.....	68, 149	Trichloroacetic dimethylamide.....	315
“ Arsenides.....	67	Trichloroacetoneitril.....	314
“ Bismuth alloys.....	150	Trichloroacetophenone.....	313
“ Bromide.....	32	Trichloroacetyl bromide.....	337
“ Cadmium alloys.....	147	“ chloride.....	292
“ Calcium silicate.....	139	“ cyanide.....	315
“ Chlorides.....	25	Trichloroamylene thiodichloride.....	346
“ Chlorobromide.....	37	Trichlorobenzene.....	302
“ Copper alloys.....	153, 154	Trichlorobenzyl chloride.....	303
“ Fluorides.....	19	Trichlorobenzylene dichloride.....	303
“ Gold alloys.....	155	Trichlorobutyl acetate.....	307
“ Iodide.....	36	Trichlorodibromethane.....	306
“ Iron alloys.....	152	Trichlorodimethyl acetal.....	310
“ Lead.....	147, 148, 149	Trichlorodinitrobenzene.....	315
“ Organic compounds of.....	353, 354	Trichlorethane.....	298



	PAGE.		PAGE.
Trichlor-ethyl acetate.....	306	Trinitrolactose .....	286
Trichlor-ethyl alcohol.....	305	Trinitrophenol .....	285
Trichlorethyl chloracetates.....	307	Triphenols .....	250
Trichlorhexane .....	300	Triphenylbenzene.....	177
Trichlorhydrin.....	299	Triphenylphosphin.....	348
Trichlor-methyl amyl sulphite.....	346	"    Oxide.....	349
Trichlormethylethyl acetal .....	310	Triphenyltrisulphosphamide.....	350
Trichlornitrobenzene.....	315	Triphenylstibine.....	351
Trichlorpentane.....	300	Triphylite.....	115
Trichlorpropane.....	299	Triplite.....	124
Trichlorpropylene.....	300	Triploidite.....	117
Trichloroluene.....	303	Tripropylamine.....	270
Trichlorvinyl ethyl oxide.....	309	Tristearin.....	240
Tricosane .....	163	Trisulphhydrin.....	341
Tridecane .....	162	Tritolylstibine.....	351
Tridecylene .....	166	Trivalerylene.....	168
Tridymite.....	45	Trögerite.....	122
Triethoxyacetoneitril .....	289	Trollite.....	60
Triethoxypropylphosphorsulphobromide.....	350	Trolleite.....	117
Triethylamine.....	269	Troplene.....	267
"    Aurochloride .....	365	Tropilidene.....	187
Triethyl amyl orthosilicate .....	352	Tungsten.....	11
Triethylarsine.....	350	"    Aluminum alloy.....	146
Triethylcarbinol.....	195	"    Oxides.....	52
Triethyl citrate.....	237	"    Phosphide.....	67
Triethyl diglycerin .....	239	"    Sulphide.....	59
Triethylene alcohol .....	223	Turgite.....	71
Triethylin.....	239	Turmerol.....	267
Triethylmethane .....	159	Turpentine.....	179
Triethylmonochlorbenzene .....	304	"    Hydrate .....	264
Triethylphosphin .....	348	Turpeth mineral .....	96
"    Platosochloride.....	366	Turquoise .....	117
Triethylpropylphycite .....	248	Tyrolite .....	123
Triethylsilicic.....	352	Tyrosine .....	288
Triethylstibine .....	351	Tysonite .....	18
"    Bromide .....	351		
"    Chloride.....	351		
Triglycerin tetrethylin.....	239		
Triisobutylamine.....	270		
Triisobutylene .....	166		
Trimethylamine.....	269		
Trimethylbenzene .....	172		
Trimethylcarbinol .....	191		
Trimethylcarbinolamine.....	270		
Trimethylcarbyl. Bromide.....	317		
"    Chloride .....	294		
"    Iodide .....	331		
"    Nitrite .....	281		
Trimethylcarbylmethylcarbinol .....	194		
Trimethyldiethylaniline.....	273		
Trimethylene. Bromhydrin.....	327		
"    Bromide.....	319		
"    Chlorhydrin.....	310		
"    Chloride.....	297		
"    Glycol.....	222		
"    Iodide .....	334		
Trimethylenediethylalkin .....	290		
Trimethylethylene .....	164		
"    Oxide.....	222		
Trimethyl ethyl orthosilicate.....	352		
Trimethylin .....	239		
Trimethylstibine.....	351		


  

U.	
Ulexite.....	108
Ullmannite.....	69
Undecane .....	161
Uranium.....	11
"    Arsenate .....	122
"    Barium phosphate.....	116
"    Bismuth arsenate .....	123
"    Calcium .....	122
"    "    phosphate.....	116
"    Copper arsenate.....	122
"    "    phosphate.....	116
"    Hydroxides.....	72
"    Lithium acetate.....	358
"    Nitrate.....	112
"    Oleate .....	364
"    Oxalate.....	361
"    Oxides .....	52
"    Sodium acetate.....	358
"    "    monochloracetate .....	358
"    "    oxide.....	55
"    Sulphate .....	83
Uranocircite.....	116
Uranosplinite.....	122

	PAGE.		PAGE.
Uranoxylfluorides .....	19	Wormseed, oil of.....	263
Urao.....	129	Wormwood, oil of.....	183
Urea.....	288	Wulfenite.....	105
Urethane.....	288		
Urusite.....	97	<b>X.</b>	
		Xanthil.....	268
<b>V.</b>		Xanthoconite.....	61
Valentinite.....	49	Xanthurin.....	344
Valeracetonitril.....	289	Xenolite.....	133
Valeral. Derivatives of.....	245, 309	Xenotime.....	116
" Polymer of.....	218	Xonalite.....	132
Valeric anhydride.....	205	Xylene.....	171, 172
Valeroglyceral.....	239	" Dichloride.....	304
Valerone.....	221	" Glycols.....	252
Valeronitril.....	268	" Tetrachloride.....	304
Valeryl chloride.....	308	Xylenol.....	250
Valerylene.....	167	Xylidines.....	272, 273
" Diacetate.....	248	Xylol. Acetate.....	260
" Polymer of.....	184	" Alcohols.....	251
Vanadinite.....	124	" Bromides.....	324
Vanadium.....	7	" Cyanide.....	280
" Chlorides.....	26	" Ethyl oxide.....	254
" Oxides.....	48	" Mercaptan.....	341
" Oxybromide.....	33	" Phosphochloride.....	350
" Oxychloride.....	30	" Phosphoxychloride.....	350
" Sulphides.....	59	Xylylene bromides.....	324, 325
Vanadium-wagnerite.....	124		
Variscite.....	115, 116	<b>Y.</b>	
Vauquelinite.....	104	Ytterblum. Oxide.....	43
Venasquite.....	139	" Sulphate.....	87
Veratrol.....	255	Yttrium. Oxide.....	43
Veszelyite.....	117	" Phosphate.....	116
Vinyl. Bromide.....	321	" Selenate.....	99
" Ethyl oxide.....	241	" Sulphate.....	87
" Iodide.....	334	Yttrocerite.....	18
" Sulphide.....	340		
Vinyl-anisole.....	254	<b>Z.</b>	
Viridine.....	276	Zaralite.....	130
Vitiver, oil of.....	185	Zepharovichite.....	116
Vivianite.....	115	Zennerite.....	122
Volborthite.....	120	Zinc.....	2
Voltzite.....	64	" Acetate.....	357
		" Aluminium alloy.....	146
<b>W.</b>		" " sulphate.....	97
Wagnerite.....	124	" Amalgam.....	145
Waldvine.....	268	" Ammonio-sulphate.....	97
Walpurkite.....	123	" Ammonium bromide.....	33
Warringtonite.....	96	" " chloride.....	27
Water.....	39	" " selenate.....	100
Wavellite.....	118	" " sulphate.....	90
Wehrlite.....	65	" Antimonides.....	68
Werthemanite.....	97	" Arsenates.....	122
Whitneyite.....	67	" Barium chloride.....	27
Willemite.....	132	" Bromate.....	73
Wittichenite.....	63	" Bromide.....	31
Wolfachite.....	69	" Calcium alloy.....	145
Wolfram.....	107	" Carbonates.....	127, 130
Wollastonite.....	132	" Chloride.....	22
Wood.....	367	" Chromium oxide.....	56
Wood's alloy.....	156		

	PAGE.
Zinc. Copper alloys.....	152
“ Dithionate.....	75
“ Fluoride.....	16
“ Formate.....	356
“ Hydroxide.....	70
“ Hypophosphite.....	113
“ Iodide.....	35
“ Iron oxide.....	56
“ Lead vanadates.....	120
“ Magnesium sulphate.....	92
“ Nitrate.....	110
“ Oxalate.....	360
“ Oxide.....	41
“ Oxysulphide.....	64
“ Palladiochloride.....	28
“ Phosphate.....	115
“ Phosphide.....	66
“ Platinbromide.....	33
“ Platiniodide.....	37
“ Potassium chloride.....	27
“ “ selenate.....	100
“ “ sulphate.....	90
“ Pyroarsenate.....	123
“ Pyrophosphate.....	119
“ Selenate.....	98
“ Selenide.....	65
“ Silicates.....	132

	PAGE.
Zinc. Silicofluoride.....	18
“ Sulphate.....	80, 96
“ Sulphide.....	57
“ Telluride.....	66
“ Tin alloy.....	147
“ Titanate.....	142
“ Zircocfluoride.....	19
Zincaluminite.....	97
Zinc amyl.....	355
Zinc ethyl.....	355
Zincite.....	41
Zinc methyl.....	355
Zinc propyl.....	355
Zinkenite.....	62
Zircocfluorides.....	19
Zircon.....	133
Zirconium.....	4
“ Oxide.....	46
“ Potassium phosphates.....	116
“ “ silicate.....	139
“ Pyrophosphate.....	119
“ Silicate.....	133
“ Sodium phosphates.....	116
“ “ silicate.....	139
Zoisite.....	137
Zorgite.....	65







C 5974t

25001  
Clarke, Frank Wigglesworth  
Table of specific gravity for solids and

UNIVERSITY OF TORONTO  
LIBRARY

—  
Do not  
remove  
the card  
from this  
Pocket.  
—

Acme Library Card Pocket  
Under Pat. "Ref. Index File."  
Made by LIBRARY BUREAU

